

# David Wood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6140887/publications.pdf>

Version: 2024-02-01

182  
papers

6,890  
citations

41339  
49  
h-index

74160  
75  
g-index

183  
all docs

183  
docs citations

183  
times ranked

4867  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing emergency department attendances in central London with methamphetamine toxicity and associated harms. <i>Emergency Medicine Journal</i> , 2022, 39, 463-466.	1.0	6
2	Extracorporeal Treatment for Methotrexate Poisoning. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 602-622.	4.5	8
3	Differences in clinical features associated with cannabis intoxication in presentations to European emergency departments according to patient age and sex. <i>Clinical Toxicology</i> , 2022, 60, 912-919.	1.9	4
4	Trends in hospital presentations following analytically confirmed synthetic cannabinoid receptor agonist exposure before and after implementation of the 2016 UK Psychoactive Substances Act. <i>Addiction</i> , 2022, 117, 2899-2906.	3.3	5
5	Pharmacokinetics of Mephedrone and Its Metabolites in Whole Blood and Plasma after Controlled Intranasal Administration to Healthy Human Volunteers. <i>Journal of Analytical Toxicology</i> , 2021, 45, 730-738.	2.8	8
6	Nonmedical use of benzodiazepines and Z-drugs in the UK. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1676-1683.	2.4	14
7	Acute toxicity related to misuse (nonmedical use) of tramadol: Experience of the European Drug Emergencies Network Plus. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1668-1675.	2.4	9
8	Prescription medicine misuse in the Asia-Pacific region: An evolving issue?. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1660-1667.	2.4	7
9	An evaluation of online discussion relating to nonmedical use of prescription opioids within the UK. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1637-1646.	2.4	4
10	Regional, national and international datasets: How they improve our understanding of the acute harms associated with prescription medicine misuse. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1654-1659.	2.4	7
11	Non-medical use of benzodiazepines and GABA analogues in Europe. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1684-1694.	2.4	7
12	Variation of drugs involved in acute drug toxicity presentations based on age and sex: an epidemiological approach based on European emergency departments. <i>Clinical Toxicology</i> , 2021, 59, 896-904.	1.9	15
13	Acute toxicity from the synthetic cathinone <i>N</i> -ethylpentylone (ephylone) in the United Kingdom. <i>Clinical Toxicology</i> , 2021, 59, 1270-1273.	1.9	5
14	Extracorporeal treatments for isoniazid poisoning: Systematic review and recommendations from the EXTRIP workgroup. <i>Pharmacotherapy</i> , 2021, 41, 463-478.	2.6	4
15	Systematic review on the use of activated charcoal for gastrointestinal decontamination following acute oral overdose. <i>Clinical Toxicology</i> , 2021, 59, 1196-1227.	1.9	15
16	Pharmacokinetics of Mephedrone Enantiomers in Whole Blood after a Controlled Intranasal Administration to Healthy Human Volunteers. <i>Pharmaceuticals</i> , 2021, 14, 5.	3.8	6
17	Non-medical use of loperamide in the UK and the USA. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020, 113, 25-30.	0.5	3
18	Evidence of enzyme-mediated transesterification of synthetic cannabinoids with ethanol: potential toxicological impact. <i>Forensic Toxicology</i> , 2020, 38, 95-107.	2.4	5

#	ARTICLE	IF	CITATIONS
19	The Availability of Modafinil and Methylphenidate Purchased from the Internet in the United Kingdom Without a Prescription. Substance Use and Misuse, 2020, 55, 56-65.	1.4	14
20	Severe Toxicity to the New Psychoactive Substances 3-Hydroxyphencyclidine and N-Ethylhexedrone: an Analytically Confirmed Case Report. Journal of Medical Toxicology, 2020, 16, 67-70.	1.5	18
21	New psychoactive substances: a review and updates. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532096719.	2.7	141
22	The challenge of the novel psychoactive substances: How have we responded and what are the implications of this response?. British Journal of Clinical Pharmacology, 2020, 86, 407-409.	2.4	1
23	Detection of mephedrone and its metabolites in fingerprints from a controlled human administration study by liquid chromatography-tandem mass spectrometry and paper spray-mass spectrometry. Analyst, The, 2020, 145, 3038-3048.	3.5	30
24	Evaluation of long-term detection trends of new psychoactive substances in pooled urine from city street portable urinals (London, UK). British Journal of Clinical Pharmacology, 2020, 86, 517-527.	2.4	14
25	Change in the new psychoactive substances associated with Emergency Department acute toxicity presentations associated with the introduction of the UK 2016 Psychoactive Substances Act. Clinical Toxicology, 2019, 57, 36-41.	1.9	18
26	Concurrent Use of Benzodiazepine by Heroin Users—What Are the Prevalence and the Risks Associated with This Pattern of Use?. Journal of Medical Toxicology, 2019, 15, 4-11.	1.5	10
27	Clinical relevance of ethanol coingestion in patients with GHB/GBL intoxication. Toxicology Letters, 2019, 314, 37-42.	0.8	24
28	Acute toxicity following analytically confirmed use of the novel psychoactive substance (NPS) methiopropamine. A report from the Identification of Novel psychoActive substances (IONA) study. Clinical Toxicology, 2019, 57, 663-667.	1.9	12
29	Epidemiology, clinical features and management of patients presenting to European emergency departments with acute cocaine toxicity: comparison between powder cocaine and crack cocaine cases. Clinical Toxicology, 2019, 57, 718-726.	1.9	25
30	Poor Identification of Emergency Department Acute Recreational Drug Toxicity Presentations Using Routine Hospital Coding Systems: the Experience in Denmark, Switzerland and the UK. Journal of Medical Toxicology, 2019, 15, 112-120.	1.5	18
31	Nonmedical use of alprazolam in the UK: Results from a nationally representative survey. British Journal of Clinical Pharmacology, 2019, 85, 1841-1845.	2.4	8
32	Seizures as a complication of recreational drug use: Analysis of the Euro-DEN Plus data-set. NeuroToxicology, 2019, 73, 183-187.	3.0	31
33	Synthetic cannabinoid availability on darknet drug markets—changes during 2016–2017. Toxicology Communications, 2019, 3, 7-15.	0.7	18
34	Stability of mephedrone and five of its phase I metabolites in human whole blood. Drug Testing and Analysis, 2019, 11, 586-594.	2.6	16
35	Presentations to the emergency department with non-medical use of benzodiazepines and Z-drugs: profiling and relation to sales data. European Journal of Clinical Pharmacology, 2019, 75, 77-85.	1.9	21
36	Assessment of the Availability, Cost, and Motivations for Use over Time of the New Psychoactive Substances—Benzodiazepines Diclazepam, Flubromazepam, and Pyrazolam—in the UK. Journal of Medical Toxicology, 2018, 14, 134-143.	1.5	29

#	ARTICLE	IF	CITATIONS
37	Acute recreational drug toxicity. <i>Medicine (United States)</i> , 2018, 97, e9784.	1.0	29
38	Baclofen in gamma-hydroxybutyrate withdrawal: patterns of use and online availability. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 349-356.	1.9	12
39	UK survey of non-medical use of prescription drugs (NMURx) as a valuable source of general population illicit drug use data. <i>Postgraduate Medical Journal</i> , 2018, 94, 627-633.	1.8	8
40	Pesticide-Poisoned Patients: Can They Be Used as Potential Organ Donors?. <i>Journal of Medical Toxicology</i> , 2018, 14, 278-282.	1.5	8
41	Patterns of Acute Toxicity Associated with New Psychoactive Substances. <i>Handbook of Experimental Pharmacology</i> , 2018, 252, 475-494.	1.8	9
42	Arylcyclohexamines: Ketamine, Phencyclidine, and Analogues. , 2018, , 1-47.		0
43	Novel psychoactive substances: identifying and managing acute and chronic harmful use. <i>BMJ: British Medical Journal</i> , 2017, 356, i6814.	2.3	11
44	Novel psychoactive substances: types, mechanisms of action, and effects. <i>BMJ: British Medical Journal</i> , 2017, 356, i6848.	2.3	76
45	Analytical confirmation of synthetic cannabinoids in a cohort of 179 presentations with acute recreational drug toxicity to an Emergency Department in London, UK in the first half of 2015. <i>Clinical Toxicology</i> , 2017, 55, 338-345.	1.9	49
46	The impact of the Psychoactive Substances Act 2016 on the online availability of MDMB-CHMICA. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2017, 110, 619-622.	0.5	11
47	MDMB-CHMICA: Availability, Patterns of Use, and Toxicity Associated With This Novel Psychoactive Substance. <i>Substance Use and Misuse</i> , 2017, 52, 223-232.	1.4	8
48	Prevalence of Use of Electronic Nicotine Delivery Systems (ENDS) to Vape Recreational Drugs by Club Patrons in South London. <i>Journal of Medical Toxicology</i> , 2017, 13, 61-65.	1.5	17
49	Cathinones. , 2017, , 1485-1524.		1
50	Intoxication by gamma hydroxybutyrate and related analogues: Clinical characteristics and comparison between pure intoxication and that combined with other substances of abuse. <i>Toxicology Letters</i> , 2017, 277, 84-91.	0.8	64
51	Arylcyclohexamines: Ketamine, Phencyclidine, and Analogues. , 2017, , 1439-1484.		1
52	Gamma-Hydroxybutyrate and Its Related Analogues Gamma-Butyrolactone and 1,4-Butanediol. , 2017, , 1555-1586.		0
53	Phenibut (4-aminophenylacetic acid): Availability, prevalence of use, desired effects and acute toxicity. <i>Drug and Alcohol Review</i> , 2016, 35, 591-596.	2.1	44
54	Psychosis associated with acute recreational drug toxicity: a European case series. <i>BMC Psychiatry</i> , 2016, 16, 293.	2.6	68

#	ARTICLE	IF	CITATIONS
55	Microwave-assisted on-spot derivatization for gas chromatography–mass spectrometry based determination of polar low molecular weight compounds in dried blood spots. <i>Journal of Chromatography A</i> , 2016, 1465, 175-183.	3.7	12
56	Misuse of prescription and over-the-counter medicines in South London nightclubs. <i>Journal of Substance Use</i> , 2016, 21, 495-500.	0.7	5
57	Improving GHB withdrawal with baclofen: study protocol for a feasibility study for a randomised controlled trial. <i>Trials</i> , 2016, 17, 472.	1.6	45
58	A comparison of recreational drug use amongst sexual health clinic users in London with existing prevalence data. <i>International Journal of STD and AIDS</i> , 2016, 27, 1309-1316.	1.1	14
59	Epidemiology of adolescent substance use in London schools. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 405-409.	0.5	55
60	Healthcare professionals are less confident in managing acute toxicity related to the use of new psychoactive substances (NPS) compared with classical recreational drugs. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 527-529.	0.5	82
61	Review of European-Drug Emergencies Network (Euro-DEN) training package for non-specialist workers to assess acute recreational drug and new psychoactive substance toxicity in night-time economy environments. <i>Drugs: Education, Prevention and Policy</i> , 2016, 23, 73-77.	1.3	4
62	Perceived risk of using novel psychoactive substances in school students: lower in users compared to non-users. <i>Journal of Substance Use</i> , 2016, 21, 323-326.	0.7	3
63	Gamma-Hydroxybutyrate and Its Related Analogues Gamma-Butyrolactone and 1,4-Butanediol. , 2016, , 1-32.		1
64	Arylcyclohexamines (Ketamine, Phencyclidine, and Analogues). , 2016, , 1-46.		0
65	Cathinones. , 2016, , 1-40.		0
66	Problematic recreational drug use: is there a role for outpatient sexual health clinics in identifying those not already engaged with treatment services?. <i>Sexual Health</i> , 2015, 12, 501.	0.9	6
67	Availability of prescription zopiclone over the internet. <i>BMJ, The</i> , 2015, 351, h5710.	6.0	4
68	Prevalence of use and acute toxicity associated with the use of NBOMe drugs. <i>Clinical Toxicology</i> , 2015, 53, 85-92.	1.9	83
69	Presentations to the Emergency Department Following Cannabis use—a Multi-Centre Case Series from Ten European Countries. <i>Journal of Medical Toxicology</i> , 2015, 11, 415-421.	1.5	54
70	Running an unknown risk: a marathon death associated with the use of 1,3-dimethylamylamine (DMAA). <i>Drug Testing and Analysis</i> , 2015, 7, 433-438.	2.6	28
71	Pharmacology and toxicology of the synthetic cannabinoid receptor agonists. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2015, 24, 527-541.	0.1	10
72	Analysis of anonymized pooled urine in nine UK cities: variation in classical recreational drug, novel psychoactive substance and anabolic steroid use. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 929-933.	0.5	27

#	ARTICLE	IF	CITATIONS
73	Nopaine no gain: Recreational ethylphenidate toxicity. Clinical Toxicology, 2015, 53, 498-499.	1.9	14
74	Do capillary dried blood spot concentrations of gamma-hydroxybutyric acid mirror those in venous blood? A comparative study. Drug Testing and Analysis, 2015, 7, 336-340.	2.6	13
75	Using Internet Snapshot Surveys to Enhance Our Understanding of the Availability of the Novel Psychoactive Substance 4-Methylaminorex and 4,4'-Dimethylaminorex. Journal of Medical Toxicology, 2015, 11, 80-84.	1.5	16
76	4-Methyl-5-(4-methylphenyl)-4,5-dihydrooxazol-2-amine (4,4'-DMAR, 4,4'-dimethylaminorex): availability, prevalence of use, desired effects and acute toxicity. Human Psychopharmacology, 2015, 30, 193-198.	1.5	14
77	What are the adverse effects associated with the combined use of intravenous lipid emulsion and extracorporeal membrane oxygenation in the poisoned patient?. Clinical Toxicology, 2015, 53, 145-150.	1.9	76
78	Acute recreational drug and new psychoactive substance toxicity in Europe: 12 months data collection from the European Drug Emergencies Network (Euro-DEN). Clinical Toxicology, 2015, 53, 893-900.	1.9	107
79	Ethylphenidate: availability, patterns of use, and acute effects of this novel psychoactive substance. European Journal of Clinical Pharmacology, 2015, 71, 1185-1196.	1.9	22
80	Using routine clinical and administrative data to produce a dataset of attendances at Emergency Departments following self-harm. BMC Emergency Medicine, 2015, 15, 15.	1.9	21
81	Novel psychoactive substances or 'legal highs'. British Journal of Hospital Medicine (London, England:) Tj ETQq1 1 0.784314 rgBT / 0.5 2	0.5	2
82	Understanding the availability, prevalence of use, desired effects, acute toxicity and dependence potential of the novel opioid MT-45. Clinical Toxicology, 2015, 53, 54-59.	1.9	101
83	Using Drug-Intoxicated Deaths as Potential Organ Donors: Impression of Attendees at the American College of Medical Toxicology 2014 Annual Scientific Meeting. Journal of Medical Toxicology, 2014, 10, 360-363.	1.5	12
84	Three months of methoxetamine administration is associated with significant bladder and renal toxicity in mice. Clinical Toxicology, 2014, 52, 176-180.	1.9	45
85	Misuse of benzodiazepines and Z-drugs in the UK. British Journal of Psychiatry, 2014, 205, 407-408.	2.8	72
86	Using Internet Snapshot Surveys to Enhance Our Understanding of the Availability of the Novel Psychoactive Substance Alpha-methyltryptamine (AMT). Substance Use and Misuse, 2014, 49, 7-12.	1.4	11
87	Taking the Pissir - a novel and reliable way of knowing what drugs are being used in nightclubs. Journal of Substance Use, 2014, 19, 103-107.	0.7	16
88	Acute Toxicity Associated with Analytically Confirmed Recreational use of Methiopropamine (1-(thiophen-2-yl)-2-methylaminopropane). Journal of Medical Toxicology, 2014, 10, 299-302.	1.5	27
89	Trend analysis of anonymised pooled urine from portable street urinals in central London identifies variation in the use of novel psychoactive substances. Clinical Toxicology, 2014, 52, 160-165.	1.9	51
90	Using poisons information service data to assess the acute harms associated with novel psychoactive substances. Drug Testing and Analysis, 2014, 6, 850-860.	2.6	31

#	ARTICLE	IF	CITATIONS
91	Characterizing metabolites and potential metabolic pathways for the novel psychoactive substance methoxetamine. Drug Testing and Analysis, 2014, 6, 506-515.	2.6	54
92	Current European data collection on emergency department presentations with acute recreational drug toxicity: Gaps and national variations. Clinical Toxicology, 2014, 52, 1005-1012.	1.9	40
93	Effect of the UK's revised paracetamol poisoning management guidelines on admissions, adverse reactions and costs of treatment. British Journal of Clinical Pharmacology, 2014, 78, 610-618.	2.4	110
94	Guidelines for Reporting Case Studies on Extracorporeal Treatments in Poisonings: Methodology. Seminars in Dialysis, 2014, 27, 407-414.	1.3	68
95	Development of a "patient information leaflet"™ for use following assessment of patients with reported or suspected paracetamol overdose in the UK. Pharmacology Research and Perspectives, 2014, 2, e00075.	2.4	2
96	Misuse of the Î³-aminobutyric acid analogues baclofen, gabapentin and pregabalin in the UK. British Journal of Clinical Pharmacology, 2014, 78, 190-191.	2.4	79
97	Impact of reducing the threshold for acetylcysteine treatment in acute paracetamol poisoning: The recent United Kingdom experience. Clinical Toxicology, 2014, 52, 868-872.	1.9	15
98	An Internet snapshot study to compare the international availability of the novel psychoactive substance methiopropamine. Clinical Toxicology, 2014, 52, 678-681.	1.9	21
99	Recreational drug use in men who have sex with men (MSM) attending UK sexual health services is significantly higher than in non-MSM. Postgraduate Medical Journal, 2014, 90, 133-138.	1.8	80
100	The European Drug Emergencies Network (Euro-DEN). Clinical Toxicology, 2014, 52, 239-241.	1.9	113
101	From the internet to the hospital: current experiences of individuals presenting to the Emergency Department with acute recreational drug toxicity. Journal of Substance Use, 2014, , 1-4.	0.7	1
102	Analysis of Urine from Pooled Urinals - A Novel Method for the Detection of Novel Psychoactive Substances. Current Drug Abuse Reviews, 2014, 6, 86-90.	3.4	12
103	First reported case in the UK of acute prolonged neuropsychiatric toxicity associated with analytically confirmed recreational use of phenazepam. European Journal of Clinical Pharmacology, 2013, 69, 361-363.	1.9	18
104	First European case of convulsions related to analytically confirmed use of the synthetic cannabinoid receptor agonist AM-2201. European Journal of Clinical Pharmacology, 2013, 69, 373-376.	1.9	66
105	Acute Psychosis Associated with Recreational Use of Benzofuran 6-(2-Aminopropyl)Benzofuran (6-APB) and Cannabis. Journal of Medical Toxicology, 2013, 9, 278-281.	1.5	43
106	Synthetic Cannabinoid Receptor Agonists. , 2013, , 317-343.		12
107	Hospital and prehospital emergency service utilisation as an impact of acute recreational drug and ethanol toxicity. Journal of Substance Use, 2013, 18, 129-137.	0.7	8
108	Psychiatric aspects of acute withdrawal from gamma-hydroxybutyrate (GHB) and its analogue gamma-butyrolactone (GBL): implications for psychiatry services in the general hospital. International Journal of Psychiatry in Clinical Practice, 2013, 17, 154-156.	2.4	10

#	ARTICLE	IF	CITATIONS
109	Analysis of anonymous pooled urine from portable urinals in central London confirms the significant use of novel psychoactive substances. QJM - Monthly Journal of the Association of Physicians, 2013, 106, 147-152.	0.5	59
110	Do Novel Psychoactive Substances Displace Established Club Drugs, Supplement Them or Act as Drugs of Initiation The relationship between Mephedrone, Ecstasy and Cocaine. European Addiction Research, 2013, 19, 276-282.	2.4	119
111	Emergency department presentations in determining the effectiveness of drug control in the United Kingdom: mephedrone (4-methylmethcathinone) control appears to be effective using this model. Emergency Medicine Journal, 2013, 30, 70-71.	1.0	31
112	Five-year trends in self-reported recreational drugs associated with presentation to a UK emergency department with suspected drug-related toxicity. European Journal of Emergency Medicine, 2013, 20, 263-267.	1.1	43
113	Monitoring trends in recreational drug use from the analysis of the contents of amnesty bins in gay dance clubs. QJM - Monthly Journal of the Association of Physicians, 2013, 106, 1111-1117.	0.5	17
114	Mephedrone. , 2013, , 211-231.		2
115	Novel drugs--novel branding. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 1125-1126.	0.5	8
116	Use and acute toxicity associated with the novel psychoactive substances diphenylprolinol (D2PM) and desoxyipradrol (2-DPMP). Clinical Toxicology, 2012, 50, 727-732.	1.9	27
117	The EXTRIP (<i>EXtracorporeal TReatments In Poisoning</i>) workgroup: Guideline methodology. Clinical Toxicology, 2012, 50, 403-413.	1.9	103
118	Novel Psychoactive Substances. Therapeutic Drug Monitoring, 2012, 34, 363-367.	2.0	62
119	Management of acute paracetamol (acetaminophen) toxicity: a standardised proforma improves risk assessment and overall risk stratification by emergency medicine doctors. Emergency Medicine Journal, 2012, 29, 961-964.	1.0	2
120	Recreational Drug Use in the Asia Pacific Region: Improvement in Our Understanding of the Problem Through the UNODC Programmes. Journal of Medical Toxicology, 2012, 8, 295-299.	1.5	44
121	Understanding How Data Triangulation Identifies Acute Toxicity of Novel Psychoactive Drugs. Journal of Medical Toxicology, 2012, 8, 300-303.	1.5	47
122	Using Journal Review Articles to Increase the Dissemination of Keynote and Symposia Lectures at International Medical Congresses. Journal of Medical Toxicology, 2012, 8, 250-251.	1.5	0
123	Clinical survey assessing the appropriate management of individuals with acute recreational drug toxicity at a large outdoor festival event. Journal of Substance Use, 2012, 17, 356-362.	0.7	7
124	A healthy volunteer study to investigate trace element contamination of blood samples by stainless steel venepuncture needles. Clinical Toxicology, 2012, 50, 99-107.	1.9	18
125	Limited use of novel psychoactive substances in South London nightclubs. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 959-964.	0.5	96
126	Mephedrone (4-methylmethcathinone): What is new in our understanding of its use and toxicity. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2012, 39, 227-233.	4.8	62

#	ARTICLE	IF	CITATIONS
127	Paracetamol toxicity: what would be the implications of a change in UK treatment guidelines?. European Journal of Clinical Pharmacology, 2012, 68, 1541-1547.	1.9	15
128	Acute toxicity associated with the recreational use of the ketamine derivative methoxetamine. European Journal of Clinical Pharmacology, 2012, 68, 853-856.	1.9	106
129	“Our favourite drug”: prevalence of use and preference for mephedrone in the London night-time economy 1 year after control. Journal of Substance Use, 2012, 17, 91-97.	0.7	107
130	A case series of individuals with analytically confirmed acute diphenyl-2-pyrrolidinemethanol (D2PM) toxicity. European Journal of Clinical Pharmacology, 2012, 68, 349-353.	1.9	20
131	Risk of caffeine toxicity associated with the use of “legal highs” (novel psychoactive substances). European Journal of Clinical Pharmacology, 2012, 68, 435-439.	1.9	34
132	Does cytochrome P450 liver isoenzyme induction increase the risk of liver toxicity after paracetamol overdose?. Open Access Emergency Medicine, 2011, 3, 69.	1.3	34
133	A review of the evidence concerning hepatic glutathione depletion and susceptibility to hepatotoxicity after paracetamol overdose. Open Access Emergency Medicine, 2011, 3, 87.	1.3	20
134	Methaemoglobinaemia associated with the use of cocaine and volatile nitrites as recreational drugs: a review. British Journal of Clinical Pharmacology, 2011, 72, 18-26.	2.4	71
135	The impact of changes in UK classification of the synthetic cannabinoid receptor agonists in “Spice”. International Journal of Drug Policy, 2011, 22, 274-277.	3.3	62
136	Acute toxicity and withdrawal syndromes related to gamma-hydroxybutyrate (GHB) and its analogues gamma-butyrolactone (GBL) and 1,4-butanediol (1,4BD). Drug Testing and Analysis, 2011, 3, 417-425.	2.6	68
137	The pharmacology and toxicology of the synthetic cathinone mephedrone (4-methylmethcathinone). Drug Testing and Analysis, 2011, 3, 454-463.	2.6	139
138	2,4-Dinitrophenol (DNP): A Weight Loss Agent with Significant Acute Toxicity and Risk of Death. Journal of Medical Toxicology, 2011, 7, 205-212.	1.5	344
139	Variability in the 3,4-methylenedioxymethamphetamine content of 'ecstasy' tablets in the UK. Emergency Medicine Journal, 2011, 28, 764-765.	1.0	35
140	Energy-1 ('NRG-1'): don't believe what the newspapers say about it being legal. Emergency Medicine Journal, 2011, 28, 1068-1070.	1.0	3
141	Analysis of recreational drug samples obtained from patients presenting to a busy inner-city emergency department: a pilot study adding to knowledge on local recreational drug use. Emergency Medicine Journal, 2011, 28, 11-13.	1.0	9
142	The epidemiology and patterns of acute and chronic toxicity associated with recreational ketamine use. Emerging Health Threats Journal, 2011, 4, 7107.	3.0	157
143	The rise in legal highs: prevalence and patterns in the use of illegal drugs and first- and second-generation “legal highs” in South London gay dance clubs. Journal of Substance Use, 2011, 16, 263-272.	0.7	134
144	Survey of ICD-10 coding of hospital admissions in the UK due to recreational drug toxicity. QJM - Monthly Journal of the Association of Physicians, 2011, 104, 779-784.	0.5	28

#	ARTICLE	IF	CITATIONS
145	Clinical pattern of toxicity associated with the novel synthetic cathinone mephedrone. Emergency Medicine Journal, 2011, 28, 280-282.	1.0	133
146	ICD-10 coding: poor identification of recreational drug presentations to a large emergency department. Emergency Medicine Journal, 2011, 28, 387-389.	1.0	31
147	Energy-1 ('NRG-1'): don't believe what the newspapers say about it being legal. BMJ Case Reports, 2011, 2011, bcr0720103184-bcr0720103184.	0.5	2
148	Emergency department presentations with suspected acute coronary syndrome – frequency of self-reported cocaine use. European Journal of Emergency Medicine, 2010, 17, 164-166.	1.1	11
149	Case series of individuals with analytically confirmed acute mephedrone toxicity. Clinical Toxicology, 2010, 48, 924-927.	1.9	192
150	Recreational Use of Mephedrone (4-Methylmethcathinone, 4-MMC) with Associated Sympathomimetic Toxicity. Journal of Medical Toxicology, 2010, 6, 327-330.	1.5	185
151	Propafenone Poisoning – A Case Report with Plasma Propafenone Concentrations. Journal of Medical Toxicology, 2010, 6, 37-40.	1.5	25
152	Significant Pregabalin Toxicity Managed with Supportive Care Alone. Journal of Medical Toxicology, 2010, 6, 435-437.	1.5	34
153	Putting cocaine use and cocaine-associated cardiac arrhythmias into epidemiological and clinical perspective. British Journal of Clinical Pharmacology, 2010, 69, 443-447.	2.4	11
154	Buying 'legal' recreational drugs does not mean that you are not breaking the law. QJM - Monthly Journal of the Association of Physicians, 2010, 103, 777-783.	0.5	99
155	Patient knowledge of the paracetamol content of over-the-counter (OTC) analgesics, cough/cold remedies and prescription medications. Emergency Medicine Journal, 2010, 27, 829-833.	1.0	35
156	Mephedrone use and associated adverse effects in school and college/university students before the UK legislation change. QJM - Monthly Journal of the Association of Physicians, 2010, 103, 875-879.	0.5	216
157	Purchasing 'legal highs' on the Internet – is there consistency in what you get?. QJM - Monthly Journal of the Association of Physicians, 2010, 103, 489-493.	0.5	191
158	Factitiously elevated blood chromium. Clinical Toxicology, 2010, 48, 388-389.	1.9	3
159	Recreational drug use presentations during a large outdoor festival event: Reduction in hospital emergency department transfer where medical physicians are present. Journal of Substance Use, 2010, 15, 434-441.	0.7	14
160	The development of the recreational drug outreach educational concept – 'Drug Idle'™. Journal of Substance Use, 2010, 15, 237-245.	0.7	1
161	The first reported UK fatality related to gamma-butyrolactone (GBL) ingestion. Journal of the Royal Society of Medicine, 2009, 102, 546-547.	2.0	14
162	Delayed onset of seizures and toxicity associated with recreational use of Bromo-dragonFLY. Journal of Medical Toxicology, 2009, 5, 226-229.	1.5	39

#	ARTICLE	IF	CITATIONS
163	Epidemiology of Recreational Drug Toxicity in a Nightclub Environment. Substance Use and Misuse, 2009, 44, 1495-1502.	1.4	55
164	Management of cocaine-induced cardiac arrhythmias due to cardiac ion channel dysfunction. Clinical Toxicology, 2009, 47, 14-23.	1.9	56
165	Cardiovascular toxicity associated with recreational use of diphenylprolinol (diphenyl-2-pyrrolidinemethanol [D2PM]). Journal of Medical Toxicology, 2008, 4, 167-169.	1.5	29
166	Dissociative and sympathomimetic toxicity associated with recreational use of 1-(3-trifluoromethylphenyl) piperazine (TFMPP) and 1-benzylpiperazine (BZP). Journal of Medical Toxicology, 2008, 4, 254-257.	1.5	58
167	Detection of the pharmaceutical agent glaucine as a recreational drug. European Journal of Clinical Pharmacology, 2008, 64, 553-554.	1.9	22
168	Improvement in the pre-hospital care of recreational drug users through the development of club specific ambulance referral guidelines. Substance Abuse Treatment, Prevention, and Policy, 2008, 3, 14.	2.2	12
169	Doctors' knowledge of the appropriate use and route of administration of antidotes in the management of recreational drug toxicity. Emergency Medicine Journal, 2008, 25, 820-823.	1.0	6
170	What evidence is there that the UK should tackle the potential emerging threat of methamphetamine toxicity rather than established recreational drugs such as MDMA ('ecstasy')?. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 207-213.	0.5	17
171	Can medical students identify recreational drugs by name?. QJM - Monthly Journal of the Association of Physicians, 2008, 101, 979-982.	0.5	0
172	First case report of recreational use of 2,5-dimethoxy-4-chloroamphetamine confirmed by toxicological screening. European Journal of Emergency Medicine, 2008, 15, 354-356.	1.1	23
173	Is cocaine use recognised as a risk factor for acute coronary syndrome by doctors in the UK?. Postgraduate Medical Journal, 2007, 83, 325-328.	1.8	12
174	Medical and legal confusion surrounding gamma-hydroxybutyrate (GHB) and its precursors gamma-butyrolactone (GBL) and 1,4-butanediol (1,4BD). QJM - Monthly Journal of the Association of Physicians, 2007, 101, 23-29.	0.5	59
175	Gut decontamination of acutely poisoned patients: what do doctors really know about it?. Emergency Medicine Journal, 2007, 24, 774-775.	1.0	8
176	Collapse, reported seizure and an unexpected pill. Lancet, The, 2007, 369, 1490.	13.7	56
177	Status epilepticus following intentional overdose of fluvoxamine: A case report with serum fluvoxamine concentration. Clinical Toxicology, 2007, 45, 791-793.	1.9	16
178	Fatality after deliberate ingestion of sustained-release ibuprofen: a case report. Critical Care, 2006, 10, R44.	5.8	45
179	Poisoned patients as potential organ donors: postal survey of transplant centres and intensive care units. Critical Care, 2003, 7, 147.	5.8	53
180	Multiple toxicity from 3,4-methylenedioxymethamphetamine ('ecstasy'). American Journal of Emergency Medicine, 2003, 21, 121-124.	1.6	81

#	ARTICLE	IF	CITATIONS
181	Case report: Survival after deliberate strychnine self-poisoning, with toxicokinetic data. Critical Care, 2002, 6, 456.	5.8	54
182	Should a Lower Treatment Line Be Used When Treating Paracetamol Poisoning in Patients with Chronic Alcoholism?. Drug Safety, 2002, 25, 625-632.	3.2	27