

Giovanni De Micheli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6141182/giovanni-de-micheli-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

2,596
citations

28
h-index

44
g-index

161
ext. papers

3,177
ext. citations

4.1
avg, IF

5.36
L-index

#	Paper	IF	Citations
146	Real-Time Multi-Ion-Monitoring Front-End With Interference Compensation by Multi-Output Support Vector Regressor. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2021 , 15, 1093-1106	5.1	
145	A Wearable Electrochemical Sensing System for Non-Invasive Monitoring of Lithium Drug in Bipolar Disorder. <i>IEEE Sensors Journal</i> , 2021 , 21, 9649-9656	4	4
144	Continuous monitoring of propofol in human serum with fouling compensation by support vector classifier. <i>Biosensors and Bioelectronics</i> , 2021 , 171, 112666	11.8	3
143	Wearable multifunctional sweat-sensing system for efficient healthcare monitoring. <i>Sensors and Actuators B: Chemical</i> , 2021 , 328, 129017	8.5	17
142	Efficient Boolean Methods for Preparing Uniform Quantum States. <i>IEEE Transactions on Quantum Engineering</i> , 2021 , 2, 1-12	2.9	0
141	Algebraic and Boolean Optimization Methods for AQFP Superconducting Circuits 2021 ,		4
140	. <i>IEEE Sensors Journal</i> , 2021 , 1-1	4	3
139	From Boolean functions to quantum circuits: A scalable quantum compilation flow in C++ 2021 ,		1
138	Multi-Ion-Sensing Emulator and Multivariate Calibration Optimization by Machine Learning Models. <i>IEEE Access</i> , 2021 , 9, 46821-46836	3.5	3
137	A Simulation-Guided Paradigm for Logic Synthesis and Verification. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2021 , 1-1	2.5	0
136	The emerging majority: Technology and design for superconducting electronics. <i>IEEE Design and Test</i> , 2021 , 1-1	1.4	0
135	Emulator Design and Generation of Synthetic Dataset in Multi-Ion Sensing 2020 ,		2
134	Boolean satisfiability in quantum compilation. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020 , 378, 20190161	3	4
133	Automatic Uniform Quantum State Preparation Using Decision Diagrams 2020 ,		3
132	. <i>IEEE Access</i> , 2020 , 8, 226828-226844	3.5	
131	Exact Synthesis of ESOP Forms 2020 , 177-194		2
130	Multichannel Front-End for Electrochemical Sensing of Metabolites, Drugs, and Electrolytes. <i>IEEE Sensors Journal</i> , 2020 , 20, 3636-3645	4	7

129	Nonsilicon, Non-von Neumann Computing Part II. <i>Proceedings of the IEEE</i> , 2020 , 108, 1211-1218	14.3	
128	Three-Input Gates for Logic Synthesis. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2020 , 1-1	2.5	3
127	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2020 , 39, 871-884	2.5	7
126	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2020 , 39, 1621-1634	2.5	5
125	Fast Procedures for the Electrodeposition of Platinum Nanostructures on Miniaturized Electrodes for Improved Ion Sensing. <i>Sensors</i> , 2019 , 19,	3.8	7
124	Evaluating ESOP Optimization Methods in Quantum Compilation Flows. <i>Lecture Notes in Computer Science</i> , 2019 , 191-206	0.9	4
123	Devices and Circuits Using Novel 2-D Materials: A Perspective for Future VLSI Systems. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2019 , 27, 1486-1503	2.6	20
122	Multi-Panel, On-Single-Chip Memristive Biosensing. <i>IEEE Sensors Journal</i> , 2019 , 19, 5769-5774	4	2
121	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2019 , 38, 1675-1688	2.5	11
120	Functionality-Enhanced Devices: From Transistors to Circuit-Level Opportunities 2019 , 21-42		1
119	Multi-Target Electrolyte Sensing Front-End for Wearable Physical Monitoring 2019 ,		6
118	Scalable Generic Logic Synthesis 2019 ,		7
117	Compiling Permutations for Superconducting QPUs 2019 ,		7
116	Flexible sweat sensors for non-invasive optimization of lithium dose in psychiatric disorders 2019 ,		5
115	Reversible Pebbling Game for Quantum Memory Management 2019 ,		11
114	. <i>Proceedings of the IEEE</i> , 2019 , 107, 11-18	14.3	8
113	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2019 , 27, 637-650	2.6	8
112	Mapping Monotone Boolean Functions into Majority. <i>IEEE Transactions on Computers</i> , 2019 , 68, 791-797	2.5	2

111	Logic Synthesis for Established and Emerging Computing. <i>Proceedings of the IEEE</i> , 2019 , 107, 165-184	14.3	13
110	Conformal Deposition of Conductive Single-Crystalline Cobalt Silicide Layer on Si Wafer via a Molecular Approach. <i>Chemistry of Materials</i> , 2018 , 30, 2168-2173	9.6	1
109	An FPGA-Based Test System for RRAM Technology Characterization. <i>IEEE Nanotechnology Magazine</i> , 2018 , 17, 177-183	2.6	2
108	Doping-Free Complementary Logic Gates Enabled by Two-Dimensional Polarity-Controllable Transistors. <i>ACS Nano</i> , 2018 , 12, 7039-7047	16.7	69
107	An IoT Solution for Online Monitoring of Anesthetics in Human Serum Based on an Integrated Fluidic Bioelectronic System. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 1056-1064	5.1	14
106	Post-P&R Performance and Power Analysis for RRAM-Based FPGAs. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2018 , 8, 639-650	5.2	2
105	Practical exact synthesis 2018 ,		8
104	Safe and Efficient Deployment of Data-Parallelizable Applications on Many-Core Platforms: Theory and Practice. <i>IEEE Design and Test</i> , 2018 , 35, 7-15	1.4	1
103	Towards Ultrasound Everywhere: A Portable 3D Digital Back-End Capable of Zone and Compound Imaging. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 968-981	5.1	5
102	A Flexible Front-End for Wearable Electrochemical Sensing 2018 ,		10
101	SAT-based {CNOT, T} Quantum Circuit Synthesis. <i>Lecture Notes in Computer Science</i> , 2018 , 175-188	0.9	10
100	. <i>IEEE Sensors Journal</i> , 2018 , 18, 5073-5081	4	8
99	Cleaning strategy for carbon-based electrodes: Long-term propofol monitoring in human serum. <i>Sensors and Actuators B: Chemical</i> , 2018 , 269, 304-313	8.5	17
98	Highly-stable Li ion-selective electrodes based on noble metal nanostructured layers as solid-contacts. <i>Analytica Chimica Acta</i> , 2018 , 1027, 22-32	6.6	44
97	Low-Temperature Wet Conformal Nickel Silicide Deposition for Transistor Technology through an Organometallic Approach. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 4948-4955	9.5	1
96	Exact Synthesis of Majority-Inverter Graphs and Its Applications. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2017 , 36, 1842-1855	2.5	45
95	Cyber-Medical Systems: Requirements, Components and Design Examples. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017 , 64, 2226-2236	3.9	2
94	Scaling trends and performance evaluation of 2-dimensional polarity-controllable FETs. <i>Scientific Reports</i> , 2017 , 7, 45556	4.9	9

93	Effect of O ₂ - migration in Pt/HfO ₂ /Ti/Pt structure. <i>Journal of Electroceramics</i> , 2017 , 39, 137-142	1.5	5
92	A Fault-Tolerant Ripple-Carry Adder with Controllable-Polarity Transistors. <i>ACM Journal on Emerging Technologies in Computing Systems</i> , 2017 , 13, 1-13	1.7	2
91	Hierarchical Reversible Logic Synthesis Using LUTs 2017 ,		14
90	Efficient Sample Delay Calculation for 2-D and 3-D Ultrasound Imaging. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017 , 11, 815-831	5.1	14
89	Operation regimes and electrical transport of steep slope Schottky Si-FinFETs. <i>Journal of Applied Physics</i> , 2017 , 121, 064504	2.5	4
88	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2017 , 64, 1173-1186	3.9	8
87	Nano-Tera.ch: Information Technology for Health, Environment, and Energy. <i>IEEE Design and Test</i> , 2017 , 34, 109-118	1.4	
86	Design automation and design space exploration for quantum computers 2017 ,		14
85	Fast generation of lexicographic satisfiable assignments 2016 ,		4
84	Label-Free Ultrasensitive Memristive Aptasensor. <i>Nano Letters</i> , 2016 , 16, 4472-6	11.5	68
83	Majority-Inverter Graph: A New Paradigm for Logic Optimization. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2016 , 35, 806-819	2.5	96
82	. <i>IEEE Nanotechnology Magazine</i> , 2016 , 15, 2-14	2.6	7
81	Enumeration of Reversible Functions and Its Application to Circuit Complexity. <i>Lecture Notes in Computer Science</i> , 2016 , 255-270	0.9	8
80	Polarity control in WSe ₂ double-gate transistors. <i>Scientific Reports</i> , 2016 , 6, 29448	4.9	45
79	A Study on the Programming Structures for RRAM-Based FPGA Architectures. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016 , 63, 503-516	3.9	27
78	A System for Wireless Power Transfer and Data Communication of Long-Term Bio-Monitoring. <i>IEEE Sensors Journal</i> , 2015 , 15, 6559-6569	4	20
77	Multiple Independent Gate FETs: How many gates do we need? 2015 ,		5
76	Exploiting the Expressive Power of Graphene Reconfigurable Gates via Post-Synthesis Optimization 2015 ,		4

75	From Defect Analysis to Gate-Level Fault Modeling of Controllable-Polarity Silicon Nanowires. <i>IEEE Nanotechnology Magazine</i> , 2015 , 14, 1117-1126	2.6	4
74	E-health: From sensors to systems 2015 ,		1
73	A Survey on Low-Power Techniques with Emerging Technologies. <i>ACM Journal on Emerging Technologies in Computing Systems</i> , 2015 , 12, 1-26	1.7	9
72	A study on buffer distribution for RRAM-based FPGA routing structures 2015 ,		2
71	Optimized electrochemical detection of anti-cancer drug by carbon nanotubes or gold nanoparticles 2015 ,		7
70	Computational Study on the Electrical Behavior of Silicon Nanowire Memristive Biosensors. <i>IEEE Sensors Journal</i> , 2015 , 15, 6208-6217	4	15
69	Reversible Logic Synthesis via Biconditional Binary Decision Diagrams 2015 ,		8
68	. <i>IEEE Sensors Journal</i> , 2015 , 15, 417-424	4	21
67	A Novel FPGA Architecture Based on Ultrafine Grain Reconfigurable Logic Cells. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 2187-2197	2.6	14
66	A ultra-low-power FPGA based on monolithically integrated RRAMs 2015 ,		7
65	Fast synthesis of platinum nanopetals and nanospheres for highly-sensitive non-enzymatic detection of glucose and selective sensing of ions. <i>Scientific Reports</i> , 2015 , 5, 15277	4.9	51
64	Fault modeling in controllable polarity silicon nanowire circuits 2015 ,		6
63	Electrochemical nanostructured biosensors: carbon nanotubes versus conductive and semi-conductive nanoparticles. <i>Chemical Papers</i> , 2015 , 69,	1.9	12
62	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 1828-1841	2.6	4
61	Full system for translational studies of personalized medicine with free-moving mice 2015 ,		3
60	A fast pruning technique for low-power inexact Circuit design 2015 ,		4
59	New Logic Synthesis as Nanotechnology Enabler. <i>Proceedings of the IEEE</i> , 2015 , 103, 2168-2195	14.3	38
58	Wireless monitoring in intensive care units by a 3D-printed system with embedded electronic 2015 ,		7

57	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2015 , 23, 2103-2115	2.6	2
56	Memristive biosensors under varying humidity conditions. <i>IEEE Transactions on Nanobioscience</i> , 2014 , 13, 19-30	3.4	22
55	Majority Logic Synthesis for Spin Wave Technology 2014 ,		7
54	TSPC Flip-Flop circuit design with three-independent-gate silicon nanowire FETs 2014 ,		13
53	Majority-Inverter Graph 2014 ,		88
52	Configurable Logic Gates Using Polarity-Controlled Silicon Nanowire Gate-All-Around FETs. <i>IEEE Electron Device Letters</i> , 2014 , 35, 880-882	4.4	65
51	High-performance multipanel biosensors based on a selective integration of nanographite petals. <i>Nano Letters</i> , 2014 , 14, 3180-4	11.5	16
50	Efficient voltammetric discrimination of free bilirubin from uric acid and ascorbic acid by a CVD nanographite-based microelectrode. <i>Talanta</i> , 2014 , 130, 423-6	6.2	18
49	Energy/Reliability Trade-Offs in Low-Voltage ReRAM-Based Non-Volatile Flip-Flop Design. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014 , 61, 3155-3164	3.9	46
48	Configurable Circuits Featuring Dual-Threshold-Voltage Design With Three-Independent-Gate Silicon Nanowire FETs. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014 , 61, 2851-2861	3.9	49
47	On the use of inexact, pruned hardware in atmospheric modelling. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2014 , 372, 20130276	3	19
46	Memristive sensors for pH measure in dry conditions. <i>Surface Science</i> , 2014 , 624, 76-79	1.8	20
45	Design, development, and validation of an in-situ biosensor array for metabolite monitoring of cell cultures. <i>Biosensors and Bioelectronics</i> , 2014 , 61, 251-9	11.8	22
44	Do Carbon Nanotubes contribute to Electrochemical Biosensing?. <i>Electrochimica Acta</i> , 2014 , 128, 102-110.	2.7	29
43	Introduction to the special section on functionality-enhanced devices. <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 1019-1019	2.6	
42	A Circuit Synthesis Flow for Controllable-Polarity Transistors. <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 1074-1083	2.6	4
41	Polarity-Controllable Silicon Nanowire Transistors With Dual Threshold Voltages. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 3654-3660	2.9	52
40	Representation of Medical Guidelines with a Computer Interpretable Model. <i>International Journal on Artificial Intelligence Tools</i> , 2014 , 23, 1460003	0.9	4

39	Full fabrication and packaging of an implantable multi-panel device for monitoring of metabolites in small animals. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2014 , 8, 636-47	5.1	28
38	System Level Benchmarking with Yield-Enhanced Standard Cell Library for Carbon Nanotube VLSI Circuits. <i>ACM Journal on Emerging Technologies in Computing Systems</i> , 2014 , 10, 1-19	1.7	7
37	Nanowire systems: technology and design. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2014 , 372, 20130102	3	23
36	A high-performance low-power near-Vt RRAM-based FPGA 2014 ,		21
35	An integrated control and readout circuit for implantable multi-target electrochemical biosensing. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2014 , 8, 891-8	5.1	26
34	Biconditional Binary Decision Diagrams: A Novel Canonical Logic Representation Form. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2014 , 4, 487-500	5.2	8
33	TopDown Fabrication of Gate-All-Around Vertically Stacked Silicon Nanowire FETs With Controllable Polarity. <i>IEEE Nanotechnology Magazine</i> , 2014 , 13, 1029-1038	2.6	63
32	Micro-fabrication of high-thickness spiral inductors for the remote powering of implantable biosensors. <i>Microelectronic Engineering</i> , 2014 , 113, 130-135	2.5	9
31	Superior sensing performance of multi-walled carbon nanotube-based electrodes to detect unconjugated bilirubin. <i>Thin Solid Films</i> , 2013 , 548, 546-550	2.2	25
30	Personalized Drug Administrations Using Support Vector Machine. <i>BioNanoScience</i> , 2013 , 3, 378-393	3.4	1
29	2013 ,		10
28	BDS-MAJ 2013 ,		21
27	Computing Accurate Performance Bounds for Best Effort Networks-on-Chip. <i>IEEE Transactions on Computers</i> , 2013 , 62, 452-467	2.5	26
26	Design and Architectural Assessment of 3-D Resistive Memory Technologies in FPGAs. <i>IEEE Nanotechnology Magazine</i> , 2013 , 12, 40-50	2.6	32
25	Self-checking ripple-carry adder with Ambipolar Silicon NanoWire FET 2013 ,		13
24	Implantable devices: the future of blood monitoring?. <i>Clinical Practice (London, England)</i> , 2013 , 10, 385-388		4
23	Multiwalled Carbon Nanotubes for Amperometric Array-Based Biosensors. <i>BioNanoScience</i> , 2012 , 2, 185-195	3.1	3
22	A current-mode potentiostat for multi-target detection tested with different lactate biosensors 2012 ,		7

21	New approaches for carbon nanotubes-based biosensors and their application to cell culture monitoring. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2012 , 6, 479-85	5.1	15
20	Fully integrated biochip platforms for advanced healthcare. <i>Sensors</i> , 2012 , 12, 11013-60	3.8	57
19	Simulated Biological Cells for Receptor Counting in Fluorescence Imaging. <i>BioNanoScience</i> , 2012 , 2, 94-103	9.4	15
18	Energy Harvesting and Remote Powering for Implantable Biosensors. <i>IEEE Sensors Journal</i> , 2011 , 11, 1573-1586	4	114
17	Top-down fabrication of very-high density vertically stacked silicon nanowire arrays with low temperature budget. <i>Microelectronic Engineering</i> , 2011 , 88, 3127-3127	2.5	20
16	Multi-panel drugs detection in human serum for personalized therapy. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 3914-9	11.8	73
15	CELONCEL: Effective design technique for 3-D monolithic integration targeting high performance integrated circuits 2011 ,		30
14	Polysilicon Nanowire Transistors and Arrays Fabricated With the Multispacer Technique. <i>IEEE Nanotechnology Magazine</i> , 2011 , 10, 891-899	2.6	4
13	Carbon nanotube correlation 2010 ,		40
12	What is a 3D Network-on-Chip?. <i>ACM SIGDA Newsletter</i> , 2009 , 39, 1-1		
11	Synthesis of networks on chips for 3D systems on chips 2009 ,		48
10	An Outlook on Design Technologies for Future Integrated Systems. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 2009 , 28, 777-790	2.5	21
9	Temperature control of high-performance multi-core platforms using convex optimization 2008 ,		30
8	Dynamic simulation of regulatory networks using SQUAD. <i>BMC Bioinformatics</i> , 2007 , 8, 462	3.6	112
7	. <i>IEEE Micro</i> , 2007 , 27, 75-85	1.8	39
6	Mapping and configuration methods for multi-use-case networks on chips 2006 ,		24
5	A buffer-sizing algorithm for networks on chip using TDMA and credit-based end-to-end flow control 2006 ,		33
4	Analysis and Optimization of MPSoC Reliability. <i>Journal of Low Power Electronics</i> , 2006 , 2, 56-69	1.2	46

3	A survey of Boolean matching techniques for library binding. <i>ACM Transactions on Design Automation of Electronic Systems</i> , 1997 , 2, 193-226	1.5	53
2	Automatic technology mapping for generalized fundamental-mode asynchronous designs 1993 ,		28
1	ROS: Resource-constrained Oracle Synthesis for Quantum Computers. <i>Electronic Proceedings in Theoretical Computer Science</i> , <i>EPTCS</i> ,318, 119-130		1