Ali Kosar

List of Publications by Citations

Source: https://exaly.com/author-pdf/614317/ali-kosar-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 168
 4,275
 30
 60

 papers
 citations
 h-index
 g-index

 208
 5,320
 3.6
 6.1

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 168 | Enhanced Thermal Conductivity through the Development of Nanofluids. <i>Materials Research Society Symposia Proceedings</i> , 1996 , 457, 3 | | 414 |
| 167 | Forced convective heat transfer across a pin fin micro heat sink. <i>International Journal of Heat and Mass Transfer</i> , 2005 , 48, 3615-3627 | 4.9 | 321 |
| 166 | Suppression of Boiling Flow Oscillations in Parallel Microchannels by Inlet Restrictors. <i>Journal of Heat Transfer</i> , 2006 , 128, 251-260 | 1.8 | 207 |
| 165 | Boiling heat transfer in rectangular microchannels with reentrant cavities. <i>International Journal of Heat and Mass Transfer</i> , 2005 , 48, 4867-4886 | 4.9 | 175 |
| 164 | Therapeutic Nanoparticles and Their Targeted Delivery Applications. <i>Molecules</i> , 2020 , 25, | 4.8 | 174 |
| 163 | Thermal-Hydraulic Performance of MEMS-based Pin Fin Heat Sink. <i>Journal of Heat Transfer</i> , 2006 , 128, 121 | 1.8 | 150 |
| 162 | Laminar Flow Across a Bank of Low Aspect Ratio Micro Pin Fins. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2005 , 127, 419-430 | 2.1 | 149 |
| 161 | Pool boiling and flow boiling on micro- and nanostructured surfaces. <i>Experimental Thermal and Fluid Science</i> , 2015 , 63, 45-73 | 3 | 131 |
| 160 | Convective flow of refrigerant (R-123) across a bank of micro pin fins. <i>International Journal of Heat and Mass Transfer</i> , 2006 , 49, 3142-3155 | 4.9 | 97 |
| 159 | Boiling heat transfer in a hydrofoil-based micro pin fin heat sink. <i>International Journal of Heat and Mass Transfer</i> , 2007 , 50, 1018-1034 | 4.9 | 94 |
| 158 | Passive radiative cooling design with broadband optical thin-film filters. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2017 , 198, 179-186 | 2.1 | 93 |
| 157 | Convective heat transfer and entropy generation analysis on Newtonian and non-Newtonian fluid flows between parallel-plates under slip boundary conditions. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 70, 664-673 | 4.9 | 70 |
| 156 | TCPT-2006-096.R2: Micro Scale pin fin Heat Sinks B arametric Performance Evaluation Study. <i>IEEE Transactions on Components and Packaging Technologies</i> , 2007 , 30, 855-865 | | 70 |
| 155 | Reduced Pressure Boiling Heat Transfer in Rectangular Microchannels With Interconnected Reentrant Cavities. <i>Journal of Heat Transfer</i> , 2005 , 127, 1106-1114 | 1.8 | 66 |
| 154 | The Effect of Micro Pin-Fin Shape on Thermal and Hydraulic Performance of Micro Pin-Fin Heat Sinks. <i>Heat Transfer Engineering</i> , 2015 , 36, 1447-1457 | 1.7 | 60 |
| 153 | Critical Heat Flux of R-123 in Silicon-Based Microchannels. <i>Journal of Heat Transfer</i> , 2007 , 129, 844-851 | 1.8 | 57 |
| 152 | Hydrodynamic cavitation and boiling in refrigerant (R-123) flow inside microchannels. <i>International Journal of Heat and Mass Transfer</i> , 2007 , 50, 2838-2854 | 4.9 | 56 |

(2016-2019)

| 151 | Optimum ratio of hydrophobic to hydrophilic areas of biphilic surfaces in thermal fluid systems involving boiling. <i>International Journal of Heat and Mass Transfer</i> , 2019 , 135, 164-174 | 4.9 | 54 | |
|-----|--|-----|----|--|
| 150 | Cavitation Enhanced Heat Transfer in Microchannels. <i>Journal of Heat Transfer</i> , 2006 , 128, 1293-1301 | 1.8 | 53 | |
| 149 | Bubble Dynamics During Boiling in Enhanced Surface Microchannels. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 1514-1527 | 2.5 | 51 | |
| 148 | Effect of silicon nanorod length on horizontal nanostructured plates in pool boiling heat transfer with water. <i>International Journal of Thermal Sciences</i> , 2014 , 82, 111-121 | 4.1 | 43 | |
| 147 | Effect of substrate thickness and material on heat transfer in microchannel heat sinks. <i>International Journal of Thermal Sciences</i> , 2010 , 49, 635-642 | 4.1 | 42 | |
| 146 | The effect of nanoparticle type and nanoparticle mass fraction on heat transfer enhancement in pool boiling. <i>International Journal of Heat and Mass Transfer</i> , 2017 , 109, 157-166 | 4.9 | 40 | |
| 145 | MIR376A is a regulator of starvation-induced autophagy. <i>PLoS ONE</i> , 2013 , 8, e82556 | 3.7 | 40 | |
| 144 | Effect of injection angle, density ratio, and viscosity on droplet formation in a microfluidic T-junction. <i>Theoretical and Applied Mechanics Letters</i> , 2017 , 7, 243-251 | 1.8 | 34 | |
| 143 | Direct and indirect thermal applications of hydrodynamic and acoustic cavitation: A review. <i>Applied Thermal Engineering</i> , 2020 , 171, 115065 | 5.8 | 32 | |
| 142 | Ferrofluid actuation with varying magnetic fields for micropumping applications. <i>Microfluidics and Nanofluidics</i> , 2012 , 13, 683-694 | 2.8 | 32 | |
| 141 | Parametric study on the effect of end walls on heat transfer and fluid flow across a micro pin-fin. <i>International Journal of Thermal Sciences</i> , 2011 , 50, 1073-1084 | 4.1 | 32 | |
| 140 | Boiling heat transfer performance enhancement using micro and nano structured surfaces for high heat flux electronics cooling systems. <i>Applied Thermal Engineering</i> , 2017 , 127, 484-498 | 5.8 | 30 | |
| 139 | A model to predict saturated critical heat flux in minichannels and microchannels. <i>International Journal of Thermal Sciences</i> , 2009 , 48, 261-270 | 4.1 | 28 | |
| 138 | Numerical and experimental investigation on the effects of diameter and length on high mass flux subcooled flow boiling in horizontal microtubes. <i>International Journal of Heat and Mass Transfer</i> , 2016 , 92, 824-837 | 4.9 | 27 | |
| 137 | Pressure drop and heat transfer characteristics of nanofluids in horizontal microtubes under thermally developing flow conditions. <i>Experimental Thermal and Fluid Science</i> , 2015 , 67, 37-47 | 3 | 27 | |
| 136 | High mass flux flow boiling and critical heat flux in microscale. <i>International Journal of Thermal Sciences</i> , 2013 , 65, 70-78 | 4.1 | 26 | |
| 135 | Inertial Focusing of Microparticles in Curvilinear Microchannels. Scientific Reports, 2016, 6, 38809 | 4.9 | 26 | |
| 134 | Numerical modeling of convective heat transfer of thermally developing nanofluid flows in a horizontal microtube. <i>International Journal of Thermal Sciences</i> , 2016 , 109, 54-69 | 4.1 | 24 | |

| 133 | On the Effect of the Respiratory Droplet Generation Condition on COVID-19 Transmission. <i>Fluids</i> , 2020 , 5, 113 | 1.6 | 23 |
|-----|---|---------------------------|------|
| 132 | Review on Heat and Fluid Flow in Micro Pin Fin Heat Sinks under Single-phase and Two-phase Flow Conditions. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2018 , 22, 153-197 | 3.7 | 23 |
| 131 | Foamlike 3D Graphene Coatings for Cooling Systems Involving Phase Change. ACS Omega, 2018, 3, 28 | 04 <u>3</u> 2 8 11 | 1 22 |
| 130 | Hydrodynamic cavitation in microfluidic devices with roughened surfaces. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 075016 | 2 | 22 |
| 129 | IBMPFD Disease-Causing Mutant VCP/p97 Proteins Are Targets of Autophagic-Lysosomal Degradation. <i>PLoS ONE</i> , 2016 , 11, e0164864 | 3.7 | 22 |
| 128 | Energy Harvesting in Microscale with Cavitating Flows. ACS Omega, 2017, 2, 6870-6877 | 3.9 | 21 |
| 127 | Flow Boiling Enhancement in Microtubes With Crosslinked pHEMA Coatings and the Effect of Coating Thickness. <i>Journal of Heat Transfer</i> , 2014 , 136, | 1.8 | 21 |
| 126 | Wettability alterations and magnetic field effects on the nucleation of magnetic nanofluids: A molecular dynamics simulation. <i>Journal of Molecular Liquids</i> , 2018 , 260, 209-220 | 6 | 20 |
| 125 | Heat transfer enhancement with actuation of magnetic nanoparticles suspended in a base fluid. Journal of Applied Physics, 2012 , 112, 064320 | 2.5 | 20 |
| 124 | Pressure drop across micro-pin heat sinks under unstable boiling conditions. <i>International Journal of Thermal Sciences</i> , 2010 , 49, 1253-1263 | 4.1 | 20 |
| 123 | Experimental and numerical investigations on spray structure under the effect of cavitation phenomenon in a microchannel. <i>Journal of Mechanical Science and Technology</i> , 2017 , 31, 235-247 | 1.6 | 19 |
| 122 | Boiling heat transfer enhancement in mini/microtubes via polyhydroxyethylmethacrylate (pHEMA) coatings on inner microtube walls at high mass fluxes. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 115017 | 2 | 19 |
| 121 | Hydrodynamic and Thermal Performance of Microchannels With Different In-Line Arrangements of Cylindrical Micropin Fins. <i>Journal of Heat Transfer</i> , 2016 , 138, | 1.8 | 19 |
| 120 | Visualization of microscale cavitating flow regimes via particle shadow sizing imaging and vision based estimation of the cone angle. <i>Experimental Thermal and Fluid Science</i> , 2016 , 78, 322-333 | 3 | 19 |
| 119 | Intensifying cavitating flows in microfluidic devices with poly(vinyl alcohol) (PVA) microbubbles. <i>Physics of Fluids</i> , 2018 , 30, 102001 | 4.4 | 19 |
| 118 | Convective heat transfer and second law analysis of non-Newtonian fluid flows with variable thermophysical properties in circular channels. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 60, 21-31 | 5.8 | 18 |
| 117 | The effects of inlet restriction and tube size on boiling instabilities and detection of resulting premature critical heat flux in microtubes using data analysis. <i>Applied Thermal Engineering</i> , 2014 , 65, 575-587 | 5.8 | 18 |
| 116 | Cavitating nozzle flows in micro- and minichannels under the effect of turbulence. <i>Journal of Mechanical Science and Technology</i> , 2016 , 30, 2565-2581 | 1.6 | 17 |

| 115 | Kidney stone erosion by micro scale hydrodynamic cavitation and consequent kidney stone treatment. <i>Annals of Biomedical Engineering</i> , 2012 , 40, 1895-902 | 4.7 | 17 |
|-----|--|-----------|-----------------|
| 114 | Boiling heat transfer enhancement of magnetically actuated nanofluids. <i>Applied Physics Letters</i> , 2013 , 102, 163107 | 3.4 | 17 |
| 113 | Bubbly cavitating flow generation and investigation of its erosional nature for biomedical applications. <i>IEEE Transactions on Biomedical Engineering</i> , 2011 , 58, 1337-46 | 5 | 17 |
| 112 | Compact nanostructure integrated pool boiler for microscale cooling applications. <i>Micro and Nano Letters</i> , 2010 , 5, 203 | 0.9 | 17 |
| 111 | Modeling of ferrofluid magnetic actuation with dynamic magnetic fields in small channels. <i>Microfluidics and Nanofluidics</i> , 2015 , 18, 447-460 | 2.8 | 16 |
| 110 | Magnetofection of Green Fluorescent Protein Encoding DNA-Bearing Polyethyleneimine-Coated Superparamagnetic Iron Oxide Nanoparticles to Human Breast Cancer Cells. <i>ACS Omega</i> , 2019 , 4, 12366 | 5-312237¢ | 4 ¹⁶ |
| 109 | Anticancer use of nanoparticles as nucleic acid carriers. <i>Journal of Biomedical Nanotechnology</i> , 2014 , 10, 1751-83 | 4 | 16 |
| 108 | Subcooled flow boiling heat transfer of EAl2O3/water nanofluids in horizontal microtubes and the effect of surface characteristics and nanoparticle deposition. <i>Applied Thermal Engineering</i> , 2017 , 127, 536-546 | 5.8 | 16 |
| 107 | Effects of bubble coalescence on pool boiling heat transfer and critical heat flux IA parametric study based on artificial cavity geometry and surface wettability. <i>International Journal of Heat and Mass Transfer</i> , 2020 , 147, 118952 | 4.9 | 16 |
| 106 | Subcooled Flow Boiling Over Microstructured Plates In Rectangular Minichannels. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2016 , 20, 173-190 | 3.7 | 16 |
| 105 | Facile hydrodynamic cavitation ON CHIP via cellulose nanofibers stabilized perfluorodroplets inside layer-by-layer assembled SLIPS surfaces. <i>Chemical Engineering Journal</i> , 2020 , 382, 122809 | 14.7 | 15 |
| 104 | Numerical investigations on the effect of fin shape and surface roughness on hydrothermal characteristics of slip flows in microchannels with pin fins. <i>International Journal of Thermal Sciences</i> , 2018 , 124, 375-386 | 4.1 | 15 |
| 103 | Experimental studies on ferrofluid pool boiling in the presence of external magnetic force. <i>Applied Thermal Engineering</i> , 2018 , 139, 598-608 | 5.8 | 15 |
| 102 | Hydrodynamic and Thermal Performance of Microchannels With Different Staggered Arrangements of Cylindrical Micro Pin Fins. <i>Journal of Heat Transfer</i> , 2017 , 139, | 1.8 | 14 |
| 101 | Inertial focusing of cancer cell lines in curvilinear microchannels. <i>Micro and Nano Engineering</i> , 2019 , 2, 53-63 | 3.4 | 14 |
| 100 | Biomedical device prototype based on small scale hydrodynamic cavitation. <i>AIP Advances</i> , 2018 , 8, 0351 | 0185 | 14 |
| 99 | Energy harvesting with micro scale hydrodynamic cavitation-thermoelectric generation coupling. <i>AIP Advances</i> , 2019 , 9, 105012 | 1.5 | 14 |
| 98 | Effect of Varying Magnetic Fields on Targeted Gene Delivery of Nucleic Acid-Based Molecules. Annals of Biomedical Engineering, 2015, 43, 2816-26 | 4.7 | 14 |

| 97 | Experimental and Numerical Investigation of Inlet Temperature Effect on Convective Heat Transfer of EAl2O3/Water Nanofluid Flows in Microtubes. <i>Heat Transfer Engineering</i> , 2019 , 40, 738-752 | 1.7 | 14 |
|----|---|---------------|----|
| 96 | Review on Lithotripsy and Cavitation in Urinary Stone Therapy. <i>IEEE Reviews in Biomedical Engineering</i> , 2016 , 9, 264-83 | 6.4 | 13 |
| 95 | Convective heat transfer of non-Newtonian power-law slip flows and plug flows with variable thermophysical properties in parallel-plate and circular microchannels. <i>International Journal of Thermal Sciences</i> , 2016 , 100, 155-168 | 4.1 | 13 |
| 94 | The effect of asymmetry on micromixing in curvilinear microchannels. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1 | 2.8 | 13 |
| 93 | Pool Boiling Heat Transfer Characteristics of Inclined pHEMA-Coated Surfaces. <i>Journal of Heat Transfer</i> , 2017 , 139, | 1.8 | 12 |
| 92 | On Cavitation on Chiplin Microfluidic Devices With Surface and Sidewall Roughness Elements. Journal of Microelectromechanical Systems, 2019 , 28, 890-899 | 2.5 | 12 |
| 91 | Hydrodynamic cavitation kills prostate cells and ablates benign prostatic hyperplasia tissue. <i>Experimental Biology and Medicine</i> , 2013 , 238, 1242-50 | 3.7 | 12 |
| 90 | Spectrally selective filter design for passive radiative cooling. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, 1173 | 1.7 | 12 |
| 89 | Effect of electrostatic stabilization on thermal radiation transfer in nanosuspensions: Photo-thermal energy conversion applications. <i>Renewable Energy</i> , 2018 , 119, 625-640 | 8.1 | 12 |
| 88 | A New Method for Intense Cavitation Bubble Generation on Layer-by-Layer Assembled SLIPS. <i>Scientific Reports</i> , 2019 , 9, 11600 | 4.9 | 11 |
| 87 | Heat transfer characteristics of plug flows with temperature-jump boundary conditions in parallel-plate channels and concentric annuli. <i>International Journal of Thermal Sciences</i> , 2014 , 84, 252-25 | 5 4 .1 | 11 |
| 86 | MIR376 family and cancer. <i>Histology and Histopathology</i> , 2016 , 31, 841-55 | 1.4 | 11 |
| 85 | Numerical and Experimental Studies on the Effect of Surface Roughness and Ultrasonic Frequency on Bubble Dynamics in Acoustic Cavitation. <i>Energies</i> , 2020 , 13, 1126 | 3.1 | 10 |
| 84 | Submerged jet impingement cooling using nanostructured plates. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 59, 414-422 | 4.9 | 10 |
| 83 | Experimental Investigation of Critical Heat Flux in Microchannels for Flow-Field Probes 2009, | | 10 |
| 82 | Investigation of change in surface morphology of heated surfaces upon pool boiling of magnetic fluids under magnetic actuation. <i>Materials Research Express</i> , 2016 , 3, 096102 | 1.7 | 10 |
| 81 | Pool boiling heat transfer characteristics of non-Newtonian Xanthan gum solutions. <i>Experimental Thermal and Fluid Science</i> , 2016 , 70, 77-84 | 3 | 9 |
| 80 | Experimental investigation on convective heat transfer of non-Newtonian flows of Xanthan gum solutions in microtubes. <i>Experimental Thermal and Fluid Science</i> , 2017 , 85, 305-312 | 3 | 9 |

(2011-2020)

| 79 | Pool boiling heat transfer of ferrofluids on structured hydrophilic and hydrophobic surfaces: The effect of magnetic field. <i>International Journal of Thermal Sciences</i> , 2020 , 155, 106420 | 4.1 | 9 | |
|----|--|-----|---|--|
| 78 | Differential Sorting of Microparticles Using Spiral Microchannels with Elliptic Configurations. <i>Micromachines</i> , 2020 , 11, | 3.3 | 9 | |
| 77 | Entropy Generation Analysis of Laminar Flows of Water-Based Nanofluids in Horizontal Minitubes under Constant Heat Flux Conditions. <i>Entropy</i> , 2018 , 20, | 2.8 | 9 | |
| 76 | Matrix Metalloproteinases 2 and 9 Polymorphism in Patients With Myeloproliferative Diseases: A STROBE-Compliant Observational Study. <i>Medicine (United States)</i> , 2015 , 94, e732 | 1.8 | 9 | |
| 75 | Experimental Study on Convective Heat Transfer Performance of Iron Oxide Based Ferrofluids in Microtubes. <i>Journal of Thermal Science and Engineering Applications</i> , 2014 , 6, | 1.9 | 9 | |
| 74 | Hydrodynamic Characteristics of Crossflow over MEMS-Based Pillars. <i>Journal of Fluids Engineering, Transactions of the ASME</i> , 2011 , 133, | 2.1 | 9 | |
| 73 | Increasing the stability of nanofluids with cavitating flows in micro orifices. <i>Applied Physics Letters</i> , 2016 , 109, 104101 | 3.4 | 9 | |
| 72 | Inertial focusing of microparticles in curvilinear microchannels with different curvature angles. <i>Microfluidics and Nanofluidics</i> , 2018 , 22, 1 | 2.8 | 8 | |
| 71 | Surface modifications for phase change cooling applications via crenarchaeon Sulfolobus solfataricus P2 bio-coatings. <i>Scientific Reports</i> , 2017 , 7, 17891 | 4.9 | 8 | |
| 70 | Exergo-economic analysis of micro pin fin heat sinks. <i>International Journal of Energy Research</i> , 2011 , 35, 1004-1013 | 4.5 | 8 | |
| 69 | Two-phase pressure drop across a hydrofoil-based micro pin device using R-123. <i>Experimental Thermal and Fluid Science</i> , 2008 , 32, 1213-1221 | 3 | 8 | |
| 68 | Hydoroil-Based Micro Pin Fin Heat Sink 2006 , 563 | | 8 | |
| 67 | Engineered Lateral Roughness Element Implementation and Working Fluid Alteration to Intensify Hydrodynamic Cavitating Flows on a Chip for Energy Harvesting. <i>Micromachines</i> , 2019 , 11, | 3.3 | 8 | |
| 66 | Enhancemet of flow boiling heat transfer in pHEMA/pPFDA coated microtubes with longitudinal variations in wettability. <i>AIP Advances</i> , 2016 , 6, 035212 | 1.5 | 8 | |
| 65 | Nanoparticle based induction heating at low magnitudes of magnetic field strengths for breast cancer therapy. <i>Journal of Magnetism and Magnetic Materials</i> , 2019 , 483, 169-177 | 2.8 | 7 | |
| 64 | Characterization and pressure drop correlation for sprays under the effect of micro scale cavitation. <i>Experimental Thermal and Fluid Science</i> , 2018 , 91, 89-102 | 3 | 7 | |
| 63 | Pool Boiling Critical Heat Flux in Dielectric Liquids and Nanofluids. <i>Advances in Heat Transfer</i> , 2011 , 43, 1-76 | 1.9 | 7 | |
| 62 | Low Mass Quality Flow Boiling in Microtubes at High Mass Fluxes. <i>Journal of Thermal Science and Engineering Applications</i> , 2011 , 3, | 1.9 | 7 | |

| 61 | On cavitation inception and cavitating flow patterns in a multi-orifice microfluidic device with a functional surface. <i>Physics of Fluids</i> , 2021 , 33, 032005 | 4.4 | 7 |
|----|--|-----|---|
| 60 | Influence of Fluid Properties on Intensity of Hydrodynamic Cavitation and Deactivation of Salmonella typhimurium. <i>Processes</i> , 2020 , 8, 326 | 2.9 | 7 |
| 59 | Copper-Based Superhydrophobic Nanostructures for Heat Transfer in Flow Condensation. <i>ACS Applied Nano Materials</i> , 2021 , 4, 1719-1732 | 5.6 | 7 |
| 58 | Subcooled flow boiling heat transfer enhancement using polyperfluorodecylacrylate (pPFDA) coated microtubes with different coating thicknesses. <i>Experimental Thermal and Fluid Science</i> , 2017 , 86, 130-140 | 3 | 6 |
| 57 | Localized radiative energy transfer from a plasmonic bow-tie nano-antenna to a magnetic thin film stack. <i>Applied Physics A: Materials Science and Processing</i> , 2011 , 103, 703-707 | 2.6 | 6 |
| 56 | Exergy analysis of second-generation micro heat sinks under single-phase and flow boiling conditions. <i>International Journal of Exergy</i> , 2010 , 7, 147 | 1.2 | 6 |
| 55 | Bio-coated surfaces with micro-roughness and micro-porosity: Next generation coatings for enhanced energy efficiency. <i>Energy</i> , 2021 , 222, 119959 | 7.9 | 6 |
| 54 | A new visual tracking method for the analysis and characterization of jet flow. <i>Flow Measurement and Instrumentation</i> , 2016 , 51, 55-67 | 2.2 | 5 |
| 53 | Visualization and image processing of spray structure under the effect of cavitation phenomenon. Journal of Physics: Conference Series, 2015 , 656, 012115 | 0.3 | 5 |
| 52 | The Effect of Nanostructure Distribution on Subcooled Boiling Heat Transfer Enhancement over Nanostructured Plates Integrated Into a Rectangular Channel. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2014 , 18, 313-328 | 3.7 | 5 |
| 51 | The effect of arrangement type and pitch ratio on the performance of micro-pin-fin heat sinks. Journal of Thermal Analysis and Calorimetry, 2020 , 140, 1057-1068 | 4.1 | 5 |
| 50 | Effect of Functional Surfaces with Gradient Mixed Wettability on Flow Boiling in a High Aspect Ratio Microchannel. <i>Fluids</i> , 2020 , 5, 239 | 1.6 | 4 |
| 49 | Effect of intensified cavitation using poly(vinyl alcohol) microbubbles on spray atomization characteristics in microscale. <i>AIP Advances</i> , 2020 , 10, 025318 | 1.5 | 4 |
| 48 | Power reclamation efficiency of a miniature energy-harvesting device using external fluid flows. <i>International Journal of Energy Research</i> , 2014 , 38, 1318-1330 | 4.5 | 4 |
| 47 | Reversibility of Functional and Structural Changes of Lysozyme Subjected to Hydrodynamic Flow. <i>Journal of Nanotechnology in Engineering and Medicine</i> , 2012 , 3, | | 4 |
| 46 | Methods and preliminary results on enhanced boiling heat transfer in second generation microchannels. <i>Microfluidics and Nanofluidics</i> , 2006 , 2, 387-397 | 2.8 | 4 |
| 45 | Modeling of a Passive-Valve Piezoelectric Micro-Pump: A Parametric Study. <i>Micromachines</i> , 2020 , 11, | 3.3 | 4 |
| 44 | The effects of baffle configuration and number on inertial mixing in a curved serpentine micromixer: Experimental and numerical study. <i>Chemical Engineering Research and Design</i> , 2021 , 168, 490-498 | 5.5 | 4 |

(2011-2021)

| 43 | Design and fabrication of a vigorous "cavitation-on-a-chip" device with a multiple microchannel configuration. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 44 | 7.7 | 4 |
|----|---|-----|---|
| 42 | Inertial Micromixing in Curved Serpentine Micromixers with Different Curve Angles. Fluids, 2019, 4, 204 | 1.6 | 4 |
| 41 | On bubble dynamics in subcooled nucleate boiling on a platinum wire. <i>International Journal of Thermal Sciences</i> , 2019 , 137, 1-12 | 4.1 | 4 |
| 40 | Microparticle Inertial Focusing in an Asymmetric Curved Microchannel. Fluids, 2018, 3, 57 | 1.6 | 4 |
| 39 | Design and implementation of a passive micro flow sensor based on diamagnetic levitation. <i>Sensors and Actuators A: Physical</i> , 2019 , 300, 111621 | 3.9 | 3 |
| 38 | Thermally Developing Single-Phase Flows in Microtubes. <i>Journal of Heat Transfer</i> , 2013 , 135, | 1.8 | 3 |
| 37 | Changing bubble dynamics in subcooled boiling with TiO 2 nanoparticles on a platinum wire. <i>Journal of Molecular Liquids</i> , 2017 , 242, 456-470 | 6 | 3 |
| 36 | Stick and oscillatory behavior of bubbles due to TiO2 nanoparticle coating in subcooled pool boiling on a wire. <i>Applied Physics Letters</i> , 2017 , 111, 061601 | 3.4 | 3 |
| 35 | Parameter Optimization of a Micro Heat Sink With Circular Pin-Fins 2010 , | | 3 |
| 34 | Correction to "Micro scale pin fin heat sinks: Parametric performance evaluation study". <i>IEEE Transactions on Components and Packaging Technologies</i> , 2008 , 31, 235-235 | | 3 |
| 33 | The effect of varying radius of curvature on mixing in elliptical spiral microchannels. <i>Chemical Engineering and Processing: Process Intensification</i> , 2021 , 164, 108401 | 3.7 | 3 |
| 32 | An ecologically friendly process for graphene exfoliation based on the "hydrodynamic cavitation on a chip" concept <i>RSC Advances</i> , 2021 , 11, 17965-17975 | 3.7 | 3 |
| 31 | Gradient mixed wettability surfaces for enhancing heat transfer in dropwise flow condensation. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 179, 121664 | 4.9 | 3 |
| 30 | Review on high heat flux flow boiling of refrigerants and water for electronics cooling. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 180, 121787 | 4.9 | 3 |
| 29 | Experimental Study on Subcooled Flow Boiling in Horizontal Microtubes and Effect of Heated Length. <i>Heat Transfer Engineering</i> , 2017 , 38, 313-322 | 1.7 | 2 |
| 28 | Assessment of Probe-to-Specimen Distance Effect in Kidney Stone Treatment With Hydrodynamic Cavitation. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2015 , 9, | 1.3 | 2 |
| 27 | Visualization of Spray Structure at the Outlet of the Micro Orifices 2015, | | 2 |
| 26 | Magnetic Nanoparticle Based Nanofluid Actuation With Dynamic Magnetic Fields 2011 , | | 2 |

| 25 | Flow Boiling in Microscale at High Flowrates 2011 , | | 2 |
|----|---|------|---|
| 24 | Critical Heat Flux in Cooling Channels for Flow-Field Probes 2010 , | | 2 |
| 23 | Computational and experimental investigations on the evaporation of single and multiple elongated droplets. <i>Chemical Engineering Journal Advances</i> , 2022 , 10, 100255 | 3.6 | 2 |
| 22 | Boiling in Enhanced Surface Microchannels 2005 , | | 2 |
| 21 | A NOVEL MAGNETOMECHANICAL PUMP TO ACTUATE FERROFLUIDS IN MINICHANNELS 2011 , | | 2 |
| 20 | Boiling at subatmospheric pressures on hydrophobic surface: Bubble dynamics and heat transfer. <i>International Journal of Thermal Sciences</i> , 2022 , 173, 107423 | 4.1 | 2 |
| 19 | Chemical effects in Bydrodynamic cavitation on a chiptIThe role of cavitating flow patterns. <i>Chemical Engineering Journal</i> , 2022 , 445, 136734 | 14.7 | 2 |
| 18 | Experimental Evidence and Theoretical Analysis of Nanobubble Stability Within Graphene Nanoscrolls. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 6425-31 | 1.3 | 1 |
| 17 | Design, Prototyping and Control of a Flexible Cystoscope for Biomedical Applications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 224, 012050 | 0.4 | 1 |
| 16 | Vision based cone angle estimation of bubbly cavitating flow and analysis of scattered bubbles using micro imaging techniques 2015 , | | 1 |
| 15 | Subcooled Flow Boiling Over Nanostructured Plate Integrated Into a Rectangular Channel 2013, | | 1 |
| 14 | A Compact Nanostructure Enhanced Heat Sink With Flow in a Rectangular Channel 2010 , | | 1 |
| 13 | Biphilic Surfaces with Optimum Hydrophobic Islands on a Superhydrophobic Background for Dropwise Flow Condensation. <i>Langmuir</i> , 2021 , 37, 13567-13575 | 4 | 1 |
| 12 | An ISFET Sensor-Integrated Micromixer for pH Measurements 2020 , | | 1 |
| 11 | Single Droplet Tracking in Jet Flow. Lecture Notes in Computer Science, 2016, 415-422 | 0.9 | 1 |
| 10 | Local Carpet Bombardment of Immobilized Cancer Cells With Hydrodynamic Cavitation. <i>IEEE Access</i> , 2021 , 9, 14983-14991 | 3.5 | 1 |
| 9 | Investigation of single air bubble dynamics and the effect of nanoparticles in rectangular minichannels. <i>Journal of Molecular Liquids</i> , 2019 , 279, 510-517 | 6 | Ο |
| 8 | Antifreeze Proteins: A Tale of Evolution From Origin to Energy Applications <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 770588 | 5.8 | O |

LIST OF PUBLICATIONS

| 7 | Graphene-Coated Sintered Porous Copper Surfaces for Boiling Heat Transfer Enhancement. <i>Carbon Trends</i> , 2022 , 100171 | Ο | O |
|---|--|---------------|---|
| 6 | Fabrication and flow rate characterization of a DRIE process based valveless piezoelectric micropump. <i>Journal of Micromechanics and Microengineering</i> , 2022 , 32, 065004 | 2 | O |
| 5 | On the Effect of Elliptical Pin Fins, Distribution Pin Fins, and Tip Clearance on the Performance of Heat Sinks in Flow Boiling. <i>Applied Thermal Engineering</i> , 2022 , 118648 | 5.8 | O |
| 4 | Single-Phase Heat Transfer in Mems-Based Pin Fin Heat Sink 2005 , 661 | | |
| 3 | Deagglomeration of nanoparticle clusters in a flavitation on chip@evice. AIP Advances, 2020, 10, 11520 |)4 1.5 | |
| 2 | Thermal Bioeffect of Hybrid Microfluidic System Used for Particle and Cell Separation 2021 , 321-324 | | |
| 1 | Numerical and Experimental Investigation of the Effect of Micro Restriction Geometry on Gas Flows through a Micro Orifice. <i>Fluids</i> , 2022 , 7, 151 | 1.6 | |