

# Chung-Jen Tseng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6143170/publications.pdf>

Version: 2024-02-01

83  
papers

2,052  
citations

218381

26  
h-index

264894

42  
g-index

84  
all docs

84  
docs citations

84  
times ranked

2459  
citing authors

#	ARTICLE	IF	CITATIONS
1	New insights into interface charge-transfer mechanism of copper-iron layered double hydroxide cathodic electrocatalyst in alkaline electrolysis. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107287.	3.3	6
2	Study on the surface segregation of mixed ionic-electronic conductor lanthanum-based perovskite oxide $\text{La}_{1-x}\text{Sr}_x\text{Co}_y\text{Fe}_y\text{O}_{3-\delta}$ materials. <i>International Journal of Energy Research</i> , 2022, 46, 7101-7117.	2.2	10
3	Hierarchical Carbon Composites for High-Energy/Power-Density and High-Reliability Supercapacitors with Low Aging Rate. <i>ChemSusChem</i> , 2022, 15, .	3.6	2
4	X-ray analyses and crystallography data of $\text{NiO} \cdot \text{BaCe}_{0.54}\text{Zr}_{0.36}\text{Y}_{0.10}\text{O}_{2.95}$ composite anode for protonic ceramic fuel cell. <i>Materials Today: Proceedings</i> , 2022, 66, 3989-3992.	0.9	1
5	Review on the preparation of electrolyte thin films based on cerate-zirconate oxides for electrochemical analysis of anode-supported proton ceramic fuel cells. <i>Journal of Alloys and Compounds</i> , 2022, 918, 165434.	2.8	23
6	A triple ( $\text{e}^-/\text{O}_2/\text{H}^+$ ) conducting perovskite $\text{BaCo}_{0.4}\text{Fe}_{0.4}\text{Zr}_{0.1}\text{Y}_{0.1}\text{O}_{3-\delta}$ for low temperature solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 9767-9774.	3.8	16
7	An In Situ Quick X-Ray Absorption Spectroscopy Study on Pt <sub>3</sub> Sn/Graphene Catalyst for Ethanol Oxidation Reaction. <i>ChemCatChem</i> , 2021, 13, 382-387.	1.8	3
8	Creating electronic and ionic conductivity gradients for improving energy storage performance of ruthenium oxide electrodes. <i>Journal of Alloys and Compounds</i> , 2021, 862, 158013.	2.8	0
9	CuFe electrocatalyst for hydrogen evolution reaction in alkaline electrolysis. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 35886-35895.	3.8	20
10	Performance enhancement of polymer electrolyte membrane fuel cell by PtCo <sub>3</sub> nanoporous film as high mass-specific power density catalyst using laser deposition and processing. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 33948-33956.	3.8	2
11	Highly concentrated carbonate electrolyte for Li-ion batteries with lithium metal and graphite anodes. <i>Journal of Power Sources</i> , 2020, 450, 227657.	4.0	32
12	High Durability of Pt <sub>3</sub> Sn/Graphene Electrocatalysts toward the Oxygen Reduction Reaction Studied with In Situ QEXAFS. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 24710-24716.	4.0	14
13	Effects of assembling method and force on the performance of proton-exchange membrane fuel cells with metal foam flow field. <i>International Journal of Energy Research</i> , 2020, 44, 9707-9713.	2.2	11
14	MoS <sub>2</sub> on Nitrogen-Doped Graphene for High-Efficiency Hydrogen Evolution Reaction: Unraveling the Mechanisms of Unique Interfacial Bonding for Efficient Charge Transport and Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 34825-34836.	4.0	20
15	Pengaruh Doping Cu terhadap Karakteristik Material dan Ketahanan Karbon pada Anoda Ni <sub>1-X</sub> Cu <sub>X</sub> BCZY untuk PSOFC. <i>Rekayasa Mesin</i> , 2020, 11, 441-447.	0.2	0
16	Manipulation of Heteroatom Substitution on Nitrogen and Phosphorus Co-Doped Graphene as a High Active Catalyst for Hydrogen Evolution Reaction. <i>Journal of Physical Chemistry C</i> , 2019, 123, 22202-22211.	1.5	29
17	Raising the maximum power density of nanoporous catalyst film-based polymer-electrolyte-membrane fuel cells by laser micro-machining of the gas diffusion layer. <i>Journal of Power Sources</i> , 2019, 436, 226886.	4.0	6
18	Nano-fibrous SrCe <sub>0.8</sub> Y <sub>0.2</sub> O <sub>3-δ</sub> -Ni anode functional layer for proton-conducting solid oxide fuel cells. <i>Journal of Power Sources</i> , 2019, 436, 226863.	4.0	6

#	ARTICLE	IF	CITATIONS
19	Planar Heterojunction Solar Cell Employing a Single-Source Precursor Solution-Processed Sb <sub>2</sub> S <sub>3</sub> Thin Film as the Light Absorber. ACS Omega, 2019, 4, 11380-11387.	1.6	19
20	Production of La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3-<math>\delta</math></sub> cathode with graded porosity for improving proton-conducting solid oxide fuel cells. Ceramics International, 2019, 45, 22479-22485.	2.3	13
21	Effects of TiO <sub>2</sub> and SDC addition on the properties of YSZ electrolyte. International Journal of Hydrogen Energy, 2019, 44, 29426-29431.	3.8	12
22	Preparation and characterization of high temperature Sr(Ce <sub>0.6</sub> Zr <sub>0.4</sub> ) <sub>0.9</sub> Y <sub>0.1</sub> O <sub>3-<math>\delta</math></sub> /YBaCo <sub>2</sub> O <sub>5+<math>\delta</math></sub> mixed proton-electron composite membrane. International Journal of Hydrogen Energy, 2019, 44, 29547-29553.	3.8	2
23	Fabrication of anode-supported thin BCZY electrolyte protonic fuel cells using NiO sintering aid. International Journal of Hydrogen Energy, 2019, 44, 23784-23792.	3.8	42
24	Microstructures and electrical properties of zirconium doped barium cerate perovskite proton conductors. International Journal of Hydrogen Energy, 2019, 44, 21174-21180.	3.8	16
25	Effect of the reactive surface area of proton-conducting Ni Ba <sub>0.8</sub> Sr <sub>0.2</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> anodes on cell performance. Ceramics International, 2019, 45, 14524-14532.	2.3	3
26	Supercapacitive performance of porous graphene nanosheets in bis(trifluoromethylsulfonyl)imide and bis(fluorosulfonyl)imide ionic liquid electrolytes. Journal of Solid State Electrochemistry, 2018, 22, 2197-2203.	1.2	4
27	Revisiting graphene-polymer nanocomposite for enhancing anticorrosion performance: a new insight into interface chemistry and diffusion model. Nanoscale, 2018, 10, 12612-12624.	2.8	82
28	Combined natural convection and radiation with temperature-dependent properties. Thermal Science, 2018, 22, 921-930.	0.5	3
29	Redox-reversible perovskite ferrite cathode for high temperature solid oxide steam electrolyser. Electrochimica Acta, 2017, 229, 48-54.	2.6	11
30	Chemical stability and electrical and mechanical properties of BaZr <sub>x</sub> Ce <sub>0.8-x</sub> Y <sub>0.2</sub> O <sub>3</sub> with CeO <sub>2</sub> protection method. International Journal of Hydrogen Energy, 2017, 42, 22259-22265.	3.8	8
31	Graphene as corrosion protection for metal foam flow distributor in proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2017, 42, 22201-22207.	3.8	27
32	Electrochemical Na <sup>+</sup> storage properties of SnO <sub>2</sub> /graphene anodes in carbonate-based and ionic liquid electrolytes. Journal of Materials Chemistry A, 2017, 5, 13776-13784.	5.2	21
33	Correlation between microstructure and catalytic and mechanical properties during redox cycling for Ni-BCY and Ni-BCZY composites. Ceramics International, 2017, 43, S671-S674.	2.3	12
34	Ba <sub>1-x</sub> Sr <sub>x</sub> Ce <sub>0.8</sub> Y <sub>z</sub> Zr <sub>y</sub> O <sub>3-<math>\delta</math></sub> protonic electrolytes synthesized by hetero-composition-exchange method for solid oxide fuel cells. International Journal of Hydrogen Energy, 2017, 42, 22222-22227.	3.8	7
35	Potassium doping optimization in proton-conducting Ba <sub>1-x</sub> K <sub>x</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> oxides for fuel cell applications. Journal of Alloys and Compounds, 2017, 696, 251-256.	2.8	14
36	Characteristics of Ni <sub>x</sub> Fe <sub>1-x</sub> O <sub>y</sub> Electrocatalyst on Hematite as Photoanode for Solar Hydrogen Production. Catalysts, 2017, 7, 350.	1.6	4

#	ARTICLE	IF	CITATIONS
37	Pulsed Laser Deposition of Platinum Nanoparticles as a Catalyst for High-Performance PEM Fuel Cells. <i>Catalysts</i> , 2016, 6, 180.	1.6	22
38	Production of high-performance and improved-durability Pt-catalyst/support for proton-exchange-membrane fuel cells with pulsed laser deposition. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 255601.	1.3	13
39	Application of metal foams to high temperature PEM fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 16196-16204.	3.8	39
40	Analysis of an intermediate-temperature proton-conducting SOFC hybrid system. <i>International Journal of Green Energy</i> , 2016, 13, 1640-1647.	2.1	7
41	The oxygen reduction reaction of ordered porous carbon-supported PtSn catalysts. <i>RSC Advances</i> , 2016, 6, 44205-44211.	1.7	15
42	Perovskite LSCM impregnated with vanadium pentoxide for high temperature carbon dioxide electrolysis. <i>Electrochimica Acta</i> , 2016, 212, 32-40.	2.6	32
43	Electrochemical performance of 0.5Li <sub>2</sub> MnO <sub>3</sub> •0.5Li(Mn <sub>0.375</sub> Ni <sub>0.375</sub> Co <sub>0.25</sub> )O <sub>2</sub> composite cathode in Pyrrolidinium-based ionic liquid electrolytes. <i>Journal of Power Sources</i> , 2015, 294, 22-30.	4.0	16
44	Rechargeable Na/Na <sub>0.44</sub> MnO <sub>2</sub> cells with ionic liquid electrolytes containing various sodium solutes. <i>Journal of Power Sources</i> , 2015, 274, 1016-1023.	4.0	102
45	Mechanical Properties of Ba <sub>1-x</sub> K <sub>x</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> Oxides by Nanoindentation. <i>Procedia Engineering</i> , 2014, 79, 599-605.	1.2	8
46	Synthesis and characterization of Ba <sub>0.6</sub> Sr <sub>0.4</sub> Ce <sub>0.8-x</sub> Zr <sub>x</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> proton-conducting oxides for use as fuel cell electrolyte. <i>Journal of Alloys and Compounds</i> , 2014, 586, S506-S510.	2.8	17
47	BaZr <sub>0.2</sub> Ce <sub>0.8-x</sub> Y <sub>x</sub> O <sub>3-<math>\delta</math></sub> solid oxide fuel cell electrolyte synthesized by sol-gel combined with composition-exchange method. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 14434-14440.	3.8	30
48	Effects of zirconium oxide on the sintering of SrCe <sub>1-x</sub> Zr <sub>x</sub> O <sub>3-<math>\delta</math></sub> (0.0 ≤ x ≤ 0.5). <i>Journal of Alloys and Compounds</i> , 2014, 615, S491-S495.	2.8	9
49	Proton-conducting Ba <sub>1-x</sub> K <sub>x</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> oxides synthesized by sol-gel combined with composition-exchange method. <i>Ceramics International</i> , 2014, 40, 1865-1872.	2.3	14
50	Nanocrystalline Pd/carbon nanotube composites synthesized using supercritical fluid for superior glucose sensing performance. <i>Journal of Alloys and Compounds</i> , 2014, 615, S496-S500.	2.8	17
51	Nanomechanical Properties and Fracture Behaviors of Ba <sub>1-x</sub> K <sub>x</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> Electrolytes by Nanoindentation. <i>Science of Advanced Materials</i> , 2014, 6, 1691-1696.	0.1	3
52	Ordered porous carbon as the catalyst support for proton-exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 10998-11003.	3.8	27
53	Strontium doping effect on phase homogeneity and conductivity of Ba <sub>1-x</sub> Sr <sub>x</sub> Ce <sub>0.6</sub> Zr <sub>0.2</sub> Y <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> proton-conducting oxides. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 11097-11103.	3.8	29
54	Thermal stability of Ni(Ta) silicide films on ultra-thin silicon-on-insulator substrates. <i>Journal of Alloys and Compounds</i> , 2012, 536, S407-S411.	2.8	2

#	ARTICLE	IF	CITATIONS
55	Self-oriented iron oxide nanorod array thin film for photoelectrochemical hydrogen production. International Journal of Hydrogen Energy, 2012, 37, 13616-13622.	3.8	38
56	Effects of flow field design on the performance of a PEM fuel cell with metal foam as the flow distributor. International Journal of Hydrogen Energy, 2012, 37, 13060-13066.	3.8	125
57	Numerical analysis of the solar reactor design for a photoelectrochemical hydrogen production system. International Journal of Hydrogen Energy, 2012, 37, 13053-13059.	3.8	7
58	Hydrogen Scooter Testing and Verification Program. Energy Procedia, 2012, 29, 633-643.	1.8	9
59	A PEM fuel cell with metal foam as flow distributor. Energy Conversion and Management, 2012, 62, 14-21.	4.4	135
60	Preparation of PtSn/C electrocatalysts with improved activity and durability toward oxygen reduction reaction by alcohol-reduction process. Materials Chemistry and Physics, 2012, 135, 395-400.	2.0	29
61	Photoelectrochemical performance of gallium-doped AgInS <sub>2</sub> photoelectrodes prepared by electrodeposition process. Solar Energy Materials and Solar Cells, 2012, 96, 33-42.	3.0	35
62	The reactor design for photoelectrochemical hydrogen production. International Journal of Hydrogen Energy, 2011, 36, 6510-6518.	3.8	14
63	Photoelectrochemical properties of AgInS <sub>2</sub> thin films prepared using electrodeposition. Solar Energy Materials and Solar Cells, 2011, 95, 453-461.	3.0	57
64	Fractal permeability models for the microporous layer and gas diffusion layer of PEM fuel cell. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 2011, 34, 39-47.	0.6	11
65	Effects of microstructure characteristics of gas diffusion layer and microporous layer on the performance of PEMFC. Energy Conversion and Management, 2010, 51, 677-684.	4.4	134
66	Thermodynamic analysis of a photoelectrochemical hydrogen production system. International Journal of Hydrogen Energy, 2010, 35, 2781-2785.	3.8	23
67	Electrical and optical properties of TiO <sub>2</sub> -doped ZnO films prepared by radio-frequency magnetron sputtering. Journal of Physics and Chemistry of Solids, 2008, 69, 535-539.	1.9	41
68	Preparation of TiO <sub>2</sub> -doped ZnO films by radio frequency magnetron sputtering in ambient hydrogen-argon gas. Applied Surface Science, 2008, 255, 2494-2499.	3.1	37
69	The influence of titanium on the properties of zinc oxide films deposited by radio frequency magnetron sputtering. Applied Surface Science, 2008, 254, 2615-2620.	3.1	36
70	Characterization of Pt-Cu binary catalysts for oxygen reduction for fuel cell applications. Materials Chemistry and Physics, 2006, 100, 385-390.	2.0	53
71	Simulation of thermally-enhanced combustion in a porous medium burner. Heat Transfer - Asian Research, 2006, 35, 75-88.	2.8	3
72	The thermal conductivity mechanism of sewage sludge ash lightweight materials. Cement and Concrete Research, 2005, 35, 803-809.	4.6	44

#	ARTICLE	IF	CITATIONS
73	A Concept of Vertical Takeoff Two-Stage-to-Orbit Reusable Launch Vehicle with an Integral-Rocket-Ramjet Booster. <i>Journal of Mechanics</i> , 2005, 21, 51-56.	0.7	0
74	Thermal properties of phenolic foam insulation. <i>Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an</i> , 2002, 25, 753-758.	0.6	11
75	Effects of hydrogen addition on methane combustion in a porous medium burner. <i>International Journal of Hydrogen Energy</i> , 2002, 27, 699-707.	3.8	67
76	Thermal radiative properties of phenolic foam insulation. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002, 72, 349-359.	1.1	64
77	Thermal conductivity of polyurethane foams from room temperature to 20 K. <i>Cryogenics</i> , 1997, 37, 305-312.	0.9	99
78	Combustion of Liquid Fuels in a Porous Radiant Burner. <i>Combustion Science and Technology</i> , 1996, 112, 141-161.	1.2	44
79	Conduction-radiation interaction in absorbing, emitting, and anisotropically scattering media with variable thermal conductivity. <i>Journal of Thermophysics and Heat Transfer</i> , 1992, 6, 537-540.	0.9	11
80	Transient combined conduction and radiation in an absorbing, emitting and anisotropically-scattering medium with variable thermal conductivity. <i>International Journal of Heat and Mass Transfer</i> , 1992, 35, 1844-1847.	2.5	8
81	Combined Conduction and radiation in absorbing, emitting and anisotropically-scattering, concentric, spherical media. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 1991, 46, 251-257.	1.1	5
82	Thermal Performance of Ultra-Fine Powder Insulations at High Temperatures. <i>Journal of Thermal Insulation</i> , 1989, 12, 298-312.	0.2	7
83	Analysis of Radiative Heat Transfer in Ultra-Fine Powder Insulations Under Variation of Radiative Boundary Conditions. <i>Journal of Thermal Insulation</i> , 1988, 12, 108-123.	0.2	1