Peter S Blair

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6143821/publications.pdf

Version: 2024-02-01

145106 107981 4,920 99 33 68 citations h-index g-index papers 101 101 101 4719 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Bed-sharing and SIDS: an evidence-based approach. Archives of Disease in Childhood, 2023, 108, e6-e6. | 1.0 | 1 |
| 2 | Use of the International Consultation on Incontinence Questionnaires Bladder Diary in Men Seeking therapy for Lower Urinary Tract Symptoms. European Urology Focus, 2022, 8, 66-74. | 1.6 | 5 |
| 3 | Prostate Surgery for Men with Lower Urinary Tract Symptoms: Do We Need Urodynamics to Find the Right Candidates? Exploratory Findings from the UPSTREAM Trial. European Urology Focus, 2022, 8, 1331-1339. | 1.6 | 11 |
| 4 | Prognostic value of upper respiratory tract microbes in children presenting to primary care with respiratory infections: A prospective cohort study. PLoS ONE, 2022, 17, e0268131. | 1.1 | 3 |
| 5 | Can primary care research be conducted more efficiently using routinely reported practice-level data: a cluster randomised controlled trial conducted in England?. BMJ Open, 2022, 12, e061574. | 0.8 | 1 |
| 6 | Decision-making for the infant sleep environment among families with children considered to be at risk of sudden unexpected death in infancy: a systematic review and qualitative metasynthesis. BMJ Paediatrics Open, 2021, 5, e000983. | 0.6 | 15 |
| 7 | Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luo's Letter to the Editor re: Marcus J. Drake, Amanda L. Lewis, Grace J. Young, et al. Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals, Eur Urol 2020:78:701–10. European Urology, 2021, 79, e89-e90. | 0.9 | О |
| 8 | Protocol for an †efficient design†cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHIldren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. BMJ Open, 2021, 11, e041769. | 0.8 | 3 |
| 9 | Improving engagement with services to prevent Sudden Unexpected Death in Infancy (SUDI) in families with children at risk of significant harm: A systematic review of evidence. Child: Care, Health and Development, 2021, 47, 713-731. | 0.8 | 2 |
| 10 | Losartan to slow the progression of mild-to-moderate Alzheimer $\hat{a} \in \mathbb{T}$ s disease through angiotensin targeting: the RADAR RCT. Efficacy and Mechanism Evaluation, 2021, 8, 1-72. | 0.9 | 3 |
| 11 | Interventions to Improve Safer Sleep Practices in Families With Children Considered to Be at Increased Risk for Sudden Unexpected Death in Infancy: A Systematic Review. Frontiers in Pediatrics, 2021, 9, 778186. | 0.9 | 3 |
| 12 | Physiological responses to cuddling babies with hypoxic–ischaemic encephalopathy during therapeutic hypothermia: an observational study. BMJ Paediatrics Open, 2021, 5, e001280. | 0.6 | 2 |
| 13 | Bedsharing and Breastfeeding: The Academy of Breastfeeding Medicine Protocol #6, Revision 2019. Breastfeeding Medicine, 2020, 15, 5-16. | 0.8 | 40 |
| 14 | Diagnostic Assessment of Lower Urinary Tract Symptoms in Men Considering Prostate Surgery: A Noninferiority Randomised Controlled Trial of Urodynamics in 26 Hospitals. European Urology, 2020, 78, 701-710. | 0.9 | 36 |
| 15 | Drainage, irrigation and fibrinolytic therapy (DRIFT) for posthaemorrhagic ventricular dilatation: 10-year follow-up of a randomised controlled trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2020, 105, 466-473. | 1.4 | 38 |
| 16 | Grading Severity and Bother Using the International Prostate Symptom Score and International Consultation on Incontinence Questionnaire Male Lower Urinary Tract Symptoms Score in Men Seeking Lower Urinary Tract Symptoms Therapy. Journal of Urology, 2020, 204, 1003-1011. | 0.2 | 15 |
| 17 | Urodynamics tests for the diagnosis and management of bladder outlet obstruction in men: the UPSTREAM non-inferiority RCT. Health Technology Assessment, 2020, 24, 1-122. | 1.3 | 21 |
| 18 | Reply by Authors. Journal of Urology, 2020, 204, 1011-1011. | 0.2 | 0 |

| # | Article | IF | Citations |
|----|--|------------|---------------|
| 19 | Clinical and Patient-reported Outcome Measures in Men Referred for Consideration of Surgery to Treat Lower Urinary Tract Symptoms: Baseline Results and Diagnostic Findings of the Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (UPSTREAM). European Urology Focus, 2019, 5, 340-350. | 1.6 | 23 |
| 20 | Bed-sharing: What is the Evidence?., 2019, , 149-155. | | O |
| 21 | A process evaluation of the PLAN-A intervention (Peer-Led physical Activity iNtervention for) Tj ETQq1 1 0.78431 | .4 rgBT /C | verlock 10 Tf |
| 22 | Inconsistent classification of unexplained sudden deaths in infants and children hinders surveillance, prevention and research: recommendations from The 3rd International Congress on Sudden Infant and Child Death. Forensic Science, Medicine, and Pathology, 2019, 15, 622-628. | 0.6 | 62 |
| 23 | Conversations with families about reducing the risk of sudden infant death syndrome. Journal of Health Visiting, 2019, 7, 226-231. | 0.0 | 6 |
| 24 | An Integrated Analysis of Maternal-Infant Sleep, Breastfeeding, and Sudden Infant Death Syndrome Research Supporting a Balanced Discourse. Journal of Human Lactation, 2019, 35, 510-520. | 0.8 | 34 |
| 25 | Parental and clinician agreement of illness severity in children with RTIs: secondary analysis of data from a prospective cohort study. British Journal of General Practice, 2019, 69, e236-e245. | 0.7 | 3 |
| 26 | Reducing arthritis fatigue impact: two-year randomised controlled trial of cognitive behavioural approaches by rheumatology teams (RAFT). Annals of the Rheumatic Diseases, 2019, 78, 465-472. | 0.5 | 48 |
| 27 | Sudden infant death syndrome (SIDS) and the routine otoacoustic emission infant hearing screening test: an epidemiological retrospective case–control study. BMJ Open, 2019, 9, e030026. | 0.8 | 3 |
| 28 | The influence of bed-sharing on infant physiology, breastfeeding and behaviour: A systematic review. Sleep Medicine Reviews, 2019, 43, 106-117. | 3.8 | 43 |
| 29 | Ten-year follow-up of a randomised trial of drainage, irrigation and fibrinolytic therapy (DRIFT) in infants with post-haemorrhagic ventricular dilatation. Health Technology Assessment, 2019, 23, 1-116. | 1.3 | 34 |
| 30 | Anaesthetic–analgesic ear drops to reduce antibiotic consumption in children with acute otitis media: the CEDAR RCT. Health Technology Assessment, 2019, 23, 1-48. | 1.3 | 11 |
| 31 | Group cognitive–behavioural programme to reduce the impact of rheumatoid arthritis fatigue: the RAFT RCT with economic and qualitative evaluations. Health Technology Assessment, 2019, 23, 1-130. | 1.3 | 18 |
| 32 | A peer-led physical activity intervention in schools for adolescent girls: a feasibility RCT. Public Health Research, 2019, 7, 1-178. | 0.5 | 4 |
| 33 | Childhood sleep and adolescent chronic fatigue syndrome (CFS/ME): evidence of associations in a UK birth cohort. Sleep Medicine, 2018, 46, 26-36. | 0.8 | 10 |
| 34 | Mothers' knowledge and attitudes to sudden infant death syndrome risk reduction messages: results from a UK survey. Archives of Disease in Childhood, 2018, 103, 33-38. | 1.0 | 18 |
| 35 | $K1\hat{a} {\in} f$ Reducing Arthritis Fatigue: clinical Teams (RAFT) using a cognitive-behavioural approach: a randomised controlled trial. Rheumatology, 2018, 57, . | 0.9 | 1 |
| 36 | Concerns about the promotion of a cardboard baby box as a place for infants to sleep. BMJ: British Medical Journal, 2018, 363, k4243. | 2.4 | 10 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of antibiotics for children presenting to general practice with cough on adverse outcomes: secondary analysis from a multicentre prospective cohort study. British Journal of General Practice, 2018, 68, e682-e693. | 0.7 | 19 |
| 38 | Results of a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 50. | 2.0 | 50 |
| 39 | What gives rise to clinician gut feeling, its influence on management decisions and its prognostic value for children with RTI in primary care: a prospective cohort study. BMC Family Practice, 2018, 19, 25. | 2.9 | 17 |
| 40 | Post-consultation illness trajectories in children with acute cough and respiratory tract infection: prospective cohort study. Family Practice, 2018, 35, 676-683. | 0.8 | 7 |
| 41 | Observational Investigations from England: The CESDI and SWISS Studies. , 2018, , 325-348. | | 1 |
| 42 | Duration of Breastfeeding and Risk of SIDS: An Individual Participant Data Meta-analysis., 2018, , 127-136. | | 0 |
| 43 | Feasibility cluster randomised controlled trial of a within-consultation intervention to reduce antibiotic prescribing for children presenting to primary care with acute respiratory tract infection and cough. BMJ Open, 2017, 7, e014506. | 0.8 | 24 |
| 44 | Throat swabs in children with respiratory tract infection: associations with clinical presentation and potential targets for point-of-care testing. Family Practice, 2017, 34, 407-415. | 0.8 | 18 |
| 45 | Duration of Breastfeeding and Risk of SIDS: An Individual Participant Data Meta-analysis. Pediatrics, 2017, 140, . | 1.0 | 117 |
| 46 | Research Priorities in Sudden Unexpected Infant Death: An International Consensus. Pediatrics, 2017, 140, . | 1.0 | 31 |
| 47 | The Rationale and Design of the Reducing Pathology in Alzheimer's Disease through Angiotensin TaRgeting (RADAR) Trial. Journal of Alzheimer's Disease, 2017, 61, 803-814. | 1.2 | 28 |
| 48 | Is the infant car seat challenge useful? A pilot study in a simulated moving vehicle. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F136-F141. | 1.4 | 4 |
| 49 | Factors influencing maternal decision-making for the infant sleep environment in families at higher risk of SIDS: a qualitative study. BMJ Paediatrics Open, 2017, 1, e000133. | 0.6 | 25 |
| 50 | Statistical analysis plan for the Urodynamics for Prostate Surgery Trial; Randomised Evaluation of Assessment Methods (UPSTREAM). Trials, 2017, 18, 455. | 0.7 | 12 |
| 51 | Update to a protocol for a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). Pilot and Feasibility Studies, 2016, 2, 68. | 0.5 | 10 |
| 52 | Does family-centred neonatal discharge planning reduce healthcare usage? A before and after study in South West England. BMJ Open, 2016, 6, e010752. | 0.8 | 39 |
| 53 | Thermoregulatory effects of swaddling in Mongolia: a randomised controlled study. Archives of Disease in Childhood, 2016, 101, 152-160. | 1.0 | 9 |
| 54 | Using self-determination theory to promote adolescent girls' physical activity: Exploring the theoretical fidelity of the Bristol Girls Dance Project. Psychology of Sport and Exercise, 2016, 24, 100-110. | 1.1 | 37 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 55 | Swaddling and the Risk of Sudden Infant Death Syndrome: A Meta-analysis. Pediatrics, 2016, 137, . | 1.0 | 51 |
| 56 | Development and internal validation of a clinical rule to improve antibiotic use in children presenting to primary care with acute respiratory tract infection and cough: a prognostic cohort study. Lancet Respiratory Medicine, the, 2016, 4, 902-910. | 5.2 | 61 |
| 57 | Bedâ€sharing and breastfeeding, the importance of giving the correct advice. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 570-571. | 0.7 | 2 |
| 58 | Protocol for a feasibility cluster randomised controlled trial of a peer-led school-based intervention to increase the physical activity of adolescent girls (PLAN-A). Pilot and Feasibility Studies, 2016, 2, 2. | 0.5 | 22 |
| 59 | Preparing for Home: a before-and-after study to investigate the effects of a neonatal discharge package aimed at increasing parental knowledge, understanding and confidence in caring for their preterm infant before and after discharge from hospital. Health Services and Delivery Research, 2016, 4. 1-114. | 1.4 | 5 |
| 60 | The CHICO (Children's Cough) Trial protocol: a feasibility randomised controlled trial investigating the clinical and cost-effectiveness of a complex intervention to improve the management of children presenting to primary care with acute respiratory tract infection. BMJ Open, 2015, 5, e008615. | 0.8 | 13 |
| 61 | Effect and cost of an after-school dance programme on the physical activity of 11–12 year old girls: The Bristol Girls Dance Project, a school-based cluster randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 128. | 2.0 | 65 |
| 62 | Bed-sharing and unexpected infant deaths: what is the relationship?. Paediatric Respiratory Reviews, 2015, 16, 62-67. | 1.2 | 21 |
| 63 | Clinical presentation and microbiological diagnosis in paediatric respiratory tract infection: a systematic review. British Journal of General Practice, 2015, 65, e69-e81. | 0.7 | 18 |
| 64 | Making informed choices on co-sleeping with your baby. BMJ, The, 2015, 350, h563-h563. | 3.0 | 9 |
| 65 | Sudden unexpected death in infancy: aetiology, pathophysiology, epidemiology and prevention in 2015. Archives of Disease in Childhood, 2015, 100, 984-988. | 1.0 | 95 |
| 66 | Co-sleeping and suffocation. Forensic Science, Medicine, and Pathology, 2015, 11, 281-282. | 0.6 | 1 |
| 67 | Bed-Sharing in the Absence of Hazardous Circumstances: Is There a Risk of Sudden Infant Death Syndrome? An Analysis from Two Case-Control Studies Conducted in the UK. PLoS ONE, 2014, 9, e107799. | 1.1 | 125 |
| 68 | Sleep patterns in children with autistic spectrum disorders: a prospective cohort study. Archives of Disease in Childhood, 2014, 99, 114-118. | 1.0 | 142 |
| 69 | Sofas and Infant Mortality. Pediatrics, 2014, 134, e1293-e1300. | 1.0 | 47 |
| 70 | The Confidential Inquiry into premature deaths of people with intellectual disabilities in the UK: a population-based study. Lancet, The, 2014, 383, 889-895. | 6.3 | 422 |
| 71 | The feasibility of using a parenting programme for the prevention of unintentional home injuries in the under-fives: a cluster randomised controlled trial. Health Technology Assessment, 2014, 18, 1-184. | 1.3 | 11 |
| 72 | The TARGET cohort study protocol: a prospective primary care cohort study to derive and validate a clinical prediction rule to improve the targeting of antibiotics in children with respiratory tract illnesses. BMC Health Services Research, 2013, 13, 322. | 0.9 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Sleep patterns in children with <scp>ADHD</scp> : a populationâ€based cohort study from birth to 11Âyears. Journal of Sleep Research, 2013, 22, 121-128. | 1.7 | 80 |
| 74 | The need for FASTER CARE in the diagnosis of illness in people with intellectual disabilities. British Journal of General Practice, 2013, 63, 661-662. | 0.7 | 20 |
| 75 | Reducing antibiotic prescribing for children with respiratory tract infections in primary care: a systematic review. British Journal of General Practice, 2013, 63, e445-e454. | 0.7 | 95 |
| 76 | Childhood Sleep Duration and Associated Demographic Characteristics in an English Cohort. Sleep, 2012, 35, 353-360. | 0.6 | 158 |
| 77 | PUTTING BEDâ€SHARING FINDINGS INTO PERSPECTIVE. Journal of Paediatrics and Child Health, 2012, 48, 947-947. | 0.4 | 4 |
| 78 | Sudden unexpected death in infancy (SUDI): suggested classification and applications to facilitate research activity. Forensic Science, Medicine, and Pathology, 2012, 8, 312-315. | 0.6 | 38 |
| 79 | Bed Sharing and the Risk of Sudden Infant Death Syndrome: Can We Resolve the Debate?. Journal of Pediatrics, 2012, 160, 44-48.e2. | 0.9 | 137 |
| 80 | Interventions to Influence Consulting and Antibiotic Use for Acute Respiratory Tract Infections in Children: A Systematic Review and Meta-Analysis. PLoS ONE, 2012, 7, e30334. | 1.1 | 119 |
| 81 | Perspectives on Bed-Sharing. Current Pediatric Reviews, 2010, 6, 67-70. | 0.4 | 8 |
| 82 | Relationship Between Bed Sharing and Breastfeeding: Longitudinal, Population-Based Analysis. Pediatrics, 2010, 126, e1119-e1126. | 1.0 | 79 |
| 83 | Hazardous cosleeping environments and risk factors amenable to change: case-control study of SIDS in south west England. BMJ: British Medical Journal, 2010, 339, b3666-b3666. | 2.4 | 190 |
| 84 | Recurrence risk of sudden infant death syndrome. Archives of Disease in Childhood, 2008, 93, 269-270. | 1.0 | 4 |
| 85 | Sudden Infant Death Syndrome and parental smoking. Early Human Development, 2007, 83, 721-725. | 0.8 | 119 |
| 86 | Major epidemiological changes in sudden infant death syndrome: a 20-year population-based study in the UK. Lancet, The, 2006, 367, 314-319. | 6.3 | 276 |
| 87 | Sudden infant death syndrome epidemiology and bed sharing. Paediatrics and Child Health, 2006, , . | 0.3 | 2 |
| 88 | Modifiable risk factors, sleep environment, developmental physiology and common polymorphisms: Understanding and preventing sudden infant deaths. Early Human Development, 2006, 82, 761-766. | 0.8 | 7 |
| 89 | The prevalence and characteristics associated with parent-infant bed-sharing in England. Archives of Disease in Childhood, 2004, 89, 1106-1110. | 1.0 | 120 |
| 90 | Investigating sudden unexpected deaths in infancy and childhood and caring for bereaved families: an integrated multiagency approach. BMJ: British Medical Journal, 2004, 328, 331-334. | 2.4 | 73 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Sudden infant death syndrome and social deprivation: assessing epidemiological factors after post-matching for deprivation. Paediatric and Perinatal Epidemiology, 2003, 17, 272-280. | 0.8 | 26 |
| 92 | Sudden unexpected deaths after discharge from the neonatal intensive care unit. Seminars in Fetal and Neonatal Medicine, 2003, 8, 159-167. | 2.8 | 22 |
| 93 | The UK accelerated immunisation programme and sudden unexpected death in infancy: case-control study. BMJ: British Medical Journal, 2001, 322, 822-822. | 2.4 | 63 |
| 94 | Epidemiology of SIDS and Explained Sudden Infant Deaths. Pediatrics, 1999, 104, e43-e43. | 1.0 | 141 |
| 95 | Babies sleeping with parents: case-control study of factors influencing the risk of the sudden infant death syndrome Commentary: Cot deaththe story so far. BMJ: British Medical Journal, 1999, 319, 1457-1462. | 2.4 | 272 |
| 96 | Night-time non-nutritive sucking in infants aged 1 to 5 months: relationship with infant state, breastfeeding, and bed-sharing versus room-sharing. Early Human Development, 1999, 56, 185-204. | 0.8 | 31 |
| 97 | Environment of infants during sleep and risk of the sudden infant death syndrome: results of 1993-5 case-control study for confidential inquiry into stillbirths and deaths in infancy. BMJ: British Medical Journal, 1996, 313, 191-195. | 2.4 | 395 |
| 98 | Smoking and the sudden infant death syndrome: results from 1993-5 case-control study for confidential inquiry into stillbirths and deaths in infancy. BMJ: British Medical Journal, 1996, 313, 195-198. | 2.4 | 309 |
| 99 | Vision function in children 10 years after grade 3 or 4 intraventricular haemorrhage with ventricular dilation: A masked prospective study. Developmental Medicine and Child Neurology, 0, , . | 1.1 | 1 |