

# Whi-An Kwon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6144186/publications.pdf>

Version: 2024-02-01

35  
papers

330  
citations

932766

10  
h-index

940134

16  
g-index

35  
all docs

35  
docs citations

35  
times ranked

610  
citing authors

#	ARTICLE	IF	CITATIONS
1	Update of the Diagnostic and Therapeutic Role of the Pelvic Lymph Node Dissection Boundaries During Radical Cystectomy in Muscle Invasive Bladder Cancer. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 71-81.	0.1	0
2	Enhanced Recovery After Surgery Program for Radical Cystectomy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 92-106.	0.1	0
3	Impact of Benign Prostatic Hyperplasia and/or Prostatitis on the Risk of Prostate Cancer in Korean Patients. <i>World Journal of Men's Health</i> , 2021, 39, 358.	1.7	9
4	Lower Urinary Tract Symptoms in Prostate Cancer Patients Treated With Radiation Therapy: Past and Present. <i>International Neurourology Journal</i> , 2021, 25, 119-127.	0.5	9
5	Emerging agents for the treatment of metastatic urothelial cancer. <i>Investigative and Clinical Urology</i> , 2021, 62, 243.	1.0	8
6	Optimizing frontline therapy in advanced urothelial cancer. <i>Translational Andrology and Urology</i> , 2020, 9, 983-985.	0.6	3
7	Usefulness of the mass screening program for colorectal cancer in China: further long-term validation is needed to confirm its value. <i>Annals of Translational Medicine</i> , 2020, 8, 427-427.	0.7	0
8	Docetaxel-resistant prostate cancer cells become sensitive to gemcitabine due to the upregulation of ABCB1. <i>Prostate</i> , 2020, 80, 453-462.	1.2	12
9	Novel C9a/DNMT first-in-class dual reversible inhibitor has potent antitumor effect in bladder cancer. <i>Translational Cancer Research</i> , 2020, 9, 1319-1321.	0.4	2
10	Use of docetaxel plus androgen deprivation therapy for metastatic hormone-sensitive prostate cancer in Korean patients: A retrospective study. <i>Investigative and Clinical Urology</i> , 2019, 60, 195.	1.0	5
11	Correlation Analyses of Computed Tomography and Magnetic Resonance Imaging for Calculation of Prostate Volume in Colorectal Cancer Patients with Voiding Problems Who Cannot Have Transrectal Ultrasonography. <i>BioMed Research International</i> , 2019, 2019, 1-8.	0.9	1
12	Single-Center Analysis of Human Papillomavirus Infection and P16INK4A Expression among Korean Patients with Penile Cancer. <i>BioMed Research International</i> , 2019, 2019, 1-7.	0.9	1
13	Electrostatic interaction of tumor-targeting adenoviruses with aminoclay acquires enhanced infectivity to tumor cells inside the bladder and has better cytotoxic activity. <i>Drug Delivery</i> , 2018, 25, 49-58.	2.5	10
14	Hand-Holding during Cystoscopy Decreases Patient Anxiety, Pain, and Dissatisfaction: A Pilot Randomized Controlled Trial. <i>Urologia Internationalis</i> , 2018, 100, 222-227.	0.6	19
15	Animal Model of Interstitial Cystitis/Bladder Pain Syndrome. <i>International Neurourology Journal</i> , 2018, 22, S1-2.	0.5	7
16	Clear cell papillary renal cell carcinoma: A case report and review of the literature. <i>World Journal of Nephrology</i> , 2018, 7, 155-160.	0.8	1
17	The neutrophil-to-lymphocyte ratio makes the Heng risk model improve better the prediction of overall survival in metastatic renal cell cancer patients. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 835-840.	0.6	8
18	Second Primary Cancer Risk among Kidney Cancer Patients in Korea: A Population-Based Cohort Study. <i>Cancer Research and Treatment</i> , 2018, 50, 293-301.	1.3	18

#	ARTICLE	IF	CITATIONS
19	Lifestyle Risk Prediction Model for Prostate Cancer in a Korean Population. <i>Cancer Research and Treatment</i> , 2018, 50, 1194-1202.	1.3	15
20	Pretreatment Prognostic Nutritional Index Is an Independent Predictor of Survival in Patients With Metastatic Renal Cell Carcinoma Treated With Targeted Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 100-111.	0.9	28
21	The establishment of a growth-controllable orthotopic bladder cancer model through the down-regulation of c-myc expression. <i>Oncotarget</i> , 2017, 8, 50500-50509.	0.8	7
22	Changes in Urination According to the Sound of Running Water Using a Mobile Phone Application. <i>PLoS ONE</i> , 2015, 10, e0126798.	1.1	7
23	Listening to Music during Transrectal Ultrasound-Guided Prostate Biopsy Decreases Anxiety, Pain and Dissatisfaction in Patients: A Pilot Randomized Controlled Trial. <i>Urologia Internationalis</i> , 2015, 94, 337-341.	0.6	34
24	Distinct Metabolic Characteristics and Risk of Stone Recurrence in Patients With Multiple Stones at the First-time Presentation. <i>Urology</i> , 2014, 84, 274-278.	0.5	4
25	Predictive Factors for Neutropenia after Docetaxel-Based Systemic Chemotherapy in Korean Patients with Castration-Resistant Prostate Cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 3443-3446.	0.5	11
26	Overestimation of Nuclear Matrix Protein 22 in Concentrated Urine. <i>Urology</i> , 2013, 82, 1059-1064.	0.5	10
27	Validation of the MSKCC and Heng Risk Criteria Models for Predicting Survival in Patients with Metastatic Renal Cell Carcinoma Treated with Sunitinib. <i>Annals of Surgical Oncology</i> , 2013, 20, 4397-4404.	0.7	34
28	Primary signet ring cell carcinoma of the prostate. <i>Canadian Urological Association Journal</i> , 2013, 7, 768.	0.3	11
29	Effect of Low-Dose Triple Therapy Using Gabapentin, Amitriptyline, and a Nonsteroidal Anti-Inflammatory Drug for Overactive Bladder Symptoms in Patients With Bladder Pain Syndrome. <i>International Neurourology Journal</i> , 2013, 17, 78.	0.5	16
30	Tumorigenic and Prognostic Significance of RASSF1A Expression in Low-grade (WHO Grade 1 and Grade 2) Prostate Cancer. <i>Urologia Internationalis</i> , 2013, 93, 337-341.	0.5	10
31	Prostate Volume has Prognostic Value Only in Pathologic T2 Radical Prostatectomy Specimens. <i>Journal of Korean Medical Science</i> , 2011, 26, 807.	1.1	13
32	Paclitaxel and cisplatin chemotherapy for metastatic urothelial carcinoma after failure of two courses of platinum-based regimens. <i>International Journal of Urology</i> , 2011, 18, 350-357.	0.5	11
33	The Relationship between RUNX3 Inactivation and Its Pathological Features in Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2009, 50, 432.	1.2	2
34	A Primary Large Cell Neuroendocrine Carcinoma of the Urinary Bladder in a 19-year-old Man. <i>Korean Journal of Urology</i> , 2008, 49, 647.	0.2	0
35	A Large Stone in the Dilated Left Seminal Vesicle: Laparoscopic Removal and Partial Seminal Vesiculectomy. <i>Korean Journal of Urology</i> , 2008, 49, 656.	0.2	9