

Hctor Beltrn Mir

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6145434/hector-beltran-mir-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

1,074
citations

21
h-index

29
g-index

64
ext. papers

1,217
ext. citations

4.4
avg, IF

4.17
L-index

#	Paper	IF	Citations
58	The unexplored β phase of KY ₃ F ₁₀ : toward novel Eu ³⁺ -doped nanoplates with a Super-diamond structure for optical applications. <i>Journal of Materials Research and Technology</i> , 2021 , 15, 6940-6940	5.5	0
57	Tuning the optical and photoluminescence properties of high efficient Eu ³⁺ -doped KY ₃ F ₁₀ phosphors by different synthetic approaches. <i>Optics and Laser Technology</i> , 2021 , 136, 106734	4.2	5
56	A new series of environment-friendly reddish inorganic pigments based on AFeO ₃ (A = Ln, Y) with high NIR solar reflectance. <i>Journal of Materiomics</i> , 2021 , 7, 1061-1073	6.7	2
55	Unraveling the superior role of dicarboxylic acids as surface chelators in Eu ³⁺ -doped yttrium fluorides: A systematic modulation of the crystal phases and morphologies for highly tuned optical performance. <i>Journal of Alloys and Compounds</i> , 2021 , 883, 160847	5.7	0
54	Improvement in varistor properties of CaCu ₃ Ti ₄ O ₁₂ ceramics by chromium addition. <i>Journal of Materials Science and Technology</i> , 2020 , 41, 12-20	9.1	19
53	Study of the role of praseodymium and iron in an environment-friendly reddish orange pigment based on Fe doped Pr ₂ Zr ₂ O ₇ : A multifunctional material. <i>Journal of Alloys and Compounds</i> , 2020 , 845, 155841	5.7	3
52	Toward Expanding the Optical Response of Ag ₂ CrO ₄ and Bi ₂ O ₃ by Their Laser-Mediated Heterojunction. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 26404-26414	3.8	2
51	β -AgVO Decorated by Hydroxyapatite (Ca(PO) ₃ (OH)): Tuning Its Photoluminescence Emissions and Bactericidal Activity. <i>Inorganic Chemistry</i> , 2019 , 58, 5900-5913	5.1	9
50	Proof-of-Concept Studies Directed toward the Formation of Metallic Ag Nanostructures from Ag ₃ PO ₄ Induced by Electron Beam and Femtosecond Laser. <i>Particle and Particle Systems Characterization</i> , 2019 , 36, 1800533	3.1	9
49	Laser and electron beam-induced formation of Ag/Cr structures on AgCrO. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 6101-6111	3.6	15
48	Ag Nanoparticles/ β -AgWO Composite Formed by Electron Beam and Femtosecond Irradiation as Potent Antifungal and Antitumor Agents. <i>Scientific Reports</i> , 2019 , 9, 9927	4.9	24
47	Designing biocompatible and multicolor fluorescent hydroxyapatite nanoparticles for cell-imaging applications. <i>Materials Today Chemistry</i> , 2019 , 14, 100211	6.2	7
46	Site-selective symmetries of Eu ³⁺ -doped BaTiO ₃ ceramics: a structural elucidation by optical spectroscopy. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 13976-13985	7.1	3
45	Field-induced p-n transition in yttria-stabilized zirconia. <i>Scientific Reports</i> , 2019 , 9, 18538	4.9	10
44	Tailoring the Bactericidal Activity of Ag Nanoparticles/ β -AgWO Composite Induced by Electron Beam and Femtosecond Laser Irradiation: Integration of Experiment and Computational Modeling.. <i>ACS Applied Bio Materials</i> , 2019 , 2, 824-837	4.1	25
43	Laser-induced formation of bismuth nanoparticles. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 13693-13696	3.6	15
42	Towards the scale-up of the formation of nanoparticles on β -AgWO with bactericidal properties by femtosecond laser irradiation. <i>Scientific Reports</i> , 2018 , 8, 1884	4.9	32

41	Structural properties and self-activated photoluminescence emissions in hydroxyapatite with distinct particle shapes. <i>Ceramics International</i> , 2018 , 44, 236-245	5.1	21
40	From Complex Inorganic Oxides to Ag-Bi Nanoalloy: Synthesis by Femtosecond Laser Irradiation. <i>ACS Omega</i> , 2018 , 3, 9880-9887	3.9	13
39	Environmental-friendly red-orange ceramic pigment based on Pr and Fe co-doped Y2Zr2O7. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 2210-2217	6	17
38	Laser/Electron Irradiation on Indium Phosphide (InP) Semiconductor: Promising Pathways to In Situ Formation of Indium Nanoparticles. <i>Particle and Particle Systems Characterization</i> , 2018 , 35, 1800237	3.1	11
37	Atmosphere- and Voltage-Dependent Electronic Conductivity of Oxide-Ion-Conducting ZrYO Ceramics. <i>Inorganic Chemistry</i> , 2017 , 56, 7081-7088	5.1	17
36	A novel approach to obtain highly intense self-activated photoluminescence emissions in hydroxyapatite nanoparticles. <i>Journal of Solid State Chemistry</i> , 2017 , 249, 64-69	3.3	16
35	Spinel-rock salt transformation in LiCoMnO. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2016 , 472, 20140991	2.4	16
34	New red-shade environmental-friendly multifunctional pigment based on Tb and Fe doped Y2Zr2O7 for ceramic applications and cool roof coatings. <i>Dyes and Pigments</i> , 2016 , 133, 33-40	4.6	33
33	Internal barrier layer capacitor, nearest neighbor hopping, and variable range hopping conduction in Ba1-xSrxTiO3 nanoceramics. <i>Journal of Materials Science</i> , 2016 , 51, 7440-7450	4.3	9
32	Theoretical and Experimental Insight on Ag2CrO4 Microcrystals: Synthesis, Characterization, and Photoluminescence Properties. <i>Inorganic Chemistry</i> , 2016 , 55, 8961-70	5.1	27
31	Structural and optical properties of ZnS/MgNb2O6 heterostructures. <i>Superlattices and Microstructures</i> , 2015 , 79, 180-192	2.8	6
30	Pigments based on Cr and Sb doped TiO2 prepared by microemulsion-mediated solvothermal synthesis for inkjet printing on ceramics. <i>Dyes and Pigments</i> , 2015 , 116, 106-113	4.6	26
29	Voltage-Dependent Bulk Resistivity of SrTiO3:Mg Ceramics. <i>Journal of the American Ceramic Society</i> , 2014 , 97, 2815-2824	3.8	21
28	Field-enhanced bulk conductivity and resistive-switching in Ca-doped BiFeO3 ceramics. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 19408-16	3.6	22
27	Síntesis, caracterización y evaluación eléctrica de circonatos de bario dopados con lantánidos trivalentes. <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2014 , 53, 60-68	1.9	1
26	Synthesis, structural characterization, and electrical properties of new oxygen-deficient tetragonal tungsten bronzes Ba2NdTi(2+x)Nb(3-x)O(15-x/2). <i>Inorganic Chemistry</i> , 2013 , 52, 1729-36	5.1	26
25	Environmental-friendly yellow pigment based on Tb and M (M = Ca or Ba) co-doped Y2O3. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 3359-3368	6	36
24	Non-ohmic phenomena in Mn-doped BaTiO3. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 2267-2272	1.6	10

23	Enhanced Conductivity and Nonlinear Voltage-Current Characteristics of Nonstoichiometric BaTiO ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2951-2962	3.8	18
22	Voltage-Dependent Low-Field Bulk Resistivity in BaTiO ₃ :Zn Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 500-505	3.8	32
21	Field enhanced bulk conductivity of acceptor-doped BaTi _{1-x} CaxO _{3-x} ceramics. <i>Applied Physics Letters</i> , 2010 , 97, 062907	3.4	36
20	Field enhanced bulk conductivity of BaTiO ₃ : Mg ceramics. <i>Journal of Materials Chemistry</i> , 2010 , 20, 5335		42
19	Phase transition hysteresis and anomalous Curie-Weiss behavior of ferroelectric tetragonal tungsten bronzes Ba ₂ RETi ₂ Nb ₃ O ₁₅ :RE=Nd,Sm. <i>Journal of Applied Physics</i> , 2008 , 104, 104118	2.5	40
18	Polymorphism of BaTiO ₃ Acceptor Doped with Mn ³⁺ , Fe ³⁺ , and Ti ³⁺ . <i>Journal of the American Ceramic Society</i> , 2008 , 91, 2364-2366	3.8	15
17	Polymorphism and Dielectric Properties of Nb-Doped BaTiO ₃ . <i>Journal of the American Ceramic Society</i> , 2007 , 91, 071018043821002-???	3.8	1
16	Nanocomposite ceramics based on La-doped BaTi ₂ O ₅ and BaTiO ₃ with high temperature-independent permittivity and low dielectric loss. <i>Journal of Electroceramics</i> , 2007 , 18, 277-282	1.5	13
15	Influence of the precursors on the formation and properties of the Fe _x Cr _{2-x} O ₃ solid solution. <i>Journal of the European Ceramic Society</i> , 2006 , 26, 1363-1370	6	11
14	Synthesis and electrical properties of Nb-doped BaTiO ₃ . <i>Journal of Materials Chemistry</i> , 2006 , 16, 3114-3119		53
13	Electrical properties of Fe-doped BaTiO ₃ . <i>Journal of Materials Chemistry</i> , 2006 , 16, 1626-1633		54
12	Electrical properties of ferroelectric BaTi ₂ O ₅ and dielectric Ba ₆ Ti ₁₇ O ₄₀ ceramics. <i>Journal of Applied Physics</i> , 2005 , 97, 084104	2.5	37
11	Comparison of the electrical properties of the new conductor Pr _{0.5} Bi _{0.05} Li _{0.35} TiO ₃ prepared by sol-gel and ceramic methods. <i>Physica Status Solidi (B): Basic Research</i> , 2005 , 242, 1924-1927	1.3	6
10	Oxygen loss, semiconductivity, and positive temperature coefficient of resistance behavior in undoped cation-stoichiometric BaTiO ₃ ceramics. <i>Journal of Applied Physics</i> , 2005 , 98, 094102	2.5	35
9	Environmental study of Cr ₂ O ₃ /Al ₂ O ₃ green ceramic pigment synthesis. <i>Journal of the European Ceramic Society</i> , 2004 , 24, 2087-2094	6	44
8	Influence of the Matrix in the Optical Response of Organic-Inorganic Hybrid Materials Doped with Europium(III). <i>Journal of Sol-Gel Science and Technology</i> , 2003 , 26, 977-980	2.3	17
7	Preparation and Characterization of Compositions Based on PbO-MgO-Nb ₂ O ₅ Using the Sol-Gel Method. <i>Journal of Sol-Gel Science and Technology</i> , 2003 , 26, 1061-1065	2.3	6
6	Optimization of Praseodymium-Doped Cerium Pigment Synthesis Temperature. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 425-430	3.8	22

5	A Study of the Method of Synthesis and Chromatic Properties of the Cr-SnO ₂ Pigment. <i>European Journal of Inorganic Chemistry</i> , 2002 , 2002, 2694-2700	2.3	14
4	Ferroelectric Behavior of Pb(Mg _{1/3} Nb _{2/3})O ₃ (PMN) Obtained by the Sol-Gel Method. <i>Chemistry of Materials</i> , 2001 , 13, 415-419	9.6	5
3	Sol-Gel Synthesis and Characterization of Pb(Mg _{1/3} Nb _{2/3})O ₃ (PMN) Ferroelectric Perovskite. <i>Chemistry of Materials</i> , 2000 , 12, 400-405	9.6	27
2	Influence of the precursors on the formation and the properties of ZnFe ₂ O ₄ . <i>Journal of the European Ceramic Society</i> , 1999 , 19, 363-372	6	34
1	Study of the effect of formamide and N,N-dimethylformamide on the synthesis of CdS nanoparticles in a SiO ₂ matrix by sol-gel method. <i>Solid State Sciences</i> , 1999 , 1, 351-364	3-4	4