Samson Gebremedhin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6146429/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Coverage, compliance and factors associated with utilization of iron supplementation during pregnancy in eight rural districts of Ethiopia: a cross-sectional study. BMC Public Health, 2014, 14, 607.	2.9	104
2	Prevalence of prenatal zinc deficiency and its association with socio-demographic, dietary and health care related factors in Rural Sidama, Southern Ethiopia: A cross-sectional study. BMC Public Health, 2011, 11, 898.	2.9	54
3	Magnitude of road traffic accident related injuries and fatalities in Ethiopia. PLoS ONE, 2019, 14, e0202240.	2.5	54
4	School feeding program has resulted in improved dietary diversity, nutritional status and class attendance of school children. Italian Journal of Pediatrics, 2018, 44, 16.	2.6	47
5	The association between acute malnutrition and water, sanitation, and hygiene among children aged 6–59Âmonths in rural <scp>E</scp> thiopia. Maternal and Child Nutrition, 2019, 15, e12631.	3.0	47
6	Magnitude and factors associated with post-cesarean surgical site infection at Hawassa University Teaching and referral hospital, southern Ethiopia: a cross-sectional study. Ethiopian Journal of Health Sciences, 2017, 27, 283.	0.4	46
7	Prevalence and factors associated with overweight and obesity among adults in Hawassa city, southern Ethiopia: a community based cross-sectional study. BMC Obesity, 2019, 6, 8.	3.1	44
8	Predictors of dietary diversity in children ages 6 to 23Âmo in largely food-insecure area of South Wollo, Ethiopia. Nutrition, 2017, 33, 163-168.	2.4	40
9	Prevalence and differentials of overweight and obesity in preschool children in Sub-Saharan Africa. BMJ Open, 2015, 5, e009005.	1.9	35
10	Dietary Diversity among Children Aged 6–23 Months in Aleta Wondo District, Southern Ethiopia. Journal of Nutrition and Metabolism, 2019, 2019, 1-10.	1.8	34
11	Prevalence of intestinal parasitic infection and its association with anemia among pregnant women in Wondo Genet district, Southern Ethiopia: a cross-sectional study. BMC Infectious Diseases, 2019, 19, 483.	2.9	33
12	Factors associated with low birthweight in North Shewa zone, Central Ethiopia: case-control study. Italian Journal of Pediatrics, 2018, 44, 76.	2.6	27
13	Time-to-recovery from severe acute malnutrition in children 6–59 months of age enrolled in the outpatient treatment program in Shebedino, Southern Ethiopia: a prospective cohort study. BMC Pediatrics, 2019, 19, 33.	1.7	27
14	Independent and Joint Effects of Prenatal Zinc and Vitamin A Deficiencies on Birthweight in Rural Sidama, Southern Ethiopia: Prospective Cohort Study. PLoS ONE, 2012, 7, e50213.	2.5	22
15	Mismatch between antenatal care attendance and institutional delivery in south Ethiopia: A multilevel analysis. BMJ Open, 2019, 9, e024783.	1.9	21
16	Prevalence and correlates of maternal anemia in rural Sidama, Southern Ethiopia. African Journal of Reproductive Health, 2014, 18, 44-53.	1.1	20
17	Core and optional infant and young child feeding indicators in Sub-Saharan Africa: a cross-sectional study. BMJ Open, 2019, 9, e023238.	1.9	19
18	Mitigating the mistreatment of childbearing women: evaluation of respectful maternity care intervention in Ethiopian hospitals. BMJ Open, 2020, 10, e038871.	1.9	18

#	Article	IF	CITATIONS
19	Association between type of contraceptive use and haemoglobin status among women of reproductive age in 24 sub-Saharan Africa countries. BMJ Sexual and Reproductive Health, 2019, 45, 54-60.	1.7	17
20	Effect of a single high dose vitamin A supplementation on the hemoglobin status of children aged 6–59Âmonths: propensity score matched retrospective cohort study based on the data of Ethiopian Demographic and Health Survey 2011. BMC Pediatrics, 2014, 14, 79.	1.7	16
21	Uptake of routine vitaminÂA supplementation for children in Humbo district, southern Ethiopia: community-based cross-sectional study. BMC Public Health, 2020, 20, 1500.	2.9	15
22	Prevalence and Factors Associated with Undernutrition among Exclusively Breastfeeding Women in Arba Minch Zuria District, Southern Ethiopia: A Cross-sectional Community-Based Study. Ethiopian Journal of Health Sciences, 2019, 29, 913-922.	0.4	15
23	Aflatoxin contamination of human breast milk and complementary foods in southern Ethiopia. Maternal and Child Nutrition, 2021, 17, e13081.	3.0	14
24	The effectiveness bundling of zinc with Oral Rehydration Salts (ORS) for improving adherence to acute watery diarrhea treatment in Ethiopia: cluster randomised controlled trial. BMC Public Health, 2016, 16, 457.	2.9	13
25	Inappropriate infant feeding practices of HIV-positive mothers attending PMTCT services in Oromia regional state, Ethiopia: a cross-sectional study. International Breastfeeding Journal, 2018, 13, 37.	2.6	11
26	Magnitude and Determinants of the Late Request for Safe Abortion Care Among Women Seeking Abortion Care at a Tertiary Referral Hospital in Ethiopia: A Cross-Sectional Study. International Journal of Women's Health, 2020, Volume 12, 1223-1231.	2.6	10
27	Evaluating the African food supply against the nutrient intake goals set for preventing diet-related non-communicable diseases: 1990 to 2017 trend analysis. PLoS ONE, 2021, 16, e0245241.	2.5	10
28	Assessment of the protective effect of male circumcision from HIV infection and sexually transmitted diseases: evidence from 18 demographic and health surveys in sub-Saharan Africa. African Journal of Reproductive Health, 2010, 14, 105-13.	1.1	9
29	Development of a new model for estimating maternal mortality ratio at national and sub-national levels and its application for describing sub-national variations of maternal death in Ethiopia. PLoS ONE, 2018, 13, e0201990.	2.5	8
30	Nutritional and non-nutritional factors associated with low birth weight in Sawula Town, Gamo Gofa Zone, Southern Ethiopia. BMC Research Notes, 2019, 12, 540.	1.4	8
31	The effect of school feeding programme on class absenteeism and academic performance of schoolchildren in Southern Ethiopia: a prospective cohort study. Public Health Nutrition, 2021, 24, 3066-3074.	2.2	8
32	Treatment-seeking for vaginal fistula in sub-Saharan Africa. PLoS ONE, 2019, 14, e0216763.	2.5	7
33	Determinants of hypertension among patients with type 2 diabetes mellitus on follow-up at Tikur Anbessa Specialized Hospital, Addis Ababa: A case-control study. PLoS ONE, 2021, 16, e0256399.	2.5	7
34	Association between maternal HIV infection and birthweight in a tertiary hospital in southern Ethiopia: retrospective cohort study. Italian Journal of Pediatrics, 2020, 46, 70.	2.6	7
35	Assessment of the protective effect of male circumcision from HIV infection and sexually transmitted diseases: Evidence from 18 demographic and health surveys in Sub-Saharan Africa. East African Journal of Public Health, 2011, 7, 295-9.	0.3	7
36	<p>Undernutrition Among HIV-Positive Adolescents on Antiretroviral Therapy in Southern Ethiopia</p> . Adolescent Health, Medicine and Therapeutics, 2020, Volume 11, 101-111.	0.9	6

#	Article	IF	CITATIONS
37	Optimization of nutritional and functional qualities of local complementary foods of southern Ethiopia using a customized mixture design. Food Science and Nutrition, 2022, 10, 239-252.	3.4	6
38	Dietary Diversity Among Pregnant Women in Gurage Zone, South Central Ethiopia: Assessment Based on Longitudinal Repeated Measurement. International Journal of Women's Health, 2022, Volume 14, 599-615.	2.6	6
39	Aflatoxin exposure among lactating women in southern Ethiopia. Food Science and Nutrition, 2020, 8, 6738-6745.	3.4	5
40	Sexually transmitted disease among street dwellers in southern Ethiopia: a mixed methods study design. BMC Public Health, 2020, 20, 434.	2.9	5
41	Male circumcision and its association with HIV infection and sexually transmitted diseases: evidence from 18 demographic and health surveys in sub-Saharan Africa. Sahara J, 2011, 8, 13-18.	0.7	4
42	Changes in care-seeking for common childhood illnesses in the context of Integrated Community Case Management (iCCM) program implementation in Benishangul Gumuz region of Ethiopia. PLoS ONE, 2020, 15, e0242451.	2.5	4
43	Trends in the national food supply of absorbable zinc in Ethiopia: 1990–2017. Public Health Nutrition, 2021, 24, 577-584.	2.2	3
44	Prevalence and Predictors of Anaemia Among Adolescent Girls in Rural Hadero Tunto District, Southern Ethiopia: Community Based Study. International Journal of Nutrition and Food Sciences, 2020, 9, 16.	0.4	3
45	Inclusion and exclusion errors in the targeted supplementary feeding programme of Ethiopia. Maternal and Child Nutrition, 2018, 14, e12627.	3.0	2
46	Gestational weight gain in sub-Saharan Africa: Estimation based on pseudo-cohort design. PLoS ONE, 2021, 16, e0252247.	2.5	2
47	Trends in Vitamin B12 Supply and Prevalence of Inadequate Intake in Africa: Regional and Country-Specific Estimates. Food and Nutrition Bulletin, 2021, 42, 467-479.	1.4	2
48	Soluble transferrin receptor level, inflammation markers, malaria, alphaâ€thalassemia and selenium status are the major predictors of hemoglobin in children 6–23Âmonths in Malawi. Food Science and Nutrition, 2020, 8, 4601-4610.	3.4	1
49	Adjusting serum zinc concentration for inflammation based on the data of Malawian preschool children and women of reproductive age. Nutrition, 2020, 79-80, 110841.	2.4	1
50	Postpartum vitamin A supplementation for HIV-positive women is not associated with mortality and morbidity of their breastfed infants: evidence from multiple national surveys in sub-Saharan Africa. BMC Pediatrics, 2020, 20, 214.	1.7	0
51	Risky Sexual Practice among Street Dwelling People in Southern Ethiopia: A mixed-Method Study. Ethiopian Journal of Health Sciences, 2021, 31, 475-484.	0.4	0
52	Title is missing!. , 2020, 15, e0242451.		0
53	Title is missing!. , 2020, 15, e0242451.		0
54	Title is missing!. , 2020, 15, e0242451.		0

