

Josep Guarro Artigas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6147151/publications.pdf>

Version: 2024-02-01

289
papers

10,472
citations

44069
48
h-index

53230
85
g-index

298
all docs

298
docs citations

298
times ranked

8012
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A new pleosporalean fungus isolated from superficial to deep human clinical specimens. <i>Medical Mycology</i> , 2021, 59, 278-288. | 0.7 | 5 |
| 2 | A revision of malbranchea-like fungi from clinical specimens in the United States of America reveals unexpected novelty. <i>IMA Fungus</i> , 2021, 12, 25. | 3.8 | 8 |
| 3 | Apophysomyces variabilis, an emerging and worrisome cause of primary cutaneous necrotizing infections in India. <i>Journal De Mycologie Medicale</i> , 2021, 31, 101197. | 1.5 | 6 |
| 4 | Current knowledge on the etiology and epidemiology of Scopulariopsis infections. <i>Medical Mycology</i> , 2020, 58, 145-155. | 0.7 | 13 |
| 5 | Expression of ERG11 and efflux pump genes CDR1, CDR2 and SNQ2 in voriconazole susceptible and resistant <i>Candida glabrata</i> strains. <i>Medical Mycology</i> , 2020, 58, 30-38. | 0.7 | 2 |
| 6 | Fungal Diversity of Deteriorated Sparkling Wine and Cork Stoppers in Catalonia, Spain. <i>Microorganisms</i> , 2020, 8, 12. | 3.6 | 15 |
| 7 | Re-Evaluation of the Order Sordariales: Delimitation of Lasiosphaeriaceae s. str., and Introduction of the New Families Diplogelasinosporaceae, Naviculisporaceae, and Schizotheciaceae. <i>Microorganisms</i> , 2020, 8, 1430. | 3.6 | 13 |
| 8 | < i>Sarocladium</i> and < i>Acremonium</i> infections: New faces of an old opportunistic fungus. <i>Mycoses</i> , 2020, 63, 1203-1214. | 4.0 | 24 |
| 9 | Cu transporter protein CrpF protects against Cu-induced toxicity in < i>Fusarium oxysporum</i>. <i>Virulence</i> , 2020, 11, 1108-1121. | 4.4 | 6 |
| 10 | Two new species of Gloniopsis(Hysteriales, Ascomycota) from clinical specimens: Morphological and molecular characterisation. <i>Mycoses</i> , 2019, 62, 1164-1173. | 4.0 | 4 |
| 11 | Role of the < i>Fusarium oxysporum</i> metallothionein Mt1 in resistance to metal toxicity and virulence. <i>Metallomics</i> , 2019, 11, 1230-1240. | 2.4 | 20 |
| 12 | Novel Paranannizziopsis species in a Wagler's viper (<i>Tropidolaemus wagleri</i>), tentacled snakes (<i>Erpeton tentaculatum</i>), and a rhinoceros snake (<i>Rhynchophis boulengeri</i>) in a zoological collection. <i>Medical Mycology</i> , 2019, 57, 825-832. | 0.7 | 10 |
| 13 | DNA sequencing to clarify the taxonomical conundrum of the clinical coelomycetes. <i>Mycoses</i> , 2018, 61, 708-717. | 4.0 | 11 |
| 14 | The Protean Acremonium. <i>A. sclerotigenum/egyptiacum</i> : Revision, Food Contaminant, and Human Disease. <i>Microorganisms</i> , 2018, 6, 88. | 3.6 | 32 |
| 15 | Cryptic < i>Aspergillus</i> from clinical samples in the < sc>USA</sc> and description of a new species in section < i>Flavipedes</i>. <i>Mycoses</i> , 2018, 61, 814-825. | 4.0 | 16 |
| 16 | Mucormycosis: Battle with the Deadly Enemy over a Five-Year Period in India. <i>Journal of Fungi (Basel)</i> , Tj ETQq0 0 0 rgBT /Overlock 10 Tf 3.5 145 | | |
| 17 | Melanospora (Sordariomycetes, Ascomycota) and its relatives. <i>MycoKeys</i> , 2018, 44, 81-122. | 1.9 | 9 |
| 18 | Voriconazole MICs are predictive for the outcome of experimental disseminated scedosporiosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, dkw532. | 3.0 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Does a triple combination have better activity than double combinations against multiresistant fungi? Experimental in vitro evaluation. International Journal of Antimicrobial Agents, 2017, 49, 422-426. | 2.5 | 23 |
| 20 | New acremonium-like species in the Bionectriaceae and Plectosphaerellaceae. Mycological Progress, 2017, 16, 349-368. | 1.4 | 16 |
| 21 | Virulence and antifungal therapy of murine disseminated infection by <i>Rhodotorula mucilaginosa</i> . Diagnostic Microbiology and Infectious Disease, 2017, 89, 47-51. | 1.8 | 5 |
| 22 | Coelomycetous Fungi in the Clinical Setting: Morphological Convergence and Cryptic Diversity. Journal of Clinical Microbiology, 2017, 55, 552-567. | 3.9 | 54 |
| 23 | Importance of Resolving Fungal Nomenclature: the Case of Multiple Pathogenic Species in the <i>Cryptococcus</i> Genus. MSphere, 2017, 2, . | 2.9 | 124 |
| 24 | New Species <i>Spiromastigoides albida</i> from a Lung Biopsy. Mycopathologia, 2017, 182, 967-978. | 3.1 | 6 |
| 25 | <i>Saksenaea erythrospora</i>, an emerging mucoralean fungus causing severe necrotizing skin and soft tissue infections – a study from a tertiary care hospital in north India. Infectious Diseases, 2017, 49, 170-177. | 2.8 | 43 |
| 26 | Combined antifungal therapy against systemic murine infections by rare <i>Cryptococcus</i> species. Mycoses, 2017, 60, 112-117. | 4.0 | 3 |
| 27 | Antifungal therapies in murine infections by <i>Candida kefyr</i>. Mycoses, 2016, 59, 253-258. | 4.0 | 4 |
| 28 | Virulence and Experimental Treatment of <i>Trichoderma longibrachiatum</i> , a Fungus Refractory to Treatment. Antimicrobial Agents and Chemotherapy, 2016, 60, 5029-5032. | 3.2 | 10 |
| 29 | Synergistic effect of anidulafungin combined with posaconazole in experimental aspergillosis. Medical Mycology, 2016, 55, myw110. | 0.7 | 10 |
| 30 | Efficacy of echinocandins against murine infections by <i>Ditutina (Candida) rugosa</i> . Diagnostic Microbiology and Infectious Disease, 2016, 86, 61-65. | 1.8 | 3 |
| 31 | Virulence and Resistance to Antifungal Therapies of <i>Scopulariopsis</i> Species. Antimicrobial Agents and Chemotherapy, 2016, 60, 2063-2068. | 3.2 | 10 |
| 32 | Voriconazole minimum inhibitory concentrations are predictive of treatment outcome in experimental murine infections by <i>Candida glabrata</i> . International Journal of Antimicrobial Agents, 2016, 47, 286-288. | 2.5 | 4 |
| 33 | <i>In Vivo</i> Synergy of Amphotericin B plus Posaconazole in Murine Aspergillosis. Antimicrobial Agents and Chemotherapy, 2016, 60, 296-300. | 3.2 | 11 |
| 34 | Molecular taxonomy of scopulariopsis-like fungi with description of new clinical and environmental species. Fungal Biology, 2016, 120, 586-602. | 2.5 | 22 |
| 35 | Isolation and Characterization of an Unknown Chrysosporium sp. Producing Subcutaneous Mycosis in an Immunocompromised Patient. Mycopathologia, 2016, 181, 115-118. | 3.1 | 4 |
| 36 | Voriconazole and posaconazole therapy for experimental <i>Candida lusitaniae</i> infection. Diagnostic Microbiology and Infectious Disease, 2016, 84, 48-51. | 1.8 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | <i>In Vitro</i> and <i>In Vivo</i> Efficacy of Amphotericin B Combined with Posaconazole against Experimental Disseminated Sporotrichosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 5018-5021. | 3.2 | 13 |
| 38 | Experimental efficacy of anidulafungin against <i>Aspergillus terreus</i> species complex. <i>Medical Mycology</i> , 2015, 53, 630-635. | 0.7 | 4 |
| 39 | Emendation of the genus <i>Bactrodesmiastrum</i> (Sordariomycetes) and description of <i>Bactrodesmiastrum monilioides</i> sp. nov. from plant debris in Spain. <i>Mycological Progress</i> , 2015, 14, 1. | 1.4 | 9 |
| 40 | <i>Aspergillus citrinoterreus</i> , a New Species of Section Terrei Isolated from Samples of Patients with Nonhematological Predisposing Conditions. <i>Journal of Clinical Microbiology</i> , 2015, 53, 611-617. | 3.9 | 32 |
| 41 | Skin and subcutaneous mycoses in tilapia (<i>Oreochromis niloticus</i>) caused by <i>Fusarium oxysporum</i> in coinfection with <i>Aeromonas hydrophila</i> . <i>Medical Mycology Case Reports</i> , 2015, 9, 7-11. | 1.3 | 42 |
| 42 | Fungal necrotizing fasciitis, an emerging infectious disease caused by <i>Apophysomyces</i> (Mucorales). <i>Revista Iberoamericana De Micología</i> , 2015, 32, 93-98. | 0.9 | 38 |
| 43 | <i>Cladosporium</i> Species Recovered from Clinical Samples in the United States. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2990-3000. | 3.9 | 109 |
| 44 | <i>Humicola</i> sp. as a Cause of Peritoneal Dialysis-Associated Peritonitis. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3081-3085. | 3.9 | 4 |
| 45 | <i>Acrophialophora</i> , a Poorly Known Fungus with Clinical Significance. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1549-1555. | 3.9 | 16 |
| 46 | A re-evaluation of the genus <i>Myceliophthora</i> (Sordariales, Ascomycota): its segregation into four genera and description of <i>Corynascus fumimontanus</i> sp. nov.. <i>Mycologia</i> , 2015, 107, 619-632. | 1.9 | 32 |
| 47 | International Society of Human and Animal Mycology (ISHAM)-ITS reference DNA barcoding database—the quality controlled standard tool for routine identification of human and animal pathogenic fungi. <i>Medical Mycology</i> , 2015, 53, 313-337. | 0.7 | 252 |
| 48 | Efficacy of Posaconazole in a Murine Model of Systemic Infection by <i>Saprochaete capitata</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7477-7482. | 3.2 | 2 |
| 49 | Changing Epidemiology of Mucoralean Fungi: Chronic Cutaneous Infection Caused by <i>Mucor irregularis</i> . <i>Mycopathologia</i> , 2015, 180, 181-186. | 3.1 | 8 |
| 50 | Morphological and Molecular Characterization of <i>Exophiala polymorpha</i> sp. nov. Isolated from Sporotrichoid Lymphocutaneous Lesions in a Patient with Myasthenia Gravis. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2816-2822. | 3.9 | 17 |
| 51 | Therapies against murine <i>Candida guilliermondii</i> infection, relationship between in vitro antifungal pharmacodynamics and outcome. <i>Revista Iberoamericana De Micología</i> , 2015, 32, 34-39. | 0.9 | 3 |
| 52 | Commentaries: Name Changes in Medically Important Fungi and Their Implications for Clinical Practice. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1056-1062. | 3.9 | 65 |
| 53 | Experimental murine acremoniosis: an emerging opportunistic human infection. <i>Medical Mycology</i> , 2014, 52, 1-7. | 0.7 | 5 |
| 54 | Occurrence of <i>Ochroconis</i> and <i>Verruconis</i> Species in Clinical Specimens from the United States. <i>Journal of Clinical Microbiology</i> , 2014, 52, 4189-4201. | 3.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Pithomyces species (Montagnulaceae) from clinical specimens: identification and antifungal susceptibility profiles. <i>Medical Mycology</i> , 2014, 52, 748-757. | 0.7 | 21 |
| 56 | Leiothecium cristatum sp. nov. and Aspergillus posadasensis sp. nov., two species of Eurotiales from rainforest soils in South America. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 2871-2877. | 1.7 | 5 |
| 57 | Chrysosporium-Related Fungi and Reptiles: A Fatal Attraction. <i>PLoS Pathogens</i> , 2014, 10, e1004367. | 4.7 | 40 |
| 58 | <i>In vitro</i> antifungal susceptibility of clinical isolates of <i>Arthrographis kalrae</i>, a poorly known opportunistic fungus. <i>Mycoses</i> , 2014, 57, 247-248. | 4.0 | 6 |
| 59 | Primary Cutaneous Mucormycosis Produced by the New Species <i>Apophysomyces mexicanus</i> . <i>Journal of Clinical Microbiology</i> , 2014, 52, 4428-4431. | 3.9 | 45 |
| 60 | <i>In Vitro</i> Evaluation of Antifungal Drug Combinations against <i>Sarocladium (Acremonium) kiliense</i> , an Opportunistic Emergent Fungus Resistant to Antifungal Therapies. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 1259-1260. | 3.2 | 8 |
| 61 | Experimental Therapy with Azoles against <i>Candida guilliermondii</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6255-6257. | 3.2 | 4 |
| 62 | First imported coccidioidomycosis in Turkey: A potential health risk for laboratory workers outside endemic areas. <i>Medical Mycology Case Reports</i> , 2014, 3, 20-25. | 1.3 | 2 |
| 63 | Combination therapy in the treatment of experimental invasive fungal infection by <i>Sarocladium (Acremonium) kiliense</i> . <i>International Journal of Antimicrobial Agents</i> , 2014, 44, 136-139. | 2.5 | 4 |
| 64 | Modest efficacy of voriconazole against murine infections by <i>Sporothrix schenckii</i> and lack of efficacy against <i>Sporothrix brasiliensis</i>. <i>Mycoses</i> , 2014, 57, 121-124. | 4.0 | 26 |
| 65 | Two new species of <i>Solicorynespora</i> from Spain. <i>Mycological Progress</i> , 2014, 13, 157-164. | 1.4 | 4 |
| 66 | In vitro pharmacodynamics and in vivo efficacy of fluconazole, amphotericin B and caspofungin in a murine infection by <i>Candida lusitaniae</i> . <i>International Journal of Antimicrobial Agents</i> , 2014, 43, 161-164. | 2.5 | 7 |
| 67 | Phylogeny of the Clinically Relevant Species of the Emerging Fungus <i>Trichoderma</i> and Their Antifungal Susceptibilities. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2112-2125. | 3.9 | 71 |
| 68 | Mucormycosis in children: a study of 22 cases in a Mexican hospital. <i>Mycoses</i> , 2014, 57, 79-84. | 4.0 | 21 |
| 69 | Proposed nomenclature for <i>Pseudallescheria</i> , <i>Scedosporium</i> and related genera. <i>Fungal Diversity</i> , 2014, 67, 1-10. | 12.3 | 152 |
| 70 | New species of <i>Cordana</i> and epitypification of the genus. <i>Mycologia</i> , 2014, 106, 723-734. | 1.9 | 15 |
| 71 | Assessing micafungin/triazole combinations for the treatment of invasive scedosporiosis due to <i>Scedosporium apiospermum</i> and <i>Scedosporium boydii</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3027-3032. | 3.0 | 16 |
| 72 | Current Status in Diagnosis of <i>Scedosporium</i> Infections: What Is the Impact of New Molecular Methods?. <i>Current Fungal Infection Reports</i> , 2014, 8, 220-226. | 2.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Treatment of <i>Aspergillus terreus</i> infections: A clinical problem not yet resolved. International Journal of Antimicrobial Agents, 2014, 44, 281-289. | 2.5 | 35 |
| 74 | <i>In Vitro</i> Antifungal Susceptibility of <i>Candida glabrata</i> to Caspofungin and the Presence of <i>FKS</i> Mutations Correlate with Treatment Response in an Immunocompromised Murine Model of Invasive Infection. Antimicrobial Agents and Chemotherapy, 2014, 58, 3646-3649. | 3.2 | 10 |
| 75 | Experimental treatment of <i>Curvularia</i> infection. Diagnostic Microbiology and Infectious Disease, 2014, 79, 428-431. | 1.8 | 7 |
| 76 | The Genera of Fungi: fixing the application of type species of generic names. IMA Fungus, 2014, 5, 141-160. | 3.8 | 54 |
| 77 | <i>Acremonium</i> with catenate elongate conidia: phylogeny of <i>Acremonium fusidioides</i> and related species. Mycologia, 2014, 106, 328-338. | 1.9 | 4 |
| 78 | Evaluation of the correlation of caspofungin MICs and treatment outcome in murine infections by wild type strains of <i>Candida parapsilosis</i> . Diagnostic Microbiology and Infectious Disease, 2013, 77, 41-45. | 1.8 | 4 |
| 79 | Fusariosis, a complex infection caused by a high diversity of fungal species refractory to treatment. European Journal of Clinical Microbiology and Infectious Diseases, 2013, 32, 1491-1500. | 2.9 | 170 |
| 80 | <i>Coniochaeta polymorpha</i> , a new species from endotracheal aspirate of a preterm neonate, and transfer of <i>Lecythophora</i> species to <i>Coniochaeta</i> . Antonie Van Leeuwenhoek, 2013, 104, 243-252. | 1.7 | 41 |
| 81 | Efficacy of intrathecal liposomal amphotericin B plus oral posaconazole in the treatment of acute meningeal cryptococcosis in a murine model. International Journal of Antimicrobial Agents, 2013, 42, 282-283. | 2.5 | 6 |
| 82 | In vitro antifungal susceptibility and molecular identity of 99 clinical isolates of the opportunistic fungal genus <i>Curvularia</i> . Diagnostic Microbiology and Infectious Disease, 2013, 76, 168-174. | 1.8 | 69 |
| 83 | Pathogenesis of <i>Scedosporium</i> . Current Fungal Infection Reports, 2013, 7, 326-333. | 2.6 | 19 |
| 84 | Rare Arthroconidial Fungi in Clinical Samples: <i>Scytalidium cuboideum</i> and <i>Arthropsis hispanica</i> . Mycopathologia, 2013, 175, 115-121. | 3.1 | 10 |
| 85 | Cutaneous infection by <i>Diaporthe phaseolorum</i> in Brazil. Medical Mycology Case Reports, 2013, 2, 85-87. | 1.3 | 17 |
| 86 | The velvet complex governs mycotoxin production and virulence of <i><scp>F</scp>usarium oxysporum</i> on plant and mammalian hosts. Molecular Microbiology, 2013, 87, 49-65. | 2.5 | 132 |
| 87 | <i>Phialemoniopsis</i>, a new genus of Sordariomycetes, and new species of <i>Phialemonium</i> and <i>Lecythophora</i>. Mycologia, 2013, 105, 398-421. | 1.9 | 57 |
| 88 | Polyphasic analysis of <i>Purpureocillium lilacinum</i> isolates from different origins and proposal of the new species <i>Purpureocillium lavendulum</i>. Mycologia, 2013, 105, 151-161. | 1.9 | 49 |
| 89 | Efficacy of Amphotericin B at Suboptimal Dose Combined with Voriconazole in a Murine Model of <i>Aspergillus fumigatus</i> Infection with Poor <i>In Vivo</i> Response to the Azole. Antimicrobial Agents and Chemotherapy, 2013, 57, 4540-4542. | 3.2 | 6 |
| 90 | MIC Values of Voriconazole Are Predictive of Treatment Results in Murine Infections by <i>Aspergillus terreus</i> Species Complex. Antimicrobial Agents and Chemotherapy, 2013, 57, 1532-1534. | 3.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Scopulariopsis, a Poorly Known Opportunistic Fungus: Spectrum of Species in Clinical Samples and <i>In Vitro</i> Responses to Antifungal Drugs. <i>Journal of Clinical Microbiology</i> , 2013, 51, 3937-3943. | 3.9 | 65 |
| 92 | Evaluation of the <i>In Vitro</i> Activity of Voriconazole As Predictive of <i>In Vivo</i> Outcome in a Murine <i>Aspergillus fumigatus</i> Infection Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1404-1408. | 3.2 | 14 |
| 93 | Virulence of <i><scp>C</scp>urvularia</i> in a murine model. <i>Mycoses</i> , 2013, 56, 512-515. | 4.0 | 10 |
| 94 | In VitroAntifungal Susceptibility of Clinically Relevant Species Belonging to <i>Aspergillus</i> SectionFlavi. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1944-1947. | 3.2 | 38 |
| 95 | Mixed infection caused by <i>Lecythophora caninasp.</i> nov. and <i>Plectosphaerella cucumerina</i> in a German shepherd dog. <i>Medical Mycology</i> , 2013, 51, 455-460. | 0.7 | 16 |
| 96 | Invasive Fungal Infection Due to <i>Triadelpchia pulvinata</i> in a Patient with Acute Myeloid Leukemia. <i>Journal of Clinical Microbiology</i> , 2013, 51, 3426-3429. | 3.9 | 10 |
| 97 | Evaluation of the Efficacies of Amphotericin B, Posaconazole, Voriconazole, and Anidulafungin in a Murine Disseminated Infection by the Emerging Opportunistic Fungus <i>Sarcocladium (Acremonium) kiliense</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 6265-6269. | 3.2 | 11 |
| 98 | Iron competition in fungus-plant interactions. <i>Plant Signaling and Behavior</i> , 2013, 8, e23012. | 2.4 | 9 |
| 99 | Two new species of <i>Repetophragma</i> from the Iberian Peninsula. <i>Mycotaxon</i> , 2013, 125, 209-215. | 0.3 | 2 |
| 100 | Two new species of <i>Endophragmiella</i> from Spain. <i>Mycotaxon</i> , 2013, 123, 221-228. | 0.3 | 3 |
| 101 | Microfungi from Portugal: <i>Minimelanolocus manifestus</i> sp. nov. and <i>Vermiculariopsiella pediculata</i> comb. nov.. <i>Mycotaxon</i> , 2013, 122, 135-143. | 0.3 | 6 |
| 102 | Two new microfungi from Portugal: <i>Magnohelicospora iberica</i> gen. & sp. nov. and <i>Phaeodactylium stadleri</i> sp. nov.. <i>Mycotaxon</i> , 2013, 121, 171-179. | 0.3 | 4 |
| 103 | A microfugus from Costa Rica: <i>Ticosynnema</i> gen. nov.. <i>Mycotaxon</i> , 2013, 122, 255-259. | 0.3 | 1 |
| 104 | Molecular Identification and Antifungal Susceptibility Testing of Clinical Isolates of the <i>Candida rugosa</i> Species Complex and Proposal of the New Species <i>Candida neorugosa</i> . <i>Journal of Clinical Microbiology</i> , 2012, 50, 2397-2403. | 3.9 | 29 |
| 105 | Invasive <i>Apophysomyces variabilis</i> Infection in a Burn Patient. <i>Journal of Clinical Microbiology</i> , 2012, 50, 2814-2817. | 3.9 | 20 |
| 106 | <i>In Vitro</i> and <i>In Vivo</i> Activities of Posaconazole and Amphotericin B in a Murine Invasive Infection by <i>Mucor circinelloides</i> : Poor Efficacy of Posaconazole. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 2246-2250. | 3.2 | 36 |
| 107 | <i>Aspergillus novoparasiticus</i>: a new clinical species of the section <i>Flavi</i>. <i>Medical Mycology</i> , 2012, 50, 152-160. | 0.7 | 48 |
| 108 | Activities of E1210 and Comparator Agents Tested by CLSI and EUCAST Broth Microdilution Methods against <i>Fusarium</i> and <i>Scedosporium</i> Species Identified Using Molecular Methods. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 352-357. | 3.2 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Efficacy of posaconazole in a murine model of disseminated infection caused by <i>Apophysomyces variabilis</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 1712-1715. | 3.0 | 18 |
| 110 | Histopathology and antifungal treatment of experimental murine chromoblastomycosis caused by <i>Cladophialophora carrionii</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2012, 67, 666-670. | 3.0 | 12 |
| 111 | Purpleocillium lilacinum as a Cause of Cavitary Pulmonary Disease: a New Clinical Presentation and Observations on Atypical Morphologic Characteristics of the Isolate. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1800-1804. | 3.9 | 33 |
| 112 | In utero infection of a calf by <i>Saksenaea erythrospora</i> resulting in neonatal abomasitis and dermatitis. <i>Journal of Veterinary Diagnostic Investigation</i> , 2012, 24, 990-993. | 1.1 | 6 |
| 113 | HapX-Mediated Iron Homeostasis Is Essential for Rhizosphere Competence and Virulence of the Soilborne Pathogen <i>< i>Fusarium oxysporum</i> A A A. <i>Plant Cell</i> , 2012, 24, 3805-3822. | 6.6 | 138 |
| 114 | Molecular Identification and In Vitro Response to Antifungal Drugs of Clinical Isolates of <i>Exserohilum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 4951-4954. | 3.2 | 43 |
| 115 | Molecular phylogeny and phenotypic variability of clinical and environmental strains of <i>Aspergillus flavus</i> . <i>Fungal Biology</i> , 2012, 116, 1146-1155. | 2.5 | 19 |
| 116 | Efficacy of Posaconazole in Murine Experimental Sporotrichosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 2273-2277. | 3.2 | 32 |
| 117 | Two new species of <i>Acremonium</i> from Spanish soils. <i>Mycologia</i> , 2012, 104, 1456-1465. | 1.9 | 24 |
| 118 | A PR-1-like Protein of <i>Fusarium oxysporum</i> Functions in Virulence on Mammalian Hosts. <i>Journal of Biological Chemistry</i> , 2012, 287, 21970-21979. | 3.4 | 52 |
| 119 | Efficacy of intrathecal administration of liposomal amphotericin B combined with voriconazole in a murine model of cryptococcal meningitis. <i>International Journal of Antimicrobial Agents</i> , 2012, 39, 223-227. | 2.5 | 14 |
| 120 | Are epidemiologic cut-off values predictors of the in vivo efficacy of azoles in experimental aspergillosis?. <i>Diagnostic Microbiology and Infectious Disease</i> , 2012, 74, 158-165. | 1.8 | 4 |
| 121 | Correlation of antifungal susceptibility and molecular type within the <i>Cryptococcus neoformans/C. gattii</i> species complex. <i>Medical Mycology</i> , 2012, 50, 328-332. | 0.7 | 86 |
| 122 | Experimental murine model of disseminated infection by <i>Saksenaea vasiformis</i> : successful treatment with posaconazole. <i>Medical Mycology</i> , 2012, 50, 710-715. | 0.7 | 14 |
| 123 | Chemical and Physical Modulation of Antibiotic Activity in <i>< i>Emericella</i> Species. <i>Chemistry and Biodiversity</i> , 2012, 9, 1095-1113. | 2.1 | 29 |
| 124 | A new species of <i>Leptodiscella</i> from Spanish soil. <i>Mycological Progress</i> , 2012, 11, 535-541. | 1.4 | 7 |
| 125 | Clinical characteristics and epidemiology of pulmonary pseudallescheriasis. <i>Revista Iberoamericana De Micología</i> , 2012, 29, 1-13. | 0.9 | 26 |
| 126 | Three new species and a new record of <i>Diplococcum</i> from plant debris in Spain. <i>Mycological Progress</i> , 2012, 11, 191-199. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Virulence of <i>Sporothrix luriei</i> in a Murine Model of Disseminated Infection. <i>Mycopathologia</i> , 2012, 173, 245-249. | 3.1 | 25 |
| 128 | Combined Therapy of Voriconazole and Anidulafungin in Murine Infections by <i>Aspergillus flavus</i> . <i>Mycopathologia</i> , 2012, 173, 251-257. | 3.1 | 18 |
| 129 | Treatment of murine <i>Fusarium verticillioides</i> infection with liposomal amphotericin B plus terbinafine. <i>International Journal of Antimicrobial Agents</i> , 2011, 37, 58-61. | 2.5 | 15 |
| 130 | Efficacy of anidulafungin against <i>Aspergillus niger</i> in vitro and in vivo. <i>International Journal of Antimicrobial Agents</i> , 2011, 38, 360-363. | 2.5 | 6 |
| 131 | <i>Cladophialophora psammophila</i> , a novel species of Chaetothyriales with a potential use in the bioremediation of volatile aromatic hydrocarbons. <i>Fungal Biology</i> , 2011, 115, 1019-1029. | 2.5 | 73 |
| 132 | A new species of < i>Corynesporopsis</i> from Portugal. <i>Mycotaxon</i> , 2011, 114, 407-415. | 0.3 | 6 |
| 133 | A new species of <i>Paradendryphiopsis</i> from Portugal. <i>Mycotaxon</i> , 2011, 114, 473-479. | 0.3 | 0 |
| 134 | Two new species of <i>Cladorrhinum</i>. <i>Mycologia</i> , 2011, 103, 795-805. | 1.9 | 16 |
| 135 | Combined Therapy Against Murine-Disseminated Infection by <i>Fusarium verticillioides</i> . <i>Mycopathologia</i> , 2011, 171, 171-175. | 3.1 | 7 |
| 136 | <i>Saccharomyces cerevisiae</i> Vaginitis: Microbiology and In Vitro Antifungal Susceptibility. <i>Mycopathologia</i> , 2011, 172, 201-205. | 3.1 | 9 |
| 137 | A comprehensive phylogeny of <i>Neurospora</i> reveals a link between reproductive mode and molecular evolution in fungi. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 649-663. | 2.7 | 111 |
| 138 | <i>Apophysomyces variabilis</i> Infections in Humans. <i>Emerging Infectious Diseases</i> , 2011, 17, 134-135. | 4.3 | 44 |
| 139 | <i>Saksenaea erythrospora</i> Infection following Combat Trauma. <i>Journal of Clinical Microbiology</i> , 2011, 49, 3707-3709. | 3.9 | 46 |
| 140 | <i>In Vitro</i> Activity and <i>In Vivo</i> Efficacy of Posaconazole in Treatment of Murine Infections by Different Isolates of the <i>Aspergillus terreus</i> Complex. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 676-679. | 3.2 | 14 |
| 141 | Anidulafungin in Treatment of Experimental Invasive Infection by <i>Candida parapsilosis</i> : <i>In Vitro</i> Activity, (1,3)-D-Glucan and Mannan Serum Levels, Histopathological Findings, and <i>In Vivo</i> Efficacy. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 4985-4989. | 3.2 | 6 |
| 142 | Lessons from animal studies for the treatment of invasive human infections due to uncommon fungi. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1447-1466. | 3.0 | 36 |
| 143 | <i>In Vitro</i> Activity and <i>In Vivo</i> Efficacy of Anidulafungin in Murine Infections by <i>Aspergillus flavus</i>. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 1290-1292. | 3.2 | 14 |
| 144 | Two new species of <i>Mucor</i> from clinical samples. <i>Medical Mycology</i> , 2011, 49, 62-72. | 0.7 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Antifungal Therapy in an Athymic Murine Model of Chromoblastomycosis by <i>< i> Fonsecaea pedrosoi </i></i> . Antimicrobial Agents and Chemotherapy, 2011, 55, 3709-3713. | 3.2 | 13 |
| 146 | < i> Endogenospora, </i> a new genus of anamorphic fungi from Venezuela. Mycotaxon, 2010, 112, 75-82. | 0.3 | 1 |
| 147 | Two new anamorphic fungi from Cuba: < i> Endophragmiella profusa < /i> sp. nov. and < i> Repetoblastiella olivacea < /i> gen. & sp. nov.. Mycotaxon, 2010, 113, 415-422. | 0.3 | 3 |
| 148 | Pyrenochaeta keratinophila sp. nov., isolated from an ocular infection in Spain. Revista Iberoamericana De Micología, 2010, 27, 22-24. | 0.9 | 21 |
| 149 | Molecular phylogenetic diversity of the emerging mucoralean fungus Apophysomyces: Proposal of three new species. Revista Iberoamericana De Micología, 2010, 27, 80-89. | 0.9 | 87 |
| 150 | Unusual morphologies of Cryptococcus spp. in tissue specimens: report of 10 cases. Revista Do Instituto De Medicina Tropical De São Paulo, 2010, 52, 145-149. | 1.1 | 25 |
| 151 | Murine Model of a Disseminated Infection by the Novel Fungus <i>< i> Fonsecaea monophora </i></i> and Successful Treatment with Posaconazole. Antimicrobial Agents and Chemotherapy, 2010, 54, 919-923. | 3.2 | 23 |
| 152 | Efficacy of Posaconazole in a Murine Disseminated Infection by <i>< i> Can</i> < i> dida tropicalis </i></i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 530-532. | 3.2 | 10 |
| 153 | Antifungal therapies in murine disseminated phaeohyphomycoses caused by Exophiala species. Journal of Antimicrobial Chemotherapy, 2010, 65, 1455-1459. | 3.0 | 16 |
| 154 | Antifungal Therapy in a Murine Model of Disseminated Infection by <i>< i> Cryptococcus gattii </i></i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 4074-4077. | 3.2 | 13 |
| 155 | Correlation between <i>< i> In </i> < i> Vitro </i></i> Activity of Posaconazole and <i>< i> In </i> < i> Vivo </i></i> Efficacy against <i>< i> Rhizopus oryzae </i></i> Infection in Mice. Antimicrobial Agents and Chemotherapy, 2010, 54, 1665-1669. | 3.2 | 29 |
| 156 | Genus <i>< i> Hamigera </i></i> , six new species and multilocus DNA sequence based phylogeny. Mycologia, 2010, 102, 847-864. | 1.9 | 30 |
| 157 | Heterothallism in <i>< i> Scedosporium apiospermum </i></i> and description of its teleomorph <i>< i> Pseudallescheria apiosperma </i></i> sp. nov.. Medical Mycology, 2010, 48, 122-128. | 0.7 | 47 |
| 158 | Experimental Murine Scedosporiosis: Histopathology and Azole Treatment. Antimicrobial Agents and Chemotherapy, 2010, 54, 3980-3984. | 3.2 | 20 |
| 159 | Comparative virulence of three species of Exophiala in mice. Medical Mycology, 2010, 48, 853-857. | 0.7 | 3 |
| 160 | <i>< i> In Vitro </i></i> and <i>< i> In Vivo </i></i> Antifungal Susceptibilities of the Mucoralean Fungus <i>< i> Cunninghamella </i></i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 4550-4555. | 3.2 | 27 |
| 161 | Evaluation of antifungal therapy in a neutropenic murine model of <i>Neoscytalidium dimidiatum</i> infection. International Journal of Antimicrobial Agents, 2010, 35, 152-155. | 2.5 | 5 |
| 162 | Efficacy of voriconazole in a murine model of invasive paecilomycosis. International Journal of Antimicrobial Agents, 2010, 35, 362-365. | 2.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Development of murine models of disseminated infection by <i>Neoscytalidium dimidiatum</i> . Medical Mycology, 2010, 48, 681-686. | 0.7 | 11 |
| 164 | Combined antifungal therapy in a murine model of disseminated infection by <i>Cladophialophora bantiana</i> . Medical Mycology, 2009, 47, 45-49. | 0.7 | 30 |
| 165 | Paradoxical Growth of <i>Candida dubliniensis</i> Does Not Preclude In Vivo Response to Echinocandin Therapy. Antimicrobial Agents and Chemotherapy, 2009, 53, 5297-5299. | 3.2 | 18 |
| 166 | Less-Frequent <i>Fusarium</i> Species of Clinical Interest: Correlation between Morphological and Molecular Identification and Antifungal Susceptibility. Journal of Clinical Microbiology, 2009, 47, 1463-1468. | 3.9 | 48 |
| 167 | Correlation of In Vitro Activity, Serum Levels, and In Vivo Efficacy of Posaconazole against <i>Rhizopus microsporus</i> in a Murine Disseminated Infection. Antimicrobial Agents and Chemotherapy, 2009, 53, 5022-5025. | 3.2 | 35 |
| 168 | Interactions between Triazoles and Amphotericin B in Treatment of Disseminated Murine Infection by <i>Fusarium oxysporum</i> . Antimicrobial Agents and Chemotherapy, 2009, 53, 1705-1708. | 3.2 | 22 |
| 169 | New <i>Pyrenophaeta</i> Species Causing Keratitis. Journal of Clinical Microbiology, 2009, 47, 1596-1598. | 3.9 | 24 |
| 170 | Efficacy of Liposomal Amphotericin B Combined with Gamma Interferon or Granulocyte-Macrophage Colony-Stimulating Factor for Treatment of Systemic Zygomycosis in Mice. Antimicrobial Agents and Chemotherapy, 2009, 53, 3569-3571. | 3.2 | 20 |
| 171 | High genetic diversity and poor in vitro response to antifungals of clinical strains of <i>Fusarium oxysporum</i> . Journal of Antimicrobial Chemotherapy, 2009, 63, 1152-1155. | 3.0 | 21 |
| 172 | Effects of Double and Triple Combinations of Antifungal Drugs in a Murine Model of Disseminated Infection by <i>Scedosporium prolificans</i> . Antimicrobial Agents and Chemotherapy, 2009, 53, 2153-2155. | 3.2 | 48 |
| 173 | <i>Sporothrix globosa</i> , a pathogenic fungus with widespread geographical distribution. Revista Iberoamericana De Micologia, 2009, 26, 218-222. | 0.9 | 99 |
| 174 | A case of colonization of a prosthetic mitral valve by <i>Acremonium strictum</i> . Revista Iberoamericana De Micologia, 2009, 26, 146-148. | 0.9 | 24 |
| 175 | <i>Chrysosporium synchronum</i> rediscovered in Slovakia. Biologia (Poland), 2009, 64, 890-892. | 1.5 | 0 |
| 176 | Genotyping of <i>Scedosporium</i> species: a review of molecular approaches. Medical Mycology, 2009, 47, 406-414. | 0.7 | 40 |
| 177 | Different virulence of the species of the <i>Pseudallescheria boydii</i> complex. Medical Mycology, 2009, 47, 371-374. | 0.7 | 59 |
| 178 | Differences and Similarities Amongst Pathogenic <i>Aspergillus</i> Species. , 2009, , 7-32. | 4 | |
| 179 | Genotyping and in vitro antifungal susceptibility of <i>Neoscytalidium dimidiatum</i> isolates from different origins. International Journal of Antimicrobial Agents, 2009, 34, 351-354. | 2.5 | 51 |
| 180 | Efficacy of a new formulation of amphotericin B in murine disseminated infections by <i>Candida glabrata</i> or <i>Candida tropicalis</i> . International Journal of Antimicrobial Agents, 2009, 34, 566-569. | 2.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Epidemiology and outcome of <i>Scedosporium prolificans</i> infection, a review of 162 cases. <i>Medical Mycology</i> , 2009, 47, 359-370. | 0.7 | 215 |
| 182 | Efficacy of Triazoles in a Murine Disseminated Infection by <i>Candida krusei</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 3585-3588. | 3.2 | 8 |
| 183 | <i> <i>Repetophragma calongeii</i> </i> sp. nov. and other interesting dematiaceous hyphomycetes from the North of Spain. <i>Anales Del Jardin Botanico De Madrid</i> , 2009, 66, 33-39. | 0.4 | 7 |
| 184 | Actinomucor elegans var. <i>kuwaitiensis</i> isolated from the wound of a diabetic patient. <i>Antonie Van Leeuwenhoek</i> , 2008, 94, 343-352. | 1.7 | 54 |
| 185 | Central nervous system infections by members of the <i>Pseudallescheria boydii</i> species complex in healthy and immunocompromised hosts: epidemiology, clinical characteristics and outcome. <i>Mycoses</i> , 2008, 51, 275-290. | 4.0 | 57 |
| 186 | Presence of <i>Arcobacter</i> spp. in environmental waters correlates with high levels of fecal pollution. <i>Environmental Microbiology</i> , 2008, 10, 1635-1640. | 3.8 | 139 |
| 187 | Rho1 has distinct functions in morphogenesis, cell wall biosynthesis and virulence of <i>Fusarium oxysporum</i> . <i>Cellular Microbiology</i> , 2008, 10, 1339-1351. | 2.1 | 75 |
| 188 | EvaluaciÃ³n del mÃ©todo de difusiÃ³n en agar Neo-SensitabsÂ® para la determinaciÃ³n de la sensibilidad a los antifÃ©ngicos de <i>Cryptococcus gattii</i> , utilizando tres medios de cultivo diferentes. <i>Revista Iberoamericana De Micologia</i> , 2008, 25, 215-220. | 0.9 | 4 |
| 189 | Isolation of <i>Candida africana</i> , probable atypical strains of <i>Candida albicans</i> , from a patient with vaginitis. <i>Medical Mycology</i> , 2008, 46, 167-170. | 0.7 | 37 |
| 190 | <i>Sporothrix luriei</i> : a rare fungus from clinical origin. <i>Medical Mycology</i> , 2008, 46, 621-625. | 0.7 | 146 |
| 191 | In vitro interactions of itraconazole and micafungin against clinically important filamentous fungi. <i>International Journal of Antimicrobial Agents</i> , 2008, 32, 418-420. | 2.5 | 17 |
| 192 | A new 16S rDNA-RFLP method for the discrimination of the accepted species of <i>Arcobacter</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 2008, 62, 11-15. | 1.8 | 64 |
| 193 | Terbinafine susceptibility patterns for onychomycosis-causative dermatophytes and <i>Scopulariopsis brevicaulis</i> . <i>International Journal of Antimicrobial Agents</i> , 2008, 31, 540-543. | 2.5 | 24 |
| 194 | Cholesterol dependent and Amphotericin B resistant isolates of a <i>Candida glabrata</i> strain from an Intensive Care Unit patient. <i>Medical Mycology</i> , 2008, 46, 265-268. | 0.7 | 6 |
| 195 | Molecular and Phenotypic Data Supporting Distinct Species Statuses for <i>Scedosporium apiospermum</i> and <i>Pseudallescheria boydii</i> and the Proposed New Species <i>Scedosporium dehoogii</i> . <i>Journal of Clinical Microbiology</i> , 2008, 46, 766-771. | 3.9 | 212 |
| 196 | In vitro activities of combinations of amphotericin B, posaconazole and four other agents against <i>Rhizopus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 61, 755-757. | 3.0 | 18 |
| 197 | Posaconazole Combined with Amphotericin B, an Effective Therapy for a Murine Disseminated Infection Caused by <i>Rhizopus oryzae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 3786-3788. | 3.2 | 84 |
| 198 | <i>Pseudallescheria fusoidea</i> , a New Cause of Osteomyelitis. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2141-2143. | 3.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | In Vitro Interactions of Micafungin with Amphotericin B against Clinical Isolates of <i>Candida</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 1529-1532. | 3.2 | 13 |
| 200 | Role of the White Collar 1 Photoreceptor in Carotenogenesis, UV Resistance, Hydrophobicity, and Virulence of <i>Fusarium oxysporum</i> . <i>Eukaryotic Cell</i> , 2008, 7, 1227-1230. | 3.4 | 91 |
| 201 | Posaconazole efficacy in a murine disseminated infection caused by <i>Paecilomyces lilacinus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 63, 361-364. | 3.0 | 11 |
| 202 | In Vitro Antifungal Susceptibility and Molecular Characterization of Clinical Isolates of <i>Fusarium verticillioides</i> (<i>F. moniliforme</i>) and <i>Fusarium thapsinum</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2228-2231. | 3.2 | 37 |
| 203 | In Vitro Antifungal Susceptibilities of Five Species of <i>Sporothrix</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 732-734. | 3.2 | 165 |
| 204 | Subcutaneous Phaeohyphomycosis Caused by <i>Wallechia sebi</i> in an Immunocompetent Host. <i>Journal of Clinical Microbiology</i> , 2008, 46, 1129-1131. | 3.9 | 23 |
| 205 | Efficacy of a new formulation of amphotericin B in a murine model of disseminated infection by <i>Candida glabrata</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 61, 880-883. | 3.0 | 6 |
| 206 | Combined therapy in treatment of murine infection by <i>Fusarium solani</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 62, 543-546. | 3.0 | 24 |
| 207 | Micafungin combined with fluconazole, an effective therapy for murine blastoschizomycosis. <i>Journal of Antimicrobial Chemotherapy</i> , 2008, 61, 877-879. | 3.0 | 7 |
| 208 | <i>Sporothrix brasiliensis</i> , <i>S. globosa</i> , and <i>S. mexicana</i> , Three New <i>Sporothrix</i> Species of Clinical Interest. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3198-3206. | 3.9 | 422 |
| 209 | Efficacy of voriconazole in a murine model of cryptococcal central nervous system infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 162-165. | 3.0 | 34 |
| 210 | Reclassification of <i>Graphium tectoriae</i> as <i>Parascedosporium tectoriae</i> gen. nov., comb. nov., <i>Pseudallescheria africana</i> as <i>Petriellopsis africana</i> gen. nov., comb. nov. and <i>Pseudallescheria fimeti</i> as <i>Lophotrichus fimeti</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2171-2178. | 1.7 | 18 |
| 211 | Universal In Vitro Antifungal Resistance of Genetic Clades of the <i>Fusarium solani</i> Species Complex. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 1500-1503. | 3.2 | 84 |
| 212 | In vitro interaction of micafungin and fluconazole against <i>Candida</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 60, 188-190. | 3.0 | 9 |
| 213 | Combined Therapies in a Murine Model of Blastoschizomycosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 2608-2610. | 3.2 | 4 |
| 214 | A quick and cost-effective method for diagnosing disseminated histoplasmosis in children. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 57, 405-408. | 1.8 | 7 |
| 215 | Aeromonas hemolytic uremic syndrome. A case and a review of the literature. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 58, 231-234. | 1.8 | 37 |
| 216 | Acrophialophora fusispora: an emerging agent of human mycoses. A report of 3 new clinical cases. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 59, 85-88. | 1.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Effect of antifungal treatment in a murine model of blastoschizomycosis. International Journal of Antimicrobial Agents, 2007, 29, 79-83. | 2.5 | 11 |
| 218 | In vitro activity of micafungin combined with itraconazole against <i>Candida</i> spp.. International Journal of Antimicrobial Agents, 2007, 30, 463-465. | 2.5 | 11 |
| 219 | Subcutaneous phaeohyphomycosis caused by <i>Alternaria alternata</i> in an immunocompetent patient. International Journal of Dermatology, 2007, 46, 412-413. | 1.0 | 17 |
| 220 | A reassessment of cleistothecia as a taxonomic character. Mycological Research, 2007, 111, 1100-1115. | 2.5 | 14 |
| 221 | Gangrenous necrosis of the diabetic foot caused by <i>Fusarium acutatum</i> . Medical Mycology, 2006, 44, 547-552. | 0.7 | 25 |
| 222 | <i>Scedosporium apiospermum</i> : changing clinical spectrum of a therapy-refractory opportunist*. Medical Mycology, 2006, 44, 295-327. | 0.7 | 268 |
| 223 | Sinusitis caused by the fungus <i>Xylaria enteroleuca</i> in a lung transplant recipient. Diagnostic Microbiology and Infectious Disease, 2006, 56, 207-212. | 1.8 | 3 |
| 224 | <i>Saksenaea vasiformis</i> infections: Case report and literature review. Mycopathologia, 2006, 162, 289-294. | 3.1 | 47 |
| 225 | Distinct signalling pathways coordinately contribute to virulence of <i>Fusarium oxysporum</i> on mammalian hosts. Microbes and Infection, 2006, 8, 2825-2831. | 1.9 | 20 |
| 226 | Molecular phylogeny of Coniochaetales. Mycological Research, 2006, 110, 1271-1289. | 2.5 | 48 |
| 227 | <i>Corylomyces</i> : a new genus of Sordariales from plant debris in France. Mycological Research, 2006, 110, 1361-1368. | 2.5 | 10 |
| 228 | Effect of Culture Medium on the Disk Diffusion Method for Determining Antifungal Susceptibilities of Dermatophytes. Antimicrobial Agents and Chemotherapy, 2006, 50, 2222-2224. | 3.2 | 16 |
| 229 | Antifungal Susceptibilities of the Species of the <i>Pseudallescheria boydii</i> Complex. Antimicrobial Agents and Chemotherapy, 2006, 50, 4211-4213. | 3.2 | 142 |
| 230 | Combined antifungal therapy in a murine infection by <i>Candida glabrata</i> . Journal of Antimicrobial Chemotherapy, 2006, 58, 1295-1298. | 3.0 | 20 |
| 231 | Efficacy of Voriconazole in a Guinea Pig Model of Invasive Trichosporonosis. Antimicrobial Agents and Chemotherapy, 2006, 50, 2240-2243. | 3.2 | 26 |
| 232 | Limitations of DNA Sequencing for Diagnosis of a Mixed Infection by Two Fungi, <i>Phaeoacremonium venezuelense</i> and a <i>Plectophomella</i> sp., in a Transplant Recipient. Journal of Clinical Microbiology, 2006, 44, 4279-4282. | 3.9 | 13 |
| 233 | Genotyping of isolates included in the description of a novel species should be mandatory. International Journal of Systematic and Evolutionary Microbiology, 2006, 56, 1183-1184. | 1.7 | 9 |
| 234 | Molecular Phylogeny of <i>Sporothrix schenckii</i> . Journal of Clinical Microbiology, 2006, 44, 3251-3256. | 3.9 | 187 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | The hyphomycete genus <i>Piricauda</i> , with the description of a new species. <i>Mycological Research</i> , 2005, 109, 723-728. | 2.5 | 11 |
| 236 | A synopsis of the aero-aquatic genus <i>Pseudaegerita</i> and description of two new species. <i>Mycological Research</i> , 2005, 109, 590-594. | 2.5 | 8 |
| 237 | In Vitro Interactions of Micafungin with Other Antifungal Drugs against Clinical Isolates of Four Species of <i>Cryptococcus</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 2994-2996. | 3.2 | 27 |
| 238 | Activities of Flucytosine, Fluconazole, Amphotericin B, and Micafungin in a Murine Model of Disseminated Infection by <i>Candida glabrata</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4757-4759. | 3.2 | 15 |
| 239 | Efficacy of Micafungin in Combination with Other Drugs in a Murine Model of Disseminated Trichosporonosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 497-502. | 3.2 | 44 |
| 240 | In Vitro Synergistic Interaction between Amphotericin B and Micafungin against <i>Scedosporium</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 3498-3500. | 3.2 | 43 |
| 241 | Molecular Phylogeny of the < i>Pseudallescheria boydii</i> Species Complex: Proposal of Two New Species. <i>Journal of Clinical Microbiology</i> , 2005, 43, 4930-4942. | 3.9 | 279 |
| 242 | Phenotypic and Molecular Characterization of <i>Candida nivariensis</i> sp. nov., a Possible New Opportunistic Fungus. <i>Journal of Clinical Microbiology</i> , 2005, 43, 4107-4111. | 3.9 | 145 |
| 243 | In vitro interaction of micafungin with conventional and new antifungals against clinical isolates of <i>Trichosporon</i> , <i>Sporobolomyces</i> and <i>Rhodotorula</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2005, 55, 1020-1023. | 3.0 | 30 |
| 244 | Evaluation of Disk Diffusion Method for Determining Eberconazole Susceptibility of Dermatophytes and Influence of Culture Medium. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 2116-2118. | 3.2 | 19 |
| 245 | PCR Protocol for Specific Identification of <i>Candida nivariensis</i> , a Recently Described Pathogenic Yeast. <i>Journal of Clinical Microbiology</i> , 2005, 43, 6194-6196. | 3.9 | 32 |
| 246 | Use of random amplified microsatellites to type isolates from an outbreak of nosocomial aspergillosis in a general medical ward. <i>Medical Mycology</i> , 2005, 43, 365-371. | 0.7 | 18 |
| 247 | In Vitro Antifungal Susceptibilities of <i>Sporothrix schenckii</i> in Two Growth Phases. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 3952-3954. | 3.2 | 40 |
| 248 | Inter-single-sequence-repeat-PCR typing as a new tool for identification of <i>Microsporum canis</i> strains. <i>Journal of Dermatological Science</i> , 2005, 39, 17-21. | 1.9 | 25 |
| 249 | Correlation between In Vitro Susceptibility of <i>Scedosporium apiospermum</i> to Voriconazole and In Vivo Outcome of Scedosporiosis in Guinea Pigs. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 4009-4011. | 3.2 | 35 |
| 250 | In Vitro Interactions of Approved and Novel Drugs against <i>Paecilomyces</i> spp. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2727-2729. | 3.2 | 43 |
| 251 | Molecular and Morphological Identification of <i>Colletotrichum</i> Species of Clinical Interest. <i>Journal of Clinical Microbiology</i> , 2004, 42, 2450-2454. | 3.9 | 110 |
| 252 | Genotyping of 44 Isolates of <i>Fusarium solani</i> , the Main Agent of Fungal Keratitis in Brazil. <i>Journal of Clinical Microbiology</i> , 2004, 42, 4494-4497. | 3.9 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | In Vitro Antifungal Susceptibility of <i>Cryptococcus gattii</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 4815-4817. | 3.9 | 81 |
| 254 | Onychomycosis Due to <i>Emericella quadrilineata</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 914-916. | 3.9 | 20 |
| 255 | In Vitro Antifungal Susceptibilities of Uncommon Basidiomycetous Yeasts. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2724-2726. | 3.2 | 38 |
| 256 | <i>Fusarium oxysporum</i> as a Multihost Model for the Genetic Dissection of Fungal Virulence in Plants and Mammals. <i>Infection and Immunity</i> , 2004, 72, 1760-1766. | 2.2 | 164 |
| 257 | Positive Directional Selection in the Proline-Rich Antigen (PRA) Gene Among the Human Pathogenic Fungi <i>Coccidioides immitis</i> , <i>C. posadasii</i> and Their Closest Relatives. <i>Molecular Biology and Evolution</i> , 2004, 21, 1134-1145. | 8.9 | 40 |
| 258 | A synopsis and re-circumscription of <i>Neurospora</i> (syn. <i>Gelasinospora</i>) based on ultrastructural and 28S rDNA sequence data. <i>Mycological Research</i> , 2004, 108, 1119-1142. | 2.5 | 40 |
| 259 | A novel murine model of cerebral scedosporiosis: lack of efficacy of amphotericin B. <i>Journal of Antimicrobial Chemotherapy</i> , 2004, 54, 1092-1095. | 3.0 | 21 |
| 260 | In vitro interactions of licensed and novel antifungal drugs against <i>Fusarium</i> spp. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 48, 69-71. | 1.8 | 50 |
| 261 | Interaction of granulocyte colony-stimulating factor and high doses of liposomal amphotericin B in the treatment of systemic murine scedosporiosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2004, 50, 247-251. | 1.8 | 44 |
| 262 | Comparison of three molecular methods for typing <i>Aeromonas popoffii</i> isolates. <i>Antonie Van Leeuwenhoek</i> , 2003, 83, 341-349. | 1.7 | 30 |
| 263 | In Vitro Activities of New Antifungal Agents against <i>Chaetomium</i> spp. and Inoculum Standardization. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3161-3164. | 3.2 | 42 |
| 264 | Efficacy of Albaconazole (UR-9825) in Treatment of Disseminated Scedosporium prolificans Infection in Rabbits. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1948-1951. | 3.2 | 46 |
| 265 | Two Cases of Subcutaneous Infection Due to <i>Phaeoacremonium</i> spp. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1332-1336. | 3.9 | 43 |
| 266 | Efficacy of Voriconazole in Treatment of Systemic Scedosporiosis in Neutropenic Mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3976-3978. | 3.2 | 53 |
| 267 | In Vitro Activities of the New Antifungal Drug Eberconazole and Three Other Topical Agents against 200 Strains of Dermatophytes. <i>Journal of Clinical Microbiology</i> , 2003, 41, 5209-5211. | 3.9 | 36 |
| 268 | Comparison of In Vitro Antifungal Susceptibilities of Conidia and Hyphae of Dermatophytes with Thick-Wall Macroconidia. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3371-3372. | 3.2 | 23 |
| 269 | Case of Keratitis Caused by an Uncommon <i>Fusarium</i> Species. <i>Journal of Clinical Microbiology</i> , 2003, 41, 5823-5826. | 3.9 | 30 |
| 270 | New Filamentous Fungus <i>Sagenomella chlamydospora</i> Responsible for a Disseminated Infection in a Dog. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1722-1725. | 3.9 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Cutaneous Infection Caused by <i>Ulocladium chartarum</i> in a Heart Transplant Recipient: Case Report and Review. <i>Acta Dermato-Venereologica</i> , 2003, 83, 218-221. | 1.3 | 13 |
| 272 | Efficacy of Liposomal Amphotericin B in Treatment of Systemic Murine Fusariosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2002, 46, 2273-2275. | 3.2 | 31 |
| 273 | Corneal Ulcer Caused by the New Fungal Species <i>Sarcopodium oculorum</i> . <i>Journal of Clinical Microbiology</i> , 2002, 40, 3071-3075. | 3.9 | 19 |
| 274 | Acrophialophora fusispora Misidentified as <i>Scedosporium prolificans</i> . <i>Journal of Clinical Microbiology</i> , 2002, 40, 3544-3545. | 3.9 | 25 |
| 275 | <i>Veracruzomyces</i> , a new anamorphic genus from Mexico. <i>Nova Hedwigia</i> , 2002, 75, 533-537. | 0.4 | 0 |
| 276 | Liposomal amphotericin B and granulocyte colony-stimulating factor therapy in a murine model of invasive infection by <i>Scedosporium prolificans</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 49, 525-529. | 3.0 | 47 |
| 277 | Collaborative Evaluation of Optimal Antifungal Susceptibility Testing Conditions for Dermatophytes. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3999-4003. | 3.9 | 110 |
| 278 | Monosporascus ibericus sp. nov., an endophytic ascomycete from plants on saline soils, with observations on the position of the genus based on sequence analysis of the 18S rDNA. <i>Mycological Research</i> , 2002, 106, 118-127. | 2.5 | 28 |
| 279 | Molecular phylogeny of <i>Amauroascus</i> , <i>Auxarthron</i> , and morphologically similar onygenalean fungi. <i>Mycological Research</i> , 2002, 106, 388-396. | 2.5 | 14 |
| 280 | New species of <i>Thielavia</i> , with a molecular study of representative species of the genus. <i>Mycological Research</i> , 2002, 106, 975-983. | 2.5 | 15 |
| 281 | Potential virulence and antimicrobial susceptibility of <i>Aeromonas popoffii</i> recovered from freshwater and seawater. <i>FEMS Immunology and Medical Microbiology</i> , 2002, 32, 243-247. | 2.7 | 3 |
| 282 | <i>Antarctomyces psychrotrophicus</i> gen. et sp. nov., a new ascomycete from Antarctica. <i>Mycological Research</i> , 2001, 105, 377-382. | 2.5 | 48 |
| 283 | Phaeohyphomycotic Cyst Caused by <i>Colletotrichum crassipes</i> . <i>Journal of Clinical Microbiology</i> , 2001, 39, 2321-2324. | 3.9 | 37 |
| 284 | Cutaneous Infection Caused by <i>Aspergillus ustus</i> , an Emerging Opportunistic Fungus in Immunosuppressed Patients. <i>Journal of Clinical Microbiology</i> , 2001, 39, 1134-1136. | 3.9 | 37 |
| 285 | In Vitro Antifungal Activities of the New Triazole UR-9825 against Clinically Important Filamentous Fungi. <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 2635-2637. | 3.2 | 44 |
| 286 | <i>Dactylaria cazorlii</i> and <i>Hansfordia catalonica</i> , two new hyphomycetes from litter in Spain. <i>Mycological Research</i> , 2000, 104, 1404-1407. | 2.5 | 7 |
| 287 | The aero-aquatic <i>Helicodendron microsporum</i> n. sp. from Mallorca, Spain. <i>Mycological Research</i> , 2000, 104, 375-377. | 2.5 | 7 |
| 288 | sp. nov., and some new records of hyphomycetes from Cuba. <i>Cryptogamie, Mycologie</i> , 2000, 21, 215-220. | 1.0 | 5 |

ARTICLE

IF CITATIONS

- | | | |
|-----|--|---|
| 289 | Curvularia , Exophiala , Scedosporium , Sporothrix , and Other Melanized Fungi. , 0 , 2153-2172. | 3 |
|-----|--|---|