

Stephen M Roth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6147925/publications.pdf>

Version: 2024-02-01

98
papers

5,681
citations

81434

41
h-index

87275

74
g-index

100
all docs

100
docs citations

100
times ranked

6852
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic polymorphisms for BDNF, COMT, and APOE do not affect gait or ankle motor control in chronic stroke: A preliminary cross-sectional study. <i>Topics in Stroke Rehabilitation</i> , 2021, 28, 72-80.	1.0	1
2	The current and future state of sports genomics. , 2021, , 217-233.		0
3	Systems Exercise Genetics Research Design Standards. <i>Medicine and Science in Sports and Exercise</i> , 2021, 53, 883-887.	0.2	4
4	Acute forced exercise increases Bdnf IV mRNA and reduces exploratory behavior in C57BL/6J mice. <i>Genes, Brain and Behavior</i> , 2020, 19, e12617.	1.1	5
5	Acute exercise activates p38 MAPK and increases the expression of telomere-protective genes in cardiac muscle. <i>Experimental Physiology</i> , 2017, 102, 397-410.	0.9	42
6	Circulating microRNAs in acute and chronic exercise: more than mere biomarkers. <i>Journal of Applied Physiology</i> , 2017, 122, 702-717.	1.2	80
7	Advances in Exercise, Fitness, and Performance Genomics in 2015. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1906-1916.	0.2	52
8	Recent Research in the Genetics of Exercise Training Adaptation. <i>Medicine and Sport Science</i> , 2016, 61, 29-40.	1.4	12
9	Sex-dependent and independent effects of long-term voluntary wheel running on Bdnf mRNA and protein expression. <i>Physiology and Behavior</i> , 2016, 156, 8-15.	1.0	42
10	Replication study of the vitamin D receptor (VDR) genotype association with skeletal muscle traits and sarcopenia. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 435-442.	1.4	28
11	Lifelong parental voluntary wheel running increases offspring hippocampal Pgc-1 β mRNA expression but not mitochondrial content or Bdnf expression. <i>NeuroReport</i> , 2015, 26, 467-472.	0.6	10
12	Advances in Exercise, Fitness, and Performance Genomics in 2014. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1105-1112.	0.2	38
13	Advances in Exercise, Fitness, and Performance Genomics in 2013. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 851-859.	0.2	25
14	Telomeres Shorten in Response to Oxidative Stress in Mouse Skeletal Muscle Fibers. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014, 69, 821-830.	1.7	55
15	Sex-specific effects of exercise ancestry on metabolic, morphological and gene expression phenotypes in multiple generations of mouse offspring. <i>Experimental Physiology</i> , 2013, 98, 1469-1484.	0.9	15
16	Genetic influence on athletic performance. <i>Current Opinion in Pediatrics</i> , 2013, 25, 653-658.	1.0	108
17	Do Telomeres Adapt to Physiological Stress? Exploring the Effect of Exercise on Telomere Length and Telomere-Related Proteins. <i>BioMed Research International</i> , 2013, 2013, 1-15.	0.9	67
18	Advances in Exercise, Fitness, and Performance Genomics in 2012. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 824-831.	0.2	50

#	ARTICLE	IF	CITATIONS
19	Chronic Exercise Modifies Age-Related Telomere Dynamics in a Tissue-Specific Fashion. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67, 911-926.	1.7	64
20	Advances in Exercise, Fitness, and Performance Genomics in 2011. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 809-817.	0.2	55
21	Critical Overview of Applications of Genetic Testing in Sport Talent Identification. <i>Recent Patents on DNA & Gene Sequences</i> , 2012, 6, 247-255.	0.7	23
22	Exercise alters mRNA expression of telomere-repeat binding factor 1 in skeletal muscle via p38 MAPK. <i>Journal of Applied Physiology</i> , 2012, 113, 1737-1746.	1.2	23
23	Cardiovascular fitness is associated with altered cortical glucose metabolism during working memory in μ 4 carriers. <i>Alzheimer's and Dementia</i> , 2012, 8, 352-356.	0.4	15
24	Genetic aspects of skeletal muscle strength and mass with relevance to sarcopenia. <i>BoneKEy Reports</i> , 2012, 1, 58.	2.7	29
25	Does insulin-like growth factor 1 genotype influence muscle power response to strength training in older men and women?. <i>European Journal of Applied Physiology</i> , 2012, 112, 743-753.	1.2	5
26	Genetic Variation and Skeletal Muscle Traits: Implications for Sarcopenia. , 2011, , 223-257.		1
27	MicroRNAs: playing a big role in explaining skeletal muscle adaptation?. <i>Journal of Applied Physiology</i> , 2011, 110, 301-302.	1.2	7
28	Androgen receptor polyglutamine repeat length affects receptor activity and C2C12 cell development. <i>Physiological Genomics</i> , 2011, 43, 1135-1143.	1.0	15
29	Comprehensive fine mapping of chr12q12-14 and follow-up replication identify activin receptor 1B (ACVR1B) as a muscle strength gene. <i>European Journal of Human Genetics</i> , 2011, 19, 208-215.	1.4	40
30	AKT1G205T genotype influences obesity-related metabolic phenotypes and their responses to aerobic exercise training in older Caucasians. <i>Experimental Physiology</i> , 2011, 96, 338-347.	0.9	19
31	A Synopsis of Exercise Genomics Research and a Vision for its Future Translation into Practice. , 2011, , 231-254.		0
32	Physical Activity and Telomere Biology: Exploring the Link with Aging-Related Disease Prevention. <i>Journal of Aging Research</i> , 2011, 2011, 1-12.	0.4	59
33	Advances in Exercise, Fitness, and Performance Genomics in 2010. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 743-752.	0.2	64
34	Fundamental Concepts in Exercise Genomics. , 2011, , 1-22.		1
35	MAPK signaling is associated with acute exercise-induced changes in mRNA levels of telomere-related genes. <i>FASEB Journal</i> , 2011, 25, 1107.18.	0.2	0
36	Effect of Strength Training on Muscle Hypertrophy and Body Composition during Androgen Deprivation Therapy. <i>FASEB Journal</i> , 2011, 25, 1057.6.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Advances in Exercise, Fitness, and Performance Genomics. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 835-846.	0.2	111
38	Familial resemblance and shared latent familial variance in recurrent fall risk in older women. <i>Journal of Applied Physiology</i> , 2010, 108, 1142-1147.	1.2	2
39	Telomere Binding Protein mRNA Expression In Response To An Acute Exercise Bout.. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 36-37.	0.2	0
40	The Human Gene Map for Performance and Health-Related Fitness Phenotypes. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 34-72.	0.2	409
41	Independent and combined influence of AGTR1 variants and aerobic exercise on oxidative stress in hypertensives. <i>Blood Pressure</i> , 2009, 18, 204-212.	0.7	3
42	The ACTN3 R577X nonsense allele is under-represented in elite-level strength athletes. <i>European Journal of Human Genetics</i> , 2008, 16, 391-394.	1.4	159
43	Exercise, APOE, and working memory: MEG and behavioral evidence for benefit of exercise in epsilon4 carriers. <i>Biological Psychology</i> , 2008, 78, 179-187.	1.1	91
44	Perspective on the future use of genomics in exercise prescription. <i>Journal of Applied Physiology</i> , 2008, 104, 1243-1245.	1.2	36
45	Relationship between Physical Activity Level, Telomere Length, and Telomerase Activity. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1764-1771.	0.2	188
46	Association of the ACTN3 Genotype and Physical Functioning With Age in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 1227-1234.	1.7	64
47	<i>tnf</i> promoter polymorphisms associated with muscle phenotypes in humans. <i>Journal of Applied Physiology</i> , 2008, 105, 859-867.	1.2	19
48	<i>ACTN3</i> genotype is associated with muscle phenotypes in women across the adult age span. <i>Journal of Applied Physiology</i> , 2008, 105, 1486-1491.	1.2	116
49	Last Word on Viewpoint: Perspective on the future use of genomics in exercise prescription. <i>Journal of Applied Physiology</i> , 2008, 104, 1254-1254.	1.2	4
50	ACE Genotype and the Muscle Hypertrophic and Strength Responses to Strength Training. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 677-683.	0.2	96
51	Functional Genomics and the Path to Personalized Medicine. <i>Exercise and Sport Sciences Reviews</i> , 2008, 36, 49-50.	1.6	1
52	Susceptibility genes for gentamicin-induced vestibular dysfunction. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2008, 18, 59-68.	0.8	14
53	Susceptibility genes for gentamicin-induced vestibular dysfunction. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2008, 18, 59-68.	0.8	5
54	NFKB1 promoter variation implicates shear-induced NOS3 gene expression and endothelial function in prehypertensives and stage I hypertensives. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2320-H2327.	1.5	39

#	ARTICLE	IF	CITATIONS
55	Genetic and environmental influences on skeletal muscle phenotypes as a function of age and sex in large, multigenerational families of African heritage. <i>Journal of Applied Physiology</i> , 2007, 103, 1121-1127.	1.2	25
56	Alpha-Actinin-3 (ACTN3) R577X Polymorphism Influences Knee Extensor Peak Power Response to Strength Training in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 206-212.	1.7	130
57	Influence of promoter region variants of insulin-like growth factor pathway genes on the strength-training response of muscle phenotypes in older adults. <i>Journal of Applied Physiology</i> , 2007, 103, 1678-1687.	1.2	39
58	Activin-type II receptor B (ACVR2B) and follistatin haplotype associations with muscle mass and strength in humans. <i>Journal of Applied Physiology</i> , 2007, 102, 2142-2148.	1.2	42
59	Genetics Primer for Exercise Science and Health. , 2007, , .		18
60	Activin RII B (ACVR2B) Gene Associations with Muscle Mass and Strength in Humans.. <i>FASEB Journal</i> , 2007, 21, A1205.	0.2	0
61	Susceptibility genes for gentamicin-induced vestibular dysfunction. <i>FASEB Journal</i> , 2007, 21, A415.	0.2	1
62	The effects of vitamin D receptor polymorphisms on bone mineral density in men and women. <i>FASEB Journal</i> , 2007, 21, .	0.2	1
63	DNA sequence variation in the promoter region of the VEGF gene impacts VEGF gene expression and maximal oxygen consumption. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H1848-H1855.	1.5	91
64	AMPD1 gene polymorphism and the vasodilatory response to ischemia. <i>Life Sciences</i> , 2006, 79, 1413-1418.	2.0	9
65	THE ACE ACE ID GENOTYPE AND MUSCLE STRENGTH AND SIZE RESPONSE TO UNILATERAL RESISTANCE TRAINING". <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1073.	0.2	2
66	Inflammatory factors in age-related muscle wasting. <i>Current Opinion in Rheumatology</i> , 2006, 18, 625-630.	2.0	96
67	The Human Gene Map for Performance and Health-Related Fitness Phenotypes. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1863-1888.	0.2	323
68	Hemostatic response to postprandial lipemia before and after exercise training. <i>Journal of Applied Physiology</i> , 2006, 101, 316-321.	1.2	28
69	Age and sex affect human muscle fibre adaptations to heavy-resistance strength training. <i>Experimental Physiology</i> , 2006, 91, 457-464.	0.9	107
70	Identification of a Novel Mutation Combination in Factor XIII Deficiency: Genetic Update to the First Reported Case in the United States. <i>International Journal of Hematology</i> , 2006, 83, 144-146.	0.7	6
71	Why does lactic acid build up in muscles?. <i>Scientific American</i> , 2006, 294, 104.	1.0	2
72	Androgen receptor CAG repeat polymorphism is associated with fat-free mass in men. <i>Journal of Applied Physiology</i> , 2005, 98, 132-137.	1.2	92

#	ARTICLE	IF	CITATIONS
73	Blood Pressure Response to Strength Training May Be Influenced by Angiotensinogen A ^{20C} and Angiotensin II Type I Receptor A1166C Genotypes in Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 204-210.	1.3	31
74	Muscle strength response to strength training is influenced by insulin-like growth factor 1 genotype in older adults. <i>Journal of Applied Physiology</i> , 2005, 98, 2147-2154.	1.2	86
75	Interleukin-6 genotype is associated with high-density lipoprotein cholesterol responses to exercise training. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2005, 1734, 143-151.	1.2	18
76	Vitamin D receptor FokI genotype influences bone mineral density response to strength training, but not aerobic training. <i>Experimental Physiology</i> , 2005, 90, 653-661.	0.9	26
77	The human gene map for performance and health-related fitness phenotypes: the 2004 update. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 881-903.	0.2	63
78	Association of interleukin-15 protein and interleukin-15 receptor genetic variation with resistance exercise training responses. <i>Journal of Applied Physiology</i> , 2004, 97, 2214-2219.	1.2	187
79	Ciliary neurotrophic factor (CNTF) genotype and body composition. <i>European Journal of Human Genetics</i> , 2004, 12, 372-376.	1.4	8
80	Vitamin D Receptor Genotype Is Associated With Fat-Free Mass and Sarcopenia in Elderly Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, B10-B15.	1.7	126
81	PNEUMATIC RESISTANCE MACHINES CAN PROVIDE ECCENTRIC LOADING. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, 1655.	0.2	0
82	Myostatin: a therapeutic target for skeletal muscle wasting. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2004, 7, 259-263.	1.3	42
83	Insulin-like growth factor-2 genotype, fat-free mass, and muscle performance across the adult life span. <i>Journal of Applied Physiology</i> , 2004, 97, 2176-2183.	1.2	49
84	Testosterone-induced muscle hypertrophy is associated with an increase in satellite cell number in healthy, young men. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E197-E205.	1.8	271
85	Interleukin-6 (IL6) Genotype Is Associated With Fat-Free Mass in Men But Not Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003, 58, B1085-B1088.	1.7	37
86	C174T polymorphism in the CNTF receptor gene is associated with fat-free mass in men and women. <i>Journal of Applied Physiology</i> , 2003, 95, 1425-1430.	1.2	41
87	Myostatin Gene Expression is Reduced in Humans with Heavy-Resistance Strength Training: A Brief Communication. <i>Experimental Biology and Medicine</i> , 2003, 228, 706-709.	1.1	145
88	Sequence variation in hypoxia-inducible factor 1 α (<i>HIF1A</i>): association with maximal oxygen consumption. <i>Physiological Genomics</i> , 2003, 15, 20-26.	1.0	75
89	Influence of age, sex, and strength training on human muscle gene expression determined by microarray. <i>Physiological Genomics</i> , 2002, 10, 181-190.	1.0	113
90	CNTF genotype is associated with muscular strength and quality in humans across the adult age span. <i>Journal of Applied Physiology</i> , 2001, 90, 1205-1210.	1.2	81

#	ARTICLE	IF	CITATIONS
91	Muscle Size Responses to Strength Training in Young and Older Men and Women. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1428-1433.	1.3	121
92	Skeletal muscle satellite cell populations in healthy young and older men and women. <i>The Anatomical Record</i> , 2000, 260, 351-358.	2.3	128
93	Muscle biopsy and muscle fiber hypercontraction: a brief review. <i>European Journal of Applied Physiology</i> , 2000, 83, 239-245.	1.2	28
94	High-volume, heavy-resistance strength training and muscle damage in young and older women. <i>Journal of Applied Physiology</i> , 2000, 88, 1112-1118.	1.2	128
95	Interpretation of Muscle Damage From Fixed Tissue Obtained by Needle Biopsy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 278, E754-E756.	1.8	1
96	Strength Training in the Elderly. <i>Sports Medicine</i> , 2000, 30, 249-268.	3.1	253
97	Ultrastructural muscle damage in young vs. older men after high-volume, heavy-resistance strength training. <i>Journal of Applied Physiology</i> , 1999, 86, 1833-1840.	1.2	86
98	Frequent Sequence Variation in the Human Myostatin (GDF8) Gene as a Marker for Analysis of Muscle-Related Phenotypes. <i>Genomics</i> , 1999, 62, 203-207.	1.3	114