

SeungNam Cha

List of Publications by Citations

Source: <https://exaly.com/author-pdf/614862/seungnam-cha-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

2,950

citations

29

h-index

52

g-index

93

ext. papers

3,604

ext. citations

10.4

avg, IF

5.07

L-index

#	Paper	IF	Citations
86	Porous PVDF as effective sonic wave driven nanogenerators. <i>Nano Letters</i> , 2011 , 11, 5142-7	11.5	300
85	Large thermoelectric figure-of-merits from SiGe nanowires by simultaneously measuring electrical and thermal transport properties. <i>Nano Letters</i> , 2012 , 12, 2918-23	11.5	158
84	Monolayer optical memory cells based on artificial trap-mediated charge storage and release. <i>Nature Communications</i> , 2017 , 8, 14734	17.4	133
83	Triboelectric energy harvester based on wearable textile platforms employing various surface morphologies. <i>Nano Energy</i> , 2015 , 12, 410-418	17.1	130
82	Self-assembled two-dimensional copper oxide nanosheet bundles as an efficient oxygen evolution reaction (OER) electrocatalyst for water splitting applications. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 12747-12751	13	120
81	Nanoflake NiMoO ₄ based smart supercapacitor for intelligent power balance monitoring. <i>Solar Energy Materials and Solar Cells</i> , 2018 , 185, 166-173	6.4	116
80	Engineering of efficiency limiting free carriers and an interfacial energy barrier for an enhancing piezoelectric generation. <i>Energy and Environmental Science</i> , 2013 , 6, 97-104	35.4	104
79	Strain-Mediated Interlayer Coupling Effects on the Excitonic Behaviors in an Epitaxially Grown MoS ₂ /WS ₂ van der Waals Heterobilayer. <i>Nano Letters</i> , 2017 , 17, 5634-5640	11.5	100
78	2D Metal Zn Nanostructure Electrodes for High-Performance Zn Ion Supercapacitors. <i>Advanced Energy Materials</i> , 2020 , 10, 1902981	21.8	90
77	Highly efficient electro-optically tunable smart-supercapacitors using an oxygen-excess nanograin tungsten oxide thin film. <i>Solar Energy Materials and Solar Cells</i> , 2017 , 166, 78-85	6.4	88
76	Design and evaluation of novel Zn doped mesoporous TiO ₂ based anode material for advanced lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 17625		77
75	Highly Monodispersed PbS Quantum Dots for Outstanding Cascaded-Junction Solar Cells. <i>ACS Energy Letters</i> , 2016 , 1, 834-839	20.1	77
74	Thermodynamically Stable Synthesis of Large-Scale and Highly Crystalline Transition Metal Dichalcogenide Monolayers and their Unipolar n-n Heterojunction Devices. <i>Advanced Materials</i> , 2017 , 29, 1702206	24	76
73	Self-Assembled Nanostructured CuCo O for Electrochemical Energy Storage and the Oxygen Evolution Reaction via Morphology Engineering. <i>Small</i> , 2018 , 14, e1800742	11	71
72	Hierarchically assembled tubular shell-core-shell heterostructure of hybrid transition metal chalcogenides for high-performance supercapacitors with ultrahigh cyclability. <i>Nano Energy</i> , 2017 , 37, 15-23	17.1	60
71	High Performance PbS Quantum Dot/Graphene Hybrid Solar Cell with Efficient Charge Extraction. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 13902-8	9.5	58
70	Direct growth of 2D nickel hydroxide nanosheets intercalated with polyoxovanadate anions as a binder-free supercapacitor electrode. <i>Nanoscale</i> , 2018 , 10, 8953-8961	7.7	57

69	Nanoporous CuCo ₂ O ₄ nanosheets as a highly efficient bifunctional electrode for supercapacitors and water oxidation catalysis. <i>Applied Surface Science</i> , 2019 , 470, 360-367	6.7	55
68	Highly stable 3D porous heterostructures with hierarchically-coordinated octahedral transition metals for enhanced performance supercapacitors. <i>Nano Energy</i> , 2017 , 39, 337-345	17.1	54
67	In Situ Synthesis and Characterization of Ge Embedded Electrospun Carbon Nanostructures as High Performance Anode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7022-9	9.5	53
66	Enhanced energy harvesting based on surface morphology engineering of P(VDF-TrFE) film. <i>Nano Energy</i> , 2015 , 16, 524-532	17.1	45
65	A pseudo-capacitive chalcogenide-based electrode with dense 1-dimensional nanoarrays for enhanced energy density in asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10084-10094	13.1	44
64	Surface tailoring of zinc electrodes for energy storage devices with high-energy densities and long cycle life. <i>Applied Surface Science</i> , 2019 , 467-468, 1157-1160	6.7	39
63	Hybridisation of perovskite nanocrystals with organic molecules for highly efficient liquid scintillators. <i>Light: Science and Applications</i> , 2020 , 9, 156	16.7	38
62	Nickel titanate lithium-ion battery anodes with high reversible capacity and high-rate long-cycle life performance. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 4691-4699	13	36
61	Consecutive Junction-Induced Efficient Charge Separation Mechanisms for High-Performance MoS ₂ /Quantum Dot Phototransistors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 38264-38271	9.5	33
60	Solubility-Dependent NiMoO ₄ Nanoarchitectures: Direct Correlation between Rationally Designed Structure and Electrochemical Pseudokinetics. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 35227-35234	9.5	32
59	Surface energy-mediated construction of anisotropic semiconductor wires with selective crystallographic polarity. <i>Scientific Reports</i> , 2014 , 4, 5680	4.9	31
58	Hybrid Smart Fiber with Spontaneous Self-Charging Mechanism for Sustainable Wearable Electronics. <i>Advanced Functional Materials</i> , 2020 , 30, 1908479	15.6	31
57	Balancing Charge Carrier Transport in a Quantum Dot P-N Junction toward Hysteresis-Free High-Performance Solar Cells. <i>ACS Energy Letters</i> , 2018 , 3, 1036-1043	20.1	29
56	Direct Epitaxial Synthesis of Selective Two-Dimensional Lateral Heterostructures. <i>ACS Nano</i> , 2019 , 13, 13047-13055	16.7	28
55	Stress-induced domain dynamics and phase transitions in epitaxially grown VO ₂ nanowires. <i>Nanotechnology</i> , 2012 , 23, 205707	3.4	27
54	A Robust Nonprecious CuFe Composite as a Highly Efficient Bifunctional Catalyst for Overall Electrochemical Water Splitting. <i>Small</i> , 2020 , 16, e1905884	11	27
53	Surface functionalization-induced photoresponse characteristics of monolayer MoS ₂ for fast flexible photodetectors. <i>Nanoscale</i> , 2019 , 11, 4726-4734	7.7	26
52	Two-Dimensional Layered Hydroxide Nanoporous Nanohybrids Pillared with Zero-Dimensional Polyoxovanadate Nanoclusters for Enhanced Water Oxidation Catalysis. <i>Small</i> , 2018 , 14, e1703481	11	26

51	Enhanced Ferroelectric Property of P(VDF-TrFE-CTFE) Film Using Room-Temperature Crystallization for High-Performance Ferroelectric Device Applications. <i>Advanced Electronic Materials</i> , 2016 , 2, 1600225	6.4	25
50	Nanofilament array embedded tungsten oxide for highly efficient electrochromic supercapacitor electrodes. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 13459-13469	13	24
49	Charge Transport Modulation of a Flexible Quantum Dot Solar Cell Using a Piezoelectric Effect. <i>Advanced Energy Materials</i> , 2018 , 8, 1700809	21.8	24
48	Sustainable hybrid energy harvester based on air stable quantum dot solar cells and triboelectric nanogenerator. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 12440-12446	13	23
47	Strain-Engineering of Contact Energy Barriers and Photoresponse Behaviors in Monolayer MoS ₂ Flexible Devices. <i>Advanced Functional Materials</i> , 2020 , 30, 2002023	15.6	22
46	Inorganic-ligand exchanging time effect in PbS quantum dot solar cell. <i>Applied Physics Letters</i> , 2016 , 109, 063901	3.4	22
45	Enhanced charge carrier transport properties in colloidal quantum dot solar cells organic and inorganic hybrid surface passivation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 18769-18775	13	22
44	Multiphoton Absorption Stimulated Metal Chalcogenide Quantum Dot Solar Cells under Ambient and Concentrated Irradiance. <i>Advanced Functional Materials</i> , 2020 , 30, 2004563	15.6	21
43	Synergistic Effects of a Multifunctional Graphene Based Interlayer on Electrochemical Behavior and Structural Stability. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 17651-8	9.5	20
42	Ultrathin Ni-Mo oxide nanoflakes for high-performance supercapacitor electrodes. <i>Journal of Alloys and Compounds</i> , 2018 , 767, 782-788	5.7	17
41	Red green blue emissive lead sulfide quantum dots: heterogeneous synthesis and applications. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 3692-3698	7.1	16
40	Artificial Tactile Sensor Structure for Surface Topography Through Sliding. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018 , 23, 2638-2649	5.5	16
39	Chalcogenide solution-mediated activation protocol for scalable and ultrafast synthesis of single-crystalline 1-D copper sulfide for supercapacitors. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 2529-2535	13	14
38	Morphology Engineering of Self-Assembled Nanostructured CuCo ₂ O ₄ Anodes for Lithium-Ion Batteries. <i>Energy Technology</i> , 2019 , 7, 1900295	3.5	14
37	Chemically encoded self-organized quantum chain supracrystals with exceptional charge and ion transport properties. <i>Nano Energy</i> , 2019 , 62, 764-771	17.1	14
36	Influence of operating temperature on Li ₂ ZnTi ₃ O ₈ anode performance and high-rate charging activity of Li-ion battery. <i>Ceramics International</i> , 2018 , 44, 18625-18632	5.1	14
35	Synergistic incorporation of hybrid heterobimetallic nitrogen atoms into carbon structures for superior oxygen electroreduction performance. <i>Catalysis Science and Technology</i> , 2016 , 6, 2085-2091	5.5	12
34	Artificial Tactile Sensor With Pin-type Module for Depth Profile and Surface Topography Detection. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 637-646	8.9	11

33	Synergistic effects of engineered spinel hetero-metallic cobaltites on electrochemical pseudo-capacitive behaviors. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 15033-15039	13	10
32	Room Temperature Wafer-Scale Synthesis of Highly Transparent, Conductive CuS Nanosheet Films via a Simple Sulfur Adsorption-Corrosion Method. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 4244-4252	9.5	10
31	Emerging Applications of Liquid Crystals Based on Nanotechnology. <i>Materials</i> , 2014 , 7, 2044-2061	3.5	9
30	Plasmonic Effects of Dual-Metal Nanoparticle Layers for High-Performance Quantum Dot Solar Cells. <i>Plasmonics</i> , 2020 , 15, 1007-1013	2.4	8
29	Electrochemical and electrocatalytic reaction characteristics of boron-incorporated graphene via a simple spin-on dopant process. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 7351-7356	13	8
28	Smart textile lighting/display system with multifunctional fibre devices for large scale smart home and IoT applications.. <i>Nature Communications</i> , 2022 , 13, 814	17.4	8
27	Electrode-Induced Self-Healed Monolayer MoS for High Performance Transistors and Phototransistors. <i>Advanced Materials</i> , 2021 , 33, e2102091	24	8
26	Field effect transistors and phototransistors based upon p-type solution-processed PbS nanowires. <i>Nanotechnology</i> , 2018 , 29, 075202	3.4	7
25	Flexible Solar Cells: Charge Transport Modulation of a Flexible Quantum Dot Solar Cell Using a Piezoelectric Effect (Adv. Energy Mater. 3/2018). <i>Advanced Energy Materials</i> , 2018 , 8, 1870012	21.8	6
24	Ultrafast and low temperature laser annealing for crystalline TiO ₂ nanostructures patterned by electro-hydrodynamic lithography. <i>Applied Physics Letters</i> , 2013 , 103, 053114	3.4	6
23	High Performance Electrocatalysts Based on Pt Nanoarchitecture for Fuel Cell Applications. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-20	3.2	6
22	Metal-Insulator Phase Transition in Quasi-One-Dimensional VO ₂ Structures. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-15	3.2	6
21	Metastable state-induced consecutive step-like negative differential resistance behaviors in single crystalline VO nanobeams. <i>Nanoscale</i> , 2017 , 9, 8200-8206	7.7	6
20	Growth of quantum dot coated core-shell anisotropic nanowires for improved thermal and electronic transport. <i>Applied Physics Letters</i> , 2019 , 114, 243104	3.4	5
19	Poly(2-alkyl-2-oxazoline) electrode interlayers for improved n-type organic field effect transistor performance. <i>Applied Physics Letters</i> , 2019 , 115, 143302	3.4	5
18	Electromagnetic Interference Shielding with 2D Copper Sulfide.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	5
17	Complementary inverters based on low-dimensional semiconductors prepared by facile and fully scalable methods. <i>2D Materials</i> , 2019 , 6, 025017	5.9	4
16	Improving Radio Frequency Transmission Properties of Graphene via Carrier Concentration Control toward High Frequency Transmission Line Applications. <i>Advanced Functional Materials</i> , 2019 , 29, 1808057	15.6	4

15	Oxygen Evolution Reaction: Self-Assembled Nanostructured CuCo ₂ O ₄ for Electrochemical Energy Storage and the Oxygen Evolution Reaction via Morphology Engineering (Small 28/2018). <i>Small</i> , 2018 , 14, 1870132	11	4
14	Enhanced Direct White Light Emission Efficiency in Quantum Dot Light-Emitting Diodes via Embedded Ferroelectric Islands Structure. <i>Advanced Functional Materials</i> , 2021 , 31, 2104239	15.6	4
13	Enhanced Hydrogen Evolution Reaction in Surface Functionalized MoS ₂ Monolayers. <i>Catalysts</i> , 2021 , 11, 70	4	4
12	Dataset on electro-optically tunable smart-supercapacitors based on oxygen-excess nanograin tungsten oxide thin film. <i>Data in Brief</i> , 2017 , 14, 453-457	1.2	3
11	Spectral functions of CVD grown MoS ₂ monolayers after chemical transfer onto Au surface. <i>Applied Surface Science</i> , 2020 , 532, 147390	6.7	3
10	Quantum Dots for Hybrid Energy Harvesting: From Integration to Piezo-Phototronics. <i>Israel Journal of Chemistry</i> , 2019 , 59, 747-761	3.4	2
9	Modification of electrical and piezoelectric properties of ZnO nanorods based on arsenic incorporation via low temperature spin-on-dopant method. <i>Journal of the Korean Physical Society</i> , 2015 , 67, 930-935	0.6	2
8	Spectra Responsibility of Quantum Dot Doped Organic Liquid Scintillation Dosimeter for Radiation Therapy. <i>Progress in Medical Physics</i> , 2017 , 28, 226	0.5	1
7	Vertical Thin Film Transistor Based on Conductivity Modulation of Graphene Electrode by Micro-Hole Patterning. <i>Advanced Electronic Materials</i> , 2101000	6.4	1
6	Ferroelectric Field Effect Induced Charge Carrier Transport Modulation at Quantum Dot Solar Cell Heterojunction Interface. <i>ACS Applied Energy Materials</i> ,	6.1	0
5	Self-Catalytic Growth of Elementary Semiconductor Nanowires with Controlled Morphology and Crystallographic Orientation. <i>Nano Letters</i> , 2021 , 21, 9909-9915	11.5	0
4	Thermodynamically and Physically Stable Dendrite-Free Li Interface with Layered Boron Nitride Separators. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 4185-4193	8.3	0
3	Balanced Charge Carrier Transport Mediated by Quantum Dot Film Post-organization for Light-Emitting Diode Applications. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 26170-26179	9.5	0
2	Radio Frequency Transmission: Improving Radio Frequency Transmission Properties of Graphene via Carrier Concentration Control toward High Frequency Transmission Line Applications (Adv. Funct. Mater. 18/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970123	15.6	
1	Nanocluster Intercalation: Two-Dimensional Layered Hydroxide Nanoporous Nanohybrids Pillared with Zero-Dimensional Polyoxovanadate Nanoclusters for Enhanced Water Oxidation Catalysis (Small 49/2018). <i>Small</i> , 2018 , 14, 1870235	11	