
## Yong-Tae Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6149182/publications.pdf Version: 2024-02-01



YONG-TAF KIM

#	Article	IF	CITATIONS
1	Clinical features of 20 patients with curatively resected biliary neuroendocrine tumours. Digestive and Liver Disease, 2011, 43, 965-970.	0.9	56
2	Clinical Usefulness of Plasma Chromogranin A in Pancreatic Neuroendocrine Neoplasm. Journal of Korean Medical Science, 2013, 28, 750.	2.5	36
3	The optimal duration of preoperative biliary drainage forÂperiampullary tumors that cause severe obstructive jaundice. American Journal of Surgery, 2013, 206, 40-46.	1.8	35
4	Clinical Significance and Revisiting the Meaning of CA 19-9 Blood Level Before and After the Treatment of Pancreatic Ductal Adenocarcinoma: Analysis of 1,446 Patients from the Pancreatic Cancer Cohort in a Single Institution. PLoS ONE, 2013, 8, e78977.	2.5	34
5	Clinical outcomes of patients who experienced perforation associated with endoscopic retrograde cholangiopancreatography. Surgical Endoscopy and Other Interventional Techniques, 2012, 26, 3293-3300.	2.4	26
6	Results of repeat endoscopic retrograde cholangiopancreatography after initial biliary cannulation failure following needleâ€knife sphincterotomy. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 516-520.	2.8	21
7	Effect of sustained use of platelet aggregation inhibitors on postâ€endoscopic sphincterotomy bleeding. Digestive Endoscopy, 2014, 26, 737-744.	2.3	20
8	Endoscopic Papillectomy for Benign Ampullary Neoplasms: How Can Treatment Outcome Be Predicted?. Gut and Liver, 2013, 7, 239-245.	2.9	20
9	Long-term clinical outcomes of biliary cast syndrome in liver transplant recipients. Liver Transplantation, 2013, 19, 275-282.	2.4	15
10	Which Is the Better Treatment for the Removal of Large Biliary Stones? Endoscopic Papillary Large Balloon Dilation versus Endoscopic Sphincterotomy. Gut and Liver, 2014, 8, 438-444.	2.9	15
11	Association between pathologic grade and multiphase computed tomography enhancement in pancreatic neuroendocrine neoplasm. Journal of Gastroenterology and Hepatology (Australia), 2018, 33, 1677-1682.	2.8	15
12	Clinical factors associated with accuracy of <scp>EUSâ€FNA</scp> for pancreatic or peripancreatic solid mass without onâ€site cytopathologists. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 887-892.	2.8	13
13	Human equilibrative nucleoside transporter 1 (hENT1) expression as a predictive biomarker for gemcitabine chemotherapy in biliary tract cancer. PLoS ONE, 2018, 13, e0209104.	2.5	13
14	Long-Term Outcome of Cystic Lesions in the Pancreas: A Retrospective Cohort Study. Gut and Liver, 2012, 6, 493-500.	2.9	13
15	Is There Any Role of Positron Emission Tomography Computed Tomography for Predicting Resectability of Gallbladder Cancer?. Journal of Korean Medical Science, 2014, 29, 680.	2.5	11
16	Comparison of Clinical Outcomes of Borderline Resectable Pancreatic Cancer According to the Neoadjuvant Chemo-Regimens: Gemcitabine versus FOLFIRINOX. Gut and Liver, 2021, 15, 466-475.	2.9	11
17	Inflexinol Reduces Severity of Acute Pancreatitis by Inhibiting Nuclear Factor-κB Activation in Cerulein-Induced Pancreatitis. Pancreas, 2013, 42, 279-284.	1.1	8
18	Impact of conversion surgery on survival in locally advanced pancreatic cancer patients treated with FOLFIRINOX chemotherapy. Journal of Hepato-Biliary-Pancreatic Sciences, 2023, 30, 111-121.	2.6	7