

Hitoshi Nishizawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6150135/publications.pdf>

Version: 2024-02-01

58
papers

6,139
citations

218592

26
h-index

143943

57
g-index

63
all docs

63
docs citations

63
times ranked

7463
citing authors

#	ARTICLE	IF	CITATIONS
1	A Japanese patient with a 2p25.3 terminal deletion presented with early-onset obesity, intellectual disability and diabetes mellitus: A case report. <i>Journal of Diabetes Investigation</i> , 2022, 13, 391-396.	1.1	1
2	Metabolic surgery in treatment of obese Japanese patients with type 2 diabetes: a joint consensus statement from the Japanese Society for Treatment of Obesity, the Japan Diabetes Society, and the Japan Society for the Study of Obesity. <i>Diabetology International</i> , 2022, 13, 1-30.	0.7	15
3	Impact of hyperuricemia on chronic kidney disease and atherosclerotic cardiovascular disease. <i>Hypertension Research</i> , 2022, 45, 635-640.	1.5	32
4	Time-Series Change of Serum Soluble T-Cadherin Concentrations and Its Association with Creatine Kinase-MB Levels in ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1823-1834.	0.9	1
5	Genetic assessment using whole-exome sequencing for a young hypertriglyceridemic patient with repeated acute pancreatitis. <i>Endocrine Journal</i> , 2022, 69, 1101-1108.	0.7	1
6	Adiponectin accumulation in the retinal vascular endothelium and its possible role in preventing early diabetic microvascular damage. <i>Scientific Reports</i> , 2022, 12, 4159.	1.6	14
7	Human adipose-derived mesenchymal stem cells prevent type 1 diabetes induced by immune checkpoint blockade. <i>Diabetologia</i> , 2022, 65, 1185-1197.	2.9	19
8	Relationship between Health Counselor Characteristics and Counseling Impact on Individuals at High-Risk for Lifestyle-Related Disease: Sub-Analysis of the J-HARP Cluster-Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6375.	1.2	2
9	Increased vascular permeability and severe renal tubular damage after ischemia-reperfusion injury in mice lacking adiponectin or T-cadherin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 320, E179-E190.	1.8	17
10	Identification and Clinical Associations of 3 Forms of Circulating T-cadherin in Human Serum. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1333-1344.	1.8	5
11	Evaluation of change in metabolome caused by comprehensive diabetes treatment: A prospective observational study of diabetes inpatients with gas chromatography/mass spectrometry-based non-target metabolomic analysis. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2232-2241.	1.1	6
12	Increased plasma XOR activity induced by NAFLD/NASH and its possible involvement in vascular neointimal proliferation. <i>JCI Insight</i> , 2021, 6, .	2.3	11
13	Saliva and Plasma Reflect Metabolism Altered by Diabetes and Periodontitis. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 742002.	1.6	15
14	Marked Hypergastrinemia with G-cell Hyperplasia in Two Autoimmune Gastritis Patients. <i>Internal Medicine</i> , 2020, 59, 799-803.	0.3	1
15	A disintegrin and metalloproteinase 12 prevents heart failure by regulating cardiac hypertrophy and fibrosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H238-H251.	1.5	17
16	Adiponectin Stimulates Exosome Release to Enhance Mesenchymal Stem-Cell-Driven Therapy of Heart Failure in Mice. <i>Molecular Therapy</i> , 2020, 28, 2203-2219.	3.7	86
17	Plasma xanthine oxidoreductase activity in Japanese patients with type 2 diabetes across hospitalized treatment. <i>Journal of Diabetes Investigation</i> , 2020, 12, 1512-1520.	1.1	7
18	Japan Trial in High-Risk Individuals to Enhance Their Referral to Physicians (J-HARP) – A Nurse-Led, Community-Based Prevention Program of Lifestyle-Related Disease. <i>Journal of Epidemiology</i> , 2020, 30, 194-199.	1.1	11

#	ARTICLE	IF	CITATIONS
19	Population Approaches Targeting Metabolic Syndrome Focusing on Japanese Trials. <i>Nutrients</i> , 2019, 11, 1430.	1.7	20
20	Adiponectin promotes muscle regeneration through binding to T-cadherin. <i>Scientific Reports</i> , 2019, 9, 16.	1.6	60
21	Positive correlation between fasting plasma glucagon and serum C-peptide in Japanese patients with diabetes. <i>Heliyon</i> , 2019, 5, e01715.	1.4	9
22	Impact of glycosylphosphatidylinositol-specific phospholipase D on hepatic diacylglycerol accumulation, steatosis, and insulin resistance in diet-induced obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E239-E250.	1.8	14
23	Fat cell lipolysis and future weight gain. <i>Journal of Diabetes Investigation</i> , 2019, 10, 221-223.	1.1	3
24	Characteristics of sleep-wake cycle and sleep duration in Japanese type 2 diabetes patients with visceral fat accumulation. <i>Journal of Diabetes Investigation</i> , 2018, 9, 63-68.	1.1	4
25	Association between poor psychosocial conditions and diabetic nephropathy in Japanese type 2 diabetes patients: A cross-sectional study. <i>Journal of Diabetes Investigation</i> , 2018, 9, 162-172.	1.1	9
26	Association of Epicardial, Visceral, and Subcutaneous Fat With Cardiometabolic Diseases. <i>Circulation Journal</i> , 2018, 82, 502-508.	0.7	56
27	Low muscle quality in Japanese type 2 diabetic patients with visceral fat accumulation. <i>Cardiovascular Diabetology</i> , 2018, 17, 112.	2.7	53
28	Hypoxanthine Secretion from Human Adipose Tissue and its Increase in Hypoxia. <i>Obesity</i> , 2018, 26, 1168-1178.	1.5	47
29	Adiponectin association with T-cadherin protects against neointima proliferation and atherosclerosis. <i>FASEB Journal</i> , 2017, 31, 1571-1583.	0.2	95
30	Increased Dynamics of Tricarboxylic Acid Cycle and Glutamate Synthesis in Obese Adipose Tissue. <i>Journal of Biological Chemistry</i> , 2017, 292, 4469-4483.	1.6	39
31	The unique prodomain of T-cadherin plays a key role in adiponectin binding with the essential extracellular cadherin repeats 1 and 2. <i>Journal of Biological Chemistry</i> , 2017, 292, 7840-7849.	1.6	51
32	Significant Association of Serum Adiponectin and Creatine Kinase-MB Levels in ST-Segment Elevation Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 793-803.	0.9	17
33	Multiple Gouty Tophi with Bone Erosion and Destruction: A Report of an Early-onset Case in an Obese Patient. <i>Internal Medicine</i> , 2017, 56, 1071-1077.	0.3	1
34	Impact of visceral fat on gene expression profile in peripheral blood cells in obese Japanese subjects. <i>Cardiovascular Diabetology</i> , 2016, 15, 159.	2.7	12
35	Systemic arteriosclerosis and eating behavior in Japanese type 2 diabetic patients with visceral fat accumulation. <i>Cardiovascular Diabetology</i> , 2015, 14, 8.	2.7	17
36	Visualized macrophage dynamics and significance of S100A8 in obese fat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2058-66.	3.3	43

#	ARTICLE	IF	CITATIONS
37	Positive Feedback Regulation Between Adiponectin and T-Cadherin Impacts Adiponectin Levels in Tissue and Plasma of Male Mice. <i>Endocrinology</i> , 2015, 156, 934-946.	1.4	78
38	Possible Involvement of Opa-Interacting Protein 5 in Adipose Proliferation and Obesity. <i>PLoS ONE</i> , 2014, 9, e87661.	1.1	11
39	Long-term impact of liraglutide, a glucagon-like peptide-1 (GLP-1) analogue, on body weight and glycemic control in Japanese type 2 diabetes: an observational study. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 95.	1.2	27
40	Effect of adiponectin on cardiac β -catenin signaling pathway under angiotensin II infusion. <i>Biochemical and Biophysical Research Communications</i> , 2014, 444, 224-229.	1.0	15
41	Adipose Hypothermia in Obesity and Its Association with Period Homolog 1, Insulin Sensitivity, and Inflammation in Fat. <i>PLoS ONE</i> , 2014, 9, e112813.	1.1	6
42	Vascular complications and changes in body mass index in Japanese type 2 diabetic patients with abdominal obesity. <i>Cardiovascular Diabetology</i> , 2013, 12, 88.	2.7	15
43	Uric Acid Secretion from Adipose Tissue and Its Increase in Obesity. <i>Journal of Biological Chemistry</i> , 2013, 288, 27138-27149.	1.6	279
44	Efficacy of liraglutide, a glucagon-like peptide-1 (GLP-1) analogue, on body weight, eating behavior, and glycemic control, in Japanese obese type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2012, 11, 107.	2.7	51
45	Health Education "Hokenshido" Program Reduced Metabolic Syndrome in the Amagasaki Visceral Fat Study. Three-Year Follow-up Study of 3,174 Japanese Employees. <i>Internal Medicine</i> , 2011, 50, 1643-1648.	0.3	29
46	Relationship between visceral fat accumulation and urinary albumin-creatinine ratio in middle-aged Japanese men. <i>Atherosclerosis</i> , 2010, 211, 601-605.	0.4	42
47	Relationship between the Serum Uric Acid Level, Visceral Fat Accumulation and Serum Adiponectin Concentration in Japanese Men. <i>Internal Medicine</i> , 2009, 48, 1493-1493.	0.3	0
48	Nocturnal reduction in circulating adiponectin concentrations related to hypoxic stress in severe obstructive sleep apnea-hypopnea syndrome. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E778-E784.	1.8	64
49	Relationship between the Serum Uric Acid Level, Visceral Fat Accumulation and Serum Adiponectin Concentration in Japanese Men. <i>Internal Medicine</i> , 2008, 47, 1175-1180.	0.3	89
50	Reduction of Visceral Fat Is Associated With Decrease in the Number of Metabolic Risk Factors in Japanese Men. <i>Diabetes Care</i> , 2007, 30, 2392-2394.	4.3	105
51	Musclin, a Novel Skeletal Muscle-derived Secretory Factor. <i>Journal of Biological Chemistry</i> , 2004, 279, 19391-19395.	1.6	145
52	Coordinated Regulation of Fat-Specific and Liver-Specific Glycerol Channels, Aquaporin Adipose and Aquaporin 9. <i>Diabetes</i> , 2002, 51, 2915-2921.	0.3	225
53	Small Heterodimer Partner, an Orphan Nuclear Receptor, Augments Peroxisome Proliferator-activated Receptor β Transactivation. <i>Journal of Biological Chemistry</i> , 2002, 277, 1586-1592.	1.6	103
54	Androgens Decrease Plasma Adiponectin, an Insulin-Sensitizing Adipocyte-Derived Protein. <i>Diabetes</i> , 2002, 51, 2734-2741.	0.3	709

#	ARTICLE	IF	CITATIONS
55	Diet-induced insulin resistance in mice lacking adiponectin/ACRP30. <i>Nature Medicine</i> , 2002, 8, 731-737.	15.2	1,908
56	The Expression of SPARC in Adipose Tissue and Its Increased Plasma Concentration in Patients with Coronary Artery Disease. <i>Obesity</i> , 2001, 9, 388-393.	4.0	45
57	Adipocyte-Derived Plasma Protein, Adiponectin, Suppresses Lipid Accumulation and Class A Scavenger Receptor Expression in Human Monocyte-Derived Macrophages. <i>Circulation</i> , 2001, 103, 1057-1063.	1.6	1,184
58	Aquaporin Adipose, a Putative Glycerol Channel in Adipocytes. <i>Journal of Biological Chemistry</i> , 2000, 275, 20896-20902.	1.6	196