

Jian Kong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6151677/publications.pdf>

Version: 2024-02-01

16
papers

513
citations

1051969

10
h-index

1051228

16
g-index

16
all docs

16
docs citations

16
times ranked

934
citing authors

#	ARTICLE	IF	CITATIONS
1	Arsenic trioxide inhibits angiogenesis of hepatocellular carcinoma after insufficient radiofrequency ablation via blocking paracrine angiopoietin-1 and angiopoietin-2. <i>International Journal of Hyperthermia</i> , 2022, 39, 888-896.	1.1	6
2	Impact of interventions targeting the inappropriate use of proton pump inhibitors by clinical pharmacists in a hepatobiliary surgery department. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 149-157.	0.7	9
3	Platelet lysates in Hepatocellular Carcinoma patients after radiofrequency ablation facilitate tumor proliferation, invasion and vasculogenic mimicry. <i>International Journal of Medical Sciences</i> , 2020, 17, 2104-2112.	1.1	7
4	A Non-invasive Nanoprobe for In Vivo Photoacoustic Imaging of Vulnerable Atherosclerotic Plaque. <i>Advanced Materials</i> , 2020, 32, e2000037.	11.1	48
5	ATPase Inhibitory Factor 1 Promotes Hepatocellular Carcinoma Progression After Insufficient Radiofrequency Ablation, and Attenuates Cell Sensitivity to Sorafenib Therapy. <i>Frontiers in Oncology</i> , 2020, 10, 1080.	1.3	21
6	FOXK2 downregulation suppresses EMT in hepatocellular carcinoma. <i>Open Medicine (Poland)</i> , 2020, 15, 702-708.	0.6	5
7	miR-152-3p Modulates hepatic carcinogenesis by targeting cyclin-dependent kinase 8. <i>Pathology Research and Practice</i> , 2019, 215, 152406.	1.0	22
8	ATPase inhibitory factor 1 inhibition improves the antitumor of YC61 against hepatocellular carcinoma. <i>Oncology Letters</i> , 2018, 16, 5230-5236.	0.8	4
9	Metformin exhibits the anti-proliferation and anti-invasion effects in hepatocellular carcinoma cells after insufficient radiofrequency ablation. <i>Cancer Cell International</i> , 2017, 17, 48.	1.8	19
10	Oxidized low-density lipoprotein-induced microparticles promote endothelial monocyte adhesion via intercellular adhesion molecule 1. <i>American Journal of Physiology - Cell Physiology</i> , 2017, 313, C567-C574.	2.1	27
11	Phloretin induces cell cycle arrest and apoptosis of human glioblastoma cells through the generation of reactive oxygen species. <i>Journal of Neuro-Oncology</i> , 2016, 128, 217-223.	1.4	40
12	Sorafenib suppresses the epithelial-mesenchymal transition of hepatocellular carcinoma cells after insufficient radiofrequency ablation. <i>BMC Cancer</i> , 2015, 15, 939.	1.1	37
13	VEGF111b, a C-terminal splice variant of VEGF-A and induced by mitomycin C, inhibits ovarian cancer growth. <i>Journal of Translational Medicine</i> , 2015, 13, 164.	1.8	9
14	microRNA-26a suppresses recruitment of macrophages by down-regulating macrophage colony-stimulating factor expression through the PI3K/Akt pathway in hepatocellular carcinoma. <i>Journal of Hematology and Oncology</i> , 2015, 8, 56.	6.9	75
15	After insufficient radiofrequency ablation, tumor-associated endothelial cells exhibit enhanced angiogenesis and promote invasiveness of residual hepatocellular carcinoma. <i>Journal of Translational Medicine</i> , 2012, 10, 230.	1.8	73
16	Insufficient Radiofrequency Ablation Promotes Angiogenesis of Residual Hepatocellular Carcinoma via HIF-1 α /VEGFA. <i>PLoS ONE</i> , 2012, 7, e37266.	1.1	111