

Oswaldo Hernández

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6152190/publications.pdf>

Version: 2024-02-01

28
papers

275
citations

933447

10
h-index

996975

15
g-index

31
all docs

31
docs citations

31
times ranked

235
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproductive activity in males of <i>Sceloporus variabilis</i> : Little time to rest, long time to breed. Acta Zoologica, 2020, 101, 101-108.	0.8	1
2	Lack of spermatogenic variation in a polymorphic lizard, <i>Sceloporus aeneus</i> (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (P	0.8	0
3	Corytophanids Replaced the Pleurodont XY System with a New Pair of XY Chromosomes. Genome Biology and Evolution, 2019, 11, 2666-2677.	2.5	19
4	Complex patterns of hybridization and introgression across evolutionary timescales in Mexican whiptail lizards (<i>Aspidoscelis</i>). Molecular Phylogenetics and Evolution, 2019, 132, 284-295.	2.7	25
5	Spermatogenesis in <i>Sceloporus variabilis</i> (Squamata, Phrynosomatidae): A non-Équiescent pattern. Acta Zoologica, 2019, 100, 43-52.	0.8	4
6	Depredaci3n masiva del sapo de pinos, &i>Incilius occidentalis&i> (Anura: Bufonidae). Caldasia, 2019, 41, 450-452.	0.2	3
7	Masa relativa de la camada en <i>Phrynosoma orbiculare</i> (Squamata: Phrynosomatidae) en el Parque Estatal Sierra Morelos, Toluca, Estado de MÃ©xico. Revista Mexicana De Biodiversidad, 2018, 89, .	0.4	6
8	Sperm storage in the viviparous lizard <i>Sceloporus bicanthalis</i> (Squamata: Phrynosomatidae), a species with continuous spermatogenesis. Zoomorphology, 2017, 136, 85-93.	0.8	5
9	How far do adult turtles move? Home range and dispersal of <i>Kinosternon integrum</i> . Ecology and Evolution, 2017, 7, 8220-8231.	1.9	13
10	Male reproductive cycle in <i>Aspidoscelis costata costata</i> (Squamata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22 <sc>M</sc>Ã©xico. Acta Zoologica, 2015, 96, 108-116.	0.8	12
11	Seasonal spermatogenesis in the Mexican endemic oviparous lizard, <i>Sceloporus aeneus</i> (Squamata: Phrynosomatidae). Spermatogenesis, 2014, 4, e988585.	0.8	15
12	The ultrastructure of spermatid development during spermiogenesis within the rosebelly lizard, <i>Sceloporus variabilis</i> (Reptilia, Squamata, Phrynosomatidae). Journal of Morphology, 2014, 275, 258-268.	1.2	6
13	The germ cell development strategy and seasonal changes in spermatogenesis and Leydig cell morphologies of the spiny lizard <i>Sceloporus mucronatus</i> (Squamata: Phrynosomatidae). Zoomorphology, 2014, 133, 151-165.	0.8	5
14	Reproductive Cycle of a High-Elevation, Oviparous Lizard (<i>Sceloporus spinosus</i> : Reptilia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 22	0.1	14
15	Environmental Sustainability at High Altitude in Mexico. International Journal of Environmental Sustainability, 2013, 8, 19-34.	0.3	0
16	Relative importance of reproductive life-history paths in one population of the lizard <i>Sceloporus grammicus</i> . Amphibia - Reptilia, 2012, 33, 401-413.	0.5	0
17	Ontogenic development of spermatids during spermiogenesis in the high altitude bunchgrass lizard (<i>Sceloporus bicanthalis</i>). Spermatogenesis, 2012, 2, 94-103.	0.8	7
18	Cambio estacional en la coloraci3n dorsal de la lagartija &i>Aspidoscelis costata costata&i> (Squamata: Teiidae).. Revista De Biologia Tropical, 2012, 60, .	0.4	7

#	ARTICLE	IF	CITATIONS
19	Demography of a Semelparous, High-Elevation Population of <i>Sceloporus bicanthalis</i> (Lacertilia: Tj ETQq1 1 0.784314 rgBT /Overlock 10 71-77.	0.1	13
20	Temporal germ cell development strategy during continuous spermatogenesis within the montane lizard, <i>Sceloporus bicanthalis</i> (Squamata; Phrynosomatidae). <i>Theriogenology</i> , 2011, 76, 1090-1099.	2.1	18
21	Dimorfismo sexual de <i>Aspidoscelis costata costata</i> (Squamata: Teiidae) en el sur del Estado de México, México. <i>Revista Chilena De Historia Natural</i> , 2010, 83, 585-592.	1.2	11
22	Larval stages of trematodes in gastropods from Lake Chicnahuapan, State of Mexico, Mexico. <i>Parasitology Research</i> , 2009, 105, 1163-1167.	1.6	9
23	Reproductive Cycle of the Lizard <i>Sceloporus mucronatus</i> with Comments on Intraspecific Geographic Variation. <i>Western North American Naturalist</i> , 2009, 69, 437-446.	0.4	22
24	Rediscovered Population of Mexican Plateau Spotted Whiptail Lizard, <i>Aspidoscelis septemvittata</i> (Teiidae), from México, D.F.. <i>Western North American Naturalist</i> , 2009, 69, 49-55.	0.4	3
25	Threatened fishes of the world: <i>Menidia riojai</i> Solís-rzano and López 1965 (Atheriniformes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 150	0.1	10
26	Genetic Homogeneity between Populations of <i>Aspidoscelis rodecki</i> , a Parthenogenetic Lizard from the Yucatán Peninsula. <i>Journal of Herpetology</i> , 2003, 37, 527-532.	0.5	8
27	CONTINUOUS SPERMATOGENESIS IN THE LIZARD <i>SCeloporus BICANTHALIS</i> (SAURIA: PHRYNOSOMATIDAE) FROM HIGH ELEVATION HABITAT OF CENTRAL MEXICO. <i>Herpetologica</i> , 2002, 58, 415-421.	0.4	37
28	Reproductive Cycle of the Tropical Night Lizard <i>Lepidophyma pajapanensis</i> from Veracruz, Mexico. <i>Journal of Herpetology</i> , 1999, 33, 336.	0.5	7