

Onur Geckili

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6153179/onur-geckili-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

630
citations

14
h-index

22
g-index

60
ext. papers

743
ext. citations

2.2
avg, IF

3.83
L-index

#	Paper	IF	Citations
58	Influence of surgical technique, implant shape and diameter on the primary stability in cancellous bone. <i>Journal of Oral Rehabilitation</i> , 2010 , 37, 900-7	3.4	62
57	Evaluation of possible prognostic factors for the success, survival, and failure of dental implants. <i>Implant Dentistry</i> , 2014 , 23, 44-50	2.4	47
56	Complication rates and patient satisfaction with removable dentures. <i>Journal of Advanced Prosthodontics</i> , 2012 , 4, 109-15	2.2	40
55	Comparison of patient satisfaction, quality of life, and bite force between elderly edentulous patients wearing mandibular two implant-supported overdentures and conventional complete dentures after 4 years. <i>Special Care in Dentistry</i> , 2012 , 32, 136-41	1.7	37
54	Impression procedures and construction of a sectional denture for a patient with microstomia: a clinical report. <i>Journal of Prosthetic Dentistry</i> , 2006 , 96, 387-90	4	33
53	Evaluation of satisfaction and complications in patients with existing complete dentures. <i>Journal of Oral Science</i> , 2013 , 55, 29-37	1.5	32
52	Maintenance requirements associated with mandibular implant overdentures: clinical results after first year of service. <i>Journal of Oral Implantology</i> , 2011 , 37, 697-704	1.2	30
51	The effect of attachment type and implant number on satisfaction and quality of life of mandibular implant-retained overdenture wearers. <i>Gerodontology</i> , 2012 , 29, e618-23	2.8	29
50	Impact of mandibular two-implant retained overdentures on life quality in a group of elderly Turkish edentulous patients. <i>Archives of Gerontology and Geriatrics</i> , 2011 , 53, 233-6	4	24
49	A 24-week prospective study comparing the stability of titanium dioxide grit-blasted dental implants with and without fluoride treatment. <i>International Journal of Oral and Maxillofacial Implants</i> , 2009 , 24, 684-8	2.8	22
48	In vitro comparison of the retentive properties of ball and locator attachments for implant overdentures. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014 , 29, 1106-13	2.8	19
47	A quality-of-life comparison between self-aligning and ball attachment systems for 2-implant-retained mandibular overdentures. <i>Journal of Oral Implantology</i> , 2011 , 37 Spec No, 167-73	1.2	19
46	The effect of maximum bite force, implant number, and attachment type on marginal bone loss around implants supporting mandibular overdentures: a retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2012 , 14 Suppl 1, e91-7	3.9	18
45	A comparative in vitro evaluation of two different magnetic devices detecting the stability of osseointegrated implants. <i>Journal of Periodontal Research</i> , 2012 , 47, 508-13	4.3	18
44	The influence of interimplant distance in mandibular overdentures supported by two implants on patient satisfaction and quality of life. <i>International Journal of Prosthodontics</i> , 2015 , 28, 19-21	1.9	14
43	The influence of momentary retention forces on patient satisfaction and quality of life of two-implant-retained mandibular overdenture wearers. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 397-402	2.8	13
42	The Evaluation of the Reliability of Periotest for Implant Stability Measurements: An In Vitro Study. <i>Journal of Oral Implantology</i> , 2015 , 41, e90-5	1.2	12

41	In Vitro comparison of trueness of 10 intraoral scanners for implant-supported complete-arch fixed dental prostheses. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 755-760	4	12
40	The influence of implant number and attachment type on maximum bite force of mandibular overdentures: a retrospective study. <i>Gerodontology</i> , 2012 , 29, e116-20	2.8	10
39	Radiographic Evaluation of Narrow-Diameter Implants After 5 Years of Clinical Function: A Retrospective Study. <i>Journal of Oral Implantology</i> , 2013 , 39, 273-279	1.2	9
38	The evaluation of the success of immediately placed single implants: a retrospective clinical study. <i>Implant Dentistry</i> , 2011 , 20, 215-25	2.4	9
37	Comparative ex vivo evaluation of two electronic percussive testing devices measuring the stability of dental implants. <i>Journal of Periodontology</i> , 2014 , 85, 1786-91	4.6	8
36	Initial Stability Measurements of Implants Using a New Magnetic Resonance Frequency Analyzer With Titanium Transducers: An Ex Vivo Study. <i>Journal of Oral Implantology</i> , 2020 , 46, 35-40	1.2	8
35	Comparison of the Primary Stability of Two Implant Designs in Two Different Bone Types: An In Vitro Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015 , 30, 1036-40	2.8	7
34	The efficacy of a topical gel with triester glycerol oxide in denture-related mucosal injuries. <i>Gerodontology</i> , 2012 , 29, e715-20	2.8	7
33	Mandibular 2-implant overdentures improve oral health-related quality of life more than conventional dentures, but there are cultural differences. <i>Journal of Evidence-based Dental Practice</i> , 2014 , 14, 133-5	1.9	6
32	The influence of maximum bite force on patient satisfaction and quality of life of patients wearing mandibular implant overdentures. <i>Journal of Oral Implantology</i> , 2012 , 38, 271-7	1.2	6
31	Assessment of demographic and clinical data related to dental implants in a group of Turkish patients treated at a university clinic. <i>Journal of Advanced Prosthodontics</i> , 2013 , 5, 351-8	2.2	6
30	Multidisciplinary management of limited interocclusal space: a clinical report. <i>Journal of Prosthodontics</i> , 2011 , 20, 329-32	3.9	6
29	Determination of the Optimum Torque to Tighten the Smartpegs of Magnetic Resonance Frequency Analyses Devices: An Ex Vivo Study. <i>Journal of Oral Implantology</i> , 2015 , 41, e252-6	1.2	5
28	Evaluation of volumetric wear of abutments on the retention loss of ball attachment systems in implant-retained overdentures: An in vitro study. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 778-784	3.9	5
27	Influence of the Localization of Frontal Bone Defects on Primary Stability Values of 2 Different Implant Designs: An In Vitro Study. <i>Implant Dentistry</i> , 2017 , 26, 87-94	2.4	4
26	How precise is dental volumetric tomography in the prediction of bone density?. <i>International Journal of Dentistry</i> , 2012 , 2012, 348908	1.9	4
25	Edentulous maxillary arch fixed implant rehabilitation using a hybrid prosthesis made of micro-ceramic-composite: case report. <i>Journal of Oral Implantology</i> , 2013 , 39, 115-20	1.2	4
24	Prosthetic rehabilitation of a patient after surgical reconstruction of the maxilla: a clinical report. <i>Journal of Prosthodontics</i> , 2011 , 20, 74-8	3.9	4

23	The influence of framework material on stress distribution in maxillary complete-arch fixed prostheses supported by four dental implants: a three-dimensional finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021 , 24, 1606-1617	2.1	4
22	Clinical and radiographic evaluation of three-implant-retained mandibular overdentures: a 3-year retrospective study. <i>Quintessence International</i> , 2011 , 42, 721-8	2	4
21	Evaluation of two interforaminal implants and implant-assisted removable dentures on stress distribution: an study. <i>Journal of the Korean Association of Oral and Maxillofacial Surgeons</i> , 2019 , 45, 199-206	1.6	3
20	Clinical Comparison of Screw-Retained and Screwless Morse Taper Implant-Abutment Connections: One-year Postloading Results. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, 1123-1131	3.8	3
19	Precision of implant placement with stereolithographic templates: a pilot in vitro study. <i>Journal of Oral Implantology</i> , 2012 , 38, 569-74	1.2	3
18	In vitro comparison of two different materials for the repair of urethan dimethacrylate denture bases. <i>Journal of Advanced Prosthodontics</i> , 2013 , 5, 396-401	2.2	3
17	Oral rehabilitation following removal of a rhabdomyosarcoma and subsequent microstomia: a case report. <i>Journal of Oral Implantology</i> , 2011 , 37, 353-60	1.2	3
16	The Influence of Implant Shape on Primary Stability of Implants With a Thread Cutting and Forming Design: An Ex Vivo Study. <i>Journal of Oral Implantology</i> , 2019 , 45, 181-185	1.2	2
15	Prosthetic Rehabilitation of an Edentulous Patient with Microstomia Using Both Digital and Conventional Techniques: A Clinical Report. <i>Journal of Prosthodontics</i> , 2019 , 28, 488-492	3.9	2
14	Comparison of four-implant-retained overdentures and implant-supported fixed prostheses using the All-on-4 concept in the maxilla in terms of patient satisfaction, quality of life, and marginal bone loss: a 2-year retrospective study. <i>Quintessence International</i> , 2020 , 51, 388-396	2	2
13	The effect of urea on the corrosion behavior of different dental alloys. <i>Indian Journal of Dental Research</i> , 2012 , 23, 75-9	0.8	2
12	Reliability and validity of the Turkish version of oral health impact profile for edentulous subjects. <i>European Oral Research</i> , 2021 , 55, 67-73	0.9	2
11	Three-year radiologic follow-up of marginal bone loss around titanium dioxide grit-blasted dental implants with and without fluoride treatment. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 319-24	2.8	2
10	Is clinical experience important for obtaining the primary stability of dental implants with aggressive threads? An ex vivo study. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2019 , 24, e254-e259	2.6	1
9	The influence of steam cleaning procedures on the surface roughness of commonly used type III dental stone for the fabrication of removable dentures. <i>Gerodontology</i> , 2013 , 30, 171-5	2.8	1
8	The use of definitive implant abutments for the fabrication of provisional crowns: a case series. <i>Journal of Periodontal and Implant Science</i> , 2011 , 41, 248-52	2	1
7	The behavior of polyetheretherketone healing abutments when measuring implant stability with electronic percussive testing. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 42-45	3.9	1
6	Interocclusal space challenges. <i>Dentistry Today</i> , 2011 , 30, 132-3		1

- 5 Limited Evidence Suggests That Zirconia Abutments Generate Less Bleeding on Probing Around Implants Compared to Titanium Abutments. *Journal of Evidence-based Dental Practice*, **2018**, 18, 346-348^{1.9} ○
- 4 The comparison of the precision of different dental radiographic methods in mandibular peri-implantary measurements: an in vitro study. *Journal of Istanbul University Faculty of Dentistry*, **2015**, 49, 1-9
- 3 Postinsertion Problems **2016**, 217-226
- 2 A Technique for Salvaging an Existing Four-Implant-Supported Mandibular Fixed Complete Protheses by Using it as a Surgical Guide after an Implant Failure. *Journal of Long-Term Effects of Medical Implants*, **2021**, 31, 77-80 0.2
- 1 Technique for Converting A Fractured Implant Locator Abutment to A Custom Implant Cast Post and Core. *Journal of Prosthodontics*, **2021**, 30, 363-366 3.9