Zhe Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6154326/publications.pdf

Version: 2024-02-01

687363 752698 31 494 13 20 h-index citations g-index papers 32 32 32 524 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Rubichaetoglobin A, a new cytochalasan alkaloid isolated from the plant endophytic fungus <i>Chaetomium tectifimeti</i> S104. Journal of Asian Natural Products Research, 2022, 24, 769-776.	1.4	5
2	Identification of meroterpenoids from Bipolaris victoriae S27 and their potential activity against tumor metastasis and inhibition of the NF-κB signaling pathway. Phytochemistry, 2022, 200, 113180.	2.9	7
3	Antiâ€inflammatory activities of natural cyclopeptide RAâ€XII in colitisâ€associated colon cancer mouse model and its effect on gut microbiome. Phytotherapy Research, 2022, 36, 2641-2659.	5.8	3
4	RA-XII, a bicyclic hexapeptidic glucoside isolated from Rubia yunnanensis Diels, exerts antitumor activity by inhibiting protective autophagy and activating Akt-mTOR pathway in colorectal cancer cells. Journal of Ethnopharmacology, 2021, 266, 113438.	4.1	18
5	Rubioncolin C, a natural naphthohydroquinone dimer isolated from Rubia yunnanensis, inhibits the proliferation and metastasis by inducing ROS-mediated apoptotic and autophagic cell death in triple-negative breast cancer cells. Journal of Ethnopharmacology, 2021, 277, 114184.	4.1	11
6	Diversity of cultivable endophytic fungi in two <i>Rubia</i> plants and their potential for production of antiâ€ŧumour Rubiaceaeâ€ŧype cyclopeptides. Letters in Applied Microbiology, 2021, 73, 759-769.	2.2	11
7	Design, synthesis, docking, molecular dynamics and bioevaluation studies on novel N-methylpicolinamide and thienopyrimidine derivatives with inhibiting NF-κB and TAK1 activities: Cheminformatics tools RDKit applied in drug design. European Journal of Medicinal Chemistry, 2021, 223. 113576.	5.5	9
8	Programmed delivery of cyclopeptide RA-V and antisense oligonucleotides for combination therapy on hypoxic tumors and for therapeutic self-monitoring. Biomaterials Science, 2020, 8, 256-265.	5.4	18
9	Pestalopyrones A–D, four tricyclic pyrone derivatives from the endophytic fungus Pestalotiopsis neglecta S3. Phytochemistry, 2020, 179, 112505.	2.9	13
10	Qualitative and quantitative analyses of quinones in multi-origin Rubia species by ultra-performance liquid chromatography-tandem mass spectrometry combined with chemometrics. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113471.	2.8	9
11	An integrated multiple reaction monitoring strategy based on predicted precursor ions and characteristic product ions for global profiling Rubiaceae-type cyclopeptides in three Rubiaspecies. Journal of Chromatography A, 2020, 1618, 460902.	3.7	3
12	Colletopeptides A–D, Anti-inflammatory Cyclic Tridepsipeptides from the Plant Endophytic Fungus <i>Colletotrichum</i> sp. S8. Journal of Natural Products, 2019, 82, 1434-1441.	3.0	26
13	RA-XII Suppresses the Development and Growth of Liver Cancer by Inhibition of Lipogenesis via SCAP-dependent SREBP Supression. Molecules, 2019, 24, 1829.	3.8	12
14	Natural Naphthohydroquinone Dimer Rubioncolin C Exerts Anti-Tumor Activity by Inducing Apoptotic and Autophagic Cell Death and Inhibiting the NF-ήB and Akt/mTOR/P70S6K Pathway in Human Cancer Cells. Cells, 2019, 8, 1593.	4.1	7
15	Redox Dual-Responsive and O ₂ â€'Evolving Theranostic Nanosystem for Highly Selective Chemotherapy against Hypoxic Tumors. Theranostics, 2019, 9, 90-103.	10.0	31
16	Nematicidal quinone derivatives from three Rubia plants. Tetrahedron, 2018, 74, 2115-2120.	1.9	12
17	NF- $\hat{\mathbb{P}}$ B and JNK mediated apoptosis and G 0 /G 1 arrest of HeLa cells induced by rubiarbonol G, an arborinane-type triterpenoid from Rubia yunnanensis. Journal of Ethnopharmacology, 2018, 220, 220-227.	4.1	14
18	Rubipodanones A-D, naphthohydroquinone dimers from the roots and rhizomes of Rubia podantha. Phytochemistry, 2018, 145, 153-160.	2.9	12

#	Article	IF	Citations
19	Cyclopeptide RA-V Inhibits Organ Enlargement and Tumorigenesis Induced by YAP Activation. Cancers, 2018, 10, 449.	3.7	14
20	Systematic characterization and quantification of Rubiaceae-type cyclopeptides in 20 Rubia species by ultra performance liquid chromatography tandem mass spectrometry combined with chemometrics. Journal of Chromatography A, 2018, 1581-1582, 43-54.	3.7	14
21	Rubipodanin B, a New Cytotoxic Cyclopeptide fromRubia podantha. Chemistry and Biodiversity, 2018, 16, e1800438.	2.1	10
22	$(\hat{A}\pm)$ -Zanthonitidine A, a Pair of Enantiomeric Furoquinoline Alkaloids from Zanthoxylum nitidum with Antibacterial Activity. Natural Products and Bioprospecting, 2018, 8, 361-367.	4.3	21
23	TAK1 inhibition by natural cyclopeptide RA-V promotes apoptosis and inhibits protective autophagy in Kras-dependent non-small-cell lung carcinoma cells. RSC Advances, 2018, 8, 23451-23458.	3.6	7
24	Natural cyclopeptide RA-V inhibits the NF-κB signaling pathway by targeting TAK1. Cell Death and Disease, 2018, 9, 715.	6.3	26
25	(±)-Rubioncolin D, a pair of enantiomeric naphthohydroquinone dimers from Rubia oncotricha. Tetrahedron Letters, 2017, 58, 3041-3043.	1.4	10
26	1,4-Naphthoquinone Triggers Nematode Lethality by Inducing Oxidative Stress and Activating Insulin/IGF Signaling Pathway in Caenorhabditis elegans. Molecules, 2017, 22, 798.	3.8	16
27	Natural Cyclopeptide RA-XII, a New Autophagy Inhibitor, Suppresses Protective Autophagy for Enhancing Apoptosis through AMPK/mTOR/P70S6K Pathways in HepG2 Cells. Molecules, 2017, 22, 1934.	3.8	40
28	Rubipodanin A, the First Natural N-Desmonomethyl Rubiaceae-Type Cyclopeptide from Rubia podantha, Indicating an Important Role of the N9-Methyl Group in the Conformation and Bioactivity. PLoS ONE, 2015, 10, e0144950.	2.5	24
29	Cyclopeptide RA-V inhibits cell adhesion and invasion in both estrogen receptor positive and negative breast cancer cells via PI3K/AKT and NF-κB signaling pathways. Biochimica Et Biophysica Acta - Molecular Cell Research, 2015, 1853, 1827-1840.	4.1	24
30	Rubicordins A–C, new cyclopeptides from Rubia cordifolia with cytotoxicity and inhibiting NF-κB signaling pathway. Tetrahedron, 2015, 71, 9673-9678.	1.9	27
31	New Cytotoxic Naphthohydroquinone Dimers from <i>Rubia alata</i> . Organic Letters, 2014, 16, 5576-5579.	4.6	38