

Carlos J Ciudad

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6154599/publications.pdf>

Version: 2024-02-01

114
papers

3,506
citations

126907

33
h-index

161849

54
g-index

115
all docs

115
docs citations

115
times ranked

4830
citing authors

#	ARTICLE	IF	CITATIONS
1	DAG accumulation from saturated fatty acids desensitizes insulin stimulation of glucose uptake in muscle cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 280, E229-E237.	3.5	200
2	Glycogen synthase: A new activity ratio assay expressing a high sensitivity to the phosphorylation state. <i>FEBS Letters</i> , 1979, 106, 284-288.	2.8	168
3	Determination of glucose-6-phosphatase activity using the glucose dehydrogenase-coupled reaction. <i>Analytical Biochemistry</i> , 1988, 173, 185-189.	2.4	141
4	Pentose phosphate cycle oxidative and nonoxidative balance: A new vulnerable target for overcoming drug resistance in cancer. <i>International Journal of Cancer</i> , 2006, 119, 2733-2741.	5.1	119
5	Health benefits of walnut polyphenols: An exploration beyond their lipid profile. <i>Critical Reviews in Food Science and Nutrition</i> , 2017, 57, 3373-3383.	10.3	100
6	Therapeutic Targeting of Tumor Growth and Angiogenesis with a Novel Anti-S100A4 Monoclonal Antibody. <i>PLoS ONE</i> , 2013, 8, e72480.	2.5	86
7	Atorvastatin reduces CD68, FABP4, and HBP expression in oxLDL-treated human macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2004, 318, 265-274.	2.1	79
8	Cloning and Characterization of the 5' Flanking Region of the Human Transcription Factor Sp1 Gene. <i>Journal of Biological Chemistry</i> , 2001, 276, 22126-22132.	3.4	78
9	Up-regulation of the Kv3.4 potassium channel subunit in early stages of Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2004, 91, 547-557.	3.9	78
10	Underexpression of miR-224 in methotrexate resistant human colon cancer cells. <i>Biochemical Pharmacology</i> , 2011, 82, 1572-1582.	4.4	77
11	Inhibition of cancer cell growth by ruthenium(II) cyclopentadienyl derivative complexes with heteroaromatic ligands. <i>Journal of Inorganic Biochemistry</i> , 2009, 103, 354-361.	3.5	71
12	Transcriptional regulation of aldo-keto reductase 1C1 in HT29 human colon cancer cells resistant to methotrexate: Role in the cell cycle and apoptosis. <i>Biochemical Pharmacology</i> , 2008, 75, 414-426.	4.4	69
13	Regulation of Sp1 by cell cycle related proteins. <i>Cell Cycle</i> , 2008, 7, 2856-2867.	2.6	64
14	Glucose has to be phosphorylated to activate glycogen synthase, but not to inactivate glycogen phosphorylase in hepatocytes. <i>FEBS Letters</i> , 1992, 296, 211-214.	2.8	62
15	Glucose-6-phosphate dehydrogenase and transketolase modulate breast cancer cell metabolic reprogramming and correlate with poor patient outcome. <i>Oncotarget</i> , 2017, 8, 106693-106706.	1.8	62
16	Use of siRNAs and Antisense Oligonucleotides Against Survivin RNA to Inhibit Steps Leading to Tumor Angiogenesis. <i>Oligonucleotides</i> , 2004, 14, 100-113.	2.7	61
17	Regulation of Mitochondrial 3-Hydroxy-3-methylglutaryl-coenzyme A Synthase Protein by Starvation, Fat Feeding, and Diabetes. <i>Archives of Biochemistry and Biophysics</i> , 1993, 307, 40-45.	3.0	60
18	Transcriptional regulation of the human Sp1 gene promoter by the specificity protein (Sp) family members nuclear factor Y (NF-Y) and E2F. <i>Biochemical Journal</i> , 2003, 371, 265-275.	3.7	58

#	ARTICLE	IF	CITATIONS
19	Rosiglitazone upregulates caveolin-1 expression in THP-1 cells through a PPAR-dependent mechanism. <i>Journal of Lipid Research</i> , 2004, 45, 2015-2024.	4.2	58
20	Walnut polyphenol metabolites, urolithins A and B, inhibit the expression of the prostate-specific antigen and the androgen receptor in prostate cancer cells. <i>Food and Function</i> , 2014, 5, 2922-2930.	4.6	57
21	Control of glycogen synthase phosphorylation in isolated rat hepatocytes by epinephrine, vasopressin and glucagon. <i>FEBS Journal</i> , 1984, 142, 511-520.	0.2	54
22	Networking of differentially expressed genes in human cancer cells resistant to methotrexate. <i>Genome Medicine</i> , 2009, 1, 83.	8.2	52
23	Glucose 6-phosphate plays a central role in the activation of glycogen synthase by glucose in hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , 1986, 141, 1195-1200.	2.1	50
24	Role of Caveolin 1, E-Cadherin, Enolase 2 and PKCalpha on resistance to methotrexate in human HT29 colon cancer cells. <i>BMC Medical Genomics</i> , 2008, 1, 35.	1.5	50
25	Targeting of sterically stabilised pH-sensitive liposomes to human T-leukaemia cells. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2005, 59, 359-366.	4.3	49
26	Urolithin A causes p21 up-regulation in prostate cancer cells. <i>European Journal of Nutrition</i> , 2016, 55, 1099-1112.	3.9	49
27	Retinoblastoma protein associates with SP1 and activates the hamster dihydrofolate reductase promoter. <i>Oncogene</i> , 1998, 16, 1931-1938.	5.9	47
28	Epicatechin and a Cocoa Polyphenolic Extract Modulate Gene Expression in Human Caco-2 Cells. <i>Journal of Nutrition</i> , 2004, 134, 2509-2516.	2.9	44
29	A Lyophilized Red Grape Pomace Containing Proanthocyanidin-Rich Dietary Fiber Induces Genetic and Metabolic Alterations in Colon Mucosa of Female C57BL/6J Mice. <i>Journal of Nutrition</i> , 2011, 141, 1597-1604.	2.9	44
30	Modulation of IMPDH2, survivin, topoisomerase I and vimentin increases sensitivity to methotrexate in HT29 human colon cancer cells. <i>FEBS Journal</i> , 2005, 272, 696-710.	4.7	38
31	Polypurine Hairpins Directed against the Template Strand of DNA Knock Down the Expression of Mammalian Genes. <i>Journal of Biological Chemistry</i> , 2009, 284, 11579-11589.	3.4	38
32	Resveratrol and Related Stilbenoids, Nutraceutical/Dietary Complements with Health-Promoting Actions: Industrial Production, Safety, and the Search for Mode of Action. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2018, 17, 808-826.	11.7	38
33	The inactivation of glycogen phosphorylase is not a prerequisite for the activation of liver glycogen synthase. <i>FEBS Letters</i> , 1979, 99, 321-324.	2.8	35
34	Polypurine reverse Hoogsteen hairpins as a gene therapy tool against survivin in human prostate cancer PC3 cells in vitro and in vivo. <i>Biochemical Pharmacology</i> , 2013, 86, 1541-1554.	4.4	32
35	Anti-migratory and anti-angiogenic effect of p16: A novel localization at membrane ruffles and lamellipodia in endothelial cells. <i>Angiogenesis</i> , 2004, 7, 323-333.	7.2	30
36	Insulin inactivation of rat hepatocyte cyclic AMP-dependent protein kinase. <i>FEBS Letters</i> , 1981, 136, 131-134.	2.8	29

#	ARTICLE	IF	CITATIONS
37	Glycogen synthase activation by sugars in isolated hepatocytes. Archives of Biochemistry and Biophysics, 1988, 264, 30-39.	3.0	29
38	Gene Identification by cDNA Arrays in HPV-Positive Cervical Cancer. Archives of Medical Research, 2005, 36, 448-458.	3.3	29
39	Complexes of Pd(II) and Pt(II) with 9-Aminoacridine: Reactions with DNA and Study of Their Antiproliferative Activity. Bioinorganic Chemistry and Applications, 2007, 2007, 1-15.	4.1	29
40	Sp1 involvement in the 4 β -phorbol 12-myristate 13-acetate (TPA)-mediated increase in resistance to methotrexate in Chinese hamster ovary cells. FEBS Journal, 2001, 268, 3163-3173.	0.2	28
41	Insulin activation of basal hepatic glycogen synthase. FEBS Letters, 1981, 129, 123-126.	2.8	27
42	UDP-glucuronosyltransferase 1A6 overexpression in breast cancer cells resistant to methotrexate. Biochemical Pharmacology, 2011, 81, 60-70.	4.4	27
43	Identification of novel Sp1 targets involved in proliferation and cancer by functional genomics. Biochemical Pharmacology, 2012, 84, 1581-1591.	4.4	27
44	Silencing of CD47 and SIRP α by Polypurine reverse Hoogsteen hairpins to promote MCF-7 breast cancer cells death by PMA-differentiated THP-1 cells. BMC Immunology, 2016, 17, 32.	2.2	27
45	An Intron Is Required for Dihydrofolate Reductase Protein Stability. Journal of Biological Chemistry, 2003, 278, 38292-38300.	3.4	26
46	Coding Polypurine Hairpins Cause Target-Induced Cell Death in Breast Cancer Cells. Human Gene Therapy, 2011, 22, 451-463.	2.7	26
47	Stability and Immunogenicity Properties of the Gene-Silencing Polypurine Reverse Hoogsteen Hairpins. Molecular Pharmaceutics, 2014, 11, 254-264.	4.6	26
48	Cell-Growth Regulation of the Hamster Dihydrofolate Reductase Gene Promoter by Transcription Factor Sp1. FEBS Journal, 1997, 249, 13-20.	0.2	25
49	Differences in the Formation of PPAR α -RXR α PPRE Complexes between Responsive and Nonresponsive Species upon Fibrate Administration. Molecular Pharmacology, 2000, 58, 185-193.	2.3	25
50	Strand Displacement of Double-Stranded DNA by Triplex-Forming Antiparallel Purine-Hairpins. Oligonucleotides, 2005, 15, 269-283.	2.7	25
51	Overexpression of S100A4 in human cancer cell lines resistant to methotrexate. BMC Cancer, 2010, 10, 250.	2.6	25
52	New π -arene ruthenium(II) piano-stool complexes with nitrogen ligands. Journal of Inorganic Biochemistry, 2012, 109, 72-81.	3.5	25
53	Alcohol enhances the psychostimulant and conditioning effects of mephedrone in adolescent mice; postulation of unique roles of D ₃ receptors and BDNF in place preference acquisition. British Journal of Pharmacology, 2015, 172, 4970-4984.	5.4	25
54	CYP1A1 is overexpressed upon incubation of breast cancer cells with a polyphenolic cocoa extract. European Journal of Nutrition, 2012, 51, 465-476.	3.9	24

#	ARTICLE	IF	CITATIONS
55	Purine enzyme profile in human colon-carcinoma cell lines and differential sensitivity to deoxycoformycin and 2- ^{deoxyadenosine} in combination. <i>International Journal of Cancer</i> , 1995, 62, 176-183.	5.1	22
56	Differentially expressed genes between high-risk human papillomavirus types in human cervical cancer cells. <i>International Journal of Gynecological Cancer</i> , 2007, 17, 484-491.	2.5	20
57	Effect of Polypurine Reverse Hoogsteen Hairpins on Relevant Cancer Target Genes in Different Human Cell Lines. <i>Nucleic Acid Therapeutics</i> , 2015, 25, 198-208.	3.6	20
58	Short-term oleoyl-estrone treatment affects capacity to manage lipids in rat adipose tissue. <i>BMC Genomics</i> , 2007, 8, 292.	2.8	19
59	Improved Design of PPRHs for Gene Silencing. <i>Molecular Pharmaceutics</i> , 2015, 12, 867-877.	4.6	19
60	Polypurine Reverse Hoogsteen Hairpins as a Gene Silencing Tool for Cancer. <i>Current Medicinal Chemistry</i> , 2017, 24, 2809-2826.	2.4	19
61	Synthesis of glycogen from fructose in the presence of elevated levels of glycogen phosphorylase a in rat hepatocytes. <i>Molecular and Cellular Biochemistry</i> , 1980, 30, 33-38.	3.1	18
62	Glycogen synthesis from glucose and fructose in hepatocytes from diabetic rats. <i>Archives of Biochemistry and Biophysics</i> , 1988, 267, 437-447.	3.0	18
63	Silencing of Foxp3 enhances the antitumor efficacy of GM-CSF genetically modified tumor cell vaccine against B16 melanoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 503-514.	2.0	18
64	The Redox State of Cytochrome C Modulates Resistance to Methotrexate in Human MCF7 Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e63276.	2.5	18
65	Coffee Polyphenols Change the Expression of STAT5B and ATF-2 Modifying Cyclin D1 Levels in Cancer Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-17.	4.0	17
66	A highly efficient electroporation method for the transfection of endothelial cells. <i>Angiogenesis</i> , 2004, 7, 235-241.	7.2	16
67	Cancer immunotherapy using PolyPurine Reverse Hoogsteen hairpins targeting the PD-1/PD-L1 pathway in human tumor cells. <i>PLoS ONE</i> , 2018, 13, e0206818.	2.5	16
68	Activation of hepatocyte glycogen synthase by metabolic inhibitors. <i>Archives of Biochemistry and Biophysics</i> , 1986, 250, 469-475.	3.0	15
69	Effect of Differential Polyadenylation and Cell Growth Phase on Dihydrofolate Reductase mRNA Stability. <i>Journal of Biological Chemistry</i> , 1999, 274, 27807-27814.	3.4	15
70	Expression Profiles of a Human Pancreatic Cancer Cell Line upon Induction of Apoptosis Search for Modulators in Cancer Therapy. <i>Oncology</i> , 2004, 67, 277-290.	1.9	15
71	Characterization of the 5'-flanking region of the human transcription factor Sp3 gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2005, 1730, 126-136.	2.4	15
72	Cocoa flavanol metabolites activate <i>HNF1α</i> , <i>S</i> p1, and <i>NFY</i> -mediated transcription of apolipoprotein <i>A1</i> in human cells. <i>Molecular Nutrition and Food Research</i> , 2013, 57, 986-995.	3.3	14

#	ARTICLE	IF	CITATIONS
73	Functional pharmacogenomics and toxicity of PolyPurine Reverse Hoogsteen hairpins directed against survivin in human cells. <i>Biochemical Pharmacology</i> , 2018, 155, 8-20.	4.4	13
74	Nucleic acids therapeutics using PolyPurine Reverse Hoogsteen hairpins. <i>Biochemical Pharmacology</i> , 2021, 189, 114371.	4.4	13
75	Differential induction of stearyl-CoA desaturase and acyl-CoA oxidase genes by fibrates in HepG2 cells. <i>Biochemical Pharmacology</i> , 2001, 61, 357-364.	4.4	12
76	Transcriptional regulation of the 5' flanking region of the human transcription factor Sp3 gene by NF-1, c-Myb, B-Myb, AP-1 and E2F. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2008, 1779, 318-329.	1.9	12
77	Polypurine reverse-Hoogsteen (PPRH) oligonucleotides can form triplexes with their target sequences even under conditions where they fold into G-quadruplexes. <i>Scientific Reports</i> , 2017, 7, 39898.	3.3	11
78	Correction of the aprt Gene Using Repair-Polypurine Reverse Hoogsteen Hairpins in Mammalian Cells. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 683-695.	5.1	11
79	Different effects of glucagon and epinephrine on the kinetic properties of liver glycogen synthase. <i>FEBS Letters</i> , 1983, 151, 76-78.	2.8	10
80	The expression of retinoblastoma and Sp1 is increased by low concentrations of cyclin-dependent kinase inhibitors. <i>FEBS Journal</i> , 2003, 270, 4809-4822.	0.2	10
81	Validation of miRNA-mRNA interactions by electrophoretic mobility shift assays. <i>BMC Research Notes</i> , 2013, 6, 454.	1.4	10
82	Correction of point mutations at the endogenous locus of the dihydrofolate reductase gene using repair-Polypurine Reverse Hoogsteen hairpins in mammalian cells. <i>Biochemical Pharmacology</i> , 2016, 110-111, 16-24.	4.4	10
83	Parallel Clamps and Polypurine Hairpins (PPRH) for Gene Silencing and Triplex Affinity Capture: Design, Synthesis, and Use. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2019, 77, e78.	0.5	10
84	Targeting replication stress response using polypurine reverse hoogsteen hairpins directed against WEE1 and CHK1 genes in human cancer cells. <i>Biochemical Pharmacology</i> , 2020, 175, 113911.	4.4	10
85	Determination of Dihydrofolate Reductase Gene Amplification from Single Cell Colonies by Quantitative Polymerase Chain Reaction. <i>Analytical Biochemistry</i> , 1995, 224, 600-603.	2.4	9
86	Identification by RNA-based arbitrarily primed PCR of the involvement of cytochrome c oxidase in the development of resistance to methotrexate. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2000, 1495, 319-326.	4.1	9
87	Development and Effects of Immunoliposomes Carrying an Antisense Oligonucleotide Against DHFR RNA and Directed Toward Human Breast Cancer Cells Overexpressing HER2. <i>Oligonucleotides</i> , 2002, 12, 311-325.	4.3	9
88	Repair of Single-Point Mutations by Polypurine Reverse Hoogsteen Hairpins. <i>Human Gene Therapy Methods</i> , 2014, 25, 288-302.	2.1	9
89	A genomics approach identifies selective effects of trans-resveratrol in cerebral cortex neuron and glia gene expression. <i>PLoS ONE</i> , 2017, 12, e0176067.	2.5	9
90	Silencing PD-1 and PD-L1: the potential of PolyPurine Reverse Hoogsteen hairpins for the elimination of tumor cells. <i>Immunotherapy</i> , 2019, 11, 369-372.	2.0	9

#	ARTICLE	IF	CITATIONS
91	Gene expression profiles in rat mesenteric lymph nodes upon supplementation with Conjugated Linoleic Acid during gestation and suckling. <i>BMC Genomics</i> , 2011, 12, 182.	2.8	8
92	Antitumoral and anti-inflammatory activities of the red alga <i>Sphaerococcus coronopifolius</i> . <i>European Journal of Integrative Medicine</i> , 2018, 18, 66-74.	1.7	8
93	Effects of glucagon and insulin on the cyclic AMP binding capacity of hepatocyte cyclic AMP-dependent protein kinase. <i>Molecular and Cellular Biochemistry</i> , 1987, 73, 37-44.	3.1	7
94	Protein kinase C inhibitors reduce phorbol ester-induced resistance to methotrexate in Chinese hamster ovary cells. <i>Biochemical Pharmacology</i> , 1995, 50, 337-346.	4.4	7
95	Detection of a G-Quadruplex as a Regulatory Element in Thymidylate synthase for Gene Silencing Using Polypurine Reverse Hoogsteen Hairpins. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5028.	4.1	7
96	Synthesis and validation of DOPY: A new gemini dioleylbispyridinium based amphiphile for nucleic acid transfection. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 165, 279-292.	4.3	7
97	Effects of anti-sense oligonucleotides directed toward dihydrofolate reductase RNA in mammalian cultured cells. , 1999, 81, 785-792.		6
98	Molecular and functional characterization of LRP1 promoter polymorphism c.1-25 C>G (rs138854007). <i>Atherosclerosis</i> , 2014, 233, 178-185.	0.8	6
99	Gene Correction of Point Mutations Using PolyPurine Reverse Hoogsteen Hairpins Technology. <i>Frontiers in Genome Editing</i> , 2020, 2, 583577.	5.2	6
100	Transcriptional profiling of striatal neurons in response to single or concurrent activation of dopamine D2, adenosine A2A and metabotropic glutamate type 5 receptors: Focus on beta-synuclein expression. <i>Gene</i> , 2012, 508, 199-205.	2.2	5
101	<p>g-Nomic: a new pharmacogenetics interpretation software</p>. <i>Pharmacogenomics and Personalized Medicine</i> , 2019, Volume 12, 75-85.	0.7	5
102	Polypurine Reverse-Hoogsteen Hairpins as a Tool for Exon Skipping at the Genomic Level in Mammalian Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3784.	4.1	5
103	Phosphorylation of glycogen synthase in isolated rabbit hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984, 804, 261-263.	4.1	4
104	A novel muscle DNA-binding activity in the GLUT1 promoter. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 709-720.	5.4	4
105	Targeting KRAS Regulation with PolyPurine Reverse Hoogsteen Oligonucleotides. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2097.	4.1	4
106	Inactivation of basal glycogen synthase by glucagon and epinephrine in hepatocytes from fed rats. <i>FEBS Letters</i> , 1986, 200, 47-50.	2.8	3
107	Inhibition of CD4 Expression by Antisense Oligonucleotides in PMA-Treated Lymphocytes. <i>Oligonucleotides</i> , 2002, 12, 399-410.	4.3	3
108	CD4 Expression Decrease by Antisense Oligonucleotides: Inhibition of Rat T CD4+ Cell Reactivity. <i>Oligonucleotides</i> , 2003, 13, 217-228.	2.7	3

#	ARTICLE	IF	CITATIONS
109	PolyPurine Reverse Hoogsteen Hairpins Work as RNA Species for Gene Silencing. International Journal of Molecular Sciences, 2021, 22, 10025.	4.1	3
110	A novel DNA-binding motif in prostate tumor overexpressed-1 (PTOV1) required for the expression of ALDH1A1 and CCNG2 in cancer cells. Cancer Letters, 2019, 452, 158-167.	7.2	2
111	Urolithin A, Walnut Polyphenol Metabolite, Causes Cell Cycle Arrest and Apoptosis in Prostate and Breast Cancer Cells. FASEB Journal, 2015, 29, 752.7.	0.5	1
112	4.P.128 Rat morris 7800 C1 and human HepG2 hepatoma cells - differences in their RXR and PPAR α /NUC1 content. Atherosclerosis, 1997, 134, 322.	0.8	0
113	986: Urolithins A and B, walnut polyphenol metabolites, modulate androgen receptor expression in a prostate cancer cell model. European Journal of Cancer, 2014, 50, S240-S241.	2.8	0
114	Case Report: Fatigue and Bleeding in a Polymedicated Patient Using Several Herbal Supplementations, Detected with g-Nomic \hat{A} ® Software. Pharmacogenomics and Personalized Medicine, 2021, Volume 14, 963-970.	0.7	0