

James J Bieker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/61553/publications.pdf>

Version: 2024-02-01

91
papers

4,747
citations

136950

32
h-index

98798

67
g-index

97
all docs

97
docs citations

97
times ranked

4220
citing authors

#	ARTICLE	IF	CITATIONS
1	EKLF/KLF1 expression defines a unique macrophage subset during mouse erythropoiesis. <i>ELife</i> , 2021, 10, .	6.0	21
2	Congenital Anemia Phenotypes Due to KLF1 Mutations. <i>Journal of Pediatric Hematology/Oncology</i> , 2021, 43, e148-e149.	0.6	3
3	The Glucocorticoid Receptor-Dependent Stress Response in Human Erythropoiesis Is BCL11A-Dependent. <i>Blood</i> , 2021, 138, 939-939.	1.4	0
4	Transcriptional Control of Gene Expression and the Heterogeneous Cellular Identity of Erythroblastic Island Macrophages. <i>Frontiers in Genetics</i> , 2021, 12, 756028.	2.3	10
5	EKLF/Klf1 Regulates Erythroid Transcription By Its Pioneering Activity and Subsequent Control of RNA Pol II Pause-Release. <i>Blood</i> , 2021, 138, 283-283.	1.4	0
6	Isolation of Healthy F4/80+ Macrophages from Embryonic day E13.5 Mouse Fetal Liver Using Magnetic Nanoparticles for Single Cell Sequencing. <i>Bio-protocol</i> , 2021, 11, e4243.	0.4	2
7	A <i>KrÄ½ppel-like factor 1</i> (<i>KLF1</i>) Mutation Associated with Severe Congenital Dyserythropoietic Anemia Alters Its DNA-Binding Specificity. <i>Molecular and Cellular Biology</i> , 2020, 40, .	2.3	10
8	Severe anemia caused by dominant mutations in <i>KrÄ½ppel-like factor 1</i> (KLF1). <i>Mutation Research - Reviews in Mutation Research</i> , 2020, 786, 108336.	5.5	11
9	A human H1-HBB11-GFP reporter embryonic stem cell line (WAe001-A-2) generated using TALEN-based genome editing. <i>Stem Cell Research</i> , 2020, 45, 101837.	0.7	1
10	KLF1/EKLF expression in acute leukemia is correlated with chromosomal abnormalities. <i>Blood Cells, Molecules, and Diseases</i> , 2020, 83, 102434.	1.4	4
11	A master erythroid regulator gets its own GPS. <i>Blood</i> , 2020, 135, 2209-2210.	1.4	1
12	Genetic disarray follows mutant KLF1-E325K expression in a congenital dyserythropoietic anemia patient. <i>Haematologica</i> , 2019, 104, 2372-2380.	3.5	17
13	Cytokine-Regulated Phosphorylation and Activation of TET2 by JAK2 in Hematopoiesis. <i>Cancer Discovery</i> , 2019, 9, 778-795.	9.4	41
14	Survey and evaluation of mutations in the human KLF1 transcription unit. <i>Scientific Reports</i> , 2018, 8, 6587.	3.3	5
15	Mutant KLF1 in Adult Anemic Nan Mice Leads to Profound Transcriptome Changes and Disordered Erythropoiesis. <i>Scientific Reports</i> , 2018, 8, 12793.	3.3	14
16	Neomorphic effects of the <i>neonatal anemia</i> (<i>Nan-Eklf</i>) mutation contribute to deficits throughout development. <i>Development (Cambridge)</i> , 2017, 144, 430-440.	2.5	19
17	Orchestration of late events in erythropoiesis by KLF1/EKLF. <i>Current Opinion in Hematology</i> , 2017, 24, 183-190.	2.5	62
18	Promiscuous DNA-binding of a mutant zinc finger protein corrupts the transcriptome and diminishes cell viability. <i>Nucleic Acids Research</i> , 2017, 45, 1130-1143.	14.5	33

#	ARTICLE	IF	CITATIONS
19	Krüppeling erythropoiesis: an unexpected broad spectrum of human red blood cell disorders due to KLF1 variants. <i>Blood</i> , 2016, 127, 1856-1862.	1.4	124
20	EKLF/KLF1-regulated cell cycle exit is essential for erythroblast enucleation. <i>Blood</i> , 2016, 128, 1631-1641.	1.4	64
21	Cis-vaccenic acid induces differentiation and up-regulates gamma globin synthesis in K562, JK1 and transgenic mice erythroid progenitor stem cells. <i>European Journal of Pharmacology</i> , 2016, 776, 9-18.	3.5	2
22	Identifying Novel Modifiers of Embryonic Globin Expression By Combining Chipseq, Rnaseq and eQTL Mapping in the Adult Nan Mouse Model. <i>Blood</i> , 2016, 128, 398-398.	1.4	0
23	Transcriptional Activity of Erythroid Kruppel-like Factor (EKLF/KLF1) Modulated by PIAS3 (Protein) Tj ETQq1 1 0.784314 rgBT /Overloc	3.4	7
24	The DEK Oncoprotein Is a Critical Component of the EKLF/KLF1 Enhancer in Erythroid Cells. <i>Molecular and Cellular Biology</i> , 2015, 35, 3726-3738.	2.3	14
25	Alternative splicing of EKLF/KLF1 in murine primary erythroid tissues. <i>Experimental Hematology</i> , 2015, 43, 65-70.	0.4	3
26	A Systems Approach Identifies Essential FOXO3 Functions at Key Steps of Terminal Erythropoiesis. <i>PLoS Genetics</i> , 2015, 11, e1005526.	3.5	55
27	Degenerate DNA Binding By Mutant (E339D) KLF1 Dramatically Alters the Erythroid Transcriptome in the Nan Mouse Model. <i>Blood</i> , 2015, 126, 932-932.	1.4	0
28	Identification of NuRSERY, a new functional HDAC complex composed by HDAC5, GATA1, EKLF and pERK present in human erythroid cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2014, 50, 112-122.	2.8	23
29	Extrinsic and intrinsic control by EKLF (KLF1) within a specialized erythroid niche. <i>Development (Cambridge)</i> , 2014, 141, 2245-2254.	2.5	30
30	Transcription factor EKLF (KLF1) recruitment of the histone chaperone HIRA is essential for β^2 -globin gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 13337-13342.	7.1	26
31	KLF1: when less is more. <i>Blood</i> , 2014, 124, 672-673.	1.4	12
32	New Insights into the Mechanism of Dominant Anemia Caused By Zinc Finger Mutations in KLF1. <i>Blood</i> , 2014, 124, 740-740.	1.4	0
33	Erythroid transcription factor EKLF/KLF1 mutation causing congenital dyserythropoietic anemia type IV in a patient of Taiwanese origin: Review of all reported cases and development of a clinical diagnostic paradigm. <i>Blood Cells, Molecules, and Diseases</i> , 2013, 51, 71-75.	1.4	68
34	EKLF/KLF1, a Tissue-Restricted Integrator of Transcriptional Control, Chromatin Remodeling, and Lineage Determination. <i>Molecular and Cellular Biology</i> , 2013, 33, 4-13.	2.3	72
35	T-cell Acute Leukemia 1 (TAL1) Regulation of Erythropoietin Receptor and Association with Excessive Erythrocytosis. <i>Journal of Biological Chemistry</i> , 2012, 287, 36720-36731.	3.4	13
36	Functional Interactions between Erythroid Kruppel-like Factor (EKLF/KLF1) and Protein Phosphatase PPM1B/PP2C β . <i>Journal of Biological Chemistry</i> , 2012, 287, 15193-15204.	3.4	19

#	ARTICLE	IF	CITATIONS
37	Identification of a New Functional HDAC Complex Composed by HDAC5, GATA1 and EKLf in Human Erythroid Cells. <i>Blood</i> , 2012, 120, 979-979.	1.4	0
38	The multifunctional role of EKLf/KLF1 during erythropoiesis. <i>Blood</i> , 2011, 118, 2044-2054.	1.4	252
39	GATA2 finds its macrophage niche. <i>Blood</i> , 2011, 118, 2647-2649.	1.4	5
40	Structural and functional characterization of an atypical activation domain in erythroid Krüppel-like factor (EKLf). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10484-10489.	7.1	45
41	Case Report of Erythroid Transcription Factor EKLf Mutation Causing a Rare Form of Congenital Dyserythropoetic Anemia in a Patient of Taiwanese Origin. <i>Blood</i> , 2011, 118, 2154-2154.	1.4	5
42	Preferential associations between co-regulated genes reveal a transcriptional interactome in erythroid cells. <i>Nature Genetics</i> , 2010, 42, 53-61.	21.4	652
43	Putting a finger on the switch. <i>Nature Genetics</i> , 2010, 42, 733-734.	21.4	23
44	EKLf Directly Activates the p21 ^{WAF1/CIP1} Gene by Proximal Promoter and Novel Intronic Regulatory Regions during Erythroid Differentiation. <i>Molecular and Cellular Biology</i> , 2010, 30, 2811-2822.	2.3	34
45	Design of embedded chimeric peptide nucleic acids that efficiently enter and accurately reactivate gene expression in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 16846-16851.	7.1	15
46	Severe anemia in the <i>Nan</i> mutant mouse caused by sequence-selective disruption of erythroid Krüppel-like factor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15151-15156.	7.1	62
47	Distinct modes of gene regulation by a cell-specific transcriptional activator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4213-4218.	7.1	28
48	Erythroid Kruppel-like factor (EKLf) is recruited to the β -globin gene promoter as a coactivator and is required for β -globin gene induction by short-chain fatty acid derivatives. <i>European Journal of Haematology</i> , 2009, 82, 466-476.	2.2	25
49	Ontogenic-Specific Increases in HDAC1 Activity and Transcription Factor Association During the Maturation of Human Adult Erythroblasts in Vitro. <i>Blood</i> , 2009, 114, 1978-1978.	1.4	0
50	Non-random subcellular distribution of variant EKLf in erythroid cells. <i>Experimental Cell Research</i> , 2008, 314, 1595-1604.	2.6	23
51	Chapter 2 The Erythroblastic Island. <i>Current Topics in Developmental Biology</i> , 2008, 82, 23-53.	2.2	141
52	Acetylation of EKLf Is Essential for Epigenetic Modification and Transcriptional Activation of the β -Globin Locus. <i>Molecular and Cellular Biology</i> , 2008, 28, 6160-6170.	2.3	29
53	Activation of <i>Eklf</i> expression during hematopoiesis by <i>Gata2</i> and <i>Smad5</i> prior to erythroid commitment. <i>Development (Cambridge)</i> , 2008, 135, 2071-2082.	2.5	52
54	Preface. <i>Current Topics in Developmental Biology</i> , 2008, 82, XI-XV.	2.2	0

#	ARTICLE	IF	CITATIONS
55	Blood group antigens reveal their maker. <i>Blood</i> , 2008, 112, 1554-1555.	1.4	1
56	Sumoylation of EKLf Promotes Transcriptional Repression and Is Involved in Inhibition of Megakaryopoiesis. <i>Molecular and Cellular Biology</i> , 2007, 27, 8547-8560.	2.3	69
57	Novel role for EKLf in megakaryocyte lineage commitment. <i>Blood</i> , 2007, 110, 3871-3880.	1.4	117
58	Altered regulation of β -like globin genes by a redesigned erythroid transcription factor. <i>Experimental Hematology</i> , 2007, 35, 39-47.	0.4	13
59	Multiple Defects of Both Primitive and Definitive Erythrocytes in EKLf-Deficient Mice.. <i>Blood</i> , 2007, 110, 1234-1234.	1.4	0
60	EKLf Is Recruited to the β -Globin Gene Promoter as a Co-Activator and Is Required for β -Globin Gene Induction by Short-Chain Fatty Acids.. <i>Blood</i> , 2007, 110, 1771-1771.	1.4	0
61	EKLf/KLF1 is ubiquitinated in vivo and its stability is regulated by activation domain sequences through the 26S proteasome. <i>FEBS Letters</i> , 2006, 580, 2285-2293.	2.8	28
62	Novel Role for EKLf in Megakaryocyte-Erythroid Differential Lineage Commitment.. <i>Blood</i> , 2006, 108, 4205-4205.	1.4	4
63	Defects in E2F1/2 Expression Are Associated with Abnormalities in Cell Cycle and Differentiation in EKLf-Deficient Erythroid Cells.. <i>Blood</i> , 2006, 108, 84-84.	1.4	0
64	An unexpected entry into the globin real estate market. <i>Blood</i> , 2005, 106, 2230-2231.	1.4	1
65	Chromatin domain activation via GATA-1 utilization of a small subset of dispersed GATA motifs within a broad chromosomal region. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17065-17070.	7.1	117
66	A Differentiation Block in Erythroid Cells Lacking Erythroid Kruppel-Like Factor (EKLf).. <i>Blood</i> , 2005, 106, 526-526.	1.4	0
67	Probing the onset and regulation of erythroid cell-specific gene expression. <i>Mount Sinai Journal of Medicine</i> , 2005, 72, 333-8.	1.9	22
68	Activation and Repression of Interleukin-12 p40 Transcription by Erythroid Kruppel-like Factor in Macrophages. <i>Journal of Biological Chemistry</i> , 2004, 279, 18451-18456.	3.4	51
69	Stage-Specific Repression by the EKLf Transcriptional Activator. <i>Molecular and Cellular Biology</i> , 2004, 24, 10416-10424.	2.3	70
70	Regulatory elements of the EKLf gene that direct erythroid cell-specific expression during mammalian development. <i>Blood</i> , 2004, 103, 4078-4083.	1.4	29
71	Krüppel-like Zinc Fingers Bind to Nuclear Import Proteins and Are Required for Efficient Nuclear Localization of Erythroid Krüppel-like Factor. <i>Journal of Biological Chemistry</i> , 2002, 277, 32243-32252.	3.4	60
72	The BMP/BMPR/Smad pathway directs expression of the erythroid-specific EKLf and GATA1 transcription factors during embryoid body differentiation in serum-free media. <i>Development (Cambridge)</i> , 2002, 129, 539-549.	2.5	85

#	ARTICLE	IF	CITATIONS
73	The BMP/BMPR/Smad pathway directs expression of the erythroid-specific EKLK and GATA1 transcription factors during embryoid body differentiation in serum-free media. <i>Development (Cambridge)</i> , 2002, 129, 539-49.	2.5	41
74	KrÄ½ppel-like Factors: Three Fingers in Many Pies. <i>Journal of Biological Chemistry</i> , 2001, 276, 34355-34358.	3.4	544
75	Site-Specific Acetylation by p300 or CREB Binding Protein Regulates Erythroid Krüppel-Like Factor Transcriptional Activity via Its Interaction with the SWI-SNF Complex. <i>Molecular and Cellular Biology</i> , 2001, 21, 2413-2422.	2.3	168
76	Unanticipated Repression Function Linked to Erythroid Krüppel-Like Factor. <i>Molecular and Cellular Biology</i> , 2001, 21, 3118-3125.	2.3	72
77	Erythroid KrÄ½ppel-like transcription factor (Eklf) maps to a region of mouse Chromosome 8 syntenic with human Chromosome 19. <i>Mammalian Genome</i> , 1998, 9, 174-176.	2.2	7
78	A SWI/SNF-Related Chromatin Remodeling Complex, E-RC1, Is Required for Tissue-Specific Transcriptional Regulation by EKLK In Vitro. <i>Cell</i> , 1998, 95, 93-104.	28.9	291
79	Chromatin Structure and Transcriptional Control Elements of the Erythroid KrÄ½ppel-like Factor (EKLK) Gene. <i>Journal of Biological Chemistry</i> , 1998, 273, 25031-25040.	3.4	30
80	Regulation of Erythroid KrÄ½ppel-like Factor (EKLK) Transcriptional Activity by Phosphorylation of a Protein Kinase Casein Kinase II Site within Its Interaction Domain. <i>Journal of Biological Chemistry</i> , 1998, 273, 23019-23025.	3.4	56
81	Transcription Factor Erythroid KrÄ½ppel-like Factor (ELK) Is Essential for the Erythropoietin-induced Hemoglobin Production but Not for Proliferation, Viability, or Morphological Maturation. <i>Journal of Biological Chemistry</i> , 1998, 273, 23793-23798.	3.4	21
82	Erythroid-specific transcription. <i>Current Opinion in Hematology</i> , 1998, 5, 145-150.	2.5	19
83	A Shortened Life Span of EKLK ^{+/+} Adult Erythrocytes, Due to a Deficiency of Î²-Globin Chains, Is Ameliorated by Human Î³-Globin Chains. <i>Blood</i> , 1997, 90, 1291-1299.	1.4	42
84	Isolation, Genomic Structure, and Expression of Human Erythroid KrÄ½ppel-Like Factor (EKLK). <i>DNA and Cell Biology</i> , 1996, 15, 347-352.	1.9	82
85	Erythroid KrÄ½ppel-like factor exhibits an early and sequentially localized pattern of expression during mammalian erythroid ontogeny. <i>Developmental Dynamics</i> , 1996, 206, 248-259.	1.8	101
86	Role of Erythroid Krüppel-like Factor in Human Î³- to Î²-Globin Gene Switching. <i>Journal of Biological Chemistry</i> , 1995, 270, 1955-1959.	3.4	197
87	Formation of a rate-limiting intermediate in 5S RNA gene transcription. <i>Cell</i> , 1985, 40, 119-127.	28.9	219
88	The single-strands of yeast autonomously replicating DNA segments are not recognized as origins of replication by Escherichiacoli DNA replication proteins. <i>Biochemical and Biophysical Research Communications</i> , 1981, 101, 194-200.	2.1	0
89	An easy, quantitative method for detection of endonuclease activity. <i>Analytical Biochemistry</i> , 1980, 108, 285-289.	2.4	0
90	EKLK and the Development of the Erythroid Lineage. , 0, , 71-84.		11

#	ARTICLE	IF	CITATIONS
91	Erythroid KrÄppel-like factor exhibits an early and sequentially localized pattern of expression during mammalian erythroid ontogeny. , 0, .		1