Pekka Jakkula

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6155936/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Targeting low-normal or high-normal mean arterial pressure after cardiac arrest and resuscitation: a randomised pilot trial. Intensive Care Medicine, 2018, 44, 2091-2101.	3.9	146
2	Targeting two different levels of both arterial carbon dioxide and arterial oxygen after cardiac arrest and resuscitation: a randomised pilot trial. Intensive Care Medicine, 2018, 44, 2112-2121.	3.9	132
3	Neurofilament light as an outcome predictor after cardiac arrest: a post hoc analysis of the COMACARE trial. Intensive Care Medicine, 2021, 47, 39-48.	3.9	90
4	Optimum Blood Pressure in Patients With Shock After Acute Myocardial Infarction and Cardiac Arrest. Journal of the American College of Cardiology, 2020, 76, 812-824.	1.2	59
5	Conservative or liberal oxygen therapy in adults after cardiac arrest. Resuscitation, 2020, 157, 15-22.	1.3	45
6	Near-infrared spectroscopy after out-of-hospital cardiac arrest. Critical Care, 2019, 23, 171.	2.5	34
7	Targeting low- or high-normal Carbon dioxide, Oxygen, and Mean arterial pressure After Cardiac Arrest and REsuscitation: study protocol for a randomized pilot trial. Trials, 2017, 18, 507.	0.7	22
8	Association of deranged cerebrovascular reactivity with brain injury following cardiac arrest: a post-hoc analysis of the COMACARE trial. Critical Care, 2021, 25, 350.	2.5	17
9	GFAp and tau protein as predictors of neurological outcome after out-of-hospital cardiac arrest: A post hoc analysis of the COMACARE trial. Resuscitation, 2022, 170, 141-149.	1.3	13
10	Serum fibroblast growth factor 21 levels after out of hospital cardiac arrest are associated with neurological outcome. Scientific Reports, 2021, 11, 690.	1.6	9
11	Cerebrovascular autoregulation following cardiac arrest: Protocol for a post hoc analysis of the randomised COMACARE pilot trial. Acta Anaesthesiologica Scandinavica, 2019, 63, 1272-1277.	0.7	5
12	High Oxygen Does Not Increase Reperfusion Injury Assessed with Lipid Peroxidation Biomarkers after Cardiac Arrest: A Post Hoc Analysis of the COMACARE Trial. Journal of Clinical Medicine, 2021, 10, 4226.	1.0	3
13	NSE concentrations and haemolysis after cardiac arrest. Intensive Care Medicine, 2019, 45, 741-742.	3.9	1