

Jeng-Yu Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6156458/publications.pdf>

Version: 2024-02-01

99
papers

5,086
citations

81839

39
h-index

91828

69
g-index

99
all docs

99
docs citations

99
times ranked

5660
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly hydrophilic electrodeposited NiS/Ni ₃ S ₂ interlaced nanosheets with surface-enriched Ni ³⁺ sites as binder-free flexible cathodes for high-rate hybrid supercapacitors. <i>Applied Surface Science</i> , 2022, 579, 151923.	3.1	23
2	High-performance hybrid supercapacitors based on electrodeposited amorphous bimetallic nickel cobalt phosphide nanosheets. <i>Journal of Alloys and Compounds</i> , 2022, 897, 163031.	2.8	25
3	A tailor-made deep eutectic solvent for 2.2ÅV wide temperature-tolerant supercapacitors via optimization of N,N-dimethylformamide/water co-solvents. <i>Journal of Power Sources</i> , 2022, 521, 230954.	4.0	12
4	Co-solvent modified methylsulfonylmethane-based hybrid deep eutectic solvent electrolytes for high-voltage symmetric supercapacitors. <i>Electrochimica Acta</i> , 2022, 424, 140612.	2.6	3
5	Free-standing 3D core-shell architecture of Ni ₃ S ₂ @NiCoP as an efficient cathode material for hybrid supercapacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 625, 565-575.	5.0	19
6	Enhanced activity and stability of MoS ₂ through enriching 1T-phase by covalent functionalization for energy conversion applications. <i>Chemical Engineering Journal</i> , 2021, 403, 126318.	6.6	63
7	Impact of titanium precursors on formation and electrochemical properties of Li ₄ Ti ₅ O ₁₂ anode materials for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 575-582.	1.2	8
8	Sol-gel synthesized lithium orthosilicate as a reusable solid catalyst for biodiesel production. <i>International Journal of Energy Research</i> , 2021, 45, 6239-6249.	2.2	5
9	Optimization of acetonitrile/water content in hybrid deep eutectic solvent for graphene/MoS ₂ hydrogel-based supercapacitors. <i>Chemical Engineering Journal</i> , 2021, 405, 126706.	6.6	73
10	Spinel LiNi _{0.5} Mn _{1.5} O ₄ with ultra-thin Al ₂ O ₃ coating for Li-ion batteries: investigation of improved cycling performance at elevated temperature. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 2665-2674.	1.2	5
11	Potential Dependent Electrochemical Exfoliation of NiPS ₃ and Implications for Hydrogen Evolution Reaction. <i>ACS Applied Energy Materials</i> , 2020, 3, 11992-11999.	2.5	19
12	Moderate-Concentration Fluorinated Electrolyte for High-Energy-Density Si/LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 16252-16261.	3.2	10
13	Potential-controlled pulse electrochemical deposition of poly nanostructural two-dimensional molybdenum disulfide thin films as a counter electrode for dye-sensitized solar cells. <i>Surface and Coatings Technology</i> , 2020, 394, 125855.	2.2	9
14	Potential-reversal electrodeposited MoS ₂ thin film as an efficient electrocatalytic material for bifacial dye-sensitized solar cells. <i>Solar Energy</i> , 2020, 206, 163-170.	2.9	16
15	Enhanced stability and efficiency of perovskite solar cells via bifunctional group passivation with thiosalicylic acid. <i>Organic Electronics</i> , 2020, 81, 105681.	1.4	18
16	Highly-porous hierarchically microstructure of graphene-decorated nickel foam supported two-dimensional quadrilateral shapes of cobalt sulfide nanosheets as efficient electrode for methanol oxidation. <i>Surface and Coatings Technology</i> , 2020, 393, 125850.	2.2	12
17	Electrodeposited NiSe on a forest of carbon nanotubes as a free-standing electrode for hybrid supercapacitors and overall water splitting. <i>Journal of Colloid and Interface Science</i> , 2020, 574, 300-311.	5.0	83
18	Temperature-controlled synthesis of spinel lithium nickel manganese oxide cathode materials for lithium-ion batteries. <i>Ceramics International</i> , 2020, 46, 20856-20864.	2.3	13

#	ARTICLE	IF	CITATIONS
19	The Applications of Polymers in Solar Cells: A Review. <i>Polymers</i> , 2019, 11, 143.	2.0	146
20	Laser printer patterned sacrificed layer for arbitrary design and scalable fabrication of the all-solid-state interdigitated in-planar hydrous ruthenium oxide flexible micro supercapacitors. <i>Journal of Power Sources</i> , 2019, 417, 108-116.	4.0	16
21	Electrodeposition of nanostructured TiO ₂ thin film as an efficient bifunctional layer for perovskite solar cells. <i>Electrochimica Acta</i> , 2019, 295, 662-667.	2.6	16
22	One-step hydrothermal synthesis of feather duster-like NiS@MoS ₂ with hierarchical array structure for the Pt-free dye-sensitized solar cell. <i>Journal of Nanoparticle Research</i> , 2018, 20, 1.	0.8	12
23	Electrochemical formation of TiO ₂ porous layer for perovskite solar cells. <i>Thin Solid Films</i> , 2018, 660, 720-724.	0.8	5
24	Morphology-controlled synthesis of nanosphere-like NiCo ₂ S ₄ as cathode materials for high-rate asymmetric supercapacitors. <i>Electrochimica Acta</i> , 2018, 274, 208-216.	2.6	44
25	Investigation of carbon coating approach on electrochemical performance of Li ₄ Ti ₅ O ₁₂ /C composite anodes for high-rate lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 1851-1861.	1.2	18
26	Ternary Composite Nanosheets with MoS ₂ /WS ₂ /Graphene Heterostructures as High-Performance Cathode Materials for Supercapacitors. <i>ChemElectroChem</i> , 2018, 5, 1024-1031.	1.7	112
27	Effective iron-molybdenum-disulfide counter electrodes for use in platinum-free dye-sensitized solar cells. <i>Science China Materials</i> , 2018, 61, 1278-1284.	3.5	9
28	Pulse-reversal deposition of Ni ₃ S ₂ thin films on carbon fiber cloths for supercapacitors. <i>Surface and Coatings Technology</i> , 2018, 350, 1003-1009.	2.2	9
29	Degradation of inhibitor in alkaline cleaning solution for post-Cu CMP cleaning. <i>Surface and Coatings Technology</i> , 2018, 350, 1080-1084.	2.2	21
30	Ultrathin 1T-phase MoS ₂ nanosheets decorated hollow carbon microspheres as highly efficient catalysts for solar energy harvesting and storage. <i>Journal of Power Sources</i> , 2017, 345, 156-164.	4.0	62
31	Hollow Hierarchical Carbon Spheres Decorated with Ultrathin Molybdenum Disulfide Nanosheets as High-Capacity Electrode Materials for Asymmetric Supercapacitors. <i>ChemElectroChem</i> , 2017, 4, 620-627.	1.7	52
32	Enhanced Efficiency of Dye-Sensitized Solar Counter Electrodes Consisting of Two-Dimensional Nanostructural Molybdenum Disulfide Nanosheets Supported Pt Nanoparticles. <i>Coatings</i> , 2017, 7, 167.	1.2	11
33	Recent Development of Graphene-Based Cathode Materials for Dye-Sensitized Solar Cells. <i>Journal of Nanomaterials</i> , 2016, 2016, 1-21.	1.5	12
34	Exploring the main function of reduced graphene oxide nano-flakes in a nickel cobalt sulfide counter electrode for dye-sensitized solar cell. <i>Journal of Power Sources</i> , 2016, 332, 281-289.	4.0	30
35	Facile synthesis of an Al-doped carbon-coated Li ₄ Ti ₅ O ₁₂ anode for high-rate lithium-ion batteries. <i>RSC Advances</i> , 2016, 6, 77151-77160.	1.7	15
36	Scalable Fabrication of Efficient NiCo ₂ S ₄ Counter Electrodes for Dye-sensitized Solar Cells Using a Facile Solution Approach. <i>Electrochimica Acta</i> , 2016, 222, 1410-1416.	2.6	10

#	ARTICLE	IF	CITATIONS
37	Effect of starting materials on electrochemical performance of sol-gel-synthesized Li ₄ Ti ₅ O ₁₂ anode materials for lithium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2016, 20, 1625-1631.	1.2	16
38	Efficient bifacial perovskite solar cell based on a highly transparent poly(3,4-ethylenedioxythiophene) as the p-type hole-transporting material. <i>Journal of Power Sources</i> , 2016, 306, 171-177.	4.0	61
39	Flexible carbon nanotube/polypropylene composite plate decorated with poly(3,4-ethylenedioxythiophene) as efficient counter electrodes for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 282, 348-357.	4.0	45
40	Molybdenum Disulfide/Reduced Graphene Oxide@Carbon Nanotube Hybrids as Efficient Catalytic Materials in Dye-Sensitized Solar Cells. <i>ChemElectroChem</i> , 2015, 2, 720-725.	1.7	38
41	Nickel sulfide counter electrodes enhanced by hydrosulphuric acid hydrothermal treatments for use in Pt-free dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2015, 155, 103-109.	2.6	33
42	Cobalt sulfide counter electrodes enhanced by a hydro-thermal treatment for use in platinum-free dye-sensitized solar cells. <i>Materials Research Bulletin</i> , 2015, 68, 9-15.	2.7	17
43	A strategy to enhance overall efficiency for dye-sensitized solar cells with a transparent electrode of nickel sulfide decorated with poly(3,4-ethylenedioxythiophene). <i>RSC Advances</i> , 2015, 5, 43639-43647.	1.7	17
44	Glucose-Assisted Synthesis of Nickel-Cobalt Sulfide/Carbon Nanotube Composites as Efficient Cathode Materials for Hybrid Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2015, 162, A1493-A1499.	1.3	42
45	High-performance asymmetric supercapacitor based on Co ₉ S ₈ /3D graphene composite and graphene hydrogel. <i>Chemical Engineering Journal</i> , 2015, 279, 241-249.	6.6	75
46	Post-Treatment of Photoanodes Including Mesoporous TiO ₂ Beads in Dye-Sensitized Solar Cells Using Pulsed Deposition Technique. <i>Journal of the Electrochemical Society</i> , 2015, 162, H780-H784.	1.3	3
47	Pulse-Reversal Deposition of Nickel Sulfide Thin Film as an Efficient Cathode Material for Hybrid Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2762-A2769.	1.3	22
48	Three-dimensional hollow platinum@nickel bimetallic nanoframes for use in dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 278, 149-155.	4.0	41
49	Rapid synthesis of tin oxide decorated carbon nanotube nanocomposites as anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2014, 589, 472-478.	2.8	22
50	Bifunctional One-Dimensional Hierarchical Nanostructures Composed of Cobalt Sulfide Nanoclusters on Carbon Nanotubes Backbone for Dye-Sensitized Solar Cells and Supercapacitors. <i>Journal of Physical Chemistry C</i> , 2014, 118, 823-830.	1.5	54
51	Ni ₃ S ₂ /Ni@P Bilayer Coated on Polyimide as a Pt- and TCO-Free Flexible Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 3357-3364.	4.0	41
52	One-pot sol-gel synthesis of Li ₄ Ti ₅ O ₁₂ /C anode materials for high-performance Li-ion batteries. <i>Electrochimica Acta</i> , 2014, 142, 43-50.	2.6	48
53	Investigation of carbon nanotubes decorated with cobalt sulfides of different phases as nanocomposite catalysts in dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 143, 216-221.	2.6	16
54	Hierarchical nickel sulfide/carbon nanotube nanocomposite as a catalytic material toward triiodine reduction in dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 270, 499-505.	4.0	36

#	ARTICLE	IF	CITATIONS
55	In situ electropolymerization of polyaniline/cobalt sulfide decorated carbon nanotube composite catalyst toward triiodide reduction in dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 266, 448-455.	4.0	38
56	Pulse-reversal electropolymerization of polypyrrole on functionalized carbon nanotubes as composite counter electrodes in dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 137, 721-727.	2.6	20
57	Cathodic deposition of interlaced nanosheet-like cobalt sulfide films for high-performance supercapacitors. <i>RSC Advances</i> , 2013, 3, 2043-2048.	1.7	94
58	Characterization of polyaniline counter electrodes for dye-sensitized solar cells. <i>Surface and Coatings Technology</i> , 2013, 231, 171-175.	2.2	22
59	Hydrothermal synthesis of graphene flake embedded nanosheet-like molybdenum sulfide hybrids as counter electrode catalysts for dye-sensitized solar cells. <i>Materials Chemistry and Physics</i> , 2013, 143, 53-59.	2.0	49
60	Dye-sensitized solar cells with high-performance polyaniline/multi-wall carbon nanotube counter electrodes electropolymerized by a pulse potentiostatic technique. <i>Journal of Power Sources</i> , 2013, 233, 320-325.	4.0	83
61	Facile synthesis of MoS ₃ /carbon nanotube nanocomposite with high catalytic activity toward hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , 2013, 134-135, 75-82.	10.8	124
62	High performance platinum-free counter electrode of molybdenum sulfide-carbon used in dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1495-1501.	5.2	185
63	Electrophoretic deposition of transparent MoS ₂ -graphene nanosheet composite films as counter electrodes in dye-sensitized solar cells. <i>Chemical Communications</i> , 2013, 49, 1440.	2.2	176
64	Sol-gel synthesis of aluminum doped lithium titanate anode material for lithium ion batteries. <i>Electrochimica Acta</i> , 2013, 87, 126-132.	2.6	100
65	A dual function of high performance counter-electrode for stable quasi-solid-state dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2013, 241, 373-378.	4.0	35
66	Highly transparent NiCo ₂ S ₄ thin film as an effective catalyst toward triiodide reduction in dye-sensitized solar cells. <i>Electrochemistry Communications</i> , 2013, 37, 11-14.	2.3	77
67	Cathodic Deposition of Flaky Nickel Sulfide Nanostructure as an Electroactive Material for High-Performance Supercapacitors. <i>Journal of the Electrochemical Society</i> , 2013, 160, D178-D182.	1.3	198
68	Pulse electrodeposition of CoS on MWCNT/Ti as a high performance counter electrode for a Pt-free dye-sensitized solar cell. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1289-1295.	5.2	95
69	Optically transparent counter electrode for dye-sensitized solar cells based on cobalt sulfide nanosheet arrays. <i>Electrochimica Acta</i> , 2013, 107, 66-70.	2.6	34
70	Enhanced performance of low-cost dye-sensitized solar cells with pulse-electropolymerized polyaniline counter electrodes. <i>Electrochimica Acta</i> , 2013, 90, 468-474.	2.6	65
71	Hierarchically Structured Ni ₃ S ₂ /Carbon Nanotube Composites as High Performance Cathode Materials for Asymmetric Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 12168-12174.	4.0	411
72	A catalytic composite film of MoS ₂ /graphene flake as a counter electrode for Pt-free dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2012, 85, 162-168.	2.6	152

#	ARTICLE	IF	CITATIONS
73	Electroless platinum counter electrodes with Pt-activated self-assembled monolayer on transparent conducting oxide. <i>Surface and Coatings Technology</i> , 2012, 206, 4672-4678.	2.2	12
74	Pulse electropolymerization of high performance PEDOT/MWCNT counter electrodes for Pt-free dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 19919.	6.7	189
75	Few-layer MoS ₂ nanosheets coated onto multi-walled carbon nanotubes as a low-cost and highly electrocatalytic counter electrode for dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 24753.	6.7	205
76	Pulse potentiostatic electropolymerization of high performance PEDOT counter electrodes for Pt-free dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2012, 83, 221-226.	2.6	57
77	Facile synthesis of MoS ₂ /graphene nanocomposite with high catalytic activity toward triiodide reduction in dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 21057.	6.7	210
78	Glucose Aided Preparation of Tungsten Sulfide/Multi-Wall Carbon Nanotube Hybrid and Use as Counter Electrode in Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 6530-6536.	4.0	94
79	Multi-wall carbon nanotube counter electrodes for dye-sensitized solar cells prepared by electrophoretic deposition. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 1415-1421.	1.2	27
80	Honeycomb-like CoS Counter Electrodes for Transparent Dye-Sensitized Solar Cells. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, D41.	2.2	71
81	Synergic effect of benzotriazole and chloride ion on Cu passivation in a phosphate electrochemical mechanical planarization electrolyte. <i>Electrochimica Acta</i> , 2011, 56, 3303-3310.	2.6	15
82	A composite counter electrode of CoS/MWCNT with high electrocatalytic activity for dye-sensitized solar cells. <i>Electrochemistry Communications</i> , 2011, 13, 977-980.	2.3	82
83	Cathodic electrodeposition of highly porous cobalt sulfide counter electrodes for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2011, 56, 8818-8826.	2.6	161
84	High-performance and low platinum loading electrodeposited-Pt counter electrodes for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2011, 56, 1941-1946.	2.6	44
85	Effects of Fe ₂ P and Li ₃ PO ₄ additives on the cycling performance of LiFePO ₄ /C composite cathode materials. <i>Journal of Power Sources</i> , 2011, 196, 6676-6681.	4.0	31
86	Mesoporous Electrodeposited-CoS Film as a Counter Electrode Catalyst in Dye-Sensitized Solar Cells. <i>Journal of the Electrochemical Society</i> , 2011, 159, D65-D71.	1.3	64
87	Investigation of agglomerated Cu seed on Cu oxidation after chemical mechanical planarization. <i>Applied Surface Science</i> , 2010, 257, 547-552.	3.1	3
88	Characterization of electroless Ni-based alloys for use in bipolar plates of direct methanol fuel cells. <i>Surface and Coatings Technology</i> , 2010, 205, 2251-2255.	2.2	12
89	Adsorption-desorption study of benzotriazole in a phosphate-based electrolyte for Cu electrochemical mechanical planarization. <i>Electrochimica Acta</i> , 2010, 55, 2325-2331.	2.6	13
90	Electroless Platinum Counter Electrode for Dye-Sensitized Solar Cells by Using Self-Assembly Monolayer Modification. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, D77.	2.2	34

#	ARTICLE	IF	CITATIONS
91	Characterization of phosphate electrolytes for use in Cu electrochemical mechanical planarization. <i>Electrochimica Acta</i> , 2008, 53, 8211-8216.	2.6	24
92	Effect of the molecular weight of polyethylene glycol as single additive in copper deposition for interconnect metallization. <i>Thin Solid Films</i> , 2008, 516, 5046-5051.	0.8	38
93	Evaluation of post-Cu CMP cleaning of organic residues using microfluidic device. <i>Electrochemistry Communications</i> , 2008, 10, 677-680.	2.3	31
94	Effect of Impurity and Illumination on Copper Oxidation after Chemical Mechanical Polishing. <i>Journal of the Electrochemical Society</i> , 2008, 155, H620.	1.3	8
95	Adsorption and Desorption Studies of Glycine and Benzotriazole during Cu Oxidation in a Chemical Mechanical Polishing Bath. <i>Journal of the Electrochemical Society</i> , 2008, 155, H396.	1.3	14
96	Behavior of Copper Removal by CMP and Its Correlation to Deposit Structure and Impurity Content. <i>Journal of the Electrochemical Society</i> , 2008, 155, H21.	1.3	21
97	Effect of Impurity Distribution on Corrosion Behavior of Electrodeposited Copper in H ₂ O ₂ -Based Slurry. <i>Journal of the Electrochemical Society</i> , 2007, 154, H530.	1.3	9
98	Void Defect Reduction after Chemical Mechanical Planarization of Trenches Filled by Direct/Pulse Plating. <i>Journal of the Electrochemical Society</i> , 2007, 154, D139.	1.3	12
99	Impurities Induced Localized Corrosion Between Copper and Tantalum Nitride during Chemical Mechanical Planarization. <i>Electrochemical and Solid-State Letters</i> , 2007, 10, H23.	2.2	4