

# Frans Boch Waldorff

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6156642/publications.pdf>

Version: 2024-02-01

80  
papers

1,397  
citations

393982

19  
h-index

395343

33  
g-index

85  
all docs

85  
docs citations

85  
times ranked

2263  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Depression and Diabetes Mellitus on the Risk for Dementia. <i>JAMA Psychiatry</i> , 2015, 72, 612.	6.0	145
2	The role of diseases, risk factors and symptoms in the definition of multimorbidity – a systematic review. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 112-121.	0.6	144
3	Subjective memory complaints in general practice predicts future dementia: a 4-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 1180-1188.	1.3	84
4	Implementation of a clinical dementia guideline. <i>Scandinavian Journal of Primary Health Care</i> , 2003, 21, 142-147.	0.6	57
5	Association of Socioeconomic Status With Dementia Diagnosis Among Older Adults in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2110432.	2.8	54
6	Impact of socioeconomic position and distance on mental health care utilization: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1405-1413.	1.6	48
7	Residential exposure to transportation noise in Denmark and incidence of dementia: national cohort study. <i>BMJ, The</i> , 2021, 374, n1954.	3.0	39
8	Association between subjective memory complaints and health care utilisation: a three-year follow up. <i>BMC Geriatrics</i> , 2009, 9, 43.	1.1	38
9	Physicians' experiences, attitudes, and beliefs towards medical cannabis: a systematic literature review. <i>BMC Family Practice</i> , 2021, 22, 212.	2.9	36
10	Impaired Awareness of Deficits and Neuropsychiatric Symptoms in Early Alzheimer's Disease: The Danish Alzheimer Intervention Study (DAISY). <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 93-99.	0.9	34
11	Self-rated health in patients with mild Alzheimer's disease: Baseline data from the Danish Alzheimer Intervention Study. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 1-5.	1.4	30
12	If you don't ask (about memory), they probably won't tell. <i>Journal of Family Practice</i> , 2008, 57, 41-4.	0.2	30
13	Association between subjective memory complaints and nursing home placement: a four-year follow-up. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 602-609.	1.3	29
14	Rate and predictors for non-attendance of patients undergoing hospital outpatient treatment for chronic diseases: a register-based cohort study. <i>BMC Health Services Research</i> , 2019, 19, 386.	0.9	29
15	Social participation in home-living patients with mild Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 2008, 47, 291-301.	1.4	28
16	How well do general practitioners know their elderly patients' social relations and feelings of loneliness?. <i>BMC Family Practice</i> , 2018, 19, 34.	2.9	27
17	Have we put diabetes completely on the shelf till the mental stuff is in place. How patients with doctor-assessed impaired self-care perceive disease, self-care, and support from general practitioners. A qualitative study. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 342-351.	0.6	24
18	Can external interventions crowd in intrinsic motivation? A cluster randomised field experiment on mandatory accreditation of general practice in Denmark. <i>Social Science and Medicine</i> , 2018, 211, 224-233.	1.8	24

#	ARTICLE	IF	CITATIONS
19	Weight Changes following the Diagnosis of Type 2 Diabetes: The Impact of Recent and Past Weight History before Diagnosis. Results from the Danish Diabetes Care in General Practice (DCGP) Study. PLoS ONE, 2015, 10, e0122219.	1.1	20
20	Measuring bothersome menopausal symptoms: development and validation of the MenoScores questionnaire. Health and Quality of Life Outcomes, 2018, 16, 97.	1.0	19
21	Older multimorbid patients's experiences on integration of services: a systematic review. BMC Health Services Research, 2019, 19, 795.	0.9	19
22	Efficacy of a standardised acupuncture approach for women with bothersome menopausal symptoms: a pragmatic randomised study in primary care (the ACOM study). BMJ Open, 2019, 9, e023637.	0.8	18
23	Are perceived barriers to accessing mental healthcare associated with socioeconomic position among individuals with symptoms of depression? Questionnaire-results from the Lolland-Falster Health Study, a rural Danish population study. BMJ Open, 2019, 9, e023844.	0.8	18
24	Identification and diagnostic evaluation of possible dementia in general practice. Scandinavian Journal of Primary Health Care, 2005, 23, 221-226.	0.6	16
25	Longitudinal changes in awareness over 36 months in patients with mild Alzheimer's disease. International Psychogeriatrics, 2015, 27, 95-102.	0.6	16
26	The effect of reminder letters on the uptake of an e-learning programme on dementia: a randomized trial in general practice. Family Practice, 2009, 26, 466-471.	0.8	15
27	Major Depressive Symptoms Increase 3-Year Mortality Rate in Patients with Mild Dementia. International Journal of Alzheimer's Disease, 2017, 2017, 1-8.	1.1	15
28	Predictors of health-related quality of life in patients with moderate to severely active ulcerative colitis receiving biological therapy. Scandinavian Journal of Gastroenterology, 2020, 55, 656-663.	0.6	15
29	Diffusion of an e-learning programme among Danish General Practitioners: A nation-wide prospective survey. BMC Family Practice, 2008, 9, 24.	2.9	14
30	Socioeconomic position, symptoms of depression and subsequent mental healthcare treatment: a Danish register-based 6-month follow-up study on a population survey. BMJ Open, 2018, 8, e020945.	0.8	14
31	Brief Assessment of Impaired Cognition (BASIC) – Validation of a new dementia case-finding instrument integrating cognitive assessment with patient and informant report. International Journal of Geriatric Psychiatry, 2019, 34, 1724-1733.	1.3	14
32	Poor self-rated health did not increase risk of permanent nursing placement or mortality in people with mild Alzheimer's disease. BMC Geriatrics, 2016, 16, 87.	1.1	13
33	Role enactment of facilitation in primary care – a qualitative study. BMC Health Services Research, 2017, 17, 593.	0.9	13
34	The risk of fall accidents for home dwellers with dementia – A register- and population-based case-control study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 421-428.	1.2	13
35	Subjective memory complaints in primary care patients and death from all causes: A four-year follow-up. Scandinavian Journal of Primary Health Care, 2013, 31, 7-12.	0.6	11
36	How general practitioners perceive and assess self-care in patients with multiple chronic conditions: a qualitative study. BMC Family Practice, 2017, 18, 109.	2.9	11

#	ARTICLE	IF	CITATIONS
37	The effectiveness of computer reminders for improving quality assessment for point-of-care testing in general practice—a randomized controlled trial. <i>Implementation Science</i> , 2013, 8, 47.	2.5	10
38	Geographical Variation in Antipsychotic Drug Use in Elderly Patients with Dementia: A Nationwide Study. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1183-1192.	1.2	10
39	Self-rated versus Caregiver-rated Health for Patients with Mild Dementia as Predictors of Patient Mortality. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 375-385.	0.6	9
40	Retirement, job satisfaction and attitudes towards mandatory accreditation: a Danish survey study in general practice. <i>BMJ Open</i> , 2018, 8, e020419.	0.8	9
41	Burnout of intrinsically motivated GPs when exposed to external regulation. <i>Health Policy</i> , 2021, 125, 459-466.	1.4	9
42	Guidelines “let's take a break and then move forward together!”. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 2-5.	0.6	8
43	Exploring the concurrent validity of the nationwide assessment of permanent nursing home residence in Denmark - A cross-sectional data analysis using two administrative registries. <i>BMC Health Services Research</i> , 2017, 17, 607.	0.9	8
44	Brief Assessment of Impaired Cognition Questionnaire (BASICQ)—Development and validation of a new tool for identification of cognitive impairment in community settings. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 693-701.	1.3	8
45	Motion-Based Technology for People With Dementia Training at Home: Three-Phase Pilot Study Assessing Feasibility and Efficacy. <i>JMIR Mental Health</i> , 2020, 7, e19495.	1.7	8
46	Full journal publication of abstracts presented at the Nordic Congress of General Practice in 2009 and 2011. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 84-88.	0.6	7
47	Variation in Point-of-Care Testing of HbA1c in Diabetes Care in General Practice. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1363.	1.2	7
48	Time trends in patients managed simultaneously in multiple hospital outpatient specialty clinics for chronic diseases: A register-based cross-sectional study. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1983190.	3.9	7
49	Dementia and Traffic Accidents: A Danish Register-Based Cohort Study. <i>JMIR Research Protocols</i> , 2016, 5, e191.	0.5	7
50	Alcohol consumption and mortality in patients with mild Alzheimer's disease: a prospective cohort study. <i>BMJ Open</i> , 2015, 5, e007851.	0.8	6
51	The impact of patients' involvement in cooking on their mortality and morbidity: A 19-year follow-up of patients diagnosed with type 2 diabetes mellitus. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 33-39.	0.6	6
52	Influences of peer facilitation in general practice—a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 75.	2.9	6
53	Clinical management of hip fractures in elderly patients with dementia and postoperative 30-day mortality: A population-based cohort study. <i>Brain and Behavior</i> , 2020, 10, e01823.	1.0	6
54	“One feels somewhere that one is insignificant in that system” — older multimorbid patients between lifeworld and system in healthcare. <i>BMC Geriatrics</i> , 2021, 21, 397.	1.1	6

#	ARTICLE	IF	CITATIONS
55	Almost half of the Danish general practitioners have negative a priori attitudes towards a mandatory accreditation programme. <i>Danish Medical Journal</i> , 2016, 63, .	0.5	6
56	Dementia and road traffic accidents among non-institutionalized older people in Denmark: A Danish register-based nested case-control study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 221-228.	1.2	5
57	Does accreditation of general practice promote patient-reported quality of care? A natural cluster randomised experiment. <i>BMJ Open</i> , 2020, 10, e034465.	0.8	5
58	“More constricting than inspiring” GPs find chronic care programmes of limited clinical utility. A qualitative study. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101591.	0.9	5
59	The Effect of Economic Assets on Mortality in Patients with Dementia: A Population-Based Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1245-1253.	1.2	4
60	Hearing examinations in Southern Denmark (HESD) database: a valuable tool for hearing-related epidemiological research. <i>International Journal of Audiology</i> , 2021, 60, 300-311.	0.9	4
61	GP and staff evaluation of the maturity matrix as a tool to assess and improve organisational development in primary care. <i>International Journal of Health Care Quality Assurance</i> , 2009, 22, 686-700.	0.2	3
62	The effectiveness of computer reminders versus postal reminders for improving quality assessment for point-of-care testing in primary care: a randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 13-20.	0.9	3
63	Does accreditation affect the job satisfaction of general practitioners? A combined panel data survey and cluster randomised field experiment. <i>Health Policy</i> , 2020, 124, 849-855.	1.4	3
64	Socioeconomic position and mental health care use before and after first redeemed antidepressant and time until subsequent contact to psychologist or psychiatrists: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 449-462.	1.6	3
65	Activities of daily living at hospital admission associated with mortality in geriatric patients with dementia: a Danish nationwide population-based cohort study. <i>European Geriatric Medicine</i> , 2021, 12, 627-636.	1.2	3
66	The efficacy of acupuncture on menopausal symptoms (ACOM study): protocol for a randomised study. <i>Danish Medical Journal</i> , 2017, 64, .	0.5	3
67	Subjective memory complaints and future depression in primary care patients: A four-year follow-up study. <i>General Hospital Psychiatry</i> , 2018, 55, 4-9.	1.2	2
68	Sustained effects of a brief and standardised acupuncture approach on menopausal symptoms: post hoc analysis of the ACOM randomised controlled trial. <i>Acupuncture in Medicine</i> , 2020, 38, 396-406.	0.4	2
69	Use of prescription medication in the last years of life: a population-based comparison of two oldest old Danish birth cohorts born 10 years apart. <i>Age and Ageing</i> , 2020, 49, 1105-1109.	0.7	2
70	Symptoms presented during emergency telephone calls for patients with spontaneous subarachnoid haemorrhage. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 118.	1.1	2
71	Predictors of health-related quality of life in patients with Crohn's disease receiving biological therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1-8.	0.6	2
72	O2-02-02: PHYSICAL ACTIVITY AS A PREDICTOR OF CLINICAL COURSE IN MILD AD: THE DANISH ALZHEIMER'S INTERVENTION STUDY (DAISY). , 2014, 10, P165-P165.		1

#	ARTICLE	IF	CITATIONS
73	Factors associated with a clinically relevant reduction in menopausal symptoms of a standardized acupuncture approach for women with bothersome menopausal symptoms. BMC Complementary Medicine and Therapies, 2021, 21, 29.	1.2	1
74	The majority of sick children receive paracetamol during the winter. Danish Medical Journal, 2012, 59, A4555.	0.5	1
75	P3-268: THE ASSOCIATION BETWEEN ALCOHOL CONSUMPTION AND MORTALITY IN PATIENTS DIAGNOSED WITH MILD ALZHEIMER'S DISEASE. , 2014, 10, P730-P730.		0
76	P3-279: THE IMPACT OF MAJOR DEPRESSION IN PATIENTS NEWLY DIAGNOSED WITH MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P733-P734.		0
77	P3-362: AGREEMENT BETWEEN SELF- AND PROXY-RATED PHYSICAL ACTIVITY IN PATIENTS WITH MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P612-P612.		0
78	O3-01-02: COUNSELLING PATIENTS WITH EARLY PHASE AD AND THEIR PRIMARY CAREGIVERS. , 2014, 10, P207-P207.		0
79	P3-144: IMPACT OF PHYSICAL ACTIVITY ON NURSING HOME PLACEMENT AND MORTALITY IN MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P680-P681.		0
80	P4-333: SELF-REPORTED AND PROXY-REPORTED HEALTH AS A PREDICTOR OF MORTALITY FOR PATIENTS WITH MILD DEMENTIA. , 2014, 10, P908-P910.		0