

Xavier LeÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/615738/publications.pdf>

Version: 2024-02-01

212
papers

5,364
citations

94433

37
h-index

118850

62
g-index

235
all docs

235
docs citations

235
times ranked

6303
citing authors

#	ARTICLE	IF	CITATIONS
1	HPV Involvement in Head and Neck Cancers: Comprehensive Assessment of Biomarkers in 3680 Patients. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv403.	6.3	580
2	Second neoplasm in patients with head and neck cancer. , 1999, 21, 204-210.		290
3	Distant metastases in head and neck cancer patients who achieved loco-regional control. <i>Head and Neck</i> , 2000, 22, 680-686.	2.0	214
4	Overview of the efficacy of cetuximab in recurrent and/or metastatic squamous cell carcinoma of the head and neck in patients who previously failed platinum-based therapies. <i>Cancer</i> , 2008, 112, 2710-2719.	4.1	189
5	FGF21 gene therapy as treatment for obesity and insulin resistance. <i>EMBO Molecular Medicine</i> , 2018, 10, .	6.9	176
6	A Retrospective Analysis of the Outcome of Patients with Recurrent and/or Metastatic Squamous Cell Carcinoma of the Head and Neck Refractory to a Platinum-based Chemotherapy. <i>Clinical Oncology</i> , 2005, 17, 418-424.	1.4	160
7	An anatomical study of anastomoses between the laryngeal nerves. <i>Laryngoscope</i> , 1999, 109, 983-987.	2.0	153
8	uPA/uPAR and SERPINE1 in head and neck cancer: role in tumor resistance, metastasis, prognosis and therapy. <i>Oncotarget</i> , 2016, 7, 57351-57366.	1.8	120
9	Classification of parotidectomies: a proposal of the European Salivary Gland Society. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3307-3312.	1.6	111
10	Inclusion of Extracapsular Spread in the pTNM Classification System. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013, 139, 483.	2.2	87
11	Is the External Laryngeal Nerve an Exclusively Motor Nerve? The Cricothyroid Connection Branch. <i>Laryngoscope</i> , 2003, 113, 525-529.	2.0	77
12	Influence of the persistence of tobacco and alcohol use in the appearance of second neoplasm in patients with a head and neck cancer. A case-control study. <i>Cancer Causes and Control</i> , 2009, 20, 645-652.	1.8	76
13	Second Primary Tumors in Head and Neck Cancer Patients. <i>Acta Oto-Laryngologica</i> , 2002, 122, 765-778.	0.9	75
14	Pretreatment count of peripheral neutrophils, monocytes, and lymphocytes as independent prognostic factor in patients with head and neck cancer. <i>Head and Neck</i> , 2017, 39, 219-226.	2.0	71
15	Variability in Nerve Patterns of the Adductor Muscle Group Supplied by the Recurrent Laryngeal Nerve. <i>Laryngoscope</i> , 2005, 115, 358-362.	2.0	64
16	Enhanced cell migration and apoptosis resistance may underlie the association between high SERPINE1 expression and poor outcome in head and neck carcinoma patients. <i>Oncotarget</i> , 2015, 6, 29016-29033.	1.8	62
17	Salvage surgery after locoregional failure in head and neck carcinoma patients treated with chemoradiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 295-301.	1.6	59
18	Human papillomavirus as prognostic marker with rising prevalence in neck squamous cell carcinoma of unknown primary: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 74, 73-81.	2.8	59

#	ARTICLE	IF	CITATIONS
19	Double positivity for HPV-DNA/p16ink4a is the biomarker with strongest diagnostic accuracy and prognostic value for human papillomavirus related oropharyngeal cancer patients. <i>Oral Oncology</i> , 2018, 78, 137-144.	1.5	58
20	CNS-directed gene therapy for the treatment of neurologic and somatic mucopolysaccharidosis type II (Hunter syndrome). <i>JCI Insight</i> , 2016, 1, e86696.	5.0	56
21	Endoscopic laser surgery in the treatment of radiation failure of early laryngeal carcinoma. <i>Head and Neck</i> , 2000, 22, 520-523.	2.0	54
22	Expression of IL-1 β correlates with distant metastasis in patients with head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 37398-37409.	1.8	54
23	Incidence and Significance of Clinically Unsuspected Thyroid Tissue in Lymph Nodes Found During Neck Dissection in Head and Neck Carcinoma Patients. <i>Laryngoscope</i> , 2005, 115, 470-474.	2.0	52
24	Results of salvage surgery for local or regional recurrence after larynx preservation with induction chemotherapy and radiotherapy. <i>Head and Neck</i> , 2001, 23, 733-738.	2.0	50
25	Hypothyroidism in patients treated with total laryngectomy. A multivariate study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2002, 259, 193-196.	1.6	49
26	Biochemical, histological and functional correction of mucopolysaccharidosis Type IIIB by intra-cerebrospinal fluid gene therapy. <i>Human Molecular Genetics</i> , 2015, 24, 2078-2095.	2.9	48
27	Prognostic capacity of Systemic Inflammation Response Index (SIRI) in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 336-343.	2.0	48
28	Prevention of stomal recurrence. , 1996, 18, 54-59.		46
29	Variability of the Nerve Supply Patterns of the Human Posterior Cricoarytenoid Muscle. <i>Laryngoscope</i> , 2003, 113, 602-606.	2.0	45
30	Selective dissection of levels II-III with intraoperative control of the upper and middle jugular nodes: A therapeutic option for the no neck. <i>Head and Neck</i> , 2001, 23, 441-446.	2.0	43
31	Prostaglandin E ₂ pathway in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2008, 30, 1175-1181.	2.0	42
32	Interaction between head and neck squamous cell carcinoma cells and fibroblasts in the biosynthesis of PGE2. <i>Journal of Lipid Research</i> , 2012, 53, 630-642.	4.2	42
33	Pretreatment peripheral blood leukocytes are independent predictors of survival in oral cavity cancer. <i>Cancer</i> , 2020, 126, 994-1003.	4.1	42
34	Montgomery [®] Salivary Bypass Tube in the Reconstruction of the Hypopharynx Cost-Benefit Study. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 1999, 108, 864-868.	1.1	40
35	Initial treatment of the early stages (I, II) of supraglottic squamous cell carcinoma: partial laryngectomy versus radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 512-516.	1.6	39
36	The effect of waiting time on local control and survival in head and neck carcinoma patients treated with radiotherapy. <i>Radiotherapy and Oncology</i> , 2003, 66, 277-281.	0.6	39

#	ARTICLE	IF	CITATIONS
37	Disease correction by AAV-mediated gene therapy in a new mouse model of mucopolysaccharidosis type IIID. <i>Human Molecular Genetics</i> , 2017, 26, 1535-1551.	2.9	39
38	The role of HPV on the risk of second primary neoplasia in patients with oropharyngeal carcinoma. <i>Oral Oncology</i> , 2017, 64, 37-43.	1.5	39
39	<i>Ku</i>70 predicts response and primary tumor recurrence after therapy in locally advanced head and neck cancer. <i>International Journal of Cancer</i> , 2008, 123, 1068-1079.	5.1	38
40	Management of Sinonasal Inverted Papillomas and Comparison of Classification Staging Systems. <i>American Journal of Rhinology and Allergy</i> , 2010, 24, 66-69.	2.0	38
41	Management of recurrent head and neck cancer: variables related to salvage surgery. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 4417-4424.	1.6	37
42	Laryngeal carcinoma in patients without a history of tobacco and alcohol use. , 1997, 19, 200-204.		36
43	Metachronous second primary tumours in the aerodigestive tract in patients with early stage head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2005, 262, 905-909.	1.6	36
44	Total or subtotal glossectomy with microsurgical reconstruction: Functional and oncological results. <i>Microsurgery</i> , 2011, 31, 517-523.	1.3	32
45	Supracricoid laryngectomy as salvage surgery after failure of radiation therapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 809-814.	1.6	31
46	Potential Structures That Could Be Confused With a Nonrecurrent Inferior Laryngeal Nerve: An Anatomic Study. <i>Laryngoscope</i> , 2008, 118, 56-60.	2.0	31
47	Gene expression signatures and molecular markers associated with clinical outcome in locally advanced head and neck carcinoma. <i>Carcinogenesis</i> , 2012, 33, 1707-1716.	2.8	31
48	Validation of the pathological classification of lymph node metastasis for head and neck tumors according to the 8th edition of the TNM Classification of Malignant Tumors. <i>Oral Oncology</i> , 2017, 70, 29-33.	1.5	31
49	Extended deep inferior epigastric artery perforator flap for head and neck reconstruction: A clinical experience with 100 patients. <i>Head and Neck</i> , 2011, 33, 1328-1334.	2.0	28
50	Effect of serpinE1 overexpression on the primary tumor and lymph node, and lung metastases in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 429-439.	2.0	28
51	Tumor cells induce COX-2 and mPGES-1 expression in microvascular endothelial cells mainly by means of IL-1 receptor activation. <i>Microvascular Research</i> , 2011, 81, 261-268.	2.5	27
52	Function preservation in stage III squamous laryngeal carcinoma: Results with an induction chemotherapy protocol. <i>Laryngoscope</i> , 1995, 105, 822-826.	2.0	26
53	Second, third, and fourth head and neck tumors. A progressive decrease in survival. <i>Head and Neck</i> , 2012, 34, 1716-1719.	2.0	25
54	CXCR4-targeted nanotoxins induce GSDME-dependent pyroptosis in head and neck squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 49.	8.6	24

#	ARTICLE	IF	CITATIONS
55	Can cure be achieved in patients with head and neck carcinomas? The problem of second neoplasm. Expert Review of Anticancer Therapy, 2001, 1, 125-133.	2.4	23
56	Prognostic role of MMP-9 expression in head and neck carcinoma patients treated with radiotherapy or chemoradiotherapy. Oral Oncology, 2013, 49, 322-325.	1.5	23
57	Modifications in the treatment of advanced laryngeal cancer throughout the last 30 years. European Archives of Oto-Rhino-Laryngology, 2017, 274, 3449-3455.	1.6	23
58	Pharyngocutaneous fistula after total laryngectomy: multivariate analysis of risk factors and a severity-based classification proposal. European Archives of Oto-Rhino-Laryngology, 2019, 276, 143-151.	1.6	22
59	Foramen Thyroideum: A Comparative Study in Embryos, Fetuses, and Adults. Laryngoscope, 1997, 107, 1146-1150.	2.0	21
60	Influence of Age on Laryngeal Carcinoma. Annals of Otology, Rhinology and Laryngology, 1998, 107, 164-169.	1.1	21
61	How much does it cost to preserve a larynx?. European Archives of Oto-Rhino-Laryngology, 2000, 257, 72-76.	1.6	21
62	Second Primary Tumors in Head and Neck Cancer Patients. Acta Oto-Laryngologica, 2002, 122, 765-778.	0.9	21
63	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced pyriform sinus carcinoma. European Archives of Oto-Rhino-Laryngology, 2002, 259, 32-36.	1.6	21
64	Postoperative staging of the neck dissection using extracapsular spread and lymph node ratio as prognostic factors in HPV-negative head and neck squamous cell carcinoma patients. Oral Oncology, 2018, 77, 37-42.	1.5	20
65	The Use of HPV16-E5, EGFR, and pEGFR as Prognostic Biomarkers for Oropharyngeal Cancer Patients. Frontiers in Oncology, 2018, 8, 589.	2.8	20
66	Prognostic factors in head and neck squamous cell carcinoma: Comparison of CHAID decision trees technology and cox analysis. Head and Neck, 2013, 35, 877-883.	2.0	19
67	Epidemiology of human papillomavirus-related oropharyngeal cancer in a classically low-burden region of southern Europe. Scientific Reports, 2020, 10, 13219.	3.3	19
68	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced laryngeal carcinoma. European Archives of Oto-Rhino-Laryngology, 2005, 262, 93-98.	1.6	17
69	Salvage surgery after local recurrence in patients with head and neck carcinoma treated with chemoradiotherapy or bioradiotherapy. Auris Nasus Larynx, 2015, 42, 145-149.	1.2	17
70	Características epidemiológicas de los pacientes con carcinomas escamosos de cabeza y cuello. Resultados de un registro hospitalario. Acta Otorrinolaringológica Española, 2019, 70, 272-278.	0.4	17
71	Expression of the CXCL12/CXCR4 chemokine axis predicts regional control in head and neck squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2016, 273, 4525-4533.	1.6	16
72	CKMT1 and NCOA1 expression as a predictor of clinical outcome in patients with advanced stage head and neck squamous cell carcinoma. Head and Neck, 2016, 38, E1392-403.	2.0	16

#	ARTICLE	IF	CITATIONS
73	Prognostic value of CD45 transcriptional expression in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 225-232.	1.6	16
74	Riesgo de aparición de segundas neoplasias y neoplasias sucesivas en pacientes con un tumor índice de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 9-15.	0.4	16
75	Seven-year follow-up of durability and safety of AAV CNS gene therapy for a lysosomal storage disorder in a large animal. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021, 23, 370-389.	4.1	16
76	Second primary tumors in head and neck cancer patients. <i>Acta Oto-Laryngologica</i> , 2002, 122, 765-78.	0.9	16
77	Laryngeal cancer in non-smoking and non-drinking patients. <i>Acta Oto-Laryngologica</i> , 2004, 124, 664-669.	0.9	15
78	External validation of a risk group defined by recursive partitioning analysis in patients with head and neck carcinoma treated with surgery and postoperative radiotherapy. <i>Head and Neck</i> , 2007, 29, 815-821.	2.0	15
79	Impacto de la laringectomía total en la situación laboral. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 74-79.	0.4	15
80	Significado pronóstico de la extensión extranodal en pacientes con carcinomas escamosos de cabeza y cuello cNO con metástasis ganglionares ocultas. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 156-164.	0.4	15
81	Distinctive Expression and Amplification of Genes at 11q13 in Relation to HPV Status with Impact on Survival in Head and Neck Cancer Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 501.	2.4	15
82	Treatment of skeletal and non-skeletal alterations of Mucopolysaccharidosis type IVA by AAV-mediated gene therapy. <i>Nature Communications</i> , 2021, 12, 5343.	12.8	15
83	Self-assembling protein nanocarrier for selective delivery of cytotoxic polypeptides to CXCR4+ head and neck squamous cell carcinoma tumors. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 2578-2591.	12.0	15
84	Colgajo de pectoral mayor. <i>Acta Otorrinolaringológica Española</i> , 2008, 59, 263-268.	0.4	14
85	Delayed carotid blow-out syndrome: a new complication of chemoradiotherapy treatment in pharyngolaryngeal carcinoma. <i>Journal of Laryngology and Otology</i> , 2012, 126, 1189-1191.	0.8	14
86	Adherencia crónica al humidificador de traqueostoma en pacientes laringectomizados. <i>Acta Otorrinolaringológica Española</i> , 2013, 64, 247-252.	0.4	14
87	The prognostic value of pretreatment platelet count in patients with head and neck squamous cell carcinoma. <i>Auris Nasus Larynx</i> , 2017, 44, 313-318.	1.2	14
88	Succinate Pathway in Head and Neck Squamous Cell Carcinoma: Potential as a Diagnostic and Prognostic Marker. <i>Cancers</i> , 2021, 13, 1653.	3.7	14
89	Risk of third and fourth tumors in patients with head and neck cancer. <i>Head and Neck</i> , 2010, 32, 1467-1472.	2.0	13
90	High RAB 25 expression is associated with good clinical outcome in patients with locally advanced head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2013, 2, 950-963.	2.8	13

#	ARTICLE	IF	CITATIONS
91	Stomal recurrence in head and neck cancer patients with temporary tracheostomy. <i>Auris Nasus Larynx</i> , 2014, 41, 467-470.	1.2	12
92	Prostacyclin synthase expression in head and neck carcinoma patients and its prognostic value in the response to radiotherapy. <i>Journal of Pathology</i> , 2015, 235, 125-135.	4.5	12
93	Parotid Incidentaloma Identified by Positron Emission/Computed Tomography: When to Consider Diagnoses Other than Warthin Tumor. <i>International Archives of Otorhinolaryngology</i> , 2015, 19, 112-115.	0.8	12
94	BMP7 overexpression in adipose tissue induces white adipogenesis and improves insulin sensitivity in ob/ob mice. <i>International Journal of Obesity</i> , 2021, 45, 449-460.	3.4	12
95	Pectoralis Major Flaps. Evolution of Their Use in the Age of Microvascularized Flaps. <i>Acta Otorrinolaringologica (English Edition)</i> , 2008, 59, 263-268.	0.2	11
96	Endonasal Endoscopic Scalpel-Forceps Dacryocystorhinostomy vs Endocanalicular Diode Laser Dacryocystorhinostomy. <i>European Journal of Ophthalmology</i> , 2013, 23, 7-12.	1.3	11
97	Low blood levels of sTWEAK are related to locoregional failure in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1733-1741.	1.6	11
98	Impact of Total Laryngectomy on Return to Work. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 74-79.	0.2	11
99	HPV-relatedness definitions for classifying HPV-related oropharyngeal cancer patient do impact on TNM classification and patients' survival. <i>PLoS ONE</i> , 2018, 13, e0194107.	2.5	11
100	Competing mortality in oropharyngeal carcinoma according to human papillomavirus status. <i>Head and Neck</i> , 2019, 41, 1328-1334.	2.0	11
101	Histologically negative specimens after induction therapy: Frequency and impact on survival. <i>Head and Neck</i> , 2000, 22, 808-813.	2.0	10
102	Treatment of neck nodes after induction chemotherapy in patients with primary advanced tumours. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 521-525.	1.6	10
103	Management of Sinonasal Mucosal Melanomas and Comparison of Classification Staging Systems. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, e37-e40.	2.0	10
104	Reconstrucción de defectos de cavidad oral con colgajos tipo FAMM (colgajo mésculo-mucoso de) Tj ETQq 0 0 rgBT /Overlock 10 Tf	0.4	10
105	Anatomic mapping of the collateral branches of the external carotid artery with regard to daily clinical practice. <i>Annals of Anatomy</i> , 2021, 238, 151789.	1.9	10
106	Modalidades de preservación de Ãrgano en carcinomas de laringe e hipofaringe. <i>Acta Otorrinolaringol&#x00C3;gica Espa&#x00D1;ola</i> , 2007, 58, 476-482.	0.4	9
107	Ceratocricoid muscle: An embryological and anatomical study. <i>Clinical Anatomy</i> , 2009, 22, 463-470.	2.7	9
108	ParotidectomÃas en tumores benignos: clasificación Á«Sant PauÁ» de la extensión de la resección. <i>Acta Otorrinolaringol&#x00C3;gica Espa&#x00D1;ola</i> , 2010, 61, 1-5.	0.4	9

#	ARTICLE	IF	CITATIONS
109	Prognostic significance of extracapsular spread in isolated neck recurrences in head and neck squamous cell carcinoma patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 527-533.	1.6	9
110	The combined use of EFS, GPX2, and SPRR1A expression could distinguish favorable from poor clinical outcome among epithelial-like head and neck carcinoma subtypes. <i>Head and Neck</i> , 2019, 41, 1830-1845.	2.0	9
111	Trends in disease-specific survival of head and neck squamous cell carcinoma patients treated in a single institution over a 30-year period. <i>Oral Oncology</i> , 2021, 115, 105184.	1.5	9
112	Relationship between response to induction chemotherapy and disease control in patients with advanced laryngeal carcinoma included in an organ preservation protocol. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 2581-2587.	1.6	9
113	Blood transfusions in laryngeal cancer: Effect on prognosis. , 1996, 18, 218-224.		8
114	Is dissection of level V necessary in patients with T2-T4N0 supraglottic cancer?. <i>Journal of Laryngology and Otology</i> , 2004, 118, 175-178.	0.8	8
115	Comparison of the Radiation Therapy Oncology Group recursive partitioning classification and Union Internationale Contre le Cancer TNM classification for patients with head and neck carcinoma. <i>Head and Neck</i> , 2005, 27, 248-257.	2.0	8
116	Overexpression of the nuclear factor- κ B (p65) in association with local failure in patients with head and neck carcinoma undergoing radiotherapy or chemoradiotherapy. <i>Head and Neck</i> , 2013, 35, 370-375.	2.0	8
117	Elective treatment of the neck for second primary tumors of the head and neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1187-1190.	1.6	8
118	External validation of sTWEAK as a prognostic noninvasive biomarker for head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1358-63.	2.0	8
119	Recurrent laryngeal squamous cell carcinoma: rTNM versus composite laryngeal recurrence staging system. Proposal for a modification of the CLRSS to improve patient classification. <i>Head and Neck</i> , 2008, 30, 939-945.	2.0	7
120	Elective neck dissection during salvage surgery after radiotherapy in patients with head and neck squamous cell carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2018, 38, 86-93.	1.5	7
121	Repair of post-laryngectomy pharyngocutaneous fistulas using a pectoralis major flap. <i>Brazilian Journal of Otorhinolaryngology</i> , 2019, 85, 351-356.	1.0	7
122	Traqueotomía en pacientes COVID-19: un procedimiento necesario de alto riesgo. Experiencia de dos centros. <i>Archivos De Bronconeumología</i> , 2020, 56, 673-674.	0.8	7
123	Does age influence disease-specific survival in patients with squamous cell carcinomas of the head and neck?. <i>Journal of Surgical Oncology</i> , 2020, 121, 1058-1066.	1.7	7
124	Weighted lymph node ratio: New tool in the assessment of postoperative staging of the neck dissection in HPV -negative head and neck squamous cell carcinoma patients. <i>Head and Neck</i> , 2020, 42, 2912-2919.	2.0	7
125	Resultados oncológicos de la laringectomía de rescate en pacientes con carcinomas escamosos de laringe. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 70-77.	0.4	7
126	Comparison of Chi-Squared Automatic Interaction Detection Classification Trees vs TNM Classification for Patients With Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology</i> , 2012, 138, 272.	1.2	6

#	ARTICLE	IF	CITATIONS
127	Nasopharyngeal carcinoma: 30-year experience of a single institution in a non-endemic area. <i>Clinical and Translational Oncology</i> , 2017, 19, 777-783.	2.4	6
128	Prognostic relevance of insulin resistance on disease-free survival in head and neck squamous cell carcinomas: Preliminary results. <i>Head and Neck</i> , 2017, 39, 2501-2511.	2.0	6
129	Risk of Onset of Second Neoplasms and Successive Neoplasms in Patients With a Head and Neck Index Tumour. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 9-15.	0.2	6
130	Salvage surgery in head and neck cancer: External validation of predictors of disease-specific survival. <i>Oral Oncology</i> , 2020, 109, 104876.	1.5	6
131	The aspartate aminotransaminase/alanine aminotransaminase (De Ritis) ratio predicts sensitivity to radiotherapy in head and neck carcinoma patients. <i>Head and Neck</i> , 2021, 43, 2091-2100.	2.0	6
132	AAV-mediated BMP7 gene therapy counteracts insulin resistance and obesity. <i>Molecular Therapy - Methods and Clinical Development</i> , 2022, 25, 190-204.	4.1	6
133	Predictive value of transcriptional expression of Krüppel-like factor-6 (KLF6) in head and neck carcinoma patients treated with radiotherapy. <i>Clinical and Translational Oncology</i> , 2021, 23, 2507-2512.	2.4	5
134	Causes of long-term mortality in patients with head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3657-3664.	1.6	5
135	A Novel CXCR4-Targeted Diphtheria Toxin Nanoparticle Inhibits Invasion and Metastatic Dissemination in a Head and Neck Squamous Cell Carcinoma Mouse Model. <i>Pharmaceutics</i> , 2022, 14, 887.	4.5	5
136	Prognostic Significance of Extranodal Extension in Head and Neck Squamous Cell Carcinoma cN0 Patients With Occult Metastatic Neck Nodes. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 156-164.	0.2	4
137	Pacientes con carcinoma localmente avanzado de hipofaringe. Resultados a lo largo de un periodo de 30 años. <i>Acta Otorrinolaringológica Española</i> , 2019, 70, 315-326.	0.4	4
138	Circulating microRNAs modulating glycolysis as non-invasive prognostic biomarkers of HNSCC. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1585-1594.	1.6	4
139	Oral cavity colon adenocarcinoma metastases: case report with surgical approach and review of more than 30 years literature. <i>Oral and Maxillofacial Surgery</i> , 2021, 25, 99-101.	1.3	4
140	The Effect of Perioperative Blood Transfusions on Microvascular Anastomoses. <i>Journal of Clinical Medicine</i> , 2021, 10, 1333.	2.4	4
141	The carotid axis revisited. <i>Scientific Reports</i> , 2021, 11, 13847.	3.3	4
142	Significado pronóstico de los niveles de albúmina previos al tratamiento en los pacientes con carcinoma escamoso de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 204-211.	0.4	4
143	The extended SCIP flap: An anatomical and clinical study of a new SCIP flap design. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 3217-3225.	1.0	4
144	Results of an organ conservation protocol in patients with locally advanced laryngeal tumours. <i>Acta Otorrinolaringologica (English Edition)</i> , 2009, 60, 176-185.	0.2	3

#	ARTICLE	IF	CITATIONS
145	Expresión de Heat Shock Protein-90 (HSP-90) como factor predictor de la respuesta a radioterapia en pacientes con tumores de cabeza y cuello. Acta Otorrinolaringológica Española, 2016, 67, 130-134.	0.4	3
146	Indications and results of extended total laryngectomy with en-bloc resection of overlying cervical skin. European Archives of Oto-Rhino-Laryngology, 2019, 276, 3179-3184.	1.6	3
147	Low skeletal muscle mass assessed directly from the 3rd cervical vertebra can predict pharyngocutaneous fistula risk after total laryngectomy in the male population. European Archives of Oto-Rhino-Laryngology, 2022, 279, 853-863.	1.6	3
148	Larynx Transplant: A Therapeutic Option for the 21st Century? Literature Review. Acta Otorrinolaringologica (English Edition), 2008, 59, 127-138.	0.2	2
149	Aetiology and Treatment of Vocal Fold Paralysis: Retrospective Study of 108 Patients. Acta Otorrinolaringologica (English Edition), 2014, 65, 225-230.	0.2	2
150	HSP-90 Expression as a Predictor of Response to Radiotherapy in Head and Neck Cancer Patients. Acta Otorrinolaringologica (English Edition), 2016, 67, 130-134.	0.2	2
151	Carcinoma análogo del secretor mamario de glándulas salivales: a propósito de un caso clínico. Acta Otorrinolaringológica Española, 2018, 69, 306-308.	0.4	2
152	Absence of disruptive TP53 mutations in high-risk human papillomavirus-driven neck squamous cell carcinoma of unknown primary. Head and Neck, 2019, 41, 3833-3841.	2.0	2
153	Patients With Locally Advanced Hypopharyngeal Carcinoma. Results Over a 30-year Period. Acta Otorrinolaringologica (English Edition), 2019, 70, 315-326.	0.2	2
154	Prognostic Significance of Albumin Levels Prior to Treatment in Patients With Head and Neck Squamous Cell Carcinoma. Acta Otorrinolaringologica (English Edition), 2020, 71, 204-211.	0.2	2
155	Prognostic capacity of the weighted lymph node ratio in head and neck squamous cell carcinoma patients treated with salvage neck dissection. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4005-4010.	1.6	2
156	Resultados oncológicos del tratamiento de rescate en pacientes con carcinomas de hipofaringe. Acta Otorrinolaringológica Española, 2021, 72, 85-91.	0.4	2
157	Prognostic value of the nodal yield in elective neck dissections in patients with head and neck carcinomas. European Archives of Oto-Rhino-Laryngology, 2021, , 1.	1.6	2
158	Prevention of stomal recurrence. Head and Neck, 1996, 18, 54-59.	2.0	2
159	Risk of distant metastases in head and neck carcinoma patients and myeloperoxidase (MPO) expression.. Journal of Clinical Oncology, 2016, 34, 6067-6067.	1.6	2
160	Capacidad predictiva de la expresión de IL-8 en pacientes con carcinomas escamosos de cabeza y cuello tratados con radioterapia o quimio-radioterapia. Acta Otorrinolaringológica Española, 2021, 72, 337-343.	0.4	2
161	Semaphorin-3F/Neuropilin-2 Transcriptional Expression as a Predictive Biomarker of Occult Lymph Node Metastases in HNSCC. Cancers, 2022, 14, 2259.	3.7	2
162	Organ Preservation in Laryngeal and Hypopharyngeal Cancer. Acta Otorrinolaringologica (English) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00	0.2	1

#	ARTICLE	IF	CITATIONS
163	Trasplante de la laringe: ¿una opción terapéutica para el siglo XXI? Revisión de la literatura. Acta Otorrinolaringológica Española, 2008, 59, 127-138.	0.4	1
164	Molecular analysis in serial biopsies in sinonasal mucosal melanoma. Annals of Oncology, 2016, 27, vi346.	1.2	1
165	Oral cavity, pharynx and larynx nodules. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2016, 133, 289-291.	0.7	1
166	Prognostic role of extracapsular spread in planned neck dissection after chemoradiotherapy. Head and Neck, 2018, 40, 2514-2520.	2.0	1
167	Epidemiologic Characteristics of Squamous Head and Neck Carcinoma Patients. Results of a Hospital Register. Acta Otorrinolaringologica (English Edition), 2019, 70, 272-278.	0.2	1
168	Oncological Results of Salvage Laryngectomy in Patients With Laryngeal Carcinoma. Acta Otorrinolaringologica (English Edition), 2020, 71, 70-77.	0.2	1
169	Oncological Results of Salvage Treatment in Patients With Hypopharyngeal Carcinoma. Acta Otorrinolaringologica (English Edition), 2021, 72, 85-91.	0.2	1
170	Pacientes fumadores de cigarros con carcinomas escamosos de cabeza y cuello. Características epidemiológicas y pronósticas diferenciales. Acta Otorrinolaringológica Española, 2021, 72, 222-229.	0.4	1
171	COVID-19 Pandemic and its Impact on the Management of Head and Neck Cancer in the Spanish Healthcare System.. International Archives of Otorhinolaryngology, 2021, 25, e610-e615.	0.8	1
172	Predictive capacity of IL-8 expression in head and neck squamous carcinoma patients treated with radiotherapy or chemoradiotherapy. Acta Otorrinolaringologica (English Edition), 2021, 72, 337-343.	0.2	1
173	Pharyngocutaneous fistula in irradiated patients: systematic review and our experience. Journal of Laryngology and Otology, 2022, 136, 1027-1033.	0.8	1
174	Relationship between the transcriptional expression of PIM1 and local control in patients with head and neck squamous cell carcinomas treated with radiotherapy. European Archives of Oto-Rhino-Laryngology, 2022, , 1.	1.6	1
175	5512 POSTER Expression of NHEJ genes in head and neck squamous cell carcinoma is associated with tumor response to 5-fluorouracil and cisplatin-based induction chemotherapy. European Journal of Cancer, Supplement, 2007, 5, 328.	2.2	0
176	Reply to letter to the editor. Head and Neck, 2014, 36, n/a-n/a.	2.0	0
177	589: New molecular markers associated with clinical outcome in locally advanced head and neck carcinoma. European Journal of Cancer, 2014, 50, S142.	2.8	0
178	590: Dickkopf-3 (DKK3), biomarker in head and neck cancer and its implication in tumor progression. European Journal of Cancer, 2014, 50, S142.	2.8	0
179	691: SERPINE1 immunostaining is associated with clinical outcome in head and neck squamous cell carcinoma. European Journal of Cancer, 2014, 50, S166.	2.8	0
180	Surgical Treatment of Head and Neck Squamous Cell Carcinomas in Spain During the 2006-2011 Period. Acta Otorrinolaringologica (English Edition), 2015, 66, 98-105.	0.2	0

#	ARTICLE	IF	CITATIONS
181	Nodules en cavidad oral, pharynx et larynx. Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale, 2016, 133, 261-262.	0.0	0
182	Postoperative Staging of the Neck Dissection Using Extracapsular Spread and Lymph Node Ratio As Prognostic Factors in HPV-Negative Head and Neck Squamous Cell Carcinoma Patients (HNSCC). International Journal of Radiation Oncology Biology Physics, 2018, 102, S201.	0.8	0
183	The use of HPV16-E5, EGFR and pEGFR as prognostic biomarkers for oropharyngeal cancer patients. Annals of Oncology, 2018, 29, viii387.	1.2	0
184	PO-102 Amplification of genes at 11q13 in relation to HPV status in head and neck squamous cell carcinomas. Radiotherapy and Oncology, 2019, 132, 52.	0.6	0
185	PO-103 Competing mortality in oropharyngeal carcinoma according to HPV status. Radiotherapy and Oncology, 2019, 132, 53.	0.6	0
186	PO-156 Risk of appearance of second and successive neoplasms in patients with a head and neck index tumor. Radiotherapy and Oncology, 2019, 132, 83.	0.6	0
187	Prognostic Value of Nodal Involvement in Patients With Oropharyngeal Carcinoma According to the HPV Status. Acta Otorrinolaringologica (English Edition), 2020, 71, 212-218.	0.2	0
188	Prognostic Capacity of the Lymph Node Ratio in Squamous Cell Carcinomas of the Head and Neck. Acta Otorrinolaringologica (English Edition), 2020, 71, 265-274.	0.2	0
189	Analysis of Specific Survival and Local Control Through a Recursive Partitioning Analysis in Patients With Head and Neck Carcinoma. Acta Otorrinolaringologica (English Edition), 2020, 71, 131-139.	0.2	0
190	Preservación de Órgano tras un tratamiento con quimioterapia de inducción en pacientes con carcinomas localmente avanzados (T3-T4) de cavidad oral y orofaringe. Acta Otorrinolaringológica Española, 2021, 72, 27-36.	0.4	0
191	Organ Preservation After Treatment With Induction Chemotherapy in Patients With Locally Advanced Carcinomas (T3-T4) of Oral Cavity and Oropharynx. Acta Otorrinolaringologica (English Edition), 2021, 72, 27-36.	0.2	0
192	Características diferenciales de los pacientes con carcinomas escamosos de cabeza y cuello en función del género. Acta Otorrinolaringológica Española, 2021, 72, 359-369.	0.4	0
193	Preservación de Órgano en pacientes con tumores avanzados de laringe. Resultados de la quimioterapia de inducción versus quimio-radioterapia en la práctica clínica real. Acta Otorrinolaringológica Española, 2021, 72, 143-151.	0.4	0
194	Organ Preservation in Patients With Advanced Laryngeal Tumours. Results of Induction Chemotherapy Versus Chemoradiotherapy in Actual Clinical Practice. Acta Otorrinolaringologica (English Edition), 2021, 72, 143-151.	0.2	0
195	Head and neck squamous cell carcinoma in cigar smokers. Distinctive epidemiological and prognostic characteristics. Acta Otorrinolaringologica (English Edition), 2021, 72, 222-229.	0.2	0
196	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). Journal of Clinical Oncology, 2004, 22, 5519-5519.	1.6	0
197	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. Journal of Clinical Oncology, 2004, 22, 5582-5582.	1.6	0
198	A proposal of pathological classification (pTNM) of patients with head and neck cancer according to capsular rupture (pN- RC). Journal of Clinical Oncology, 2007, 25, 16525-16525.	1.6	0

#	ARTICLE	IF	CITATIONS
199	Progressive increasing in the risk of second and subsequent malignant tumors in patients with a head and neck cancer: A validation study with SEER data.. Journal of Clinical Oncology, 2012, 30, 5595-5595.	1.6	0
200	Gene expression as a predictor of radiotherapy or chemoradiotherapy response in head and neck squamous cell carcinoma patients: A molecular approach.. Journal of Clinical Oncology, 2012, 30, 5590-5590.	1.6	0
201	Expression of interleukin-1 β (IL1- β) and risk of distant metastases (DM) in head and neck squamous cell carcinoma (HNSCC).. Journal of Clinical Oncology, 2014, 32, 6078-6078.	1.6	0
202	Expression of the CXCL12/CXCR4 chemokine axis as predictor of regional control in head and neck squamous cell carcinoma (HNSCC).. Journal of Clinical Oncology, 2015, 33, e17093-e17093.	1.6	0
203	Validation of the pathological classification of lymph node metastasis for head and neck tumors (HNSCC) according to the 8th edition of the TNM Classification of Malignant Tumors (8th TNM).. Journal of Clinical Oncology, 2017, 35, 6014-6014.	1.6	0
204	Risk of second primary neoplasia in patients with oropharyngeal carcinoma: Role of HPV status in the outcome.. Journal of Clinical Oncology, 2019, 37, e17544-e17544.	1.6	0
205	Análisis de la supervivencia específica y el control local mediante un análisis de partición recursiva en pacientes con carcinomas de cabeza y cuello. Acta Otorrinolaringológica Española, 2020, 71, 131-139.	0.4	0
206	Valoración de la capacidad pronóstica de la afectación ganglionar de los pacientes con carcinoma de orofaringe en función del estatus HPV. Acta Otorrinolaringológica Española, 2020, 71, 212-218.	0.4	0
207	Capacidad pronóstica de la densidad ganglionar en los carcinomas escamosos de cabeza y cuello. Acta Otorrinolaringológica Española, 2020, 71, 265-274.	0.4	0
208	Differential Characteristics of Patients With Squamous Cell Carcinoma of the Head and Neck According to Gender. Acta Otorrinolaringologica (English Edition), 2021, 72, 359-369.	0.2	0
209	Un caso de sialometaplasia necrosante. Acta Otorrinolaringológica Española, 2020, 71, 328-329.	0.4	0
210	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). Journal of Clinical Oncology, 2004, 22, 5519-5519.	1.6	0
211	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. Journal of Clinical Oncology, 2004, 22, 5582-5582.	1.6	0
212	Prognostic value of transcriptional expression of fibronectin type III domain-containing 4 (FNDC4) in head and neck carcinoma patients treated with chemoradiotherapy. Clinical and Translational Oncology, 0, , .	2.4	0