

Xavier LeÃ³n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/615738/publications.pdf>

Version: 2024-02-01

212
papers

5,364
citations

94433

37
h-index

118850

62
g-index

235
all docs

235
docs citations

235
times ranked

6303
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-assembling protein nanocarrier for selective delivery of cytotoxic polypeptides to CXCR4+ head and neck squamous cell carcinoma tumors. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 2578-2591.	12.0	15
2	Low skeletal muscle mass assessed directly from the 3rd cervical vertebra can predict pharyngocutaneous fistula risk after total laryngectomy in the male population. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 853-863.	1.6	3
3	Causes of long-term mortality in patients with head and neck squamous cell carcinomas. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 3657-3664.	1.6	5
4	Pharyngocutaneous fistula in irradiated patients: systematic review and our experience. <i>Journal of Laryngology and Otology</i> , 2022, 136, 1027-1033.	0.8	1
5	Relationship between the transcriptional expression of PIM1 and local control in patients with head and neck squamous cell carcinomas treated with radiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, , 1.	1.6	1
6	CXCR4-targeted nanotoxins induce GSDME-dependent pyroptosis in head and neck squamous cell carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 49.	8.6	24
7	AAV-mediated BMP7 gene therapy counteracts insulin resistance and obesity. <i>Molecular Therapy - Methods and Clinical Development</i> , 2022, 25, 190-204.	4.1	6
8	A Novel CXCR4-Targeted Diphtheria Toxin Nanoparticle Inhibits Invasion and Metastatic Dissemination in a Head and Neck Squamous Cell Carcinoma Mouse Model. <i>Pharmaceutics</i> , 2022, 14, 887.	4.5	5
9	Semaphorin-3F/Neuropilin-2 Transcriptional Expression as a Predictive Biomarker of Occult Lymph Node Metastases in HNSCC. <i>Cancers</i> , 2022, 14, 2259.	3.7	2
10	The extended SCIP flap: An anatomical and clinical study of a new SCIP flap design. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 3217-3225.	1.0	4
11	Circulating microRNAs modulating glycolysis as non-invasive prognostic biomarkers of HNSCC. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1585-1594.	1.6	4
12	Oral cavity colon adenocarcinoma metastases: case report with surgical approach and review of more than 30 years literature. <i>Oral and Maxillofacial Surgery</i> , 2021, 25, 99-101.	1.3	4
13	BMP7 overexpression in adipose tissue induces white adipogenesis and improves insulin sensitivity in ob/ob mice. <i>International Journal of Obesity</i> , 2021, 45, 449-460.	3.4	12
14	Prognostic capacity of the weighted lymph node ratio in head and neck squamous cell carcinoma patients treated with salvage neck dissection. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4005-4010.	1.6	2
15	Preservación de Órgano tras un tratamiento con quimioterapia de inducción en pacientes con carcinomas localmente avanzados (T3-T4) de cavidad oral y orofaringe. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 27-36.	0.4	0
16	Organ Preservation After Treatment With Induction Chemotherapy in Patients With Locally Advanced Carcinomas (T3-T4) of Oral Cavity and Oropharynx. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 27-36.	0.2	0
17	Características diferenciales de los pacientes con carcinomas escamosos de cabeza y cuello en función del género. <i>Acta Otorrinolaringológica Española</i> , 2021, 72, 359-369.	0.4	0
18	The Effect of Perioperative Blood Transfusions on Microvascular Anastomoses. <i>Journal of Clinical Medicine</i> , 2021, 10, 1333.	2.4	4

#	ARTICLE	IF	CITATIONS
19	Resultados oncológicos del tratamiento de rescate en pacientes con carcinomas de hipofaringe. Acta Otorrinolaringológica Española, 2021, 72, 85-91.	0.4	2
20	The aspartate aminotransaminase/alanine aminotransaminase (De Ritis) ratio predicts sensitivity to radiotherapy in head and neck carcinoma patients. Head and Neck, 2021, 43, 2091-2100.	2.0	6
21	Oncological Results of Salvage Treatment in Patients With Hypopharyngeal Carcinoma. Acta Otorrinolaringologica (English Edition), 2021, 72, 85-91.	0.2	1
22	Succinate Pathway in Head and Neck Squamous Cell Carcinoma: Potential as a Diagnostic and Prognostic Marker. Cancers, 2021, 13, 1653.	3.7	14
23	Trends in disease-specific survival of head and neck squamous cell carcinoma patients treated in a single institution over a 30-year period. Oral Oncology, 2021, 115, 105184.	1.5	9
24	Prognostic value of the nodal yield in elective neck dissections in patients with head and neck carcinomas. European Archives of Oto-Rhino-Laryngology, 2021, , 1.	1.6	2
25	Preservación de Órgano en pacientes con tumores avanzados de laringe. Resultados de la quimioterapia de inducción versus quimio-radioterapia en la práctica clínica real. Acta Otorrinolaringológica Española, 2021, 72, 143-151.	0.4	0
26	Organ Preservation in Patients With Advanced Laryngeal Tumours. Results of Induction Chemotherapy Versus Chemoradiotherapy in Actual Clinical Practice. Acta Otorrinolaringologica (English Edition), 2021, 72, 143-151.	0.2	0
27	Predictive value of transcriptional expression of Krüppel-like factor-6 (KLF6) in head and neck carcinoma patients treated with radiotherapy. Clinical and Translational Oncology, 2021, 23, 2507-2512.	2.4	5
28	Pacientes fumadores de cigarrillos con carcinomas escamosos de cabeza y cuello. Características epidemiológicas y pronósticas diferenciales. Acta Otorrinolaringológica Española, 2021, 72, 222-229.	0.4	1
29	Head and neck squamous cell carcinoma in cigar smokers. Distinctive epidemiological and prognostic characteristics. Acta Otorrinolaringologica (English Edition), 2021, 72, 222-229.	0.2	0
30	The carotid axis revisited. Scientific Reports, 2021, 11, 13847.	3.3	4
31	Treatment of skeletal and non-skeletal alterations of Mucopolysaccharidosis type IVA by AAV-mediated gene therapy. Nature Communications, 2021, 12, 5343.	12.8	15
32	Anatomic mapping of the collateral branches of the external carotid artery with regard to daily clinical practice. Annals of Anatomy, 2021, 238, 151789.	1.9	10
33	Seven-year follow-up of durability and safety of AAV CNS gene therapy for a lysosomal storage disorder in a large animal. Molecular Therapy - Methods and Clinical Development, 2021, 23, 370-389.	4.1	16
34	COVID-19 Pandemic and its Impact on the Management of Head and Neck Cancer in the Spanish Healthcare System.. International Archives of Otorhinolaryngology, 2021, 25, e610-e615.	0.8	1
35	Capacidad predictiva de la expresión de IL-8 en pacientes con carcinomas escamosos de cabeza y cuello tratados con radioterapia o quimio-radioterapia. Acta Otorrinolaringológica Española, 2021, 72, 337-343.	0.4	2
36	Differential Characteristics of Patients With Squamous Cell Carcinoma of the Head and Neck According to Gender. Acta Otorrinolaringologica (English Edition), 2021, 72, 359-369.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Predictive capacity of IL-8 expression in head and neck squamous carcinoma patients treated with radiotherapy or chemoradiotherapy. <i>Acta Otorrinolaringologica (English Edition)</i> , 2021, 72, 337-343.	0.2	1
38	Pretreatment peripheral blood leukocytes are independent predictors of survival in oral cavity cancer. <i>Cancer</i> , 2020, 126, 994-1003.	4.1	42
39	Prognostic capacity of Systemic Inflammation Response Index (SIRI) in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2020, 42, 336-343.	2.0	48
40	Prognostic Value of Nodal Involvement in Patients With Oropharyngeal Carcinoma According to the HPV Status. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 212-218.	0.2	0
41	Prognostic Significance of Albumin Levels Prior to Treatment in Patients With Head and Neck Squamous Cell Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 204-211.	0.2	2
42	Epidemiology of human papillomavirus-related oropharyngeal cancer in a classically low-burden region of southern Europe. <i>Scientific Reports</i> , 2020, 10, 13219.	3.3	19
43	Prognostic Capacity of the Lymph Node Ratio in Squamous Cell Carcinomas of the Head and Neck. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 265-274.	0.2	0
44	Risk of Onset of Second Neoplasms and Successive Neoplasms in Patients With a Head and Neck Index Tumour. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 9-15.	0.2	6
45	Analysis of Specific Survival and Local Control Through a Recursive Partitioning Analysis in Patients With Head and Neck Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 131-139.	0.2	0
46	Oncological Results of Salvage Laryngectomy in Patients With Laryngeal Carcinoma. <i>Acta Otorrinolaringologica (English Edition)</i> , 2020, 71, 70-77.	0.2	1
47	Traqueotomía en pacientes COVID-19: un procedimiento necesario de alto riesgo. Experiencia de dos centros. <i>Archivos De Bronconeumología</i> , 2020, 56, 673-674.	0.8	7
48	Does age influence disease-specific survival in patients with squamous cell carcinomas of the head and neck?. <i>Journal of Surgical Oncology</i> , 2020, 121, 1058-1066.	1.7	7
49	Weighted lymph node ratio: New tool in the assessment of postoperative staging of the neck dissection in HPV negative head and neck squamous cell carcinoma patients. <i>Head and Neck</i> , 2020, 42, 2912-2919.	2.0	7
50	Salvage surgery in head and neck cancer: External validation of predictors of disease-specific survival. <i>Oral Oncology</i> , 2020, 109, 104876.	1.5	6
51	Riesgo de aparición de segundas neoplasias y neoplasias sucesivas en pacientes con un tumor índice de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 9-15.	0.4	16
52	Resultados oncológicos de la laringectomía de rescate en pacientes con carcinomas escamosos de laringe. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 70-77.	0.4	7
53	Significado pronóstico de los niveles de albúmina previos al tratamiento en los pacientes con carcinoma escamoso de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 204-211.	0.4	4
54	Análisis de la supervivencia específica y el control local mediante un análisis de partición recursiva en pacientes con carcinomas de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2020, 71, 131-139.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Valoración de la capacidad pronóstica de la afectación ganglionar de los pacientes con carcinoma de orofaringe en función del estatus HPV. Acta Otorrinolaringológica Española, 2020, 71, 212-218.	0.4	0
56	Capacidad pronóstica de la densidad ganglionar en los carcinomas escamosos de cabeza y cuello. Acta Otorrinolaringológica Española, 2020, 71, 265-274.	0.4	0
57	Un caso de sialometaplasia necrosante. Acta Otorrinolaringológica Española, 2020, 71, 328-329.	0.4	0
58	Effect of serpinE1 overexpression on the primary tumor and lymph node, and lung metastases in head and neck squamous cell carcinoma. Head and Neck, 2019, 41, 429-439.	2.0	28
59	PO-102 Amplification of genes at 11q13 in relation to HPV status in head and neck squamous cell carcinomas. Radiotherapy and Oncology, 2019, 132, 52.	0.6	0
60	PO-103 Competing mortality in oropharyngeal carcinoma according to HPV status. Radiotherapy and Oncology, 2019, 132, 53.	0.6	0
61	Absence of disruptive TP53 mutations in high-risk human papillomavirus-driven neck squamous cell carcinoma of unknown primary. Head and Neck, 2019, 41, 3833-3841.	2.0	2
62	Indications and results of extended total laryngectomy with en-bloc resection of overlying cervical skin. European Archives of Oto-Rhino-Laryngology, 2019, 276, 3179-3184.	1.6	3
63	Epidemiologic Characteristics of Squamous Head and Neck Carcinoma Patients. Results of a Hospital Register. Acta Otorrinolaringologica (English Edition), 2019, 70, 272-278.	0.2	1
64	Pacientes con carcinoma localmente avanzado de hipofaringe. Resultados a lo largo de un periodo de 30 años. Acta Otorrinolaringológica Española, 2019, 70, 315-326.	0.4	4
65	PO-156 Risk of appearance of second and successive neoplasms in patients with a head and neck index tumor. Radiotherapy and Oncology, 2019, 132, 83.	0.6	0
66	The combined use of EFS, GPX2, and SPRR1A expression could distinguish favorable from poor clinical outcome among epithelial-like head and neck carcinoma subtypes. Head and Neck, 2019, 41, 1830-1845.	2.0	9
67	Patients With Locally Advanced Hypopharyngeal Carcinoma. Results Over a 30-year Period. Acta Otorrinolaringologica (English Edition), 2019, 70, 315-326.	0.2	2
68	Pharyngocutaneous fistula after total laryngectomy: multivariate analysis of risk factors and a severity-based classification proposal. European Archives of Oto-Rhino-Laryngology, 2019, 276, 143-151.	1.6	22
69	Características epidemiológicas de los pacientes con carcinomas escamosos de cabeza y cuello. Resultados de un registro hospitalario. Acta Otorrinolaringológica Española, 2019, 70, 272-278.	0.4	17
70	Competing mortality in oropharyngeal carcinoma according to human papillomavirus status. Head and Neck, 2019, 41, 1328-1334.	2.0	11
71	Repair of post-laryngectomy pharyngocutaneous fistulas using a pectoralis major flap. Brazilian Journal of Otorhinolaryngology, 2019, 85, 351-356.	1.0	7
72	Risk of second primary neoplasia in patients with oropharyngeal carcinoma: Role of HPV status in the outcome.. Journal of Clinical Oncology, 2019, 37, e17544-e17544.	1.6	0

#	ARTICLE	IF	CITATIONS
73	Double positivity for HPV-DNA/p16ink4a is the biomarker with strongest diagnostic accuracy and prognostic value for human papillomavirus related oropharyngeal cancer patients. <i>Oral Oncology</i> , 2018, 78, 137-144.	1.5	58
74	Postoperative staging of the neck dissection using extracapsular spread and lymph node ratio as prognostic factors in HPV-negative head and neck squamous cell carcinoma patients. <i>Oral Oncology</i> , 2018, 77, 37-42.	1.5	20
75	Impact of Total Laryngectomy on Return to Work. <i>Acta Otorrinolaringológica (English Edition)</i> , 2018, 69, 74-79.	0.2	11
76	Impacto de la laringectomía total en la situación laboral. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 74-79.	0.4	15
77	Carcinoma análogo del secretor mamario de glándulas salivales: a propósito de un caso clínico. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 306-308.	0.4	2
78	Significado pronóstico de la extensión extranodal en pacientes con carcinomas escamosos de cabeza y cuello cNO con metástasis ganglionares ocultas. <i>Acta Otorrinolaringológica Española</i> , 2018, 69, 156-164.	0.4	15
79	Prognostic value of CD45 transcriptional expression in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 225-232.	1.6	16
80	Postoperative Staging of the Neck Dissection Using Extracapsular Spread and Lymph Node Ratio As Prognostic Factors in HPV-Negative Head and Neck Squamous Cell Carcinoma Patients (HNSCC). <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, S201.	0.8	0
81	The Use of HPV16-E5, EGFR, and pEGFR as Prognostic Biomarkers for Oropharyngeal Cancer Patients. <i>Frontiers in Oncology</i> , 2018, 8, 589.	2.8	20
82	The use of HPV16-E5, EGFR and pEGFR as prognostic biomarkers for oropharyngeal cancer patients. <i>Annals of Oncology</i> , 2018, 29, viii387.	1.2	0
83	Elective neck dissection during salvage surgery after radiotherapy in patients with head and neck squamous cell carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2018, 38, 86-93.	1.5	7
84	Distinctive Expression and Amplification of Genes at 11q13 in Relation to HPV Status with Impact on Survival in Head and Neck Cancer Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 501.	2.4	15
85	Prognostic role of extracapsular spread in planned neck dissection after chemoradiotherapy. <i>Head and Neck</i> , 2018, 40, 2514-2520.	2.0	1
86	FGF21 gene therapy as treatment for obesity and insulin resistance. <i>EMBO Molecular Medicine</i> , 2018, 10, .	6.9	176
87	HPV-relatedness definitions for classifying HPV-related oropharyngeal cancer patient do impact on TNM classification and patients' survival. <i>PLoS ONE</i> , 2018, 13, e0194107.	2.5	11
88	Prognostic Significance of Extranodal Extension in Head and Neck Squamous Cell Carcinoma cNO Patients With Occult Metastatic Neck Nodes. <i>Acta Otorrinolaringologica (English Edition)</i> , 2018, 69, 156-164.	0.2	4
89	Human papillomavirus as prognostic marker with rising prevalence in neck squamous cell carcinoma of unknown primary: A retrospective multicentre study. <i>European Journal of Cancer</i> , 2017, 74, 73-81.	2.8	59
90	Nasopharyngeal carcinoma: 30-year experience of a single institution in a non-endemic area. <i>Clinical and Translational Oncology</i> , 2017, 19, 777-783.	2.4	6

#	ARTICLE	IF	CITATIONS
91	Modifications in the treatment of advanced laryngeal cancer throughout the last 30 years. European Archives of Oto-Rhino-Laryngology, 2017, 274, 3449-3455.	1.6	23
92	Prognostic significance of extracapsular spread in isolated neck recurrences in head and neck squamous cell carcinoma patients. European Archives of Oto-Rhino-Laryngology, 2017, 274, 527-533.	1.6	9
93	Validation of the pathological classification of lymph node metastasis for head and neck tumors according to the 8th edition of the TNM Classification of Malignant Tumors. Oral Oncology, 2017, 70, 29-33.	1.5	31
94	Disease correction by AAV-mediated gene therapy in a new mouse model of mucopolysaccharidosis type IIID. Human Molecular Genetics, 2017, 26, 1535-1551.	2.9	39
95	The role of HPV on the risk of second primary neoplasia in patients with oropharyngeal carcinoma. Oral Oncology, 2017, 64, 37-43.	1.5	39
96	Prognostic relevance of insulin resistance on disease-free survival in head and neck squamous cell carcinomas: Preliminary results. Head and Neck, 2017, 39, 2501-2511.	2.0	6
97	Pretreatment count of peripheral neutrophils, monocytes, and lymphocytes as independent prognostic factor in patients with head and neck cancer. Head and Neck, 2017, 39, 219-226.	2.0	71
98	The prognostic value of pretreatment platelet count in patients with head and neck squamous cell carcinoma. Auris Nasus Larynx, 2017, 44, 313-318.	1.2	14
99	Relationship between response to induction chemotherapy and disease control in patients with advanced laryngeal carcinoma included in an organ preservation protocol. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2581-2587.	1.6	9
100	Validation of the pathological classification of lymph node metastasis for head and neck tumors (HNSCC) according to the 8th edition of the TNM Classification of Malignant Tumors (8th TNM).. Journal of Clinical Oncology, 2017, 35, 6014-6014.	1.6	0
101	Molecular analysis in serial biopsies in sinonasal mucosal melanoma. Annals of Oncology, 2016, 27, vi346.	1.2	1
102	uPA/uPAR and SERPINE1 in head and neck cancer: role in tumor resistance, metastasis, prognosis and therapy. Oncotarget, 2016, 7, 57351-57366.	1.8	120
103	External validation of sTWEAK as a prognostic noninvasive biomarker for head and neck squamous cell carcinoma. Head and Neck, 2016, 38, E1358-63.	2.0	8
104	Management of recurrent head and neck cancer: variables related to salvage surgery. European Archives of Oto-Rhino-Laryngology, 2016, 273, 4417-4424.	1.6	37
105	HSP-90 Expression as a Predictor of Response to Radiotherapy in Head and Neck Cancer Patients. Acta Otorrinolaringologica (English Edition), 2016, 67, 130-134.	0.2	2
106	Nodules en cavité orale, pharynx et larynx. Annales Francaises D'Oto-Rhino-Laryngologie Et De Pathologie Cervico-Faciale, 2016, 133, 261-262.	0.0	0
107	Expression of the CXCL12/CXCR4 chemokine axis predicts regional control in head and neck squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2016, 273, 4525-4533.	1.6	16
108	Oral cavity, pharynx and larynx nodules. European Annals of Otorhinolaryngology, Head and Neck Diseases, 2016, 133, 289-291.	0.7	1

#	ARTICLE	IF	CITATIONS
109	CKMT1 and NCOA1 expression as a predictor of clinical outcome in patients with advanced-stage head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016, 38, E1392-403.	2.0	16
110	HPV Involvement in Head and Neck Cancers: Comprehensive Assessment of Biomarkers in 3680 Patients. <i>Journal of the National Cancer Institute</i> , 2016, 108, djv403.	6.3	580
111	Classification of parotidectomies: a proposal of the European Salivary Gland Society. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3307-3312.	1.6	111
112	Expresión de Heat Shock Protein-90 (HSP-90) como factor predictor de la respuesta a radioterapia en pacientes con tumores de cabeza y cuello. <i>Acta Otorrinolaringológica Española</i> , 2016, 67, 130-134.	0.4	3
113	CNS-directed gene therapy for the treatment of neurologic and somatic mucopolysaccharidosis type II (Hunter syndrome). <i>JCI Insight</i> , 2016, 1, e86696.	5.0	56
114	Risk of distant metastases in head and neck carcinoma patients and myeloperoxidase (MPO) expression.. <i>Journal of Clinical Oncology</i> , 2016, 34, 6067-6067.	1.6	2
115	Management of Sinonasal Mucosal Melanomas and Comparison of Classification Staging Systems. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, e37-e40.	2.0	10
116	Prostacyclin synthase expression in head and neck carcinoma patients and its prognostic value in the response to radiotherapy. <i>Journal of Pathology</i> , 2015, 235, 125-135.	4.5	12
117	Biochemical, histological and functional correction of mucopolysaccharidosis Type IIIB by intra-cerebrospinal fluid gene therapy. <i>Human Molecular Genetics</i> , 2015, 24, 2078-2095.	2.9	48
118	Parotid Incidentaloma Identified by Positron Emission/Computed Tomography: When to Consider Diagnoses Other than Warthin Tumor. <i>International Archives of Otorhinolaryngology</i> , 2015, 19, 112-115.	0.8	12
119	Reconstrucción de defectos de cavidad oral con colgajos tipo FAMM (colgajo másculo-mucoso de Tj ETQq1 1 0.784314 rgBT /Overlo	0.4	10
120	Surgical Treatment of Head and Neck Squamous Cell Carcinomas in Spain During the 2006-2011 Period. <i>Acta Otorrinolaringologica (English Edition)</i> , 2015, 66, 98-105.	0.2	0
121	Salvage surgery after local recurrence in patients with head and neck carcinoma treated with chemoradiotherapy or bioradiotherapy. <i>Auris Nasus Larynx</i> , 2015, 42, 145-149.	1.2	17
122	Low blood levels of sTWEAK are related to locoregional failure in head and neck cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1733-1741.	1.6	11
123	Enhanced cell migration and apoptosis resistance may underlie the association between high SERPINE1 expression and poor outcome in head and neck carcinoma patients. <i>Oncotarget</i> , 2015, 6, 29016-29033.	1.8	62
124	Expression of IL-1 β correlates with distant metastasis in patients with head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 37398-37409.	1.8	54
125	Expression of the CXCL12/CXCR4 chemokine axis as predictor of regional control in head and neck squamous cell carcinoma (HNSCC).. <i>Journal of Clinical Oncology</i> , 2015, 33, e17093-e17093.	1.6	0
126	Reply to letter to the editor. <i>Head and Neck</i> , 2014, 36, n/a-n/a.	2.0	0

#	ARTICLE	IF	CITATIONS
127	Stomal recurrence in head and neck cancer patients with temporary tracheostomy. <i>Auris Nasus Larynx</i> , 2014, 41, 467-470.	1.2	12
128	Elective treatment of the neck for second primary tumors of the head and neck. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1187-1190.	1.6	8
129	589: New molecular markers associated with clinical outcome in locally advanced head and neck carcinoma. <i>European Journal of Cancer</i> , 2014, 50, S142.	2.8	0
130	590: Dickkopf-3 (DKK3), biomarker in head and neck cancer and its implication in tumor progression. <i>European Journal of Cancer</i> , 2014, 50, S142.	2.8	0
131	691: SERPINE1 immunostaining is associated with clinical outcome in head and neck squamous cell carcinoma. <i>European Journal of Cancer</i> , 2014, 50, S166.	2.8	0
132	Aetiology and Treatment of Vocal Fold Paralysis: Retrospective Study of 108 Patients. <i>Acta Otorrinolaringologica (English Edition)</i> , 2014, 65, 225-230.	0.2	2
133	Expression of interleukin-1 β (IL1- β) and risk of distant metastases (DM) in head and neck squamous cell carcinoma (HNSCC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 6078-6078.	1.6	0
134	Overexpression of the nuclear factor κ B (p65) in association with local failure in patients with head and neck carcinoma undergoing radiotherapy or chemoradiotherapy. <i>Head and Neck</i> , 2013, 35, 370-375.	2.0	8
135	Prognostic factors in head and neck squamous cell carcinoma: Comparison of CHAID decision trees technology and cox analysis. <i>Head and Neck</i> , 2013, 35, 877-883.	2.0	19
136	Prognostic role of MMP-9 expression in head and neck carcinoma patients treated with radiotherapy or chemoradiotherapy. <i>Oral Oncology</i> , 2013, 49, 322-325.	1.5	23
137	Adherencia cr3nica al humidificador de traqueostoma en pacientes laringectomizados. <i>Acta Otorrinolaringol3gica Espa±ola</i> , 2013, 64, 247-252.	0.4	14
138	Inclusion of Extracapsular Spread in the pTNM Classification System. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013, 139, 483.	2.2	87
139	High RAB 25 expression is associated with good clinical outcome in patients with locally advanced head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2013, 2, 950-963.	2.8	13
140	Endonasal Endoscopic Scalpel-Forceps Dacryocystorhinostomy vs Endocanalicular Diode Laser Dacryocystorhinostomy. <i>European Journal of Ophthalmology</i> , 2013, 23, 7-12.	1.3	11
141	Delayed carotid blow-out syndrome: a new complication of chemoradiotherapy treatment in pharyngolaryngeal carcinoma. <i>Journal of Laryngology and Otology</i> , 2012, 126, 1189-1191.	0.8	14
142	Gene expression signatures and molecular markers associated with clinical outcome in locally advanced head and neck carcinoma. <i>Carcinogenesis</i> , 2012, 33, 1707-1716.	2.8	31
143	Comparison of Chi-Squared Automatic Interaction Detection Classification Trees vs TNM Classification for Patients With Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology</i> , 2012, 138, 272.	1.2	6
144	Interaction between head and neck squamous cell carcinoma cells and fibroblasts in the biosynthesis of PGE2. <i>Journal of Lipid Research</i> , 2012, 53, 630-642.	4.2	42

#	ARTICLE	IF	CITATIONS
145	Second, third, and fourth head and neck tumors. A progressive decrease in survival. <i>Head and Neck</i> , 2012, 34, 1716-1719.	2.0	25
146	Progressive increasing in the risk of second and subsequent malignant tumors in patients with a head and neck cancer: A validation study with SEER data.. <i>Journal of Clinical Oncology</i> , 2012, 30, 5595-5595.	1.6	0
147	Gene expression as a predictor of radiotherapy or chemoradiotherapy response in head and neck squamous cell carcinoma patients: A molecular approach.. <i>Journal of Clinical Oncology</i> , 2012, 30, 5590-5590.	1.6	0
148	Tumor cells induce COX-2 and mPGES-1 expression in microvascular endothelial cells mainly by means of IL-1 receptor activation. <i>Microvascular Research</i> , 2011, 81, 261-268.	2.5	27
149	Salvage surgery after locoregional failure in head and neck carcinoma patients treated with chemoradiotherapy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 295-301.	1.6	59
150	Total or subtotal glossectomy with microsurgical reconstruction: Functional and oncological results. <i>Microsurgery</i> , 2011, 31, 517-523.	1.3	32
151	Extended deep inferior epigastric artery perforator flap for head and neck reconstruction: A clinical experience with 100 patients. <i>Head and Neck</i> , 2011, 33, 1328-1334.	2.0	28
152	Management of Sinonasal Inverted Papillomas and Comparison of Classification Staging Systems. <i>American Journal of Rhinology and Allergy</i> , 2010, 24, 66-69.	2.0	38
153	Parotidectomías en tumores benignos: clasificaci3n de la extensi3n de la resecci3n. <i>Acta Otorrinolaringol3gica Espa±ola</i> , 2010, 61, 1-5.	0.4	9
154	Risk of third and fourth tumors in patients with head and neck cancer. <i>Head and Neck</i> , 2010, 32, 1467-1472.	2.0	13
155	Ceratocricoid muscle: An embryological and anatomical study. <i>Clinical Anatomy</i> , 2009, 22, 463-470.	2.7	9
156	Influence of the persistence of tobacco and alcohol use in the appearance of second neoplasm in patients with a head and neck cancer. A caseâ€control study. <i>Cancer Causes and Control</i> , 2009, 20, 645-652.	1.8	76
157	Results of an organ conservation protocol in patients with locally advanced laryngeal tumours. <i>Acta Otorrinolaringologica (English Edition)</i> , 2009, 60, 176-185.	0.2	3
158	Overview of the efficacy of cetuximab in recurrent and/or metastatic squamous cell carcinoma of the head and neck in patients who previously failed platinumâ€based therapies. <i>Cancer</i> , 2008, 112, 2710-2719.	4.1	189
159	Recurrent laryngeal squamous cell carcinoma: rTNM versus composite laryngeal recurrence staging system. Proposal for a modification of the CLRSS to improve patient classification. <i>Head and Neck</i> , 2008, 30, 939-945.	2.0	7
160	Prostaglandin E ₂ pathway in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2008, 30, 1175-1181.	2.0	42
161	Potential Structures That Could Be Confused With a Nonrecurrent Inferior Laryngeal Nerve: An Anatomic Study. <i>Laryngoscope</i> , 2008, 118, 56-60.	2.0	31
162	Trasplante de la laringe: Â¿una opci3n terapÃ©utica para el siglo XXI? Revisi3n de la literatura. <i>Acta Otorrinolaringol3gica Espa±ola</i> , 2008, 59, 127-138.	0.4	1

#	ARTICLE	IF	CITATIONS
163	Colgajo de pectoral mayor. Acta Otorrinolaringológica Española, 2008, 59, 263-268.	0.4	14
164	Larynx Transplant: A Therapeutic Option for the 21st Century? Literature Review. Acta Otorrinolaringologica (English Edition), 2008, 59, 127-138.	0.2	2
165	Pectoralis Major Flaps. Evolution of Their Use in the Age of Microvascularized Flaps. Acta Otorrinolaringologica (English Edition), 2008, 59, 263-268.	0.2	11
166	<i>Ku</i>70 predicts response and primary tumor recurrence after therapy in locally advanced head and neck cancer. International Journal of Cancer, 2008, 123, 1068-1079.	5.1	38
167	5512 POSTER Expression of NHEJ genes in head and neck squamous cell carcinoma is associated with tumor response to 5-fluorouracil and cisplatin-based induction chemotherapy. European Journal of Cancer, Supplement, 2007, 5, 328.	2.2	0
168	Organ Preservation in Laryngeal and Hypopharyngeal Cancer. Acta Otorrinolaringologica (English) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.2	1
169	External validation of a risk group defined by recursive partitioning analysis in patients with head and neck carcinoma treated with surgery and postoperative radiotherapy. Head and Neck, 2007, 29, 815-821.	2.0	15
170	Modalidades de preservaci3n de 3rgano en carcinomas de laringe e hipofaringe. Acta Otorrinolaringol3gica Espa±ola, 2007, 58, 476-482.	0.4	9
171	Supracricoid laryngectomy as salvage surgery after failure of radiation therapy. European Archives of Oto-Rhino-Laryngology, 2007, 264, 809-814.	1.6	31
172	A proposal of pathological classification (pTNM) of patients with head and neck cancer according to capsular rupture (pN- RC). Journal of Clinical Oncology, 2007, 25, 16525-16525.	1.6	0
173	A Retrospective Analysis of the Outcome of Patients with Recurrent and/or Metastatic Squamous Cell Carcinoma of the Head and Neck Refractory to a Platinum-based Chemotherapy. Clinical Oncology, 2005, 17, 418-424.	1.4	160
174	Comparison of the Radiation Therapy Oncology Group recursive partitioning classification and Union Internationale Contre le Cancer TNM classification for patients with head and neck carcinoma. Head and Neck, 2005, 27, 248-257.	2.0	8
175	Variability in Nerve Patterns of the Adductor Muscle Group Supplied by the Recurrent Laryngeal Nerve. Laryngoscope, 2005, 115, 358-362.	2.0	64
176	Incidence and Significance of Clinically Unsuspected Thyroid Tissue in Lymph Nodes Found During Neck Dissection in Head and Neck Carcinoma Patients. Laryngoscope, 2005, 115, 470-474.	2.0	52
177	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced laryngeal carcinoma. European Archives of Oto-Rhino-Laryngology, 2005, 262, 93-98.	1.6	17
178	Metachronous second primary tumours in the aerodigestive tract in patients with early stage head and neck squamous cell carcinomas. European Archives of Oto-Rhino-Laryngology, 2005, 262, 905-909.	1.6	36
179	Laryngeal cancer in non-smoking and non-drinking patients. Acta Oto-Laryngologica, 2004, 124, 664-669.	0.9	15
180	Is dissection of level V necessary in patients with T2â€T4N0 supraglottic cancer?. Journal of Laryngology and Otology, 2004, 118, 175-178.	0.8	8

#	ARTICLE	IF	CITATIONS
181	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). <i>Journal of Clinical Oncology</i> , 2004, 22, 5519-5519.	1.6	0
182	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. <i>Journal of Clinical Oncology</i> , 2004, 22, 5582-5582.	1.6	0
183	Distant metastases in squamous-cell head and neck carcinoma (SHNC) patients who achieved loco-regional control (LRC). <i>Journal of Clinical Oncology</i> , 2004, 22, 5519-5519.	1.6	0
184	Smoke and alcohol consumption as a risk factors in the development of second primary neoplasms (SPN) in head & neck cancer (HNC) patients. A case-control study. <i>Journal of Clinical Oncology</i> , 2004, 22, 5582-5582.	1.6	0
185	Is the External Laryngeal Nerve an Exclusively Motor Nerve? The Cricothyroid Connection Branch. <i>Laryngoscope</i> , 2003, 113, 525-529.	2.0	77
186	Variability of the Nerve Supply Patterns of the Human Posterior Cricoarytenoid Muscle. <i>Laryngoscope</i> , 2003, 113, 602-606.	2.0	45
187	The effect of waiting time on local control and survival in head and neck carcinoma patients treated with radiotherapy. <i>Radiotherapy and Oncology</i> , 2003, 66, 277-281.	0.6	39
188	Second Primary Tumors in Head and Neck Cancer Patients. <i>Acta Oto-Laryngologica</i> , 2002, 122, 765-778.	0.9	75
189	Second Primary Tumors in Head and Neck Cancer Patients. <i>Acta Oto-Laryngologica</i> , 2002, 122, 765-778.	0.9	21
190	Results of an organ preservation protocol with induction chemotherapy and radiotherapy in patients with locally advanced pyriform sinus carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2002, 259, 32-36.	1.6	21
191	Hypothyroidism in patients treated with total laryngectomy. A multivariate study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2002, 259, 193-196.	1.6	49
192	Second primary tumors in head and neck cancer patients. <i>Acta Oto-Laryngologica</i> , 2002, 122, 765-78.	0.9	16
193	Results of salvage surgery for local or regional recurrence after larynx preservation with induction chemotherapy and radiotherapy. <i>Head and Neck</i> , 2001, 23, 733-738.	2.0	50
194	Selective dissection of levels II-III with intraoperative control of the upper and middle jugular nodes: A therapeutic option for the no neck. <i>Head and Neck</i> , 2001, 23, 441-446.	2.0	43
195	Can cure be achieved in patients with head and neck carcinomas? The problem of second neoplasm. <i>Expert Review of Anticancer Therapy</i> , 2001, 1, 125-133.	2.4	23
196	Endoscopic laser surgery in the treatment of radiation failure of early laryngeal carcinoma. <i>Head and Neck</i> , 2000, 22, 520-523.	2.0	54
197	Distant metastases in head and neck cancer patients who achieved loco-regional control. <i>Head and Neck</i> , 2000, 22, 680-686.	2.0	214
198	Histologically negative specimens after induction therapy: Frequency and impact on survival. <i>Head and Neck</i> , 2000, 22, 808-813.	2.0	10

#	ARTICLE	IF	CITATIONS
199	How much does it cost to preserve a larynx?. European Archives of Oto-Rhino-Laryngology, 2000, 257, 72-76.	1.6	21
200	Initial treatment of the early stages (I, II) of supraglottic squamous cell carcinoma: partial laryngectomy versus radiotherapy. European Archives of Oto-Rhino-Laryngology, 2000, 257, 512-516.	1.6	39
201	Treatment of neck nodes after induction chemotherapy in patients with primary advanced tumours. European Archives of Oto-Rhino-Laryngology, 2000, 257, 521-525.	1.6	10
202	Montgomery® Salivary Bypass Tube in the Reconstruction of the Hypopharynx Cost-Benefit Study. Annals of Otology, Rhinology and Laryngology, 1999, 108, 864-868.	1.1	40
203	An anatomical study of anastomoses between the laryngeal nerves. Laryngoscope, 1999, 109, 983-987.	2.0	153
204	Second neoplasm in patients with head and neck cancer. , 1999, 21, 204-210.		290
205	Influence of Age on Laryngeal Carcinoma. Annals of Otology, Rhinology and Laryngology, 1998, 107, 164-169.	1.1	21
206	Foramen Thyroideum: A Comparative Study in Embryos, Fetuses, and Adults. Laryngoscope, 1997, 107, 1146-1150.	2.0	21
207	Laryngeal carcinoma in patients without a history of tobacco and alcohol use. , 1997, 19, 200-204.		36
208	Prevention of stomal recurrence. , 1996, 18, 54-59.		46
209	Blood transfusions in laryngeal cancer: Effect on prognosis. , 1996, 18, 218-224.		8
210	Prevention of stomal recurrence. Head and Neck, 1996, 18, 54-59.	2.0	2
211	Function preservation in stage III squamous laryngeal carcinoma: Results with an induction chemotherapy protocol. Laryngoscope, 1995, 105, 822-826.	2.0	26
212	Prognostic value of transcriptional expression of fibronectin type III domain-containing 4 (FNDC4) in head and neck carcinoma patients treated with chemoradiotherapy. Clinical and Translational Oncology, 0, , .	2.4	0