

Valeria Bellisario

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/615852/publications.pdf>

Version: 2024-02-01

30
papers

672
citations

623734

14
h-index

580821

25
g-index

31
all docs

31
docs citations

31
times ranked

1531
citing authors

#	ARTICLE	IF	CITATIONS
1	Multisite greenness exposure and oxidative stress in children. The potential mediating role of physical activity. <i>Environmental Research</i> , 2022, 209, 112857.	7.5	12
2	The formation of SCEs as an effect of occupational exposure to formaldehyde. <i>Archives of Toxicology</i> , 2022, 96, 1101-1108.	4.2	2
3	A Biomonitoring Pilot Study in Workers from a Paints Production Plant Exposed to Pigment-Grade Titanium Dioxide (TiO ₂). <i>Toxics</i> , 2022, 10, 171.	3.7	7
4	The Association between Greenness and Urbanization Level with Weight Status among Adolescents: New Evidence from the HBSC 2018 Italian Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5897.	2.6	2
5	Oxidative stress induction in woodworkers occupationally exposed to wood dust and formaldehyde. <i>Journal of Occupational Medicine and Toxicology</i> , 2021, 16, 4.	2.2	8
6	Bisphenol A and S in the Urine of Newborns: Plastic for Non-Food Use Still without Rules. <i>Biology</i> , 2021, 10, 188.	2.8	3
7	The role of phase I, phase II, and DNA-repair gene polymorphisms in the damage induced by formaldehyde in pathologists. <i>Scientific Reports</i> , 2021, 11, 10507.	3.3	5
8	Formaldehyde in Hospitals Induces Oxidative Stress: The Role of GSTT1 and GSTM1 Polymorphisms. <i>Toxics</i> , 2021, 9, 178.	3.7	1
9	15-F ₂ t-Isoprostane during the lifespan: from children to middle age. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
10	Asthma-like symptoms and oxidative stress in adults from the GEIRD Cohort. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
11	Oxidative stress and inflammation on neonatal outcomes. The role of smoke, traffic exposure and BMI. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
12	Greenness Availability and Respiratory Health in a Population of Urbanised Children in North-Western Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 108.	2.6	38
13	Formaldehyde, Oxidative Stress, and FeNO in Traffic Police Officers Working in Two Cities of Northern Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1655.	2.6	5
14	Tobacco Smoke Exposure, Urban and Environmental Factors as Respiratory Disease Predictors in Italian Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4048.	2.6	11
15	Bisphenol A, Tobacco Smoke, and Age as Predictors of Oxidative Stress in Children and Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2025.	2.6	18
16	Wood dust and urinary 15-F ₂ t isoprostane in Italian industry workers. <i>Environmental Research</i> , 2019, 173, 300-305.	7.5	9
17	Pharmacological treatment of asthma in a cohort of adults during a 20-year period: results from the European Community Respiratory Health Survey I, II and III. <i>ERJ Open Research</i> , 2019, 5, 00073-2018.	2.6	17
18	The Asti Study: The Induction of Oxidative Stress in A Population of Children According to Their Body Composition and Passive Tobacco Smoking Exposure. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 490.	2.6	15

#	ARTICLE	IF	CITATIONS
19	Restrictive spirometry pattern is associated with low physical activity levels. A population based international study. <i>Respiratory Medicine</i> , 2019, 146, 116-123.	2.9	13
20	Determination of adjusted reference intervals of urinary biomarkers of oxidative stress in healthy adults using GAMLSS models. <i>PLoS ONE</i> , 2018, 13, e0206176.	2.5	5
21	Trends in smoking initiation in Europe over 40 years: A retrospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0201881.	2.5	86
22	Pollen concentrations and prevalence of asthma and allergic rhinitis in Italy: Evidence from the GEIRD study. <i>Science of the Total Environment</i> , 2017, 584-585, 1093-1099.	8.0	26
23	Air pollution, aeroallergens and admissions to pediatric emergency room for respiratory reasons in Turin, northwestern Italy. <i>BMC Public Health</i> , 2016, 16, 722.	2.9	44
24	Towards a formalin-free hospital. Levels of 15-F2t-isoprostane and malondialdehyde to monitor exposure to formaldehyde in nurses from operating theatres. <i>Toxicology Research</i> , 2016, 5, 1122-1129.	2.1	16
25	Formaldehyde-induced toxicity in the nasal epithelia of workers of a plastic laminate plant. <i>Toxicology Research</i> , 2016, 5, 752-760.	2.1	23
26	Ambient Air Pollution and Adult Asthma Incidence in Six European Cohorts (ESCAPE). <i>Environmental Health Perspectives</i> , 2015, 123, 613-621.	6.0	197
27	Urban air and tobacco smoke as conditions that increase the risk of oxidative stress and respiratory response in youth. <i>Environmental Research</i> , 2015, 137, 141-146.	7.5	34
28	Socioeconomic inequalities in smoking habits are still increasing in Italy. <i>BMC Public Health</i> , 2014, 14, 879.	2.9	18
29	Oxidative stress in adolescent passive smokers living in urban and rural environments. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 287-293.	4.3	25
30	15-F2t isoprostane as biomarker of oxidative stress induced by tobacco smoke and occupational exposure to formaldehyde in workers of plastic laminates. <i>Science of the Total Environment</i> , 2013, 442, 20-25.	8.0	32