

Alize J Ferrari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6158739/publications.pdf>

Version: 2024-02-01

85
papers

111,839
citations

22099

59
h-index

64668

79
g-index

88
all docs

88
docs citations

88
times ranked

133251
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260. | 6.3 | 9,397 |
| 2 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858. | 6.3 | 8,569 |
| 3 | Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2197-2223. | 6.3 | 7,061 |
| 4 | Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2163-2196. | 6.3 | 6,876 |
| 5 | Global, regional, and national ageâ€“sex specific all-cause and cause-specific mortality for 240 causes of death, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171. | 6.3 | 5,847 |
| 6 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259. | 6.3 | 5,578 |
| 7 | Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602. | 6.3 | 5,298 |
| 8 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788. | 6.3 | 4,989 |
| 9 | Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800. | 6.3 | 4,951 |
| 10 | Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544. | 6.3 | 4,934 |
| 11 | Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1575-1586. | 6.3 | 4,651 |
| 12 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724. | 6.3 | 4,203 |
| 13 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210. | 6.3 | 3,565 |
| 14 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994. | 6.3 | 3,269 |
| 15 | Burden of Depressive Disorders by Country, Sex, Age, and Year: Findings from the Global Burden of Disease Study 2010. PLoS Medicine, 2013, 10, e1001547. | 3.9 | 2,377 |
| 16 | Global prevalence and burden of depressive and anxiety disorders in 204 countries and territories in 2020 due to the COVID-19 pandemic. Lancet, The, 2021, 398, 1700-1712. | 6.3 | 2,234 |
| 17 | Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323. | 6.3 | 2,184 |
| 18 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922. | 6.3 | 2,123 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035. | 6.3 | 2,005 |
| 20 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422. | 6.3 | 1,879 |
| 21 | Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658. | 6.3 | 1,612 |
| 22 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344. | 6.3 | 1,589 |
| 23 | Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191. | 6.3 | 1,544 |
| 24 | The State of US Health, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1444. | 3.8 | 1,042 |
| 25 | The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2015, 10, e0116820. | 1.1 | 908 |
| 26 | The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry, the</i> , 2018, 5, 987-1012. | 3.7 | 885 |
| 27 | Global Epidemiology and Burden of Schizophrenia: Findings From the Global Burden of Disease Study 2016. <i>Schizophrenia Bulletin</i> , 2018, 44, 1195-1203. | 2.3 | 875 |
| 28 | Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. <i>Psychological Medicine</i> , 2013, 43, 471-481. | 2.7 | 860 |
| 29 | A systematic review and meta-regression of the prevalence and incidence of perinatal depression. <i>Journal of Affective Disorders</i> , 2017, 219, 86-92. | 2.0 | 826 |
| 30 | Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018, 113, 1905-1926. | 1.7 | 685 |
| 31 | Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013, 382, 1564-1574. | 6.3 | 668 |
| 32 | Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016, 387, 1672-1685. | 6.3 | 586 |
| 33 | Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. <i>BMJ: British Medical Journal</i> , 2019, 364, l94. | 2.4 | 558 |
| 34 | Burden of non-communicable diseases in sub-Saharan Africa, 1990–2017: results from the Global Burden of Disease Study 2017. <i>The Lancet Global Health</i> , 2019, 7, e1375-e1387. | 2.9 | 509 |
| 35 | Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267. | 3.3 | 479 |
| 36 | Global Skin Disease Morbidity and Mortality. <i>JAMA Dermatology</i> , 2017, 153, 406. | 2.0 | 457 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The global burden of anxiety disorders in 2010. <i>Psychological Medicine</i> , 2014, 44, 2363-2374. | 2.7 | 449 |
| 38 | A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. <i>Psychological Medicine</i> , 2015, 45, 1551-1563. | 2.7 | 444 |
| 39 | The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. <i>Bipolar Disorders</i> , 2016, 18, 440-450. | 1.1 | 426 |
| 40 | Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850. | 6.3 | 413 |
| 41 | The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990-2017. <i>Lancet Psychiatry, the</i> , 2020, 7, 148-161. | 3.7 | 387 |
| 42 | Long-Term Outcomes of Attention-Deficit/Hyperactivity Disorder and Conduct Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 841-850. | 0.3 | 365 |
| 43 | The Burden Attributable to Mental and Substance Use Disorders as Risk Factors for Suicide: Findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014, 9, e91936. | 1.1 | 335 |
| 44 | A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835. | 6.3 | 329 |
| 45 | Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573. | 3.3 | 306 |
| 46 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459. | 6.3 | 284 |
| 47 | CHALLENGING THE MYTH OF AN "EPIDEMIC" OF COMMON MENTAL DISORDERS: TRENDS IN THE GLOBAL PREVALENCE OF ANXIETY AND DEPRESSION BETWEEN 1990 AND 2010. <i>Depression and Anxiety</i> , 2014, 31, 506-516. | 2.0 | 261 |
| 48 | The Epidemiological Modelling of Major Depressive Disorder: Application for the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2013, 8, e69637. | 1.1 | 242 |
| 49 | The Global Epidemiology and Contribution of Cannabis Use and Dependence to the Global Burden of Disease: Results from the GBD 2010 Study. <i>PLoS ONE</i> , 2013, 8, e76635. | 1.1 | 235 |
| 50 | Research Review: Epidemiological modelling of attention-deficit/hyperactivity disorder and conduct disorder for the Global Burden of Disease Study 2010. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 1263-1274. | 3.1 | 160 |
| 51 | The global burden of conduct disorder and attention-deficit/hyperactivity disorder in 2010. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 328-336. | 3.1 | 157 |
| 52 | Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. <i>JAMA Pediatrics</i> , 2019, 173, e190337. | 3.3 | 140 |
| 53 | The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. <i>Lancet Psychiatry, the</i> , 2021, 8, 320-328. | 3.7 | 136 |
| 54 | Burden attributable to child maltreatment in Australia. <i>Child Abuse and Neglect</i> , 2015, 48, 208-220. | 1.3 | 112 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017, 12, e0169575. | 1.1 | 102 |
| 56 | Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016, 35, 1114-1120. | 2.5 | 84 |
| 57 | A systematic review of the global distribution and availability of prevalence data for bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 134, 1-13. | 2.0 | 83 |
| 58 | Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. <i>Lancet Psychiatry</i> , 2016, 3, 832-841. | 3.7 | 82 |
| 59 | Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2021, 137, 242-249. | 1.5 | 76 |
| 60 | The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe</i> , 2022, 16, 100341. | 3.0 | 70 |
| 61 | The global gap in treatment coverage for major depressive disorder in 84 countries from 2000-2019: A systematic review and Bayesian meta-regression analysis. <i>PLoS Medicine</i> , 2022, 19, e1003901. | 3.9 | 69 |
| 62 | The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 545-564. | 1.8 | 55 |
| 63 | Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1040-1054. | 1.3 | 47 |
| 64 | Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. <i>Global Mental Health (Cambridge, England)</i> , 2016, 3, e4. | 1.0 | 46 |
| 65 | The burden of mental disorders in the Eastern Mediterranean region, 1990-2015: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 25-37. | 1.0 | 43 |
| 66 | The prevalence and burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2015. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 483-490. | 1.3 | 39 |
| 67 | The epidemiological modelling of dysthymia: Application for the Global Burden of Disease Study 2010. <i>Journal of Affective Disorders</i> , 2013, 151, 111-120. | 2.0 | 36 |
| 68 | Health states for schizophrenia and bipolar disorder within the Global Burden of Disease 2010 Study. <i>Population Health Metrics</i> , 2012, 10, 16. | 1.3 | 28 |
| 69 | Excess mortality in severe mental disorders: A systematic review and meta-regression. <i>Journal of Psychiatric Research</i> , 2022, 149, 97-105. | 1.5 | 25 |
| 70 | Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders. , 2016, , 1-27. | | 23 |
| 71 | Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990-2015. <i>International Journal of Public Health</i> , 2018, 63, 11-23. | 1.0 | 21 |
| 72 | How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. <i>Current Opinion in Psychiatry</i> , 2013, 26, 376-383. | 3.1 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. <i>Epidemiology and Psychiatric Sciences</i> , 2014, 23, 239-249. | 1.8 | 17 |
| 74 | La carga de la enfermedad en España 2010: trastornos neurológicos, mentales y re: trastornos neurológicos, mentales y relacionados con el consumo de sustancias. <i>Revista De Psiquiatría Y Salud Mental</i> , 2015, 8, 207-217. | 1.0 | 17 |
| 75 | Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 79-96. | 1.0 | 17 |
| 76 | Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40. | | 16 |
| 77 | Challenges to estimating the true global burden of mental disorders. <i>Lancet Psychiatry</i> , the, 2016, 3, 402-403. | 3.7 | 15 |
| 78 | Prem Baby Triple P a new parenting intervention for parents of infants born very preterm: Acceptability and barriers. , 2011, 34, 602-609. | | 14 |
| 79 | The Global Epidemiology and Disease Burden of Cannabis Use and Dependence. , 2017, , 89-100. | | 11 |
| 80 | Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. <i>Journal of Affective Disorders</i> , 2019, 245, 771-778. | 2.0 | 9 |
| 81 | The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2015, 8, 207-217. | 0.2 | 5 |
| 82 | Estimating the difference in prevalence of common mental disorder diagnoses for Aboriginal and Torres Strait Islander peoples compared to the general Australian population. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, . | 1.8 | 3 |
| 83 | Depression and anxiety during COVID-19 – Authors' reply. <i>Lancet, The</i> , 2022, 399, 518-519. | 6.3 | 1 |
| 84 | The global distribution of mental and substance use disorders: research gains and challenges. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 230-232. | 1.8 | 0 |
| 85 | Systematic reviews: inducting research students into scholarly conversations?. <i>Higher Education Research and Development</i> , 2017, 36, 217-220. | 1.9 | 0 |