Alize J Ferrari

List of Publications by Citations

Source: https://exaly.com/author-pdf/6158739/alize-j-ferrari-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76,410 88 84 56 h-index g-index citations papers 88 7.86 95,134 17.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
84	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2224-60	40	7625
83	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	40	5768
82	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	40	4971
81	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	40	4599
80	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
79	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
78	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602	40	3801
77	Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1575-86	40	3619
76	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525
75	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
74	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
73	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210	40	2542
7 2	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
71	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
70	Burden of depressive disorders by country, sex, age, and year: findings from the global burden of disease study 2010. <i>PLoS Medicine</i> , 2013 , 10, e1001547	11.6	1875
69	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	40	1776
68	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378

(2016-2018)

67	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
66	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216
65	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
64	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
63	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344	40	1152
62	The global burden of mental, neurological and substance use disorders: an analysis from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2015 , 10, e0116820	3.7	649
61	The State of US Health, 1990-2016: Burden of Diseases, Injuries, and Risk Factors Among US States. JAMA - Journal of the American Medical Association, 2018 , 319, 1444-1472	27.4	632
60	Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. <i>Psychological Medicine</i> , 2013 , 43, 471-81	6.9	617
59	Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2013 , 382, 1564-74	40	551
58	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry,the</i> , 2018, 5, 987-1012	23.3	456
57	A systematic review and meta-regression of the prevalence and incidence of perinatal depression. Journal of Affective Disorders, 2017 , 219, 86-92	6.6	431
56	Global Epidemiology and Burden of Schizophrenia: Findings From the Global Burden of Disease Study 2016. <i>Schizophrenia Bulletin</i> , 2018 , 44, 1195-1203	1.3	399
55	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016 , 387, 1672-85	40	375
54	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018 , 113, 1905-	194266	371
53	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
52	The global burden of anxiety disorders in 2010. <i>Psychological Medicine</i> , 2014 , 44, 2363-74	6.9	315
51	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. <i>BMJ, The</i> , 2019 , 364, l94	5.9	302
50	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302

49	The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. <i>Bipolar Disorders</i> , 2016 , 18, 440-50	3.8	292
48	A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. <i>Psychological Medicine</i> , 2015 , 45, 1551-63	6.9	270
47	Global prevalence and burden of depressive and anxiety disorders in 204 countries and territories in 2020 due to the COVID-19 pandemic. <i>Lancet, The,</i> 2021 , 398, 1700-1712	40	270
46	Global Skin Disease Morbidity and Mortality: An Update From the Global Burden of Disease Study 2013. <i>JAMA Dermatology</i> , 2017 , 153, 406-412	5.1	267
45	Long-Term Outcomes of Attention-Deficit/Hyperactivity Disorder and Conduct Disorder: Albystematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016 , 55, 841-50	7.2	254
44	Burden of non-communicable diseases in sub-Saharan Africa, 1990-2017: results from the Global Burden of Disease Study 2017. <i>The Lancet Global Health</i> , 2019 , 7, e1375-e1387	13.6	228
43	The burden attributable to mental and substance use disorders as risk factors for suicide: findings from the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2014 , 9, e91936	3.7	226
42	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
41	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , 2017 , 171, 573-592	8.3	216
40	The epidemiological modelling of major depressive disorder: application for the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2013 , 8, e69637	3.7	188
39	The global epidemiology and contribution of cannabis use and dependence to the global burden of disease: results from the GBD 2010 study. <i>PLoS ONE</i> , 2013 , 8, e76635	3.7	183
38	Challenging the myth of an "epidemic" of common mental disorders: trends in the global prevalence of anxiety and depression between 1990 and 2010. <i>Depression and Anxiety</i> , 2014 , 31, 506-16	8.4	179
37	The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990-2017. <i>Lancet Psychiatry,the</i> , 2020 , 7, 148-161	23.3	171
36	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019 , 394, 1827-1835	40	147
35	Epidemiological modelling of attention-deficit/hyperactivity disorder and conduct disorder for the Global Burden of Disease Study 2010. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013 , 54, 1263-74	7.9	121
34	The global burden of conduct disorder and attention-deficit/hyperactivity disorder in 2010. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 328-36	7.9	118
33	Burden attributable to child maltreatment in Australia. Child Abuse and Neglect, 2015, 48, 208-20	4.3	81
32	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2017 Study. <i>JAMA Pediatrics</i> , 2019 , 173, e190337	8.3	74

(2018-2017)

The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017 , 12, e0169575	3.7	68
A systematic review of the global distribution and availability of prevalence data for bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 134, 1-13	6.6	66
Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. <i>Lancet Psychiatry,the</i> , 2016 , 3, 832-41	23.3	60
Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016 , 35, 1114-20	7	50
The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. <i>Epidemiology and Psychiatric Sciences</i> , 2017 , 26, 545-564	5.1	35
The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. <i>Lancet Psychiatry,the</i> , 2021 , 8, 320-328	23.3	34
Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. <i>Global Mental Health (Cambridge, England)</i> , 2016 , 3, e4	3.9	34
Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 1040-1054	2.6	32
The burden of mental disorders in the Eastern Mediterranean region, 1990-2015: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 25-37	4	31
The epidemiological modelling of dysthymia: application for the Global Burden of Disease Study 2010. <i>Journal of Affective Disorders</i> , 2013 , 151, 111-20	6.6	26
Health states for schizophrenia and bipolar disorder within the Global Burden of Disease 2010 Study. <i>Population Health Metrics</i> , 2012 , 10, 16	3	24
How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 376-83	4.9	20
The prevalence and burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2015. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 483-4	9 <mark>3</mark> 6	18
Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2021 , 137, 242-249	5.2	18
The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatr</i> a <i>Y Salud Mental</i> , 2015 , 8, 207-17	2.7	17
The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 239-49	5.1	15
Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders 2016 , 1-27		15
Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990-2015. <i>International Journal of Public Health</i> , 2018 , 63, 11-23	4	13
	A systematic review of the global distribution and availability of prevalence data for bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 134, 1-13 Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. <i>Lancet Psychiatry</i> , the, 2016, 3, 832-41 Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016, 35, 1114-20 The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 545-564 The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. <i>Lancet Psychiatry</i> , the, 2021, 8, 320-328 Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. <i>Global Mental Health (Cambridge, England)</i> , 2016, 3, e4 Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1040-1054 The burden of mental disorders in the Eastern Mediterranean region, 1990-2015: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 25-37 The epidemiological modelling of dysthymia: application for the Global Burden of Disease Study 2010. <i>Journal of Affective Disorders</i> , 2013, 151, 111-20 Health states for schizophrenia and bipolar disorder within the Global Burden of Disease 2010 Study. <i>Population Health Metrics</i> , 2012, 10, 16 How did we arrive at burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2010. <i>Current Opinion in Psychiatry</i> , 2013, 26, 376-83 The prevalence and burden of mental and substance use disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric</i>	12, e0169575 37 A systematic review of the global distribution and availability of prevalence data for bipolar disorder. Journal of Affective Disorders, 2011, 134, 1-13 Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. Lancet Psychiatry,the, 2016, 3, 832-41 Global Burden of Disease Studies: Implications For Mental And Substance Use Disorders. Health Affairs, 2016, 35, 1114-20 The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. Epidemiology and Psychiatric Sciences, 2017, 26, 545-564 The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. Lancet Psychiatry,the, 2021, 8, 320-328 Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. Global Mental Health (Cambridge, England), 2016, 3, e4 Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. Australian and New Zealand Journal of Psychiatry, 2016, 50, 1040-1054 The burden of mental disorders in the Eastern Mediterranean region, 1990-2015: findings from the global burden of Gisease 2015 study. International Journal of Public Health, 2018, 63, 25-37 The epidemiological modelling of dysthymia: application for the Global Burden of Disease Study 2010. Journal of Affective Disorders, 2013, 151, 111-20 Health states for schizophrenia and bipolar disorder within the Global Burden of Disease Study 2010. Study. Population Health Metrics, 2012, 10, 16 How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010. Current Opinion in Psychiatry, 2013, 26, 376-83 The prevalence and burden of mental and substance use disorders: Asystematic review and meta-regression analysis. Journal of Psychiatric R

13	Prem Baby Triple P a new parenting intervention for parents of infants born very preterm: acceptability and barriers. <i>Research in Social and Administrative Pharmacy</i> , 2011 , 34, 602-9	2.9	11
12	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010 2016 , 29-40		10
11	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990-2019: Findings from the Global Burden of Disease Study 2019 <i>Lancet Regional Health - Europe, The</i> , 2022 , 16, 100341		10
10	The Global Epidemiology and Disease Burden of Cannabis Use and Dependence 2017 , 89-100		9
9	Challenges to estimating the true global burden of mental disorders. <i>Lancet Psychiatry, the</i> , 2016 , 3, 402	2-2 3.3	8
8	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 79-96	4	8
7	Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. <i>Journal of Affective Disorders</i> , 2019 , 245, 771-778	6.6	4
6	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2015 , 8, 207-217	0.2	3
5	Excess mortality in severe mental disorders: A systematic review and meta-regression <i>Journal of Psychiatric Research</i> , 2022 , 149, 97-105	5.2	3
4	The global gap in treatment coverage for major depressive disorder in 84 countries from 2000-2019: A systematic review and Bayesian meta-regression analysis <i>PLoS Medicine</i> , 2022 , 19, e1003	1901 ⁶	2
3	Systematic reviews: inducting research students into scholarly conversations?. <i>Higher Education Research and Development</i> , 2017 , 36, 217-220	1.9	
2	Depression and anxiety during COVID-19 - Authors Lancet, The, 2022 , 399, 518-519	40	
1	The global distribution of mental and substance use disorders: research gains and challenges. Epidemiology and Psychiatric Sciences, 2016, 25, 230-2	5.1	