

Alize J Ferrari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6158739/publications.pdf>

Version: 2024-02-01

85
papers

111,839
citations

22099

59
h-index

64668

79
g-index

88
all docs

88
docs citations

88
times ranked

133251
citing authors

#	ARTICLE	IF	CITATIONS
1	Depression and anxiety during COVID-19 – Authors' reply. <i>Lancet, The</i> , 2022, 399, 518-519.	6.3	1
2	The global gap in treatment coverage for major depressive disorder in 84 countries from 2000–2019: A systematic review and Bayesian meta-regression analysis. <i>PLoS Medicine</i> , 2022, 19, e1003901.	3.9	69
3	The burden of mental disorders, substance use disorders and self-harm among young people in Europe, 1990–2019: Findings from the Global Burden of Disease Study 2019. <i>Lancet Regional Health - Europe, The</i> , 2022, 16, 100341.	3.0	70
4	Excess mortality in severe mental disorders: A systematic review and meta-regression. <i>Journal of Psychiatric Research</i> , 2022, 149, 97-105.	1.5	25
5	Estimating the difference in prevalence of common mental disorder diagnoses for Aboriginal and Torres Strait Islander peoples compared to the general Australian population. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, .	1.8	3
6	The hidden burden of eating disorders: an extension of estimates from the Global Burden of Disease Study 2019. <i>Lancet Psychiatry, the</i> , 2021, 8, 320-328.	3.7	136
7	Estimating the risk of suicide associated with mental disorders: A systematic review and meta-regression analysis. <i>Journal of Psychiatric Research</i> , 2021, 137, 242-249.	1.5	76
8	Global prevalence and burden of depressive and anxiety disorders in 204 countries and territories in 2020 due to the COVID-19 pandemic. <i>Lancet, The</i> , 2021, 398, 1700-1712.	6.3	2,234
9	The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990–2017. <i>Lancet Psychiatry, the</i> , 2020, 7, 148-161.	3.7	387
10	A comprehensive analysis of mortality-related health metrics associated with mental disorders: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2019, 394, 1827-1835.	6.3	329
11	Burden of non-communicable diseases in sub-Saharan Africa, 1990–2017: results from the Global Burden of Disease Study 2017. <i>The Lancet Global Health</i> , 2019, 7, e1375-e1387.	2.9	509
12	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017. <i>JAMA Pediatrics</i> , 2019, 173, e190337.	3.3	140
13	Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. <i>BMJ: British Medical Journal</i> , 2019, 364, I94.	2.4	558
14	Predictors of change in depressive symptoms over time: Results from the Australian Longitudinal Study on Women's Health. <i>Journal of Affective Disorders</i> , 2019, 245, 771-778.	2.0	9
15	The State of US Health, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1444.	3.8	1,042
16	The prevalence and burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2015. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 483-490.	1.3	39
17	Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. <i>International Journal of Public Health</i> , 2018, 63, 11-23.	1.0	21
18	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 79-96.	1.0	17

#	ARTICLE	IF	CITATIONS
19	The burden of mental disorders in the Eastern Mediterranean region, 1990â€“2015: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018, 63, 25-37.	1.0	43
20	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1736-1788.	6.3	4,989
21	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1923-1994.	6.3	3,269
22	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1789-1858.	6.3	8,569
23	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1859-1922.	6.3	2,123
24	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Psychiatry</i> , the, 2018, 5, 987-1012.	3.7	885
25	Global statistics on alcohol, tobacco and illicit drug use: 2017 status report. <i>Addiction</i> , 2018, 113, 1905-1926.	1.7	685
26	Global Epidemiology and Burden of Schizophrenia: Findings From the Global Burden of Disease Study 2016. <i>Schizophrenia Bulletin</i> , 2018, 44, 1195-1203.	2.3	875
27	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2018, 392, 1015-1035.	6.3	2,005
28	Global Skin Disease Morbidity and Mortality. <i>JAMA Dermatology</i> , 2017, 153, 406.	2.0	457
29	A systematic review and meta-regression of the prevalence and incidence of perinatal depression. <i>Journal of Affective Disorders</i> , 2017, 219, 86-92.	2.0	826
30	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	3.3	306
31	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1260-1344.	6.3	1,589
32	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1151-1210.	6.3	3,565
33	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1211-1259.	6.3	5,578
34	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1345-1422.	6.3	1,879
35	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1423-1459.	6.3	284
36	Systematic reviews: inducting research students into scholarly conversations?. <i>Higher Education Research and Development</i> , 2017, 36, 217-220.	1.9	0

#	ARTICLE	IF	CITATIONS
37	The population cost-effectiveness of delivering universal and indicated school-based interventions to prevent the onset of major depression among youth in Australia. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 545-564.	1.8	55
38	The Global Epidemiology and Disease Burden of Cannabis Use and Dependence. , 2017, , 89-100.		11
39	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017, 12, e0169575.	1.1	102
40	The global distribution of mental and substance use disorders: research gains and challenges. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 230-232.	1.8	0
41	Challenges to estimating the true global burden of mental disorders. <i>Lancet Psychiatry</i> , the, 2016, 3, 402-403.	3.7	15
42	Post-traumatic stress disorder and major depression in conflict-affected populations: an epidemiological model and predictor analysis. <i>Global Mental Health (Cambridge, England)</i> , 2016, 3, e4.	1.0	46
43	Prevalence of mental, neurological, and substance use disorders in China and India: a systematic analysis. <i>Lancet Psychiatry</i> , the, 2016, 3, 832-841.	3.7	82
44	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	6.3	1,612
45	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	6.3	4,934
46	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	6.3	5,298
47	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
48	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	6.3	413
49	Long-Term Outcomes of Attention-Deficit/Hyperactivity Disorder and Conduct Disorder: A Systematic Review and Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2016, 55, 841-850.	0.3	365
50	The prevalence and burden of bipolar disorder: findings from the Global Burden of Disease Study 2013. <i>Bipolar Disorders</i> , 2016, 18, 440-450.	1.1	426
51	Systematic review of interventions for Indigenous adults with mental and substance use disorders in Australia, Canada, New Zealand and the United States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1040-1054.	1.3	47
52	Global Burden Of Disease Studies: Implications For Mental And Substance Use Disorders. <i>Health Affairs</i> , 2016, 35, 1114-1120.	2.5	84
53	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	3.3	479
54	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. <i>Lancet, The</i> , 2016, 387, 1672-1685.	6.3	586

#	ARTICLE	IF	CITATIONS
55	Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders. , 2016, , 1-27.		23
56	Global Burden of Mental, Neurological, and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. , 2016, , 29-40.		16
57	The Global Burden of Mental, Neurological and Substance Use Disorders: An Analysis from the Global Burden of Disease Study 2010. PLoS ONE, 2015, 10, e0116820.	1.1	908
58	A heavy burden on young minds: the global burden of mental and substance use disorders in children and youth. Psychological Medicine, 2015, 45, 1551-1563.	2.7	444
59	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
60	The Spanish Burden of Disease 2010: Neurological, mental and substance use disorders. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2015, 8, 207-217.	0.2	5
61	La carga de la enfermedad en EspaÃ±a 2010: trastornos neurolÃ³gicos, mentales y re: trastornos neurolÃ³gicos, mentales y relacionados con el consumo de sustancias. Revista De PsiquiatrÃa Y Salud Mental, 2015, 8, 207-217.	1.0	17
62	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
63	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
64	Burden attributable to child maltreatment in Australia. Child Abuse and Neglect, 2015, 48, 208-220.	1.3	112
65	Global, regional, and national ageâ€“sex specific all-cause and cause-specific mortality for 240 causes of death, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	6.3	5,847
66	The Burden Attributable to Mental and Substance Use Disorders as Risk Factors for Suicide: Findings from the Global Burden of Disease Study 2010. PLoS ONE, 2014, 9, e91936.	1.1	335
67	The global burden of mental and substance use disorders: changes in estimating burden between GBD1990 and GBD2010. Epidemiology and Psychiatric Sciences, 2014, 23, 239-249.	1.8	17
68	CHALLENGING THE MYTH OF AN “EPIDEMIC” OF COMMON MENTAL DISORDERS: TRENDS IN THE GLOBAL PREVALENCE OF ANXIETY AND DEPRESSION BETWEEN 1990 AND 2010. Depression and Anxiety, 2014, 31, 506-516.	2.0	261
69	The global burden of anxiety disorders in 2010. Psychological Medicine, 2014, 44, 2363-2374.	2.7	449
70	The global burden of conduct disorder and attentionâ€“deficit/hyperactivity disorder in 2010. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 328-336.	3.1	157
71	Global burden of disease attributable to mental and substance use disorders: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1575-1586.	6.3	4,651
72	Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. Lancet, The, 2013, 382, 1564-1574.	6.3	668

#	ARTICLE	IF	CITATIONS
73	The epidemiological modelling of dysthymia: Application for the Global Burden of Disease Study 2010. <i>Journal of Affective Disorders</i> , 2013, 151, 111-120.	2.0	36
74	Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. <i>Psychological Medicine</i> , 2013, 43, 471-481.	2.7	860
75	How did we arrive at burden of disease estimates for mental and illicit drug use disorders in the Global Burden of Disease Study 2010?. <i>Current Opinion in Psychiatry</i> , 2013, 26, 376-383.	3.1	20
76	Burden of Depressive Disorders by Country, Sex, Age, and Year: Findings from the Global Burden of Disease Study 2010. <i>PLoS Medicine</i> , 2013, 10, e1001547.	3.9	2,377
77	Research Review: Epidemiological modelling of attentionâ€deficit/hyperactivity disorder and conduct disorder for the Global Burden of Disease Study 2010. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2013, 54, 1263-1274.	3.1	160
78	The Global Epidemiology and Contribution of Cannabis Use and Dependence to the Global Burden of Disease: Results from the GBD 2010 Study. <i>PLoS ONE</i> , 2013, 8, e76635.	1.1	235
79	The Epidemiological Modelling of Major Depressive Disorder: Application for the Global Burden of Disease Study 2010. <i>PLoS ONE</i> , 2013, 8, e69637.	1.1	242
80	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	6.3	7,061
81	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	6.3	6,376
82	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990â€“2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2224-2260.	6.3	9,397
83	Health states for schizophrenia and bipolar disorder within the Global Burden of Disease 2010 Study. <i>Population Health Metrics</i> , 2012, 10, 16.	1.3	28
84	Prem Baby Triple P a new parenting intervention for parents of infants born very preterm: Acceptability and barriers. , 2011, 34, 602-609.		14
85	A systematic review of the global distribution and availability of prevalence data for bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 134, 1-13.	2.0	83