

# Jie Wang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/615918/jie-wang-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34  
papers

1,332  
citations

23  
h-index

34  
g-index

34  
ext. papers

1,533  
ext. citations

3.2  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
34	Some q-rung orthopair fuzzy maclaurin symmetric mean operators and their applications to potential evaluation of emerging technology commercialization. <i>International Journal of Intelligent Systems</i> , <b>2019</b> , 34, 50-81	8.4	119
33	Methods for MADM with Picture Fuzzy Muirhead Mean Operators and Their Application for Evaluating the Financial Investment Risk. <i>Symmetry</i> , <b>2019</b> , 11, 6	2.7	83
32	TODIM Method for Multiple Attribute Group Decision Making under 2-Tuple Linguistic Neutrosophic Environment. <i>Symmetry</i> , <b>2018</b> , 10, 486	2.7	74
31	Research on Risk Evaluation of Enterprise Human Capital Investment With Interval-Valued Bipolar 2-Tuple Linguistic Information. <i>IEEE Access</i> , <b>2018</b> , 6, 35697-35712	3.5	70
30	Models for Safety Assessment of Construction Project With Some 2-Tuple Linguistic Pythagorean Fuzzy Bonferroni Mean Operators. <i>IEEE Access</i> , <b>2018</b> , 6, 52105-52137	3.5	70
29	Models for competitiveness evaluation of tourist destination with some interval-valued intuitionistic fuzzy Hamy mean operators. <i>Journal of Intelligent and Fuzzy Systems</i> , <b>2019</b> , 36, 5693-5709	1.6	67
28	Approaches to Multiple Attribute Decision Making with Interval-Valued 2-Tuple Linguistic Pythagorean Fuzzy Information. <i>Mathematics</i> , <b>2018</b> , 6, 201	2.3	67
27	An Extended VIKOR Method for Multiple Criteria Group Decision Making with Triangular Fuzzy Neutrosophic Numbers. <i>Symmetry</i> , <b>2018</b> , 10, 497	2.7	64
26	Methods for Multiple-Attribute Group Decision Making with q-Rung Interval-Valued Orthopair Fuzzy Information and Their Applications to the Selection of Green Suppliers. <i>Symmetry</i> , <b>2019</b> , 11, 56	2.7	63
25	Models for Multiple Attribute Decision Making with Some 2-Tuple Linguistic Pythagorean Fuzzy Hamy Mean Operators. <i>Mathematics</i> , <b>2018</b> , 6, 236	2.3	58
24	Some q-rung orthopair fuzzy Hamy mean operators in multiple attribute decision-making and their application to enterprise resource planning systems selection. <i>International Journal of Intelligent Systems</i> , <b>2019</b> , 34, 2429-2458	8.4	57
23	The generalized Dice similarity measures for Pythagorean fuzzy multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , <b>2019</b> , 34, 1158-1183	8.4	56
22	Approaches to strategic supplier selection under interval neutrosophic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , <b>2019</b> , 37, 1707-1730	1.6	47
21	Dual Hesitant q-Rung Orthopair Fuzzy Muirhead Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , <b>2019</b> , 7, 67139-67166	3.5	37
20	Some 2-tuple linguistic Pythagorean Heronian mean operators and their application to multiple attribute decision-making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , <b>2019</b> , 31, 555-574	2.4	34
19	Dual Hesitant Pythagorean Fuzzy Hamy Mean Operators in Multiple Attribute Decision Making. <i>IEEE Access</i> , <b>2019</b> , 7, 86697-86716	3.5	34
18	EDAS method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Journal of Intelligent and Fuzzy Systems</i> , <b>2019</b> , 37, 1597-1608	1.6	33

17	Models for MADM With 2-Tuple Linguistic Neutrosophic Dombi Bonferroni Mean Operators. <i>IEEE Access</i> , <b>2019</b> , 7, 108878-108905	3.5	32
16	AN EXTENDED COPRAS MODEL FOR MULTIPLE ATTRIBUTE GROUP DECISION MAKING BASED ON SINGLE-VALUED NEUTROSOPHIC 2-TUPLE LINGUISTIC ENVIRONMENT. <i>Technological and Economic Development of Economy</i> , <b>2021</b> , 27, 353-368	4.7	31
15	Dual Hesitant Pythagorean Fuzzy Heronian Mean Operators in Multiple Attribute Decision Making. <i>Mathematics</i> , <b>2019</b> , 7, 344	2.3	30
14	Similarity Measures of Spherical Fuzzy Sets Based on Cosine Function and Their Applications. <i>IEEE Access</i> , <b>2019</b> , 7, 159069-159080	3.5	27
13	Methods for Evaluating the Technological Innovation Capability for the High-Tech Enterprises With Generalized Interval Neutrosophic Number Bonferroni Mean Operators. <i>IEEE Access</i> , <b>2019</b> , 7, 86473-86492	3.5	26
12	CODAS Method for Multiple Attribute Group Decision Making Under 2-Tuple Linguistic Neutrosophic Environment. <i>Informatica</i> , <b>2020</b> , 161-184	2.9	24
11	Some 2-tuple linguistic neutrosophic number Muirhead mean operators and their applications to multiple attribute decision making. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , <b>2019</b> , 31, 409-439	2	21
10	Some q-rung interval-valued orthopair fuzzy Maclaurin symmetric mean operators and their applications to multiple attribute group decision making. <i>International Journal of Intelligent Systems</i> , <b>2019</b> , 34, 2769-2806	8.4	20
9	Some power Heronian mean operators in multiple attribute decision-making based on q-rung orthopair hesitant fuzzy environment. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , <b>2020</b> , 32, 909-937	2	19
8	Maximizing deviation method for multiple attribute decision making under q-rung orthopair fuzzy environment. <i>Defence Technology</i> , <b>2020</b> , 16, 1073-1087	3	18
7	Dual Hesitant q-Rung Orthopair Fuzzy Hamacher Aggregation Operators and their Applications in Scheme Selection of Construction Project. <i>Symmetry</i> , <b>2019</b> , 11, 771	2.7	17
6	VIKOR method for multiple criteria group decision making under 2-tuple linguistic neutrosophic environment. <i>Economic Research-Ekonomska Istrazivanja</i> , <b>2020</b> , 33, 3185-3208	2.5	16
5	CODAS method for Pythagorean 2-tuple linguistic multiple attribute group decision making. <i>IEEE Access</i> , <b>2019</b> , 1-1	3.5	11
4	Multiple Attribute Decision Making Based on Power Muirhead Mean Operators Under 2-Tuple Linguistic Pythagorean Fuzzy Environment. <i>Cognitive Computation</i> , <b>2020</b> , 12, 1276-1298	4.4	3
3	The Generalized Dice Similarity Measures for Spherical Fuzzy Sets and Their Applications. <i>Studies in Fuzziness and Soft Computing</i> , <b>2021</b> , 85-110	0.7	2
2	Approaches to multiple attribute decision making based on picture 2-tuple linguistic power Hamy mean aggregation operators. <i>RAIRO - Operations Research</i> , <b>2021</b> , 55, S435-S460	2.2	2
1	Models for multiple attribute decision making with some interval-valued 2-tuple linguistic Pythagorean fuzzy Bonferroni mean operators. <i>International Journal of Knowledge-Based and Intelligent Engineering Systems</i> , <b>2020</b> , 23, 259-294	0.5	