Garry L Jennings

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6159552/garry-l-jennings-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 218
 10,743
 55
 98

 papers
 citations
 h-index
 g-index

 240
 11,759
 5.9
 5.55

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
218	The adrenal medulla in cardiovascular medicine: an untold story. <i>Journal of Hypertension</i> , 2021 , 39, 819-	829	4
217	Translation and Impact of Funded Australian Cardiovascular Research: A Review With Perspective. Heart Lung and Circulation, 2021 , 30, 1442-1448	1.8	
216	Uncontrolled blood pressure in Australia: a call to action. Medical Journal of Australia, 2021,	4	2
215	Women and Cardiovascular Disease: Pregnancy, the Forgotten Risk Factor. <i>Heart Lung and Circulation</i> , 2020 , 29, 662-667	1.8	5
214	Evaluation of elevated heart rate as a sympathetic nervous system biomarker in essential hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1488-1495	1.9	14
213	The Baker Biobank: Understanding Cardiovascular Outcomes. <i>Heart Lung and Circulation</i> , 2020 , 29, 107	1-1877	2
212	Paroxysmal Hypertension Associated With Presyncope. <i>Hypertension</i> , 2019 , 74, 718-725	8.5	3
211	Sex-Specific Lifestyle and Biomedical Risk Factors for Chronic Disease among Early-Middle, Middle and Older Aged Australian Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	5
210	Y Chromosome, Hypertension and Cardiovascular Disease: Is Inflammation the Answer?. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	10
209	HDL Phospholipids, but Not Cholesterol Distinguish Acute Coronary Syndrome From Stable Coronary Artery Disease. <i>Journal of the American Heart Association</i> , 2019 , 8, e011792	6	16
208	Drug-Resistant Hypertension. <i>Hypertension</i> , 2019 , 73, 920-925	8.5	O
207	Long-term and recent trends in hypertension awareness, treatment, and control in 12 high-income countries: an analysis of 123 nationally representative surveys. <i>Lancet, The</i> , 2019 , 394, 639-651	40	156
206	Progressive Hypertension and Severe Left Ventricular Outflow Tract Obstruction. <i>Hypertension</i> , 2019 , 74, 1216-1225	8.5	O
205	Change in Blood Pressure Variability Among Treated Elderly Hypertensive Patients and Its Association With Mortality. <i>Journal of the American Heart Association</i> , 2019 , 8, e012630	6	6
204	Effects of high- and low-dose aspirin on adaptive immunity and hypertension in the stroke-prone spontaneously hypertensive rat. <i>FASEB Journal</i> , 2019 , 33, 1510-1521	0.9	6
203	Between-meal sucrose-sweetened beverage consumption impairs glycaemia and lipid metabolism during prolonged sitting: Allandomized controlled trial. <i>Clinical Nutrition</i> , 2019 , 38, 1536-1543	5.9	7
202	Unifocal and Multifocal Fibromuscular Dysplasia. <i>Hypertension</i> , 2019 , 73, 7-12	8.5	2

(2017-2019)

201	Short- and long-term association of lipid-lowering drug treatment and cardiovascular disease by estimated absolute risk in the Second Australian National Blood Pressure study. <i>Journal of Clinical Lipidology</i> , 2019 , 13, 148-155	4.9	1
200	Who might benefit from Systolic Blood Pressure Intervention Trial® lower blood pressure targets? LIFE in the fast lane. <i>Journal of Hypertension</i> , 2018 , 36, 771-772	1.9	
199	Standing up to the cardiometabolic consequences of hematological cancers. <i>Blood Reviews</i> , 2018 , 32, 349-360	11.1	3
198	Blood Pressure Down Under, but Down Under What? US and Australian Hypertension Guideline Conversation. <i>Hypertension</i> , 2018 , 71, 972-975	8.5	7
197	Visit-to-visit (long-term) and ambulatory (short-term) blood pressure variability to predict mortality in an elderly hypertensive population. <i>Journal of Hypertension</i> , 2018 , 36, 1059-1067	1.9	17
196	Y-chromosome lineage determines cardiovascular organ T-cell infiltration in the stroke-prone spontaneously hypertensive rat. <i>FASEB Journal</i> , 2018 , 32, 2747-2756	0.9	2
195	Sex-Specific Associations in Nutrition and Activity-Related Risk Factors for Chronic Disease: Australian Evidence from Childhood to Emerging Adulthood. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	3
194	Relation of Alcohol Consumption to Risk of Heart Failure in Patients Aged 65 to 84 Years With Hypertension. <i>American Journal of Cardiology</i> , 2018 , 122, 1352-1358	3	2
193	Vascular dysfunction in the stroke-prone spontaneously hypertensive rat is dependent on constrictor prostanoid activity and Y chromosome lineage. <i>Clinical Science</i> , 2018 , 132, 131-143	6.5	2
192	Hypertension and Its Complications in a Young Man With Autoimmune Disease. <i>Hypertension</i> , 2017 , 69, 536-544	8.5	1
191	Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block: A Case of Refractory Sympathetic Overload. <i>Hypertension</i> , 2017 , 69, 978-984	8.5	2
190	Case of Asymptomatic Carotid Artery Stenosis in a Hypertensive Patient. <i>Hypertension</i> , 2017 , 69, 985-99	8.5	2
189	Case of Chronic Indolent Pheochromocytoma That Caused Medically Controlled Hypertension but Treatment-Resistant Diabetes Mellitus. <i>Hypertension</i> , 2017 , 69, 740-746	8.5	3
188	Pet ownership and survival in the elderly hypertensive population. <i>Journal of Hypertension</i> , 2017 , 35, 769-775	1.9	35
187	Fasting Plasma Glucose, Self-Appraised Diet Quality and Depressive Symptoms: A US-Representative Cross-Sectional Study. <i>Nutrients</i> , 2017 , 9,	6.7	2
186	Antihypertensive therapy: strategic withdrawal or a mandatory life sentence?. <i>Journal of Hypertension</i> , 2017 , 35, 1778-1779	1.9	
185	Prediction of 10-year Risk of Incident Heart Failure in Elderly Hypertensive Population: The ANBP2 Study. <i>American Journal of Hypertension</i> , 2017 , 30, 88-94	2.3	4
184	Australian adultsRbehaviours, knowledge and perceptions of risk factors for heart disease: A cross-sectional study. <i>Preventive Medicine Reports</i> , 2017 , 8, 204-209	2.6	6

183	Sugar- and Intense-Sweetened Drinks in Australia: A Systematic Review on Cardiometabolic Risk. <i>Nutrients</i> , 2017 , 9,	6.7	9
182	Exploring Motivation and Barriers to Physical Activity among Active and Inactive Australian Adults. <i>Sports</i> , 2017 , 5,	3	55
181	Impact of nurse-mediated management on achieving blood pressure goal levels in primary care: Insights from the Valsartan Intensified Primary carE Reduction of Blood Pressure Study. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, 409-16	3.3	5
180	Predictive Performance of Echocardiographic Parameters for Cardiovascular Events Among Elderly Treated Hypertensive Patients. <i>American Journal of Hypertension</i> , 2016 , 29, 821-31	2.3	9
179	Compound 21, a selective agonist of angiotensin AT2 receptors, prevents endothelial inflammation and leukocyte adhesion in vitro and in vivo. <i>British Journal of Pharmacology</i> , 2016 , 173, 729-40	8.6	41
178	Hypertensive Encephalopathy and Renal Failure in a Young Man. <i>Hypertension</i> , 2016 , 67, 6-13	8.5	1
177	A Woman With Treatment-Resistant Hypertension. <i>Hypertension</i> , 2016 , 67, 243-50	8.5	2
176	Response to Letter to the Editor: Essential Service Standards for Equitable National Cardiovascular Care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 627	1.8	
175	Prevalence and treatment of familial hypercholesterolaemia in Australian communities. International Journal of Cardiology, 2015, 185, 69-71	3.2	56
174	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4	8.5	1
174 173		12.3	1
	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic	12.3	
173	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015 , 17, 620-30 Essential service standards for equitable national cardiovascular care for Aboriginal and Torres	12.3 0	19
173 172	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015 , 17, 620-30 Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 126-41 A strategy for translating evidence into policy and practice to close the gap - developing essential service standards for Aboriginal and Torres Strait Islander cardiovascular care. <i>Heart Lung and</i>	12.3 0 1.8	19
173 172 171	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015 , 17, 620-30. Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 126-41. A strategy for translating evidence into policy and practice to close the gap - developing essential service standards for Aboriginal and Torres Strait Islander cardiovascular care. <i>Heart Lung and Circulation</i> , 2015 , 24, 119-25. Origin of the Y chromosome influences intrarenal vascular responsiveness to angiotensin I and	12.3 0 1.8	19 14 6
173 172 171 170	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015 , 17, 620-30 Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 126-41 A strategy for translating evidence into policy and practice to close the gap - developing essential service standards for Aboriginal and Torres Strait Islander cardiovascular care. <i>Heart Lung and Circulation</i> , 2015 , 24, 119-25 Origin of the Y chromosome influences intrarenal vascular responsiveness to angiotensin I and angiotensin (1-7) in stroke-prone spontaneously hypertensive rats. <i>Hypertension</i> , 2014 , 64, 1376-83	12.3 0 1.8 1.8	191467
173 172 171 170 169	Rare cause of severe hypertension in a young woman. <i>Hypertension</i> , 2015 , 65, 21-4 Impact of a nurse-led home and clinic-based secondary prevention programme to prevent progressive cardiac dysfunction in high-risk individuals: the Nurse-led Intervention for Less Chronic Heart Failure (NIL-CHF) randomized controlled study. <i>European Journal of Heart Failure</i> , 2015 , 17, 620-30. Essential service standards for equitable national cardiovascular care for Aboriginal and Torres Strait Islander people. <i>Heart Lung and Circulation</i> , 2015 , 24, 126-41 A strategy for translating evidence into policy and practice to close the gap - developing essential service standards for Aboriginal and Torres Strait Islander cardiovascular care. <i>Heart Lung and Circulation</i> , 2015 , 24, 119-25 Origin of the Y chromosome influences intrarenal vascular responsiveness to angiotensin I and angiotensin (1-7) in stroke-prone spontaneously hypertensive rats. <i>Hypertension</i> , 2014 , 64, 1376-83 Renovascular hypertension: to stent or not to stent?. <i>Hypertension</i> , 2014 , 64, 1165-8 More rigorous protocol adherence to intensive structured management improves blood pressure control in primary care: results from the Valsartan Intensified Primary carE Reduction of Blood	12.3 0 1.8 1.8 8.5	19 14 6 7 3

(2010-2014)

165	Exercise and dietary influences on arterial stiffness in cardiometabolic disease. <i>Hypertension</i> , 2014 , 63, 888-93	8.5	32
164	ABCA12 regulates ABCA1-dependent cholesterol efflux from macrophages and the development of atherosclerosis. <i>Cell Metabolism</i> , 2013 , 18, 225-38	24.6	38
163	Hypertension guidelines: more challenges highlighted by Europe. <i>Hypertension</i> , 2013 , 62, 660-5	8.5	19
162	Recent clinical trials of hypertension management. <i>Hypertension</i> , 2013 , 62, 3-7	8.5	6
161	Determinants of achieving early blood pressure control with monotherapy in a primary care setting. Journal of Clinical Hypertension, 2013, 15, 674-80	2.3	3
160	Pressure points in primary care: blood pressure and management of hypertension in 532 050 patients from 2005 to 2010. <i>Journal of Hypertension</i> , 2013 , 31, 1265-71	1.9	16
159	Integrated health research centres for Australia. Medical Journal of Australia, 2013, 199, 320-1	4	4
158	Assessing cardiovascular risk in regional areas: the Healthy Hearts Beyond City Limits program. <i>BMC Health Services Research</i> , 2012 , 12, 296	2.9	9
157	Effect of intensive structured care on individual blood pressure targets in primary care: multicentre randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e7156	5.9	21
156	Y are males so difficult to understand?: a case where "X" does not mark the spot. <i>Hypertension</i> , 2012 , 59, 525-31	8.5	17
155	20 APSH PRESIDENTIS LECTURE. Journal of Hypertension, 2012, 30, e6-e7	1.9	
154	Optimising management of hypertension in primary care: the Valsartan Intensified Primary Care Reduction of Blood Pressure (Viper-Bp) study. <i>International Journal of Cardiology</i> , 2011 , 153, 317-22	3.2	10
153	Blood pressure targets recommended by guidelines and incidence of cardiovascular and renal events in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial (ONTARGET). <i>Circulation</i> , 2011 , 124, 1727-36	16.7	121
152	Plasma lipidomic analysis of stable and unstable coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2011 , 31, 2723-32	9.4	204
151	Relationship between QRS duration and left ventricular mass and volume in patients at high cardiovascular risk. <i>Heart</i> , 2011 , 97, 1766-70	5.1	25
150	Obesity and left ventricular hypertrophy: does my heart look big on this?. <i>Journal of Hypertension</i> , 2010 , 28, 2190-3	1.9	4
149	Pattern of blood pressure in Australian adults: results from a national blood pressure screening day of 13,825 adults. <i>International Journal of Cardiology</i> , 2010 , 145, 461-7	3.2	31
148	Erectile dysfunction predicts cardiovascular events in high-risk patients receiving telmisartan, ramipril, or both: The ONgoing Telmisartan Alone and in combination with Ramipril Global Endpoint Trial/Telmisartan Randomized AssessmeNt Study in ACE iNtolerant subjects with cardiovascular	16.7	142

147	A novel measure of the power of the morning blood pressure surge from ambulatory blood pressure recordings. <i>American Journal of Hypertension</i> , 2010 , 23, 1074-81	2.3	30
146	Left ventricular mass and volume with telmisartan, ramipril, or combination in patients with previous atherosclerotic events or with diabetes mellitus (from the ONgoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial [ONTARGET]). <i>American Journal of Cardiology</i> ,	3	36
145	The cardiac MRI substudy to ongoing telmisartan alone and in combination with ramipril global endpoint trial/telmisartan randomized assessment study in ACE-intolerant subjects with cardiovascular disease: analysis protocol and baseline characteristics. Clinical Research in Cardiology	6.1	9
144	, 2009, 98, 421-33 Compliance mismatch between stenotic and distal reference segment is associated with coronary artery disease instability. <i>Atherosclerosis</i> , 2009, 206, 179-85	3.1	8
143	Reduced phosphoinositide 3-kinase (p110alpha) activation increases the susceptibility to atrial fibrillation. <i>American Journal of Pathology</i> , 2009 , 175, 998-1009	5.8	118
142	Effects of telmisartan, ramipril, and their combination on left ventricular hypertrophy in individuals at high vascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global End Point Trial and the Telmisartan Randomized Assessment Study in ACE Intolerant Subjects With	16.7	83
141	Cholesterol complacency in Australia: time to revisit the basics of cardiovascular disease prevention. <i>Journal of Clinical Nursing</i> , 2009 , 18, 678-86	3.2	5
140	Promoting physiological hypertrophy in the failing heart. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 438-41	3	5
139	Chronic mental stress is a cause of essential hypertension: presence of biological markers of stress. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2008 , 35, 498-502	3	110
138	Altered sympathetic nervous reactivity and norepinephrine transporter expression in patients with postural tachycardia syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 103-9	6.4	67
137	Smaller aortic dimensions do not fully account for the greater pulse pressure in elderly female hypertensives. <i>Hypertension</i> , 2008 , 51, 1129-34	8.5	31
136	Human sympathetic nerve biology: parallel influences of stress and epigenetics in essential hypertension and panic disorder. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1148, 338-48	6.5	71
135	Differences between pathological and physiological cardiac hypertrophy: novel therapeutic strategies to treat heart failure. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 255-6	52 ³	243
134	Protective effects of exercise and phosphoinositide 3-kinase(p110alpha) signaling in dilated and hypertrophic cardiomyopathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 612-7	11.5	229
133	Increased brain serotonin turnover in panic disorder patients in the absence of a panic attack: reduction by a selective serotonin reuptake inhibitor. <i>Stress</i> , 2007 , 10, 295-304	3	44
132	Similar effects of treatment on central and brachial blood pressures in older hypertensive subjects in the Second Australian National Blood Pressure Trial. <i>Hypertension</i> , 2007 , 49, 1242-7	8.5	53
131	Left ventricular hypertrophy: beyond the image and defining the human cardiac phenotype in hypertension. <i>Journal of Hypertension</i> , 2007 , 25, 941-7	1.9	6
130	Matrix metalloproteinase-3 and coronary remodelling: implications for unstable coronary disease. <i>Cardiovascular Research</i> , 2007 , 75, 813-20	9.9	33

(2003-2006)

129	Inhibition of fibroblast growth factor receptor signaling attenuates atherosclerosis in apolipoprotein E-deficient mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1845-51	9.4	38
128	Brachial blood pressure but not carotid arterial waveforms predict cardiovascular events in elderly female hypertensives. <i>Hypertension</i> , 2006 , 47, 785-90	8.5	154
127	The neuronal noradrenaline transporter, anxiety and cardiovascular disease. <i>Journal of Psychopharmacology</i> , 2006 , 20, 60-6	4.6	64
126	Rate of morning increase in blood pressure is elevated in hypertensives. <i>American Journal of Hypertension</i> , 2006 , 19, 1010-7	2.3	24
125	Whoß really hypertensive?Quality control issues in the assessment of blood pressure for randomized trials. <i>Blood Pressure</i> , 2005 , 14, 133-8	1.7	9
124	Predictors of failure to initiate randomized treatment in a large trial of antihypertensive drug therapy in the aged. <i>American Journal of Hypertension</i> , 2005 , 18, 885-8	2.3	Ο
123	Arterial pulse waveforms: defined at birth or barking up the wrong arterial tree?. <i>Journal of Hypertension</i> , 2005 , 23, 1337-9	1.9	
122	Outlook: finding improved medicines: the role of academic-industrial collaboration. <i>Nature Reviews Drug Discovery</i> , 2005 , 4, 891-7	64.1	32
121	Proliferation of neointimal smooth muscle cells after arterial injury. Dependence on interactions between fibroblast growth factor receptor-2 and fibroblast growth factor-9. <i>Journal of Biological Chemistry</i> , 2004 , 279, 42221-9	5.4	34
120	Large artery stiffness is not related to plasma cholesterol in older subjects with hypertension. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 962-8	9.4	36
119	The left atrium in hypertension: next to the chamber of power. <i>Journal of Hypertension</i> , 2004 , 22, 1473-	4 1.9	4
118	Large-artery stiffness contributes to the greater prevalence of systolic hypertension in elderly women. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 368-73	5.6	56
117	Serotonin blockade protects against early microvascular constriction following atherosclerotic plaque rupture. <i>European Journal of Pharmacology</i> , 2004 , 486, 85-9	5.3	4
116	Cardiac sympathetic nerve biology and brain monoamine turnover in panic disorder. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1018, 505-14	6.5	49
115	Myocardial endothelin-1 release and indices of inflammation during angioplasty for acute myocardial infarction and stable coronary artery disease. <i>American Heart Journal</i> , 2004 , 148, e10	4.9	17
114	Rilmenidine sympatholytic activity preserves mental stress, orthostatic sympathetic responses and adrenaline secretion. <i>Journal of Hypertension</i> , 2004 , 22, 1529-34	1.9	30
113	Measuring arterial function in diabetes. <i>Journal of Hypertension</i> , 2004 , 22, 1863-5	1.9	7
112	Inhibitory activity of clinical thiazolidinedione peroxisome proliferator activating receptor-gamma ligands toward internal mammary artery, radial artery, and saphenous vein smooth muscle cell proliferation. <i>Circulation</i> , 2003 , 107, 2548-50	16.7	83

111	Sex hormones and cardiomyopathic phenotype induced by cardiac beta 2-adrenergic receptor overexpression. <i>Endocrinology</i> , 2003 , 144, 4097-105	4.8	68
110	Beta-adrenoceptor genotype influences the response to carvedilol in patients with congestive heart failure. <i>Pharmacogenetics and Genomics</i> , 2003 , 13, 379-82		121
109	Increased suicide rate in the middle-aged and its association with hours of sunlight. <i>American Journal of Psychiatry</i> , 2003 , 160, 793-5	11.9	83
108	Relation of local platelet glycoprotein IIb/IIIa independent activation during coronary angioplasty in acute myocardial infarction to recovery of left ventricular function. <i>American Journal of Cardiology</i> , 2003 , 92, 446-50	3	
107	A comparison of outcomes with angiotensin-convertingenzyme inhibitors and diuretics for hypertension in the elderly. <i>New England Journal of Medicine</i> , 2003 , 348, 583-92	59.2	903
106	Oestrogen supplementation attenuates responses to psychological stress in elderly men rendered hypogonadal after treatment for prostate cancer. <i>Clinical Endocrinology</i> , 2002 , 56, 745-53	3.4	10
105	The influence of aging on the human sympathetic nervous system and brain norepinephrine turnover. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002 , 282, R909-16	3.2	74
104	Experimental rupture of atherosclerotic lesions increases distal vascular resistance: a limiting factor to the success of infarct angioplasty. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 153-60	9.4	25
103	Tranilast prevents activation of transforming growth factor-beta system, leukocyte accumulation, and neointimal growth in porcine coronary arteries after stenting. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 940-8	9.4	50
102	Left ventricular remodelling impacts on coronary flow reserve in hypertensive patients: is there a vascular mechanism?. <i>Journal of Hypertension</i> , 2002 , 20, 1291-3	1.9	8
101	Intensive cholesterol reduction lowers blood pressure and large artery stiffness in isolated systolic hypertension. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1020-5	15.1	259
100	Sympathetic nerve biology in essential hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 986-9	3	98
99	Large artery stiffness: structural and genetic aspects. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 1040-3	3	35
98	Low blood flow after angioplasty augments mechanisms of restenosis: inward vessel remodeling, cell migration, and activity of genes regulating migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 208-13	9.4	43
97	Mechanisms of carvedilol action in human congestive heart failure. <i>Hypertension</i> , 2001 , 37, 1216-21	8.5	16
96	Mechanical strain stimulates a mitogenic response in coronary vascular smooth muscle cells via release of basic fibroblast growth factor. <i>American Journal of Hypertension</i> , 2001 , 14, 1128-34	2.3	20
95	Gender differences in the timing of arterial wave reflection beyond differences in body height. <i>Journal of Hypertension</i> , 2001 , 19, 2197-203	1.9	133
94	Supplemental oxygen does not modulate responses to acetylcholine or ascorbic acid in the forearm of patients with congestive heart failure. <i>Clinical Science</i> , 2000 , 99, 57-63	6.5	5

(1998-2000)

93	Supplemental oxygen does not modulate responses to acetylcholine or ascorbic acid in the forearm of patients with congestive heart failure. <i>Clinical Science</i> , 2000 , 99, 57	6.5	2
92	Phenotypic evidence of faulty neuronal norepinephrine reuptake in essential hypertension. <i>Hypertension</i> , 2000 , 36, 824-9	8.5	81
91	The Radrenaline hypothesis Rof hypertension revisited: evidence for adrenaline release from the heart of patients with essential hypertension. <i>Journal of Hypertension</i> , 2000 , 18, 717-23	1.9	60
90	Kinins in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000 , 278, R897-904	3.2	32
89	Preserved ventricular contractility in infarcted mouse heart overexpressing beta(2)-adrenergic receptors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 279, H2456-63	5.2	23
88	Response to balloon injury is vascular bed specific: a consequence of de novo vessel structure?. <i>Atherosclerosis</i> , 2000 , 151, 407-14	3.1	16
87	Transient improvement of acetylcholine responses after short-term oral L-arginine in forearms of human heart failure. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 36, 31-7	3.1	10
86	Left ventricular mass and microalbuminuria: relation to ambulatory blood pressure. Hypertension Diagnostic Service Investigators. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999 , 26, 514-6	5 ³	12
85	Antiadrenergic effect of chronic amiodarone therapy in human heart failure. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1553-9	15.1	28
84	Human obesity is associated with a chronic elevation in brain 5-hydroxytryptamine turnover. <i>Clinical Science</i> , 1999 , 96, 191-7	6.5	16
83	Withdrawal of hormonal therapy for 4 weeks decreases arterial compliance in postmenopausal women. <i>Journal of Hypertension</i> , 1999 , 17, 413-8	1.9	59
82	Neural mechanisms in human obesity-related hypertension. <i>Journal of Hypertension</i> , 1999 , 17, 1125-33	1.9	259
81	Immune response to a single bout of exercise in young and elderly subjects. <i>Mechanisms of Ageing and Development</i> , 1998 , 100, 121-32	5.6	26
80	Leptin in human plasma is derived in part from the brain, and cleared by the kidneys. <i>Lancet, The</i> , 1998 , 351, 879	40	55
79	The failing human heart does not release nitrogen oxides. <i>Life Sciences</i> , 1998 , 62, 883-7	6.8	10
78	Vascular types I and II transforming growth factor-beta receptor expression: differential dependency on tyrosine kinases during induction by TGF-beta. <i>FEBS Letters</i> , 1998 , 422, 197-200	3.8	8
77	Differential effect of acute baroreceptor unloading on cardiac and systemic sympathetic tone in congestive heart failure. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 583-7	15.1	56
76	Inhibitory effects of tranilast on expression of transforming growth factor-beta isoforms and receptors in injured arteries. <i>Atherosclerosis</i> , 1998 , 137, 267-75	3.1	59

75	Sympathetic activity in patients with panic disorder at rest, under laboratory mental stress, and during panic attacks. <i>Archives of General Psychiatry</i> , 1998 , 55, 511-20		158
74	The effects of voluntary running on cardiac mass and aortic compliance in Wistar-Kyoto and spontaneously hypertensive rats. <i>Journal of Hypertension</i> , 1998 , 16, 181-5	1.9	30
73	Human muscle sympathetic activity and cardiac catecholamine spillover: no support for augmented sympathetic noradrenaline release by adrenaline co-transmission. <i>Clinical Science</i> , 1998 , 94, 383-93	6.5	13
7 2	Panic disorder: coronary spasm as a basis for cardiac risk?. <i>Medical Journal of Australia</i> , 1998 , 168, 390-2	4	51
71	Reduced systemic arterial compliance is associated with left ventricular hypertrophy and diastolic dysfunction in older people. <i>Journal of the American Geriatrics Society</i> , 1997 , 45, 803-8	5.6	35
70	Risk factors for coronary heart disease in a population with a high prevalence of obesity and diabetes: a case-control study of the Polynesian population of Western Samoa. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1997 , 4, 173-178		12
69	Spontaneous running increases aortic compliance in Wistar-Kyoto rats. <i>Cardiovascular Research</i> , 1997 , 35, 132-7	9.9	61
68	Hormonal therapy increases arterial compliance in postmenopausal women. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 350-6	15.1	232
67	Cerebral noradrenaline spillover and its relation to muscle sympathetic nervous activity in healthy human subjects. <i>Journal of the Autonomic Nervous System</i> , 1997 , 64, 57-64		27
66	Inhibition of protein tyrosine kinases attenuates increases in expression of transforming growth factor-beta isoforms and their receptors following arterial injury. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 2461-70	9.4	49
65	Adrenergic nervous system in heart failure. American Journal of Cardiology, 1997, 80, 7L-14L	3	179
64	Regional sympathetic nervous activity and oxygen consumption in obese normotensive human subjects. <i>Circulation</i> , 1997 , 96, 3423-9	16.7	252
63	Angiotensin-converting enzyme inhibition abolishes medial smooth muscle PDGF-AB biosynthesis and attenuates cell proliferation in injured carotid arteries: relationships to neointima formation. <i>Circulation</i> , 1997 , 96, 1631-40	16.7	29
62	Region-specific neuropeptide Y overflows at rest and during sympathetic activation in humans. <i>Hypertension</i> , 1997 , 29, 137-43	8.5	69
61	Estrogen supplementation decreases norepinephrine-induced vasoconstriction and total body norepinephrine spillover in perimenopausal women. <i>Hypertension</i> , 1997 , 30, 1538-43	8.5	103
60	Dietary supplementation with L-arginine fails to restore endothelial function in forearm resistance arteries of patients with severe heart failure. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1207-13	15.1	55
59	Oxygen consumption in the heart, hepatomesenteric bed, and brain in young and elderly human subjects, and accompanying sympathetic nervous activity. <i>Metabolism: Clinical and Experimental</i> , 1996 , 45, 1487-92	12.7	9
58	LDL particle size in subjects with previously unsuspected coronary heart disease: relationship with other cardiovascular risk markers. <i>Atherosclerosis</i> , 1996 , 126, 277-87	3.1	21

57	Systemic arterial compliance is decreased in newly-diagnosed patients with coronary heart disease: implications for prediction of risk. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 1996 , 3, 495-500		36
56	Estrogen enhances basal nitric oxide release in the forearm vasculature in perimenopausal women. <i>Hypertension</i> , 1996 , 28, 330-4	8.5	114
55	Effects of in vivo and in vitro L-arginine supplementation on healthy human vessels. <i>Journal of Cardiovascular Pharmacology</i> , 1996 , 28, 158-66	3.1	61
54	Mechanisms for reduction of cardiovascular risk by regular exercise. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 209-11	3	17
53	Regional origins of 3-methoxy-4-hydroxyphenylglycol in plasma: effects of chronic sympathetic nervous activation and denervation, and acute reflex sympathetic stimulation. <i>Journal of the Autonomic Nervous System</i> , 1995 , 55, 169-78		24
52	Total norepinephrine spillover, muscle sympathetic nerve activity and heart-rate spectral analysis in a patient with dopamine beta-hydroxylase deficiency. <i>Journal of the Autonomic Nervous System</i> , 1995 , 55, 198-206		33
51	Fallibility of plasma noradrenaline measurements in studying postprandial sympathetic nervous responses. <i>Journal of the Autonomic Nervous System</i> , 1995 , 56, 97-104		17
50	Central nervous system norepinephrine turnover in essential hypertension. <i>Annals of the New York Academy of Sciences</i> , 1995 , 763, 679-94	6.5	11
49	Adverse consequences of high sympathetic nervous activity in the failing human heart. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1257-63	15.1	544
48	Central nervous system noradrenergic and dopaminergic turnover in response to acute neuroleptic challenge. <i>Life Sciences</i> , 1995 , 56, 1545-55	6.8	4
47	The relationship between arterial compliance, age, blood pressure and serum lipid levels. <i>Journal of Hypertension</i> , 1995 , 13, 1718???1723	1.9	35
46	Regional sympathetic nervous activation after a large meal in humans. <i>Clinical Science</i> , 1995 , 89, 145-54	6.5	81
45	Postprandial sympatho-adrenal activity: its relation to metabolic and cardiovascular events and to changes in meal frequency. <i>Clinical Science</i> , 1995 , 89, 349-57	6.5	44
44	Effects of aging on the responsiveness of the human cardiac sympathetic nerves to stressors. <i>Circulation</i> , 1995 , 91, 351-8	16.7	125
43	Increased central nervous system monoamine neurotransmitter turnover and its association with sympathetic nervous activity in treated heart failure patients. <i>Circulation</i> , 1995 , 92, 1813-8	16.7	59
42	Mineralocorticoid induced hypertension and noradrenaline spillover in man. <i>Clinical and Experimental Hypertension</i> , 1994 , 16, 147-61	2.2	13
41	Monoaminergic neuronal activity in subcortical brain regions in essential hypertension. <i>Blood Pressure</i> , 1994 , 3, 55-66	1.7	27
40	Evidence for impaired endothelium dependent vasodilation in experimental left ventricular dysfunction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 709-19	3	14

39	Measurement of human sympathetic nervous responses to stressors by microneurography. <i>Journal of the Autonomic Nervous System</i> , 1994 , 49, 277-81		21
38	Neurochemical evidence of cardiac sympathetic activation and increased central nervous system norepinephrine turnover in severe congestive heart failure. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 570-8	15.1	249
37	Effects of dietary marine oil supplementation on reactivity of human buttock subcutaneous arteries and forearm veins in vitro. <i>British Journal of Pharmacology</i> , 1994 , 112, 566-70	8.6	9
36	Interactions between the effects of exercise and weight loss on risk factors, cardiovascular haemodynamics and left ventricular structure in overweight subjects. <i>Journal of Hypertension</i> , 1994 , 12, 291???302	1.9	32
35	Prescribing Medication Versus Promoting Behavioural Change: A Trial of the Use of Lifestyle Management to Replace Drug Treatment of Hypertension in General Practice. <i>Behaviour Change</i> , 1994 , 11, 177-185	1.1	3
34	Evidence for increased noradrenaline release from subcortical brain regions in essential hypertension. <i>Journal of Hypertension</i> , 1993 , 11, 1217???1228	1.9	85
33	Exercise training reduces the sympathetic component of the blood pressure-heart rate baroreflex in man. <i>Clinical Science</i> , 1992 , 82, 357-62	6.5	53
32	Pet ownership and risk factors for cardiovascular disease. <i>Medical Journal of Australia</i> , 1992 , 157, 298-3	304	278
31	Effects of 4 weeks endurance training on cardiac left ventricular structure and function. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1992 , 19, 777-83	3	13
30	Amplifier function of resistance vessels and the left ventricle in hypertension. <i>Journal of Hypertension</i> , 1991 , 9, S31-40; discussion S40-1	1.9	14
29	Neuronal re-uptake of noradrenaline by sympathetic nerves in humans. Clinical Science, 1991, 80, 257-6	53 6.5	26
28	Biochemical evidence of sympathetic denervation of the heart in pure autonomic failure. <i>Clinical Autonomic Research</i> , 1991 , 1, 187-94	4.3	56
27	Is adrenaline released by sympathetic nerves in man?. Clinical Autonomic Research, 1991, 1, 103-8	4.3	27
26	Evidence for a role for the cardiovascular amplifiers in human primary hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1991 , 18, 37-41	3	1
25	Adrenaline release by the human heart. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1991 , 18, 67-70	3	9
24	What is the dose-response relationship between exercise training and blood pressure?. <i>Annals of Medicine</i> , 1991 , 23, 313-8	1.5	33
23	Evidence of a selective increase in cardiac sympathetic activity in patients with sustained ventricular arrhythmias. <i>New England Journal of Medicine</i> , 1991 , 325, 618-24	59.2	358
22	Effects of exercise and other nonpharmacological measures on blood pressure and cardiac hypertrophy. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17 Suppl 2, S70-4	3.1	16

21	Effects of Nebivolol on Haemodynamics, Cardiac Dimensions and Function, Cardiovascular Reflexes and Biochemical Measures of Sympathetic Activity in Normal Human Subjects. <i>Drug Investigation</i> , 1991 , 3, 51-59		4
20	Effects of Exercise and Other Nonpharmacological Measures on Blood Pressure and Cardiac Hypertrophy. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17, S70???S74	3.1	4
19	Time-course of the antihypertensive and autonomic effects of regular endurance exercise in human subjects. <i>Journal of Hypertension</i> , 1990 , 8, 859-66	1.9	76
18	Altered venous responses to vasoconstrictor agonists and nerve stimulation in human primary hypertension. <i>Journal of Hypertension</i> , 1990 , 8, 1119-28	1.9	14
17	Differences in the neuronal removal of circulating epinephrine and norepinephrine. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990 , 70, 1710-20	5.6	39
16	Effect of endurance exercise on cardiac secretion and renal clearance of atrial natriuretic peptide in normal humans. <i>Clinical and Experimental Hypertension</i> , 1990 , 12, 1223-35		2
15	Initial therapy of primary hypertension. <i>Medical Journal of Australia</i> , 1990 , 152, 198-203	4	4
14	Noradrenaline release and the pathophysiology of primary human hypertension. <i>American Journal of Hypertension</i> , 1989 , 2, 140S-146S	2.3	102
13	Measurement of overall and cardiac norepinephrine release into plasma during cognitive challenge. <i>Psychoneuroendocrinology</i> , 1989 , 14, 477-81	5	86
12	Cardiac secretion and renal clearance of atrial natriuretic peptide in normal man: effect of salt restriction. <i>Clinical Science</i> , 1989 , 77, 605-10	6.5	22
11	Cardiovascular-risk reduction: initial diuretic therapy compared with calcium-antagonist (felodipine) therapy for primary hypertension. <i>Medical Journal of Australia</i> , 1989 , 151, 277-9	4	4
10	Release of noradrenaline into the cerebrovascular circulation in patients with primary hypertension. <i>Journal of Hypertension</i> , 1988 , 6, S494-6	1.9	12
9	The place of exercise in the long-term treatment of hypertension. <i>Nephron</i> , 1987 , 47 Suppl 1, 30-3	3.3	9
8	Mechanism of elevated plasma noradrenaline in the course of essential hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1986 , 8 Suppl 5, S39-43	3.1	98
7	Sympathetic tone in congestive heart failure. American Journal of Cardiology, 1985, 56, 912	3	
6	Redevelopment of essential hypertension after cessation of long term therapy; preliminary findings. <i>Clinical and Experimental Hypertension</i> , 1984 , 6, 493-505		7
5	Plasma noradrenaline kinetics in humans. <i>Journal of the Autonomic Nervous System</i> , 1984 , 11, 125-44		76
4	Biochemical quantification of sympathetic nervous activity in humans using radiotracer methodology: fallibility of plasma noradrenaline measurements. <i>Journal of Cardiovascular Pharmacology</i> , 1982 , 4 Suppl 1, S152-7	3.1	29

3	Radiotracer Methodology for the Simultaneous Estimation of Total, and Renal, Sympathetic Nervous System Activity in Humans. <i>Clinical Science</i> , 1982 , 63, 285s-287s		29
2	Assessment of neuronal uptake of noradrenaline in humans: defective uptake in some patients with essential hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1980 , 7, 535-9	3	7
1	Determination of norepinephrine apparent release rate and clearance in humans. <i>Life Sciences</i> ,	6.8	279