Fitsum Weldegebreal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6160312/publications.pdf

Version: 2024-02-01

60 papers 25,963 citations

³⁹⁴²⁸⁶ 19 h-index 57 g-index

61 all docs

61 does citations

times ranked

61

42009 citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
2	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
3	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
4	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
5	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
6	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	3.4	1,691
7	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1191-1210.	4.6	1,084
8	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
9	The global burden of typhoid and paratyphoid fevers: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2019, 19, 369-381.	4.6	461
10	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
11	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	4.6	144
12	Bacterial profile of urinary tract infection and antimicrobial susceptibility pattern among pregnant women attending at Antenatal Clinic in Dil Chora Referral Hospital, Dire Dawa, Eastern Ethiopia. Therapeutics and Clinical Risk Management, 2016, 12, 251.	0.9	40
13	Motivation of health workers and associated factors in public hospitals of West Amhara, Northwest Ethiopia. Patient Preference and Adherence, 2016, 10, 159.	0.8	36
14	Prevalence and associated factors of depression among tuberculosis patients in Eastern Ethiopia. BMC Psychiatry, 2019, 19, 82.	1.1	32
15	Prevalence and determinants of common mental illness among adult residents of Harari Regional State, Eastern Ethiopia. Pan African Medical Journal, 2017, 28, 262.	0.3	29
16	Prevalence and associated factors of female genital cutting among young adult females in Jigjiga district, eastern Ethiopia: a cross-sectional mixed study. International Journal of Women's Health, 2016, Volume 8, 357-365.	1.1	28
17	Magnitude of opportunistic infections and associated factors in HIV-infected adults on antiretroviral therapy in eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2015, 7, 137.	0.4	27
18	Seroprevalence and trends of transfusion transmitted infections at Harar blood bank in Harari regional state, Eastern Ethiopia: eight years retrospective study. BMC Hematology, 2018, 18, 24.	2.6	24

#	Article	IF	CITATIONS
19	Factor associated with experience of modern contraceptive use before pregnancy among women who gave birth in Kersa HDSS, Ethiopia. BMC Public Health, 2016, 16, 614.	1.2	20
20	Prevalence, Antimicrobial Susceptibility Pattern, and Associated Factors of Urinary Tract Infections among Adult Diabetic Patients at Metu Karl Heinz Referral Hospital, Southwest Ethiopia. International Journal of Microbiology, 2018, 2018, 1-7.	0.9	20
21	Bacterial otitis media in sub-Saharan Africa: a systematic review and meta-analysis. BMC Infectious Diseases, 2020, 20, 225.	1.3	20
22	Ownership and utilization of insecticide-treated nets (ITNs) for malaria control in Harari National Regional State, Eastern Ethiopia. Pan African Medical Journal, 2015, 21, 52.	0.3	19
23	Assessment of community's knowledge, attitude and practice about onchocerciasis and community directed treatment with Ivermectin in Quara District, north western Ethiopia. Parasites and Vectors, 2014, 7, 98.	1.0	17
24	Prevalence and Associated Factors of Tuberculosis among Adult Household Contacts of Smear Positive Pulmonary Tuberculosis Patients Treated in Public Health Facilities of Haramaya District, Oromia Region, Eastern Ethiopia. Tuberculosis Research and Treatment, 2020, 2020, 1-7.	0.2	17
25	Magnitude of adverse drug reaction and associated factors among HIV-infected adults on antiretroviral therapy in Hiwot Fana specialized university hospital, eastern Ethiopia. Pan African Medical Journal, 2016, 24, 255.	0.3	16
26	Sero-prevalence of transfusion-transmittable infections and associated factors among blood donors in Eastern Ethiopia: an Institutional-based cross-sectional study. SAGE Open Medicine, 2019, 7, 205031211983446.	0.7	15
27	Tuberculosis patients are physically challenged and socially isolated: A mixed methods case-control study of Health Related Quality of Life in Eastern Ethiopia. PLoS ONE, 2018, 13, e0204697.	1.1	14
28	Undernutrition among Pregnant Women in Rural Communities in Southern Ethiopia. International Journal of Women's Health, 2021, Volume 13, 73-79.	1.1	13
29	Knowledge, attitude and practice of community drug distributors' about onchocerciasis and community directed treatment with ivermectin in Quara district, North Western Ethiopia. BMC Research Notes, 2016, 9, 206.	0.6	12
30	Precancerous Cervical Lesion Among HIV-Positive Women in Sub-Saharan Africa: A Systematic Review and Meta-Analysis. Cancer Control, 2019, 26, 107327481984587.	0.7	12
31	Predictors of compliance with community-directed treatment with ivermectin for onchocerciasis control in Kabo area, southwestern Ethiopia. Parasites and Vectors, 2015, 8, 99.	1.0	11
32	Clinico-epidemiology, malacology and community awareness of Schistosoma mansoni in Haradenaba and Dertoramis kebeles in Bedeno district, eastern Ethiopia. SAGE Open Medicine, 2018, 6, 205031211878674.	0.7	11
33	Magnitude and causes of first-line antiretroviral therapy regimen changes among HIV patients in Ethiopia: a systematic review and meta-analysis. BMC Pharmacology & Samp; Toxicology, 2019, 20, 63.	1.0	11
34	Non-critical healthcare tools as a potential source of healthcare-acquired bacterial infections in eastern Ethiopia: A hospital-based cross-sectional study. SAGE Open Medicine, 2019, 7, 205031211882262.	0.7	10
35	Factors affecting acceptance of provider-initiated HIV testing and counseling services among outpatient clients in selected health facilities in Harar Town, Eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2015, 7, 157.	0.4	9
36	Dietary diversity and associated factors among HIV positive adults attending antiretroviral therapy clinics at Hiwot Fana and Dilchora Hospitals, eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2018, Volume 10, 63-72.	0.4	9

#	Article	IF	CITATIONS
37	Asymptomatic Bacteriuria among Pregnant Women Attending Antenatal Care at Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia: Magnitude, Associated Factors, and Antimicrobial Susceptibility Pattern. International Journal of Microbiology, 2020, 2020, 1-8.	0.9	9
38	Magnitude of Surgical Site Infections, Bacterial Etiologies, Associated Factors and Antimicrobial Susceptibility Patterns of Isolates Among Post-Operative Patients in Harari Region Public Hospitals, Harar, Eastern Ethiopia. Infection and Drug Resistance, 2021, Volume 14, 4629-4639.	1.1	9
39	Environmental and host-related determinants of tuberculosis in Metema district, north-west Ethiopia. Drug, Healthcare and Patient Safety, 2015, 7, 87.	1.0	8
40	Cardiovascular diseases risk factors among adult diabetic patients in eastern Ethiopia. JRSM Cardiovascular Disease, 2019, 8, 204800401987498.	0.4	8
41	Magnitude of antiretroviral treatment failure and associated factors among adult HIV-positive patients in Harar public hospitals, Eastern Ethiopia. SAGE Open Medicine, 2020, 8, 205031212090607.	0.7	8
42	Resistance profile of clinically relevant bacterial isolates against fluoroquinolone in Ethiopia: a systematic review and meta-analysis. BMC Pharmacology & English (2018, 19, 86.	1.0	7
43	Precancerous cervical lesion and associated factors among HIV-infected women on ART in Amhara Regional State, Ethiopia: A hospital-based cross-sectional study. International Journal of Health Sciences, 2019, 13, 4-9.	0.4	7
44	Evidence for hidden leprosy in a high leprosy-endemic setting, Eastern Ethiopia: The application of active case-finding and contact screening. PLoS Neglected Tropical Diseases, 2021, 15, e0009640.	1.3	6
45	<p>Knowledge of and Attitude Toward Leprosy in a Leprosy Endemic District, Eastern Ethiopia: A Community-Based Study</p> . Risk Management and Healthcare Policy, 2020, Volume 13, 1069-1077.	1.2	6
46	Anemia among Adult Diabetic Patients Attending a General Hospital in Eastern Ethiopia: a Cross-sectional Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 467-476.	1.1	5
47	Prevalence of childhood diarrhea and associated risk factors in Dire Dawa, eastern Ethiopia. Zeitschrift Fur Gesundheitswissenschaften, 2018, 26, 29-37.	0.8	4
48	Neural Tube Defects and Associated Factors among Neonates Admitted to the Neonatal Intensive Care Units in Hiwot Fana Specialized University Hospital, Harar, Ethiopia. Global Pediatric Health, 2020, 7, 2333794X2097421.	0.3	4
49	Treatment outcome of tuberculosis among Human Immunodeficiency Virus positive patients in Eastern Ethiopia: a retrospective study. Pan African Medical Journal, 2018, 30, 32.	0.3	3
50	Nutritional status of school children in eastern Hararghe administrative zone, eastern Ethiopia. Zeitschrift Fur Gesundheitswissenschaften, 2019, 27, 111-118.	0.8	3
51	Magnitude of Multidrug Resistance and Associated Factors of Pulmonary Tuberculosis Among Adult Smear Positive Patients in Eastern Ethiopia. Infection and Drug Resistance, 2021, Volume 14, 4493-4500.	1.1	3
52	Undernutrition and associated factors among elderly people served in Public Servants Social Security Agency in Harar, Eastern Ethiopia. SAGE Open Medicine, 2022, 10, 205031212211086.	0.7	3
53	Nutritional Status and Associated Factors among Primary Schoolchildren from Pastoral Communities, Mieso-Mulu District, Sitti Zone, Somali Regional State, Eastern Ethiopia: Institution-Based Cross-Sectional Study. Journal of Nutrition and Metabolism, 2021, 2021, 1-12.	0.7	2
54	Undernutrition among Institutionalized School-age Orphans in Harari Regional State, Eastern Ethiopia: A Cross-sectional Study. Nutrition and Metabolic Insights, 2021, 14, 117863882110064.	0.8	2

#	Article	IF	CITATIONS
55	Aerobic Bacterial Profile and Their Antibiotic Susceptibility Patterns of Sterile Body Fluids Among Patients at Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia. Infection and Drug Resistance, 2022, Volume 15, 581-593.	1.1	2
56	Mycological Profile and Its Associated Factors Among Patients Suspected of Dermatophytosis at Bisidimo Hospital, Eastern Ethiopia. Clinical, Cosmetic and Investigational Dermatology, 2021, Volume 14, 1899-1908.	0.8	2
57	Latrine Utilization and Its Associated Factors Among Community Led Total Sanitation Implemented and Non-Implemented Kebeles of Tullo District, West Hararge, Eastern Ethiopia. Environmental Health Insights, 2022, 16, 117863022210917.	0.6	2
58	<p>Nontyphoidal Salmonella bacteremia in antiretroviral therapy-naïve HIV-infected individuals at three public hospitals in Eastern Ethiopia: prevalence, antimicrobial susceptibility patterns, and associated factors</p> . HIV/AIDS - Research and Palliative Care, 2019, Volume 11, 23-29.	0.4	1
59	Tuberculous Meningitis in Children: Treatment Outcomes at Discharge and Its Associated Factors in Eastern Ethiopia: A Five Years Retrospective Study. Infection and Drug Resistance, 0, Volume 15, 2743-2751.	1.1	1
60	Utilization of Rehabilitation Services and Associated Factors Among Adults with Cancer Diagnoses at Hawassa Comprehensive Specialized Hospital, Ethiopia. Patient Preference and Adherence, 0, Volume 16, 1571-1580.	0.8	0