
Fitsum Weldegebreal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6160312/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Aerobic Bacterial Profile and Their Antibiotic Susceptibility Patterns of Sterile Body Fluids Among Patients at Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia. Infection and Drug Resistance, 2022, Volume 15, 581-593.	1.1	2
2	Latrine Utilization and Its Associated Factors Among Community Led Total Sanitation Implemented and Non-Implemented Kebeles of Tullo District, West Hararge, Eastern Ethiopia. Environmental Health Insights, 2022, 16, 117863022210917.	0.6	2
3	Undernutrition and associated factors among elderly people served in Public Servants Social Security Agency in Harar, Eastern Ethiopia. SACE Open Medicine, 2022, 10, 205031212211086.	0.7	3
4	Anemia among Adult Diabetic Patients Attending a General Hospital in Eastern Ethiopia: a Cross-sectional Study. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 467-476.	1.1	5
5	Evidence for hidden leprosy in a high leprosy-endemic setting, Eastern Ethiopia: The application of active case-finding and contact screening. PLoS Neglected Tropical Diseases, 2021, 15, e0009640.	1.3	6
6	Nutritional Status and Associated Factors among Primary Schoolchildren from Pastoral Communities, Mieso-Mulu District, Sitti Zone, Somali Regional State, Eastern Ethiopia: Institution-Based Cross-Sectional Study. Journal of Nutrition and Metabolism, 2021, 2021, 1-12.	0.7	2
7	Undernutrition among Pregnant Women in Rural Communities in Southern Ethiopia. International Journal of Women's Health, 2021, Volume 13, 73-79.	1.1	13
8	Undernutrition among Institutionalized School-age Orphans in Harari Regional State, Eastern Ethiopia: A Cross-sectional Study. Nutrition and Metabolic Insights, 2021, 14, 117863882110064.	0.8	2
9	Magnitude of Multidrug Resistance and Associated Factors of Pulmonary Tuberculosis Among Adult Smear Positive Patients in Eastern Ethiopia. Infection and Drug Resistance, 2021, Volume 14, 4493-4500.	1.1	3
10	Magnitude of Surgical Site Infections, Bacterial Etiologies, Associated Factors and Antimicrobial Susceptibility Patterns of Isolates Among Post-Operative Patients in Harari Region Public Hospitals, Harar, Eastern Ethiopia. Infection and Drug Resistance, 2021, Volume 14, 4629-4639.	1.1	9
11	Mycological Profile and Its Associated Factors Among Patients Suspected of Dermatophytosis at Bisidimo Hospital, Eastern Ethiopia. Clinical, Cosmetic and Investigational Dermatology, 2021, Volume 14, 1899-1908.	0.8	2
12	Asymptomatic Bacteriuria among Pregnant Women Attending Antenatal Care at Hiwot Fana Specialized University Hospital, Harar, Eastern Ethiopia: Magnitude, Associated Factors, and Antimicrobial Susceptibility Pattern. International Journal of Microbiology, 2020, 2020, 1-8.	0.9	9
13	Neural Tube Defects and Associated Factors among Neonates Admitted to the Neonatal Intensive Care Units in Hiwot Fana Specialized University Hospital, Harar, Ethiopia. Global Pediatric Health, 2020, 7, 2333794X2097421.	0.3	4
14	Bacterial otitis media in sub-Saharan Africa: a systematic review and meta-analysis. BMC Infectious Diseases, 2020, 20, 225.	1.3	20
15	Magnitude of antiretroviral treatment failure and associated factors among adult HIV-positive patients in Harar public hospitals, Eastern Ethiopia. SAGE Open Medicine, 2020, 8, 205031212090607.	0.7	8
16	Prevalence and Associated Factors of Tuberculosis among Adult Household Contacts of Smear Positive Pulmonary Tuberculosis Patients Treated in Public Health Facilities of Haramaya District, Oromia Region, Eastern Ethiopia. Tuberculosis Research and Treatment, 2020, 2020, 1-7.	0.2	17
17	<p>Knowledge of and Attitude Toward Leprosy in a Leprosy Endemic District, Eastern Ethiopia: A Community-Based Study</p> . Risk Management and Healthcare Policy, 2020, Volume 13, 1069-1077.	1.2	6
18	Magnitude and causes of first-line antiretroviral therapy regimen changes among HIV patients in Ethiopia: a systematic review and meta-analysis. BMC Pharmacology & Toxicology, 2019, 20, 63.	1.0	11

#	Article	IF	CITATIONS
19	Cardiovascular diseases risk factors among adult diabetic patients in eastern Ethiopia. JRSM Cardiovascular Disease, 2019, 8, 204800401987498.	0.4	8
20	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2017. JAMA Oncology, 2019, 5, 1749.	3.4	1,691
21	Precancerous Cervical Lesion Among HIV-Positive Women in Sub-Saharan Africa: A Systematic Review and Meta-Analysis. Cancer Control, 2019, 26, 107327481984587.	0.7	12
22	Prevalence and associated factors of depression among tuberculosis patients in Eastern Ethiopia. BMC Psychiatry, 2019, 19, 82.	1.1	32
23	Sero-prevalence of transfusion-transmittable infections and associated factors among blood donors in Eastern Ethiopia: an Institutional-based cross-sectional study. SAGE Open Medicine, 2019, 7, 205031211983446.	0.7	15
24	<p>Nontyphoidal Salmonella bacteremia in antiretroviral therapy-naïve HIV-infected individuals at three public hospitals in Eastern Ethiopia: prevalence, antimicrobial susceptibility patterns, and associated factors</p> . HIV/AIDS - Research and Palliative Care, 2019, Volume 11, 23-29.	0.4	1
25	Non-critical healthcare tools as a potential source of healthcare-acquired bacterial infections in eastern Ethiopia: A hospital-based cross-sectional study. SAGE Open Medicine, 2019, 7, 205031211882262.	0.7	10
26	The global burden of typhoid and paratyphoid fevers: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2019, 19, 369-381.	4.6	461
27	Nutritional status of school children in eastern Hararghe administrative zone, eastern Ethiopia. Zeitschrift Fur Gesundheitswissenschaften, 2019, 27, 111-118.	0.8	3
28	Precancerous cervical lesion and associated factors among HIV-infected women on ART in Amhara Regional State, Ethiopia: A hospital-based cross-sectional study. International Journal of Health Sciences, 2019, 13, 4-9.	0.4	7
29	Prevalence of childhood diarrhea and associated risk factors in Dire Dawa, eastern Ethiopia. Zeitschrift Fur Gesundheitswissenschaften, 2018, 26, 29-37.	0.8	4
30	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
31	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
32	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
33	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
34	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
35	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
36	Treatment outcome of tuberculosis among Human Immunodeficiency Virus positive patients in Eastern Ethiopia: a retrospective study. Pan African Medical Journal, 2018, 30, 32.	0.3	3

#	Article	IF	CITATIONS
37	Prevalence, Antimicrobial Susceptibility Pattern, and Associated Factors of Urinary Tract Infections among Adult Diabetic Patients at Metu Karl Heinz Referral Hospital, Southwest Ethiopia. International Journal of Microbiology, 2018, 2018, 1-7.	0.9	20
38	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Clobal Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	4.6	144
39	Resistance profile of clinically relevant bacterial isolates against fluoroquinolone in Ethiopia: a systematic review and meta-analysis. BMC Pharmacology & Toxicology, 2018, 19, 86.	1.0	7
40	Dietary diversity and associated factors among HIV positive adults attending antiretroviral therapy clinics at Hiwot Fana and Dilchora Hospitals, eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2018, Volume 10, 63-72.	0.4	9
41	Seroprevalence and trends of transfusion transmitted infections at Harar blood bank in Harari regional state, Eastern Ethiopia: eight years retrospective study. BMC Hematology, 2018, 18, 24.	2.6	24
42	Tuberculosis patients are physically challenged and socially isolated: A mixed methods case-control study of Health Related Quality of Life in Eastern Ethiopia. PLoS ONE, 2018, 13, e0204697.	1.1	14
43	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1191-1210.	4.6	1,084
44	Clinico-epidemiology, malacology and community awareness of Schistosoma mansoni in Haradenaba and Dertoramis kebeles in Bedeno district, eastern Ethiopia. SAGE Open Medicine, 2018, 6, 205031211878674.	0.7	11
45	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	6.3	2,005
46	Prevalence and determinants of common mental illness among adult residents of Harari Regional State, Eastern Ethiopia. Pan African Medical Journal, 2017, 28, 262.	0.3	29
47	Motivation of health workers and associated factors in public hospitals of West Amhara, Northwest Ethiopia. Patient Preference and Adherence, 2016, 10, 159.	0.8	36
48	Prevalence and associated factors of female genital cutting among young adult females in Jigjiga district, eastern Ethiopia: a cross-sectional mixed study. International Journal of Women's Health, 2016, Volume 8, 357-365.	1.1	28
49	Magnitude of adverse drug reaction and associated factors among HIV-infected adults on antiretroviral therapy in Hiwot Fana specialized university hospital, eastern Ethiopia. Pan African Medical Journal, 2016, 24, 255.	0.3	16
50	Factor associated with experience of modern contraceptive use before pregnancy among women who gave birth in Kersa HDSS, Ethiopia. BMC Public Health, 2016, 16, 614.	1.2	20
51	Bacterial profile of urinary tract infection and antimicrobial susceptibility pattern among pregnant women attending at Antenatal Clinic in Dil Chora Referral Hospital, Dire Dawa, Eastern Ethiopia. Therapeutics and Clinical Risk Management, 2016, 12, 251.	0.9	40
52	Knowledge, attitude and practice of community drug distributors' about onchocerciasis and community directed treatment with ivermectin in Quara district, North Western Ethiopia. BMC Research Notes, 2016, 9, 206.	0.6	12
53	Ownership and utilization of insecticide-treated nets (ITNs) for malaria control in Harari National Regional State, Eastern Ethiopia. Pan African Medical Journal, 2015, 21, 52.	0.3	19
54	Factors affecting acceptance of provider-initiated HIV testing and counseling services among outpatient clients in selected health facilities in Harar Town, Eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2015, 7, 157.	0.4	9

#	Article	IF	CITATIONS
55	Magnitude of opportunistic infections and associated factors in HIV-infected adults on antiretroviral therapy in eastern Ethiopia. HIV/AIDS - Research and Palliative Care, 2015, 7, 137.	0.4	27
56	Environmental and host-related determinants of tuberculosis in Metema district, north-west Ethiopia. Drug, Healthcare and Patient Safety, 2015, 7, 87.	1.0	8
57	Predictors of compliance with community-directed treatment with ivermectin for onchocerciasis control in Kabo area, southwestern Ethiopia. Parasites and Vectors, 2015, 8, 99.	1.0	11
58	Assessment of community's knowledge, attitude and practice about onchocerciasis and community directed treatment with Ivermectin in Quara District, north western Ethiopia. Parasites and Vectors, 2014, 7, 98.	1.0	17
59	Tuberculous Meningitis in Children: Treatment Outcomes at Discharge and Its Associated Factors in Eastern Ethiopia: A Five Years Retrospective Study. Infection and Drug Resistance, 0, Volume 15, 2743-2751.	1.1	1
60	Utilization of Rehabilitation Services and Associated Factors Among Adults with Cancer Diagnoses at Hawassa Comprehensive Specialized Hospital, Ethiopia. Patient Preference and Adherence, 0, Volume 16, 1571-1580.	0.8	0