

Elena De la Serna

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6161682/elena-de-la-serna-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

1,732
citations

25
h-index

37
g-index

116
ext. papers

2,212
ext. citations

3.9
avg, IF

4.25
L-index

#	Paper	IF	Citations
91	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
90	Cognitive reserve and its correlates in child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder.. <i>European Child and Adolescent Psychiatry</i> , 2022 , 1	5.5	0
89	Cortical thickness 20 years after diagnosis of anorexia nervosa during adolescence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1133-1139	5.1	6
88	Longitudinal study in adolescent anorexia nervosa: evaluation of cortico-striatal and default mode network resting-state brain circuits. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	1
87	Relationship between cognition and age at onset of first-episode psychosis: comparative study between adolescents, young adults, and adults. <i>European Child and Adolescent Psychiatry</i> , 2021 , 1	5.5	0
86	Cognitive reserve in patients with first-episode psychosis as outcome predictor at 5-year follow-up. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1959-1967	5.5	3
85	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. <i>Journal of Affective Disorders</i> , 2021 , 282, 757-765	6.6	0
84	Theory of mind performance and prefrontal connectivity in adolescents at clinical high risk for psychosis. <i>Developmental Cognitive Neuroscience</i> , 2021 , 48, 100940	5.5	0
83	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021 , 232, 98-106	3.6	1
82	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
81	Identifying clinical clusters with distinct trajectories in first-episode psychosis through an unsupervised machine learning technique. <i>European Neuropsychopharmacology</i> , 2021 , 47, 112-129	1.2	7
80	Lifetime psychopathology in child and adolescent offspring of parents diagnosed with schizophrenia or bipolar disorder: a 2-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 117-129	5.5	2
79	Brain structural trajectories in youth at familial risk for schizophrenia or bipolar disorder according to development of psychosis spectrum symptoms. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 780-789	7.9	3
78	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 ,	2.7	6
77	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
76	Premorbid Characteristics as Predictors of Early Onset Versus Adult Onset in Patients With a First Episode of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	1
75	Offspring studies: Predicting conversion to psychosis. <i>European Neuropsychopharmacology</i> , 2021 , 52, 15-17	1.2	1

74	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	0
73	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
72	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
71	Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 103, 109972	5.5	2
70	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , 2020 , 46, 846-856	1.3	2
69	Neuropsychological profile of children and adolescents with psychosis risk syndrome: the CAPRIS study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1311-1324	5.5	2
68	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
67	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
66	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
65	Neuropsychological, clinical and environmental predictors of severe mental disorders in offspring of patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 739-748	5.1	2
64	Functional MRI with a set-shifting task in adolescent anorexia nervosa: A cross-sectional and follow-up study. <i>Neuropsychologia</i> , 2019 , 131, 1-8	3.2	7
63	Cortical thickness in subjects twenty years after diagnosis of anorexia nervosa during adolescence. <i>European Neuropsychopharmacology</i> , 2019 , 29, S207-S208	1.2	
62	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
61	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
60	The relationship between performance in a theory of mind task and intrinsic functional connectivity in youth with early onset psychosis. <i>Developmental Cognitive Neuroscience</i> , 2019 , 40, 100726	5.5	7
59	P.184 Longitudinal change in functional connectivity of fronto-temporal networks in early onset psychosis, 2 years after the first episode. <i>European Neuropsychopharmacology</i> , 2019 , 29, S140-S141	1.2	
58	Characterization of children and adolescents with psychosis risk syndrome: The Children and Adolescents Psychosis Risk Syndrome (CAPRIS) study. <i>Microbial Biotechnology</i> , 2019 , 13, 1062-1072	3.3	12
57	Temperament in child and adolescent offspring of patients with schizophrenia and bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 1459-1471	5.5	4

56	Neuropsychological functioning in pediatric obsessive-compulsive disorder: One size does not fit all. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2018 , 16, 36-42	1.7	4
55	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
54	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
53	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 113-126	5.5	13
52	Clinical high risk for psychosis in children and adolescents: a systematic review. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 683-700	5.5	26
51	One-Year Prospective Study of Liver Function Tests in Children and Adolescents on Second-Generation Antipsychotics: Is There a Link with Metabolic Syndrome?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018 , 28, 463-473	2.9	4
50	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
49	Individual trajectories of cognitive performance in first episode psychosis: a 2-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 699-711	5.1	21
48	Attenuated psychotic symptoms in children and adolescent offspring of patients with schizophrenia. <i>Schizophrenia Research</i> , 2018 , 193, 354-358	3.6	5
47	T174. STRUCTURAL ABNORMALITIES IN THE CINGULATE CORTEX IN ADOLESCENTS AT ULTRA-HIGH RISK WHO LATER DEVELOP PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S183-S184	1.3	78
46	T171. REDUCED FRONTAL CORTICAL THICKNESS AND SURFACE IN A 10 YEARS FOLLOW-UP OF EARLY ONSET PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S181-S182	1.3	78
45	Reduced thickness of the cingulate cortex in adolescents at ultra-high risk for psychosis. <i>European Neuropsychopharmacology</i> , 2018 , 28, S80-S81	1.2	
44	Thinking About Electroconvulsive Therapy: The Opinions of Parents of Adolescents with Schizophrenia Spectrum Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017 , 27, 75-82	2.9	8
43	The effects of antipsychotics on weight gain, weight-related hormones and homocysteine in children and adolescents: a 1-year follow-up study. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 35-46	5.5	32
42	Intrinsic functional connectivity of fronto-temporal networks in adolescents with early psychosis. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 669-679	5.5	7
41	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
40	Clinical, Cognitive, and Neuroimaging Evidence of a Neurodevelopmental Continuum in Offspring of Proband With Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1208-1219	1.3	25
39	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2017 , 26, 1165-1175	5.5	5

38	Neuropsychological characteristics of child and adolescent offspring of patients with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2017 , 183, 110-115	3.6	22
37	Cortical Morphology Characteristics of Young Offspring of Patients With Schizophrenia or Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 79-88	7.2	17
36	Persistent Negative Symptoms in First-Episode Psychosis: Early Cognitive and Social Functioning Correlates and Differences Between Early and Adult Onset. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1414-1422	4.6	21
35	Neuropsychological characteristics of child and adolescent offspring of patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016 , 65, 54-9	5.5	22
34	Intrinsic connectivity networks from childhood to late adolescence: Effects of age and sex. <i>Developmental Cognitive Neuroscience</i> , 2016 , 17, 35-44	5.5	58
33	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. <i>PLoS ONE</i> , 2016 , 11, e0148045	3.7	42
32	Association of CACNA1C and SYNE1 in offspring of patients with psychiatric disorders. <i>Psychiatry Research</i> , 2016 , 245, 427-435	9.9	8
31	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015 , 56, 747-755	7.9	22
30	Long-term effectiveness of electroconvulsive therapy in adolescents with schizophrenia spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 517-24	5.5	10
29	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
28	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1447-59	5.5	14
27	Psychiatric disorders in child and adolescent offspring of patients with schizophrenia and bipolar disorder: A controlled study. <i>Schizophrenia Research</i> , 2015 , 168, 197-203	3.6	51
26	Neurological Adverse Effects of Antipsychotics in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 686-93	1.7	20
25	Gray Matter Volume Decrease Distinguishes Schizophrenia From Bipolar Offspring During Childhood and Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 677-84.e2	7.2	22
24	Patients' Opinions About Electroconvulsive Therapy: What Do Adolescents with Schizophrenia Spectrum Disorders Think?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2015 , 25, 641-8	2.9	13
23	Predictors of functional and clinical outcome in early-onset first-episode psychosis: the child and adolescent first episode of psychosis (CAFEPS) study. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1441-8	4.6	15
22	Second-generation antipsychotic use in children and adolescents: a six-month prospective cohort study in drug-naïve patients. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 1179-90, 1190.e1-4	7.2	60
21	Cognitive remediation therapy in adolescents with early-onset schizophrenia: a randomized controlled trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 859-68	7.2	44

20	Antipsychotic use in children and adolescents: a 1-year follow-up study. <i>Journal of Clinical Psychopharmacology</i> , 2014 , 34, 613-9	1.7	30
19	Assessment of real-world daily-living skills in early-onset schizophrenia through the Life Skills Profile scale. <i>Schizophrenia Research</i> , 2013 , 145, 95-100	3.6	7
18	Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 125-31	3.6	42
17	Parents with bipolar disorder: are disease characteristics good predictors of psychopathology in offspring?. <i>European Psychiatry</i> , 2013 , 28, 240-6	6	16
16	Twenty-four months of antipsychotic treatment in children and adolescents with first psychotic episode: discontinuation and tolerability. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 463-71	1.7	20
15	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013 , 43, 757-68	6.9	44
14	Predictors of suicide attempt in early-onset, first-episode psychoses: a longitudinal 24-month follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 59-66	4.6	44
13	Processing speed and executive functions predict real-world everyday living skills in adolescents with early-onset schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2012 , 21, 315-26	5.5	21
12	Electroconvulsive therapy and clozapine in adolescents with schizophrenia spectrum disorders: is it a safe and effective combination?. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 756-66	1.7	24
11	Comparison between young siblings and offspring of subjects with schizophrenia: clinical and neuropsychological characteristics. <i>Schizophrenia Research</i> , 2011 , 131, 35-42	3.6	20
10	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011 , 52, 1089-98	7.9	38
9	Two-year follow-up of cognitive functions in schizophrenia spectrum disorders of adolescent patients treated with electroconvulsive therapy. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2011 , 21, 611-9	2.9	24
8	Metabolic effects of second-generation antipsychotics in bipolar youth: comparison with other psychotic and nonpsychotic diagnoses. <i>Bipolar Disorders</i> , 2010 , 12, 172-84	3.8	42
7	Relationship between clinical and neuropsychological characteristics in child and adolescent first degree relatives of subjects with schizophrenia. <i>Schizophrenia Research</i> , 2010 , 116, 159-67	3.6	21
6	Cognitive functioning in children and adolescents in their first episode of psychosis: differences between previous cannabis users and nonusers. <i>Journal of Nervous and Mental Disease</i> , 2010 , 198, 159-62	1.8	33
5	Neuropsychological functioning in early-onset first-episode psychosis: comparison of diagnostic subgroups. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 225-33	5.1	61
4	Plasma homovanillic acid differences in clinical subgroups of first episode schizophrenic patients. <i>Psychiatry Research</i> , 2009 , 168, 110-8	9.9	15
3	Cannabis use in children and adolescents with first episode psychosis: influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009 , 113, 129-37	3.6	71

2	Adaptation and validation of the Spanish version of the Strauss and Carpenter Prognostic Scale for Schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , 2009 , 2, 150-9	2.7	9
1	Antipsychotic treatment in child and adolescent first-episode psychosis: a longitudinal naturalistic approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008 , 18, 327-36	2.9	50