

Joanne Booth

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6162003/publications.pdf>

Version: 2024-02-01

70
papers

1,604
citations

331259

21
h-index

329751

37
g-index

71
all docs

71
docs citations

71
times ranked

2187
citing authors

#	ARTICLE	IF	CITATIONS
1	Mindfulness based interventions in multiple sclerosis - a systematic review. BMC Neurology, 2014, 14, 15.	0.8	148
2	Evidence of perceived psychosocial stress as a risk factor for stroke in adults: a meta-analysis. BMC Neurology, 2015, 15, 233.	0.8	121
3	A Systematic Review of the Benefits of Mindfulness-Based Interventions following Transient Ischemic Attack and Stroke. International Journal of Stroke, 2013, 8, 465-474.	2.9	91
4	The effectiveness of transcutaneous tibial nerve stimulation (TTNS) for adults with overactive bladder syndrome: A systematic review. Neurourology and Urodynamics, 2018, 37, 528-541.	0.8	71
5	The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. Neurourology and Urodynamics, 2018, 37, 501-509.	0.8	66
6	Multimodal Secondary Prevention Behavioral Interventions for TIA and Stroke: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0120902.	1.1	58
7	Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. BMJ, The, 2020, 371, m3719.	3.0	50
8	Rehabilitation nurses practices in relation to urinary incontinence following stroke: a cross-cultural comparison. Journal of Clinical Nursing, 2009, 18, 1049-1058.	1.4	48
9	A Feasibility Study of Transcutaneous Posterior Tibial Nerve Stimulation for Bladder and Bowel Dysfunction in Elderly Adults in Residential Care. Journal of the American Medical Directors Association, 2013, 14, 270-274.	1.2	47
10	Self-Management of Urinary and Fecal Incontinence. American Journal of Nursing, 2014, 114, 38-45.	0.2	42
11	Mindfulness-based interventions for mental well-being among people with multiple sclerosis: a systematic review and meta-analysis of randomised controlled trials. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 1051-1058.	0.9	42
12	Effects of a stroke rehabilitation education programme for nurses. Journal of Advanced Nursing, 2005, 49, 465-473.	1.5	38
13	Development and evaluation of a nurse-led, tailored stroke self-management intervention. BMC Health Services Research, 2015, 15, 359.	0.9	36
14	The relationship between urinary bladder control and gait in women. Neurourology and Urodynamics, 2013, 32, 43-47.	0.8	35
15	Yoga for stroke rehabilitation. The Cochrane Library, 2017, 2017, CD011483.	1.5	34
16	Constructing a New Approach to Developing Evidence-Based Practice with Nurses and Older People. Worldviews on Evidence-Based Nursing, 2006, 3, 62-72.	1.2	33
17	A grounded theory of taking control after fall-induced hip fracture. Disability and Rehabilitation, 2012, 34, 2234-2241.	0.9	33
18	Achieving evidence-based nursing practice: impact of the Caledonian Development Model. Journal of Nursing Management, 2008, 16, 682-691.	1.4	32

#	ARTICLE	IF	CITATIONS
19	Observing washing and dressing of stroke patients: nursing intervention compared with occupational therapists. What is the difference?. <i>Journal of Advanced Nursing</i> , 2001, 33, 98-105.	1.5	29
20	New nursing roles: the experience of Scotland's consultant nurse/midwives. <i>Journal of Nursing Management</i> , 2006, 14, 83-89.	1.4	29
21	Using action research to construct national evidence-based nursing care guidance for gerontological nursing. <i>Journal of Clinical Nursing</i> , 2007, 16, 945-953.	1.4	29
22	Helping or hindering: the role of nurse managers in the transfer of practice development learning. <i>Journal of Nursing Management</i> , 2007, 15, 585-594.	1.4	22
23	Top 10 research priorities relating to stroke nursing: a rigorous approach to establish a national nurse-led research agenda. <i>Journal of Advanced Nursing</i> , 2016, 72, 2831-2843.	1.5	22
24	Evaluating a systematic voiding programme for patients with urinary incontinence after stroke in secondary care using soft systems analysis and Normalisation Process Theory: Findings from the ICONS case study phase. <i>International Journal of Nursing Studies</i> , 2014, 51, 1308-1320.	2.5	21
25	Identifying continence options after stroke (ICONS): a cluster randomised controlled feasibility trial. <i>Trials</i> , 2014, 15, 509.	0.7	20
26	Effects of Mindfulness-based interventions on physical symptoms in people with multiple sclerosis – a systematic review and meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 38, 101493.	0.9	20
27	Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-144.	1.3	19
28	“Balancing risk” after fall-induced hip fracture: the older person's need for information. <i>International Journal of Older People Nursing</i> , 2014, 9, 249-257.	0.6	18
29	Stroke survivors’ and family members’ perspectives of multimodal lifestyle interventions for secondary prevention of stroke and transient ischemic attack: a qualitative review and meta-aggregation. <i>Disability and Rehabilitation</i> , 2016, 38, 11-21.	0.9	17
30	The multifaceted role of the nurse in the day hospital. <i>Journal of Advanced Nursing</i> , 1995, 22, 700-706.	1.5	16
31	Urinary catheterization in acute stroke: clinical realities. A mixed methods study. <i>Clinical Rehabilitation</i> , 2012, 26, 470-479.	1.0	16
32	Is urinary incontinence associated with sedentary behaviour in older women? Analysis of data from the National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020, 15, e0227195.	1.1	16
33	Is loneliness a predictor of the modern geriatric giants? Analysis from the survey of health, ageing, and retirement in Europe. <i>Maturitas</i> , 2021, 144, 93-101.	1.0	16
34	The Potential of Communities of Practice to Promote Evidence-Informed Practice Within Nursing Homes. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 169-173.	1.2	15
35	Study protocol: ICONS: Identifying continence options after stroke: A randomised trial. <i>Trials</i> , 2011, 12, 131.	0.7	15
36	Describing gerontological nursing: an academic exercise or prerequisite for progress?. <i>Journal of Clinical Nursing</i> , 2005, 14, 13-23.	1.4	14

#	ARTICLE	IF	CITATIONS
37	A study to assess the effect of nursing interventions at the weekend for people with stroke. <i>Clinical Rehabilitation</i> , 2005, 19, 126-137.	1.0	14
38	Psychosocial factors influencing risk-taking in middle age for STIs. <i>Sexually Transmitted Infections</i> , 2017, 93, 32-38.	0.8	14
39	Interventions for behaviour change and self-management in stroke secondary prevention: protocol for an overview of reviews.. <i>Systematic Reviews</i> , 2018, 7, 231.	2.5	14
40	Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. <i>BMJ Open</i> , 2019, 9, e024153.	0.8	14
41	Client and clinical staff perceptions of barriers to and enablers of the uptake and delivery of behavioural interventions for urinary incontinence: qualitative evidence synthesis. <i>Journal of Advanced Nursing</i> , 2017, 73, 21-38.	1.5	12
42	Promoting urinary continence with older people: key issues for nurses. <i>International Journal of Older People Nursing</i> , 2009, 4, 63-69.	0.6	11
43	Mindfulness for people with long-term conditions and their family caregivers: A systematic review. <i>Complementary Therapies in Clinical Practice</i> , 2019, 34, 76-86.	0.7	11
44	Implementing Supported Self-Management in Community-Based Stroke Care: A Secondary Analysis of Nurses' Perspectives. <i>Journal of Clinical Medicine</i> , 2020, 9, 985.	1.0	11
45	Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. <i>BMJ Open</i> , 2021, 11, e041152.	0.8	11
46	Identifying Continence Options after Stroke (ICONS): an evidence synthesis, case study and exploratory cluster randomised controlled trial of the introduction of a systematic voiding programme for patients with urinary incontinence after stroke in secondary care. <i>Programme Grants for Applied Research</i> , 2015, 3, 1-602.	0.4	11
47	Mission (im)possible: Engaging care homes, staff and residents in research studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020, 05, 6-9.	0.4	10
48	Urinary Incontinence and Its Association with Physical and Psycho-Cognitive Factors: A Cross-Sectional Study in Older People Living in Nursing Homes. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1500.	1.2	10
49	Promoting urinary continence with older people: a selective literature review. <i>International Journal of Older People Nursing</i> , 2009, 4, 58-62.	0.6	9
50	Implementing a Systematic Voiding Program for Patients With Urinary Incontinence After Stroke. <i>Qualitative Health Research</i> , 2016, 26, 1393-1408.	1.0	9
51	Consensus statement on bladder training and bowel training. <i>Neurourology and Urodynamics</i> , 2020, 39, 1234-1254.	0.8	9
52	Stimulation of the tibial nerve: a protocol for a multicentred randomised controlled trial for urinary problems associated with Parkinson's disease"STARTUP. <i>BMJ Open</i> , 2020, 10, e034887.	0.8	8
53	Evaluating a hydration intervention (DRInK Up) to prevent urinary tract infection in care home residents: A mixed methods exploratory study. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019, 04, 36-44.	0.4	8
54	Socio-cultural influences upon knowledge of sexually transmitted infections: a qualitative study with heterosexual middle-aged adults in Scotland. <i>Reproductive Health Matters</i> , 2016, 24, 34-42.	1.3	7

#	ARTICLE	IF	CITATIONS
55	Implementing a best practice statement in nutrition for frail older people: part 1. Nursing Older People, 2005, 16, 26-28.	0.1	7
56	Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. Health Technology Assessment, 2021, 25, 1-110.	1.3	5
57	Stimulation of the tibial nerve—a randomised trial for urinary problems associated with Parkinson—the STARTUP trial. Age and Ageing, 2022, 51, .	0.7	5
58	Implementing a best practice statement in nutrition for frail older people: part 2. Nursing Older People, 2005, 17, 22-24.	0.1	4
59	The impact of nocturia on older people — implications for nursing practice. British Journal of Nursing, 2009, 18, 592-596.	0.3	3
60	Identifying the most reliable and valid bladder health screening tool: a systematic review. Disability and Rehabilitation, 2020, 42, 2451-2470.	0.9	2
61	Advantages of primary nursing in geriatric day hospitals. British Journal of Nursing, 1995, 4, 467-471.	0.3	1
62	Yoga for stroke rehabilitation. The Cochrane Library, 0, , .	1.5	1
63	Age and gender stratified normative values for the International Prostate Symptom Score for adults aged 60 years and over. Neurourology and Urodynamics, 2018, 37, 2732-2739.	0.8	1
64	ICONS II: Identifying Continence Options after Stroke randomised controlled trial. British Journal of Neuroscience Nursing, 2018, 14, S24-S25.	0.1	1
65	The use of online groups to involve older people in influencing nursing care guidance. Groupwork, 2006, 16, 69-94.	0.1	1
66	Self-management of overactive bladder at home using transcutaneous tibial nerve stimulation: a qualitative study of women's experiences. BMC Women's Health, 2021, 21, 374.	0.8	1
67	Simple preoperative frailty screening may identify older people with increased needs for discharge planning post surgery. Evidence-based Nursing, 2021, , ebnurs-2020-103375.	0.1	0
68	Specialist services for people with young-onset dementia (YOD) are associated with better postdiagnostic care quality and satisfaction. Evidence-based Nursing, 2021, , ebnurs-2020-103361.	0.1	0
69	Responsible discharges. Elderly Care, 1990, 2, 24-27.	0.2	0
70	The management of change on a Nursing Development Unit. Nursing Standard (Royal College of Nursing), 2001, 5, 10-15.	0.1	0