

Joanne Booth

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6162003/joanne-booth-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

1,099
citations

20
h-index

30
g-index

71
ext. papers

1,347
ext. citations

2.9
avg, IF

4.33
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 64 | Self-management of overactive bladder at home using transcutaneous tibial nerve stimulation: a qualitative study of women's experiences. <i>BMC Women's Health</i> , 2021 , 21, 374 | 2.9 | |
| 63 | Urinary incontinence and sedentary behaviour in nursing home residents in Osona, Catalonia: protocol for the OsoNaH project, a multicentre observational study. <i>BMJ Open</i> , 2021 , 11, e041152 | 3 | 2 |
| 62 | Tibial nerve stimulation compared with sham to reduce incontinence in care home residents: ELECTRIC RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-110 | 4.4 | 0 |
| 61 | Is loneliness a predictor of the modern geriatric giants? Analysis from the survey of health, ageing, and retirement in Europe. <i>Maturitas</i> , 2021 , 144, 93-101 | 5 | 3 |
| 60 | Is urinary incontinence associated with sedentary behaviour in older women? Analysis of data from the National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2020 , 15, e0227195 | 3.7 | 9 |
| 59 | Implementing Supported Self-Management in Community-Based Stroke Care: A Secondary Analysis of Nurses' Perspectives. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 6 |
| 58 | Stimulation of the tibial nerve: a protocol for a multicentred randomised controlled trial for urinary problems associated with Parkinson's disease-STARTUP. <i>BMJ Open</i> , 2020 , 10, e034887 | 3 | 3 |
| 57 | Mission (im)possible: Engaging care homes, staff and residents in research studies. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2020 , 5, 6-9 | 1.6 | 3 |
| 56 | Basic versus biofeedback-mediated intensive pelvic floor muscle training for women with urinary incontinence: the OPAL RCT. <i>Health Technology Assessment</i> , 2020 , 24, 1-144 | 4.4 | 5 |
| 55 | Effects of Mindfulness-based interventions on physical symptoms in people with multiple sclerosis - a systematic review and meta-analysis. <i>Multiple Sclerosis and Related Disorders</i> , 2020 , 38, 101493 | 4 | 13 |
| 54 | Effectiveness of pelvic floor muscle training with and without electromyographic biofeedback for urinary incontinence in women: multicentre randomised controlled trial. <i>BMJ, The</i> , 2020 , 371, m3719 | 5.9 | 11 |
| 53 | Identifying the most reliable and valid bladder health screening tool: a systematic review. <i>Disability and Rehabilitation</i> , 2020 , 42, 2451-2470 | 2.4 | 1 |
| 52 | Consensus statement on bladder training and bowel training. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1234-1254 | 2.3 | 1 |
| 51 | Mindfulness-based interventions for mental well-being among people with multiple sclerosis: a systematic review and meta-analysis of randomised controlled trials. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019 , 90, 1051-1058 | 5.5 | 26 |
| 50 | Effectiveness and cost-effectiveness of basic versus biofeedback-mediated intensive pelvic floor muscle training for female stress or mixed urinary incontinence: protocol for the OPAL randomised trial. <i>BMJ Open</i> , 2019 , 9, e024153 | 3 | 8 |
| 49 | Mindfulness for people with long-term conditions and their family caregivers: A systematic review. <i>Complementary Therapies in Clinical Practice</i> , 2019 , 34, 76-86 | 3.5 | 4 |
| 48 | Evaluating a hydration intervention (DRInK Up) to prevent urinary tract infection in care home residents: A mixed methods exploratory study. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2019 , 4, 36-44 | 1.6 | 3 |

| | | | |
|----|---|-----|-----|
| 47 | The association between lower urinary tract symptoms and falls: Forming a theoretical model for a research agenda. <i>Neurourology and Urodynamics</i> , 2018 , 37, 501-509 | 2.3 | 33 |
| 46 | The effectiveness of transcutaneous tibial nerve stimulation (TTNS) for adults with overactive bladder syndrome: A systematic review. <i>Neurourology and Urodynamics</i> , 2018 , 37, 528-541 | 2.3 | 35 |
| 45 | ICONS II: Identifying Continence Options after Stroke randomised controlled trial. <i>British Journal of Neuroscience Nursing</i> , 2018 , 14, S24-S25 | 0.1 | |
| 44 | Interventions for behaviour change and self-management in stroke secondary prevention: protocol for an overview of reviews. <i>Systematic Reviews</i> , 2018 , 7, 231 | 3 | 7 |
| 43 | Age and gender stratified normative values for the International Prostate Symptom Score for adults aged 60 years and over. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2732-2739 | 2.3 | 1 |
| 42 | Client and clinical staff perceptions of barriers to and enablers of the uptake and delivery of behavioural interventions for urinary incontinence: qualitative evidence synthesis. <i>Journal of Advanced Nursing</i> , 2017 , 73, 21-38 | 3.1 | 8 |
| 41 | Psychosocial factors influencing risk-taking in middle age for STIs. <i>Sexually Transmitted Infections</i> , 2017 , 93, 32-38 | 2.8 | 13 |
| 40 | Yoga for stroke rehabilitation. <i>The Cochrane Library</i> , 2017 , 12, CD011483 | 5.2 | 18 |
| 39 | Implementing a Systematic Voiding Program for Patients With Urinary Incontinence After Stroke. <i>Qualitative Health Research</i> , 2016 , 26, 1393-408 | 3.9 | 7 |
| 38 | Stroke survivors and family members perspectives of multimodal lifestyle interventions for secondary prevention of stroke and transient ischemic attack: a qualitative review and meta-aggregation. <i>Disability and Rehabilitation</i> , 2016 , 38, 11-21 | 2.4 | 12 |
| 37 | Top 10 research priorities relating to stroke nursing: a rigorous approach to establish a national nurse-led research agenda. <i>Journal of Advanced Nursing</i> , 2016 , 72, 2831-2843 | 3.1 | 18 |
| 36 | Socio-cultural influences upon knowledge of sexually transmitted infections: a qualitative study with heterosexual middle-aged adults in Scotland. <i>Reproductive Health Matters</i> , 2016 , 24, 34-42 | | 6 |
| 35 | Yoga for stroke rehabilitation. <i>The Cochrane Library</i> , 2015 , | 5.2 | 1 |
| 34 | Evidence of perceived psychosocial stress as a risk factor for stroke in adults: a meta-analysis. <i>BMC Neurology</i> , 2015 , 15, 233 | 3.1 | 87 |
| 33 | Development and evaluation of a nurse-led, tailored stroke self-management intervention. <i>BMC Health Services Research</i> , 2015 , 15, 359 | 2.9 | 26 |
| 32 | Multimodal secondary prevention behavioral interventions for TIA and stroke: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0120902 | 3.7 | 44 |
| 31 | Identifying Continence Options after Stroke (ICONS): an evidence synthesis, case study and exploratory cluster randomised controlled trial of the introduction of a systematic voiding programme for patients with urinary incontinence after stroke in secondary care. <i>Programme Grants for Applied Research</i> , 2015 , 3, 1-602 | 1.5 | 9 |
| 30 | Mindfulness based interventions in multiple sclerosis--a systematic review. <i>BMC Neurology</i> , 2014 , 14, 15 | 3.1 | 117 |

| | | | |
|----|---|-----|----|
| 29 | Evaluating a systematic voiding programme for patients with urinary incontinence after stroke in secondary care using soft systems analysis and Normalisation Process Theory: findings from the ICONS case study phase. <i>International Journal of Nursing Studies</i> , 2014 , 51, 1308-20 | 5.8 | 20 |
| 28 | ⓁBalancing riskⓁAfter fall-induced hip fracture: the older personⓁ need for information. <i>International Journal of Older People Nursing</i> , 2014 , 9, 249-57 | 2.3 | 14 |
| 27 | Self-management of urinary and fecal incontinence. <i>American Journal of Nursing</i> , 2014 , 114, 38-45; quiz 47, 46 | 0.6 | 33 |
| 26 | Identifying continence options after stroke (ICONS): a cluster randomised controlled feasibility trial. <i>Trials</i> , 2014 , 15, 509 | 2.8 | 16 |
| 25 | The relationship between urinary bladder control and gait in women. <i>Neurourology and Urodynamics</i> , 2013 , 32, 43-7 | 2.3 | 32 |
| 24 | A systematic review of the benefits of mindfulness-based interventions following transient ischemic attack and stroke. <i>International Journal of Stroke</i> , 2013 , 8, 465-74 | 6.3 | 68 |
| 23 | A feasibility study of transcutaneous posterior tibial nerve stimulation for bladder and bowel dysfunction in elderly adults in residential care. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 270-4 | 5.9 | 35 |
| 22 | A grounded theory of taking control after fall-induced hip fracture. <i>Disability and Rehabilitation</i> , 2012 , 34, 2234-41 | 2.4 | 26 |
| 21 | Urinary catheterization in acute stroke: clinical realities. A mixed methods study. <i>Clinical Rehabilitation</i> , 2012 , 26, 470-9 | 3.3 | 14 |
| 20 | Study protocol: ICONS: identifying continence options after stroke: a randomised trial. <i>Trials</i> , 2011 , 12, 131 | 2.8 | 12 |
| 19 | Rehabilitation nurses practices in relation to urinary incontinence following stroke: a cross-cultural comparison. <i>Journal of Clinical Nursing</i> , 2009 , 18, 1049-58 | 3.2 | 41 |
| 18 | Promoting urinary continence with older people: a selective literature review. <i>International Journal of Older People Nursing</i> , 2009 , 4, 58-62 | 2.3 | 7 |
| 17 | Promoting urinary continence with older people: key issues for nurses. <i>International Journal of Older People Nursing</i> , 2009 , 4, 63-9 | 2.3 | 9 |
| 16 | The impact of nocturia on older people - implications for nursing practice. <i>British Journal of Nursing</i> , 2009 , 18, 592-6 | 0.7 | 2 |
| 15 | Achieving evidence-based nursing practice: impact of the Caledonian Development Model. <i>Journal of Nursing Management</i> , 2008 , 16, 682-91 | 4.9 | 27 |
| 14 | Helping or hindering: the role of nurse managers in the transfer of practice development learning. <i>Journal of Nursing Management</i> , 2007 , 15, 585-94 | 4.9 | 18 |
| 13 | Using action research to construct national evidence-based nursing care guidance for gerontological nursing. <i>Journal of Clinical Nursing</i> , 2007 , 16, 945-53 | 3.2 | 25 |
| 12 | Constructing a new approach to developing evidence-based practice with nurses and older people. <i>Worldviews on Evidence-Based Nursing</i> , 2006 , 3, 62-72 | 2.9 | 23 |

| | | | |
|----|---|-----|----|
| 11 | New nursing roles: the experience of Scotland's consultant nurse/midwives. <i>Journal of Nursing Management</i> , 2006 , 14, 83-9 | 4.9 | 27 |
| 10 | The use of online groups to involve older people in influencing nursing care guidance. <i>Groupwork</i> , 2006 , 16, 69-94 | 0.1 | 1 |
| 9 | Effects of a stroke rehabilitation education programme for nurses. <i>Journal of Advanced Nursing</i> , 2005 , 49, 465-73 | 3.1 | 29 |
| 8 | Describing gerontological nursing: an academic exercise or prerequisite for progress?. <i>Journal of Clinical Nursing</i> , 2005 , 14 Suppl 1, 13-23 | 3.2 | 11 |
| 7 | A study to assess the effect of nursing interventions at the weekend for people with stroke. <i>Clinical Rehabilitation</i> , 2005 , 19, 126-37 | 3.3 | 11 |
| 6 | Implementing a best practice statement in nutrition for frail older people: Part 2. <i>Nursing Older People</i> , 2005 , 17, 22-4 | 0.6 | 4 |
| 5 | Implementing a best practice statement in nutrition for frail older people: Part 1. <i>Nursing Older People</i> , 2005 , 16, 26-8 | 0.6 | 7 |
| 4 | Observing washing and dressing of stroke patients: nursing intervention compared with occupational therapists. What is the difference?. <i>Journal of Advanced Nursing</i> , 2001 , 33, 98-105 | 3.1 | 22 |
| 3 | The multifaceted role of the nurse in the day hospital. <i>Journal of Advanced Nursing</i> , 1995 , 22, 700-6 | 3.1 | 16 |
| 2 | Advantages of primary nursing in geriatric day hospitals. <i>British Journal of Nursing</i> , 1995 , 4, 467-71 | 0.7 | 1 |
| 1 | The management of change on a Nursing Development Unit. <i>Nursing Standard (Royal College of Nursing (Great Britain): 1987)</i> , 1991 , 5, 12-15 | 1.1 | |