
Yu-Wen Lan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6162433/publications.pdf Version: 2024-02-01



VII. MENILANI

#	Article	IF	CITATIONS
1	Bilateral acute angle closure glaucoma and myopic shift by topiramate-induced ciliochoroidal effusion: case report and literature review. International Ophthalmology, 2018, 38, 2639-2648.	0.6	32
2	Pigment Epithelial-Derived Factor Peptide Regenerated Limbus Serves as Regeneration Source for Limbal Regeneration in Rabbit Limbal Deficiency. , 2016, 57, 2629.		12
3	Pigment Epithelial-Derived Factor Peptide Facilitates the Regeneration of a Functional Limbus in Rabbit Partial Limbal Deficiency. , 2015, 56, 2126.		8
4	PEDF-derived peptide promotes skeletal muscle regeneration through its mitogenic effect on muscle progenitor cells. American Journal of Physiology - Cell Physiology, 2015, 309, C159-C168.	2.1	30
5	Characteristics of Peripapillary Choroidal Cavitation Detected by Optical Coherence Tomography. Ophthalmology, 2013, 120, 544-552.	2.5	35
6	Comparison of Matrix Perimetry With Octopus Perimetry for Assessing Glaucomatous Visual Field Defects. Journal of Glaucoma, 2011, 20, 126-132.	0.8	4
7	Clinical Characteristics and Prognostic Significance of Disc Hemorrhage in Open-angle and Angle-closure Glaucoma. Journal of Glaucoma, 2010, 19, 483-487.	0.8	14
8	Progression of optic neuropathy after disc hemorrhage in primary angle-closure glaucoma. Japanese Journal of Ophthalmology, 2009, 53, 380-383.	0.9	6
9	Characteristics of Disc Hemorrhage in Primary Angle-closure Glaucoma. Ophthalmology, 2008, 115, 1328-1333.e1.	2.5	23
10	Ocular Biometry in Acute and Chronic Angle-Closure Glaucoma. Ophthalmologica, 2007, 221, 388-394.	1.0	35