

Mara Victoria Borrachero

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6163144/maria-victoria-borrachero-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

3,555
citations

35
h-index

55
g-index

124
ext. papers

4,145
ext. citations

5.3
avg, IF

5.25
L-index

#	Paper	IF	Citations
120	Activadores alternativos para cementos de activaci3n alcalina. <i>Revista ALCONPAT</i> , 2022 , 12, 16-31	1.7	0
119	Durability of Glass Fiber Reinforced Cement (GRC) Containing a High Proportion of Pozzolans. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3696	2.6	0
118	The role of dissolved rice husk ash in the development of binary blast furnace slag-sewage sludge ash alkali-activated mortars. <i>Journal of Building Engineering</i> , 2022 , 104472	5.2	
117	Reusing Construction and Demolition Waste to Prepare Alkali-Activated Cement. <i>Materials</i> , 2022 , 15, 3437	3.5	1
116	Lime/pozzolan/geopolymer systems: Performance in pastes and mortars. <i>Construction and Building Materials</i> , 2021 , 276, 122208	6.7	4
115	Air-Void System Characterization of Eco-Cellular Concretes. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33, 04021088	3	
114	Comparison of original and washed pure sugar cane bagasse ashes as supplementary cementing materials. <i>Construction and Building Materials</i> , 2021 , 272, 122001	6.7	5
113	Almond-shell biomass ash (ABA): A greener alternative to the use of commercial alkaline reagents in alkali-activated cement. <i>Construction and Building Materials</i> , 2021 , 290, 123251	6.7	4
112	Evaluation of Rice Straw Ash as a Pozzolanic Addition in Cementitious Mixtures. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 773	2.6	4
111	Sustainable Soil-Compacted Blocks Containing Blast Furnace Slag (BFS) Activated with Olive Stone BIOMASS Ash (OBA). <i>Sustainability</i> , 2020 , 12, 9824	3.6	3
110	One-part eco-cellular concrete for the precast industry: Functional features and life cycle assessment. <i>Journal of Cleaner Production</i> , 2020 , 269, 122203	10.3	10
109	One-part blast furnace slag mortars activated with almond-shell biomass ash: A new 100% waste-based material. <i>Materials Letters</i> , 2020 , 272, 127882	3.3	9
108	Effect of different high surface area silicas on the rheology of cement paste. <i>Materiales De Construccion</i> , 2020 , 70, 231	1.8	1
107	Stabilization of soil by means alternative alkali-activated cement prepared with spent FCC catalyst. <i>International Journal of Applied Ceramic Technology</i> , 2020 , 17, 190-196	2	1
106	Formulation of Alkali-Activated Slag Binder Destined for Use in Developing Countries. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 9088	2.6	2
105	Design and properties of 100% waste-based ternary alkali-activated mortars: Blast furnace slag, olive-stone biomass ash and rice husk ash. <i>Journal of Cleaner Production</i> , 2020 , 243, 118568	10.3	36
104	Effect of sewage sludge ash on mechanical and microstructural properties of geopolymers based on metakaolin. <i>Construction and Building Materials</i> , 2019 , 203, 95-103	6.7	24

103	Nonlinear Acoustic Spectroscopy and Frequency Sweep Ultrasonics: Case on Thermal Damage Assessment in Mortar. <i>Journal of Nondestructive Evaluation</i> , 2019 , 38, 1	2.1	3
102	Production of bamboo leaf ash by auto-combustion for pozzolanic and sustainable use in cementitious matrices. <i>Construction and Building Materials</i> , 2019 , 208, 369-380	6.7	17
101	Application of alkali-activated industrial waste 2019 , 357-424		8
100	Sewage sludge ash 2019 , 121-152		2
99	Use of residual diatomaceous earth as a silica source in geopolymer production. <i>Materials Letters</i> , 2018 , 223, 10-13	3.3	19
98	Influence of calcium additions on the compressive strength and microstructure of alkali-activated ceramic sanitary-ware. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3094-3104	3.8	11
97	Mineralogical evolution of cement pastes at early ages based on thermogravimetric analysis (TG). <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 132, 39-46	4.1	15
96	New use of sugar cane straw ash in alkali-activated materials: A silica source for the preparation of the alkaline activator. <i>Construction and Building Materials</i> , 2018 , 171, 611-621	6.7	31
95	Optimum Use of Sugar Cane Straw Ash in Alkali-Activated Binders Based on Blast Furnace Slag. <i>Journal of Materials in Civil Engineering</i> , 2018 , 30, 04018084	3	4
94	Effect of Pyrogenic Silica and Nanosilica on Portland Cement Matrices. <i>Journal of Materials in Civil Engineering</i> , 2018 , 30, 04018266	3	9
93	Olive-stone biomass ash (OBA): An alternative alkaline source for the blast furnace slag activation. <i>Construction and Building Materials</i> , 2018 , 178, 327-338	6.7	27
92	Influence of Addition of Fluid Catalytic Cracking Residue (FCC) and the SiO ₂ Concentration in Alkali-Activated Ceramic Sanitary-Ware (CSW) Binders. <i>Minerals (Basel, Switzerland)</i> , 2018 , 8, 123	2.4	6
91	The Compressive Strength and Microstructure of Alkali-Activated Binary Cements Developed by Combining Ceramic Sanitaryware with Fly Ash or Blast Furnace Slag. <i>Minerals (Basel, Switzerland)</i> , 2018 , 8, 337	2.4	4
90	Influence of microwave oven calcination on the pozzolanicity of sugar cane bagasse ashes (SCBA) from the cogeneration industry. <i>Construction and Building Materials</i> , 2018 , 187, 892-902	6.7	9
89	Bagasse ash 2018 , 559-598		13
88	An Approach to a New Supplementary Cementing Material: Arundo donax Straw Ash. <i>Sustainability</i> , 2018 , 10, 4273	3.6	3
87	Microscopic Chemical Characterization and Reactivity in Cementing Systems of Elephant Grass Leaf Ashes. <i>Microscopy and Microanalysis</i> , 2018 , 24, 593-603	0.5	1
86	New eco-cellular concretes: sustainable and energy-efficient materials. <i>Green Chemistry</i> , 2018 , 20, 4684-4694		20

85	Resistance to acid attack of alkali-activated binders: Simple new techniques to measure susceptibility. <i>Construction and Building Materials</i> , 2017 , 150, 355-366	6.7	11
84	A 100% waste-based alkali-activated material by using olive-stone biomass ash (OBA) and blast furnace slag (BFS). <i>Materials Letters</i> , 2017 , 203, 46-49	3.3	28
83	Effect of sugar cane straw ash (SCSA) as solid precursor and the alkaline activator composition on alkali-activated binders based on blast furnace slag (BFS). <i>Construction and Building Materials</i> , 2017 , 144, 214-224	6.7	20
82	Geopolymer eco-cellular concrete (GECC) based on fluid catalytic cracking catalyst residue (FCC) with addition of recycled aluminium foil powder. <i>Journal of Cleaner Production</i> , 2017 , 168, 1120-1131	10.3	23
81	Compressive strength and microstructure of alkali-activated mortars with high ceramic waste content. <i>Ceramics International</i> , 2017 , 43, 13622-13634	5.1	38
80	Compressive Strength and Microstructure of Alkali-Activated Blast Furnace Slag/Sewage Sludge Ash (GGBS/SSA) Blends Cured at Room Temperature. <i>Waste and Biomass Valorization</i> , 2017 , 8, 1441-1451	3.2	18
79	New inorganic binders containing ashes from agricultural wastes 2017 , 127-164		5
78	Ceramic tiles waste as replacement material in Portland cement. <i>Advances in Cement Research</i> , 2016 , 28, 221-232	1.8	19
77	Increasing the sustainability of alkali-activated binders: The use of sugar cane straw ash (SCSA). <i>Construction and Building Materials</i> , 2016 , 124, 148-154	6.7	27
76	Behaviour of metakaolin-based geopolymers incorporating sewage sludge ash (SSA). <i>Materials Letters</i> , 2016 , 180, 192-195	3.3	18
75	Pozzolanic Reactivity Studies on a Biomass-Derived Waste from Sugar Cane Production: Sugar Cane Straw Ash (SCSA). <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4273-4279	8.3	11
74	High strength mortars using ordinary Portland cement/fly ash/fluid catalytic cracking catalyst residue ternary system (OPC/FA/FCC). <i>Construction and Building Materials</i> , 2016 , 106, 228-235	6.7	21
73	Evaluation of the pozzolanic activity of spent FCC catalyst/fly ash mixtures in Portland cement pastes. <i>Thermochimica Acta</i> , 2016 , 632, 29-36	2.9	30
72	Study of the binary system fly ash/sugarcane bagasse ash (FA/SCBA) in SiO ₂ /K ₂ O alkali-activated binders. <i>Fuel</i> , 2016 , 174, 307-316	7.1	25
71	Use of ancient copper slags in Portland cement and alkali activated cement matrices. <i>Journal of Environmental Management</i> , 2016 , 167, 115-23	7.9	50
70	Influence of calcium aluminate cement (CAC) on alkaline activation of red clay brick waste (RCBW). <i>Cement and Concrete Composites</i> , 2016 , 65, 177-185	8.6	40
69	Caracterización de escorias de cobre de fundiciones chilenas del Siglo XIX. <i>Revista De Metalurgia</i> , 2016 , 52, 083	0.4	5
68	Preliminary studies on hydrated cement for its reuse in geopolymers. <i>DYNA (Colombia)</i> , 2016 , 83, 229-238.6		2

67	Portland cement, gypsum and fly ash binder systems characterization for lignocellulosic fiber-cement. <i>Construction and Building Materials</i> , 2016 , 124, 208-218	6.7	19
66	Assessment of sugar cane straw ash (SCSA) as pozzolanic material in blended Portland cement: Microstructural characterization of pastes and mechanical strength of mortars. <i>Construction and Building Materials</i> , 2015 , 94, 670-677	6.7	64
65	The effects of moisture and micro-structural modifications in drying mortars on vibration-based NDT methods. <i>Construction and Building Materials</i> , 2015 , 94, 565-571	6.7	17
64	Effect of carbonation on the linear and nonlinear dynamic properties of cement-based materials. <i>Optical Engineering</i> , 2015 , 55, 011004	1.1	5
63	Mechanical and durability properties of alkali-activated mortar based on sugarcane bagasse ash and blast furnace slag. <i>Ceramics International</i> , 2015 , 41, 13012-13024	5.1	65
62	Preliminary study on short-term sulphate attack evaluation by non-linear impact resonance acoustic spectroscopy technique. <i>Construction and Building Materials</i> , 2015 , 78, 295-302	6.7	17
61	Carbon footprint of geopolymetric mortar: study of the contribution of the alkaline activating solution and assessment of an alternative route. <i>RSC Advances</i> , 2014 , 4, 23846-23852	3.7	85
60	Influence of the activator concentration and calcium hydroxide addition on the properties of alkali-activated porcelain stoneware. <i>Construction and Building Materials</i> , 2014 , 63, 214-222	6.7	32
59	Refluxed rice husk ash/NaOH suspension for preparing alkali activated binders. <i>Materials Letters</i> , 2014 , 115, 72-74	3.3	52
58	Spent FCC Catalyst for Preparing Alkali-Activated Binders: An Opportunity for a High-Degree Valorization. <i>Key Engineering Materials</i> , 2014 , 600, 709-716	0.4	6
57	Assessment of the Pozzolanic Activity of a Spent Catalyst by Conductivity Measurement of Aqueous Suspensions with Calcium Hydroxide. <i>Materials</i> , 2014 , 7, 2561-2576	3.5	10
56	Assessment of Pozzolanic Activity Using Methods Based on the Measurement of Electrical Conductivity of Suspensions of Portland Cement and Pozzolan. <i>Materials</i> , 2014 , 7, 7533-7547	3.5	7
55	Preliminary Studies on the use of Sugar Cane Bagasse Ash (SCBA) in the Manufacture of Alkali Activated Binders. <i>Key Engineering Materials</i> , 2014 , 600, 689-698	0.4	10
54	New method to assess the pozzolanic reactivity of mineral admixtures by means of pH and electrical conductivity measurements in lime:pozzolan suspensions. <i>Materiales De Construccion</i> , 2014 , 64, e032	1.8	14
53	Potential use of sewage sludge ash (SSA) as a cement replacement in precast concrete blocks. <i>Materiales De Construccion</i> , 2014 , 64, e002	1.8	16
52	Effect of pozzolans on the hydration process of Portland cement cured at low temperatures. <i>Cement and Concrete Composites</i> , 2013 , 42, 41-48	8.6	43
51	Alkaline Activation of Ceramic Waste Materials. <i>Waste and Biomass Valorization</i> , 2013 , 4, 729-736	3.2	87
50	Use of highly reactive rice husk ash in the production of cement matrix reinforced with green coconut fiber. <i>Industrial Crops and Products</i> , 2013 , 49, 88-96	5.9	43

49	Effect of curing time on microstructure and mechanical strength development of alkali activated binders based on vitreous calcium aluminosilicate (VCAS). <i>Bulletin of Materials Science</i> , 2013 , 36, 245-249	1.7	17
48	Alkali activated materials based on fluid catalytic cracking catalyst residue (FCC): Influence of SiO ₂ /Na ₂ O and H ₂ O/FCC ratio on mechanical strength and microstructure. <i>Fuel</i> , 2013 , 108, 833-839	7.1	38
47	Effect of nanosilica-based activators on the performance of an alkali-activated fly ash binder. <i>Cement and Concrete Composites</i> , 2013 , 35, 1-11	8.6	106
46	Mechanical and physical performance of low alkalinity cementitious composites reinforced with recycled cellulosic fibres pulp from cement kraft bags. <i>Industrial Crops and Products</i> , 2013 , 49, 422-427	5.9	32
45	Geopolymers based on spent catalyst residue from a fluid catalytic cracking (FCC) process. <i>Fuel</i> , 2013 , 109, 493-502	7.1	52
44	The use of electrical impedance spectroscopy for monitoring the hydration products of Portland cement mortars with high percentage of pozzolans. <i>Cement and Concrete Research</i> , 2013 , 50, 51-61	10.3	49
43	Properties and microstructure of alkali-activated red clay brick waste. <i>Construction and Building Materials</i> , 2013 , 43, 98-106	6.7	176
42	Cement equivalence factor evaluations for fluid catalytic cracking catalyst residue. <i>Cement and Concrete Composites</i> , 2013 , 39, 12-17	8.6	22
41	Use of Slag/Sugar Cane Bagasse Ash (SCBA) Blends in the Production of Alkali-Activated Materials. <i>Materials</i> , 2013 , 6, 3108-3127	3.5	73
40	Pozzolanic reaction rate of fluid catalytic cracking catalyst residue (FC3R) in cement pastes. <i>Advances in Cement Research</i> , 2013 , 25, 112-118	1.8	14
39	Efecto de un aditivo extraído de la planta Agave americana sobre las propiedades físicas y mecánicas de un yeso. <i>Materiales De Construccion</i> , 2013 , 63, 79-92	1.8	1
38	A new geopolymeric binder from hydrated-carbonated cement. <i>Materials Letters</i> , 2012 , 74, 223-225	3.3	27
37	New geopolymeric binder based on fluid catalytic cracking catalyst residue (FCC). <i>Materials Letters</i> , 2012 , 80, 50-52	3.3	49
36	Increase of the reactivity of densified silica fume by sonication treatment. <i>Ultrasonics Sonochemistry</i> , 2012 , 19, 1099-107	8.9	26
35	Mineralogical evolution of Portland cement blended with silica nanoparticles and its effect on mechanical strength. <i>Construction and Building Materials</i> , 2012 , 36, 736-742	6.7	63
34	Structure of Portland Cement Pastes Blended with Sonicated Silica Fume. <i>Journal of Materials in Civil Engineering</i> , 2012 , 24, 1295-1304	3	23
33	Mechanical Strength of Lime-Rice Husk Ash Mortars: A Preliminary Study. <i>Key Engineering Materials</i> , 2012 , 517, 495-499	0.4	6
32	Alkali activation of vitreous calcium aluminosilicate derived from glass fiber waste. <i>Journal of Sustainable Cement-Based Materials</i> , 2012 , 1, 83-93	3.6	14

31	Accelerated carbonation of cement pastes partially substituted with fluid catalytic cracking catalyst residue (FC3R). <i>Cement and Concrete Composites</i> , 2009 , 31, 134-138	8.6	19
30	The carbonation of OPC mortars partially substituted with spent fluid catalytic catalyst (FC3R) and its influence on their mechanical properties. <i>Construction and Building Materials</i> , 2009 , 23, 1323-1328	6.7	19
29	Estudio del comportamiento de diversos residuos de catalizadores de craqueo catalítico (FCC) en cemento Portland. <i>Materiales De Construccion</i> , 2009 , 59, 37-52	1.8	13
28	Granulometric activation of densified silica fume (CSF) by sonication. <i>Advances in Cement Research</i> , 2008 , 20, 129-135	1.8	13
27	Mechanical and physical properties of cement blended with sewage sludge ash. <i>Waste Management</i> , 2008 , 28, 2495-502	8.6	84
26	Reusing fly ash in glass fibre reinforced cement: a new generation of high-quality GRC composites. <i>Waste Management</i> , 2007 , 27, 1416-21	8.6	16
25	Compatibility of fluid catalytic cracking catalyst residue (FC3R) with various types of cement. <i>Advances in Cement Research</i> , 2007 , 19, 117-124	1.8	13
24	The chemical activation of pozzolanic reaction of fluid catalytic cracking catalyst residue (FC3R) in lime pastes. <i>Advances in Cement Research</i> , 2007 , 19, 9-16	1.8	12
23	Chemical activation of pozzolanic reaction of fluid catalytic cracking catalyst residue (FC3R) in lime pastes: thermal analysis. <i>Advances in Cement Research</i> , 2004 , 16, 123-130	1.8	6
22	Evaluation of the pozzolanic activity of fluid catalytic cracking catalyst residue (FC3R). Thermogravimetric analysis studies on FC3R-Portland cement pastes. <i>Cement and Concrete Research</i> , 2003 , 33, 603-609	10.3	113
21	Determination of the pozzolanic activity of fluid catalytic cracking residue. Thermogravimetric analysis studies on FC3R-lime pastes. <i>Cement and Concrete Research</i> , 2003 , 33, 1085-1091	10.3	74
20	Reuse of sewage sludge ashes (SSA) in cement mixtures: the effect of SSA on the workability of cement mortars. <i>Waste Management</i> , 2003 , 23, 373-81	8.6	100
19	Physical, chemical and mechanical properties of fluid catalytic cracking catalyst residue (FC3R) blended cements. <i>Cement and Concrete Research</i> , 2001 , 31, 57-61	10.3	56
18	Enhanced conductivity measurement techniques for evaluation of fly ash pozzolanic activity. <i>Cement and Concrete Research</i> , 2001 , 31, 41-49	10.3	90
17	Determination of amorphous silica in rice husk ash by a rapid analytical method. <i>Cement and Concrete Research</i> , 2001 , 31, 227-231	10.3	83
16	Characterization of lagoon sediments and their pollutant charge. Proposals for reusing. <i>Waste Management Series</i> , 2000 , 1, 1014-1021		1
15	Mechanical treatment of fly ashes. <i>Cement and Concrete Research</i> , 2000 , 30, 543-551	10.3	60
14	Studies on crystalline rice husk ashes and the activation of their pozzolanic properties. <i>Waste Management Series</i> , 2000 , 1, 493-503		7

13	Properties of Portland cement mortars incorporating high amounts of oil-fuel ashes. <i>Waste Management</i> , 1999 , 19, 1-7	8.6	13
12	Mechanical behavior of mortars containing sewage sludge ash (SSA) and Portland cements with different tricalcium aluminate content. <i>Cement and Concrete Research</i> , 1999 , 29, 87-94	10.3	80
11	Fluid catalytic cracking catalyst residue (FC3R). <i>Cement and Concrete Research</i> , 1999 , 29, 1773-1779	10.3	88
10	Thermogravimetric Methods for Determining Carbon Content in Fly Ashes. <i>Cement and Concrete Research</i> , 1998 , 28, 675-686	10.3	64
9	Study of Cement-Based Mortars Containing Spanish Ground Sewage Sludge Ash. <i>Studies in Environmental Science</i> , 1997 , 71, 349-354		8
8	Mechanical treatments of fly ashes. Part III: Studies on strength development of ground fly ashes (GFA) [Cement mortars. <i>Cement and Concrete Research</i> , 1997 , 27, 1365-1377	10.3	77
7	Mechanical treatment of fly ashes part II: Particle morphologies in ground fly ashes (GFA) and workability of GFA-cement mortars. <i>Cement and Concrete Research</i> , 1996 , 26, 225-235	10.3	90
6	Use of sewage sludge ash(SSA)-cement admixtures in mortars. <i>Cement and Concrete Research</i> , 1996 , 26, 1389-1398	10.3	87
5	Comparisons among magnetic and non-magnetic fly ash fractions: Strength development of cement-fly ash mortars. <i>Waste Management</i> , 1996 , 16, 119-124	8.6	24
4	Mechanical treatment of fly ashes. Part I: Physico-chemical characterization of ground fly ashes. <i>Cement and Concrete Research</i> , 1995 , 25, 1469-1479	10.3	104
3	Early-strength development of portland cement mortars containing air classified fly ashes. <i>Cement and Concrete Research</i> , 1995 , 25, 449-456	10.3	53
2	Improvement of Portland Cement/Fly Ash Mortars Strength Using Classified Fly Ashes. <i>Studies in Environmental Science</i> , 1994 , 60, 563-570		2
1	Orthometallation reaction in dirhodium(II) compounds. Selective formation of doubly-metallated compounds with head-to-head structure. <i>Polyhedron</i> , 1993 , 12, 1715-1717	2.7	9