

Antoine Pariente

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6163378/antoine-pariente-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

4,837
citations

36
h-index

64
g-index

198
ext. papers

5,929
ext. citations

4.9
avg, IF

5.58
L-index

#	Paper	IF	Citations
168	Cardiovascular toxicities associated with immune checkpoint inhibitors: an observational, retrospective, pharmacovigilance study. <i>Lancet Oncology, The</i> , 2018 , 19, 1579-1589	21.7	395
167	Benzodiazepine use and risk of Alzheimer's disease: case-control study. <i>BMJ, The</i> , 2014 , 349, g5205	5.9	313
166	Benzodiazepine use and risk of dementia: prospective population based study. <i>BMJ, The</i> , 2012 , 345, e6231	5.9	246
165	The national healthcare system claims databases in France, SNIIRAM and EGB: Powerful tools for pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 954-962	2.6	227
164	Increased risk of narcolepsy in children and adults after pandemic H1N1 vaccination in France. <i>Brain</i> , 2013 , 136, 2486-96	11.2	165
163	Impact of safety alerts on measures of disproportionality in spontaneous reporting databases: the notoriety bias. <i>Drug Safety</i> , 2007 , 30, 891-8	5.1	147
162	Non-steroidal anti-inflammatory drugs and risk of heart failure in four European countries: nested case-control study. <i>BMJ, The</i> , 2016 , 354, i4857	5.9	138
161	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
160	Proteinuria following a switch from calcineurin inhibitors to sirolimus. <i>Transplantation</i> , 2005 , 80, 1198-2038	2.6	109
159	Benzodiazepines and injurious falls in community dwelling elders. <i>Drugs and Aging</i> , 2008 , 25, 61-70	4.7	106
158	Factors influencing accuracy of CT-guided percutaneous biopsies of pulmonary lesions. <i>European Radiology</i> , 2004 , 14, 1234-40	8	94
157	The Benzodiazepine-Dementia Disorders Link: Current State of Knowledge. <i>CNS Drugs</i> , 2016 , 30, 1-7	6.7	89
156	A national survey of acute hepatitis E in France. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 1086-93	6.1	85
155	Cardiovascular and gastrointestinal safety of NSAIDs: a systematic review of meta-analyses of randomized clinical trials. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 89, 855-66	6.1	79
154	Insulin glargine and risk of cancer: a cohort study in the French National Healthcare Insurance Database. <i>Diabetologia</i> , 2012 , 55, 644-53	10.3	78
153	Stroke risk and NSAIDs: a systematic review of observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1225-36	2.6	68
152	Is there really a link between benzodiazepine use and the risk of dementia?. <i>Expert Opinion on Drug Safety</i> , 2015 , 14, 733-47	4.1	64

151	Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 184-92	8.6	61
150	A reference standard for evaluation of methods for drug safety signal detection using electronic healthcare record databases. <i>Drug Safety</i> , 2013 , 36, 13-23	5.1	60
149	Association between entero-hepatic <i>Helicobacter</i> species and Crohn's disease: a prospective cross-sectional study. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 30, 283-93	6.1	56
148	Liver injury with novel oral anticoagulants: assessing post-marketing reports in the US Food and Drug Administration adverse event reporting system. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 285-93	3.8	53
147	Effect of competition bias in safety signal generation: analysis of a research database of spontaneous reports in France. <i>Drug Safety</i> , 2012 , 35, 855-64	5.1	53
146	Design and validation of an automated method to detect known adverse drug reactions in MEDLINE: a contribution from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 446-52	8.6	52
145	Epidemiological and prognostic factors involved in upper gastrointestinal bleeding: results of a French prospective multicenter study. <i>Endoscopy</i> , 2012 , 44, 998-1008	3.4	51
144	Sudden cardiac and sudden unexpected death related to antipsychotics: A meta-analysis of observational studies. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 99, 306-14	6.1	50
143	Antipsychotic use and myocardial infarction in older patients with treated dementia. <i>Archives of Internal Medicine</i> , 2012 , 172, 648-53; discussion 654-5		49
142	Addition of dipeptidyl peptidase-4 inhibitors to sulphonylureas and risk of hypoglycaemia: systematic review and meta-analysis. <i>BMJ, The</i> , 2016 , 353, i2231	5.9	47
141	Usage patterns of 'over-the-counter' vs. prescription-strength nonsteroidal anti-inflammatory drugs in France. <i>British Journal of Clinical Pharmacology</i> , 2014 , 77, 887-95	3.8	46
140	Pharmacovigilance of sodium-glucose co-transporter-2 inhibitors: What a clinician should know on disproportionality analysis of spontaneous reporting systems. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 533-542	4.5	45
139	Peptic ulcer disease: one in five is related to neither <i>Helicobacter pylori</i> nor aspirin/NSAID intake. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 946-54	6.1	45
138	Rituximab therapy for childhood Evans syndrome. <i>Haematologica</i> , 2007 , 92, 1691-4	6.6	45
137	Prevalence and prescription patterns of oral glucocorticoids in adults: a retrospective cross-sectional and cohort analysis in France. <i>BMJ Open</i> , 2017 , 7, e015905	3	39
136	Adherence with direct oral anticoagulants in nonvalvular atrial fibrillation new users and associated factors: a French nationwide cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1367-1377	2.6	36
135	Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalization database. <i>Fundamental and Clinical Pharmacology</i> , 2015 , 29, 586-91	3.1	36
134	A potential competition bias in the detection of safety signals from spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 1166-71	2.6	36

133	Cardiovascular events associated with the long-term use of NSAIDs: a review of randomized controlled trials and observational studies. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 573-85	4.1	34
132	Oral anticoagulation therapy use in patients with atrial fibrillation after the introduction of non-vitamin K antagonist oral anticoagulants: findings from the French healthcare databases, 2011-2016. <i>BMJ Open</i> , 2019 , 9, e026645	3	33
131	Methods for safety signal detection in healthcare databases: a literature review. <i>Expert Opinion on Drug Safety</i> , 2017 , 16, 721-732	4.1	31
130	Liver resection after downstaging hepatocellular carcinoma with sorafenib. <i>International Journal of Hepatology</i> , 2011 , 2011, 791013	2.7	31
129	Prevalence of cholinesterase inhibitors in subjects with dementia in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 655-60	2.6	31
128	Increased long QT and torsade de pointes reporting on tamoxifen compared with aromatase inhibitors. <i>Heart</i> , 2018 , 104, 1859-1863	5.1	29
127	A potential event-competition bias in safety signal detection: results from a spontaneous reporting research database in France. <i>Drug Safety</i> , 2013 , 36, 565-72	5.1	29
126	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 429-36	2.8	29
125	Phytalgic, a food supplement, vs placebo in patients with osteoarthritis of the knee or hip: a randomised double-blind placebo-controlled clinical trial. <i>Arthritis Research and Therapy</i> , 2009 , 11, R192	5.7	29
124	Epidemiology of chronic hepatitis B infection in France: risk factors for significant fibrosis--results of a nationwide survey. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 565-76	6.1	28
123	PET scans for decision-making in metastatic renal cell carcinoma: a single-institution evaluation. <i>Oncology</i> , 2006 , 70, 339-44	3.6	28
122	Cardiovascular risks associated with low-dose ibuprofen and diclofenac as used OTC. <i>Expert Opinion on Drug Safety</i> , 2014 , 13, 167-79	4.1	27
121	Factors associated with persistence of cholinesterase inhibitor treatments in the elderly. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 680-6	2.6	26
120	Primary and secondary care consultations in elderly demented individuals in France. Results from the Three-City Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2008 , 26, 407-15	2.6	26
119	Real-Life Benefits of Statins for Cardiovascular Prevention in Elderly Subjects: A Population-Based Cohort Study. <i>American Journal of Medicine</i> , 2019 , 132, 740-748.e7	2.4	26
118	An original pharmacoepidemiological-pharmacodynamic method: application to antipsychotic-induced movement disorders. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 612-622	3.8	24
117	Signal of Gastrointestinal Congenital Malformations with Antipsychotics After Minimising Competition Bias: A Disproportionality Analysis Using Data from Vigibase(®). <i>Drug Safety</i> , 2016 , 39, 689-96	5.1	23
116	Trends in incident use of benzodiazepines and Z-drugs in France from 2006 to 2012: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 162-169	2.6	23

115	Choice of the denominator in case population studies: event rates for registration for liver transplantation after exposure to NSAIDs in the SALT study in France. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 160-7	2.6	23
114	Comorbidities and concurrent medications increasing the risk of adverse drug reactions: prevalence in French benzodiazepine users. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 869-76	2.8	23
113	The Contribution of National Spontaneous Reporting Systems to Detect Signals of Torsadogenicity: Issues Emerging from the ARITMO Project. <i>Drug Safety</i> , 2016 , 39, 59-68	5.1	22
112	Antipsychotic long-acting injections: A community-based study from 2007 to 2014 of prescribing trends and characteristics associated with initiation. <i>Schizophrenia Research</i> , 2016 , 178, 58-63	3.6	22
111	Comparison of Treatment Persistence with Dabigatran or Rivaroxaban versus Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation Patients: A Competing Risk Analysis in the French National Health Care Databases. <i>Pharmacotherapy</i> , 2018 , 38, 6-18	5.8	21
110	A Method for the Minimization of Competition Bias in Signal Detection from Spontaneous Reporting Databases. <i>Drug Safety</i> , 2016 , 39, 251-60	5.1	21
109	Pharmacoepidemiology and its input to pharmacovigilance. <i>Therapie</i> , 2016 , 71, 211-6	3.8	21
108	Effect of date of drug marketing on disproportionality measures in pharmacovigilance: the example of suicide with SSRIs using data from the UK MHRA. <i>Drug Safety</i> , 2009 , 32, 441-7	5.1	20
107	A signal of increased risk of hypoglycaemia with angiotensin receptor blockers caused by confounding. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 142-5	3.8	20
106	Factors associated with serious adverse reactions to cholinesterase inhibitors: a study of spontaneous reporting. <i>CNS Drugs</i> , 2010 , 24, 55-63	6.7	19
105	False-positive results in pharmacoepidemiology and pharmacovigilance. <i>Therapie</i> , 2017 , 72, 415-420	3.8	18
104	Effect of treatment gaps in elderly patients with dementia treated with cholinesterase inhibitors. <i>Neurology</i> , 2012 , 78, 957-63	6.5	17
103	Risk of discontinuation of antipsychotic long-acting injections vs. oral antipsychotics in real-life prescribing practice: a community-based study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 429-438	6.5	16
102	Risk of Drug-Drug Interactions in Out-Hospital Drug Dispensings in France: Results From the DRUG-Drug Interaction Prevalence Study. <i>Frontiers in Pharmacology</i> , 2019 , 10, 265	5.6	16
101	Impact of a public media event on the use of statins in the French population. <i>Archives of Cardiovascular Diseases</i> , 2017 , 110, 91-98	2.7	16
100	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. <i>Studies in Health Technology and Informatics</i> , 2009 , 150, 190-4	0.5	16
99	Non-bleeding Adverse Events with the Use of Direct Oral Anticoagulants: A Sequence Symmetry Analysis. <i>Drug Safety</i> , 2018 , 41, 881-897	5.1	15
98	Atropinic (Anticholinergic) Burden in Parkinson's Disease. <i>Movement Disorders</i> , 2016 , 31, 632-6	7	15

97	Antidepressants and Hepatotoxicity: A Cohort Study among 5 Million Individuals Registered in the French National Health Insurance Database. <i>CNS Drugs</i> , 2018 , 32, 673-684	6.7	15
96	Heart failure and atrial tachyarrhythmia on abiraterone: A pharmacovigilance study. <i>Archives of Cardiovascular Diseases</i> , 2020 , 113, 9-21	2.7	15
95	Use of benzodiazepines and z-drugs not compliant with guidelines and associated factors: a population-based study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 3-10	5.1	15
94	Comparative effectiveness of recommended versus less intensive drug combinations in secondary prevention of acute coronary syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 285-293	2.6	14
93	Identifying atrial fibrillation in outpatients initiating oral anticoagulants based on medico-administrative data: results from the French national healthcare databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 535-543	2.6	14
92	Patterns of antidepressant use during pregnancy: a nationwide population-based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1764-1775	3.8	14
91	Concordance between prescriber- and patient-reported previous medical history and NSAID indication in the CADEUS cohort. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 474-81	2.6	14
90	Myopathy with DPP-4 inhibitors and statins in the real world: investigating the likelihood of drug-drug interactions through the FDA adverse event reporting system. <i>Acta Diabetologica</i> , 2020 , 57, 71-80	3.9	14
89	Comparative Safety of Targeted Therapies for Metastatic Colorectal Cancer between Elderly and Younger Patients: a Study Using the International Pharmacovigilance Database. <i>Targeted Oncology</i> , 2017 , 12, 805-814	5	13
88	Pharmacological treatments of cardiovascular diseases: Evidence from real-life studies. <i>Pharmacological Research</i> , 2017 , 118, 43-52	10.2	13
87	Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. <i>Studies in Health Technology and Informatics</i> , 2010 , 160, 1085-9	0.5	13
86	Road traffic crash risk associated with prescription of hydroxyzine and other sedating H1-antihistamines: A responsibility and case-crossover study. <i>Accident Analysis and Prevention</i> , 2017 , 106, 115-121	6.1	12
85	Non-communicable diseases in Indian slums: re-framing the Social Determinants of Health. <i>Global Health Action</i> , 2018 , 11, 1438840	3	12
84	Class-imbalanced subsampling lasso algorithm for discovering adverse drug reactions. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 785-797	2.3	12
83	Economic impact of nonpersistence with antidepressant treatment in the adult population of Quebec: a comparative cost-effectiveness approach. <i>Value in Health</i> , 2011 , 14, 492-8	3.3	12
82	What we know about media communication on antibiotics and antimicrobial resistance: A systematic review of the scientific literature. <i>Patient Education and Counseling</i> , 2019 , 102, 1427-1438	3.1	11
81	Validity of chronic drug exposure presumed from repeated patient interviews varied according to drug class. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 1061-8	5.7	11
80	Short-Term Risk of Aortoiliac Aneurysm or Dissection Associated With Fluoroquinolone Use. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 875-877	15.1	10

79	Antipsychotics use: 2006-2013 trends in prevalence and incidence and characterization of users. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 619-626	2.8	10
78	Quantitative Signal Detection and Analysis in Pharmacovigilance 2014 , 331-354		10
77	Risk of Intracranial Aneurysm and Dissection and Fluoroquinolone Use: A Case-Time-Control Study. <i>Stroke</i> , 2020 , 51, 994-997	6.7	9
76	Pharmacological prioritisation of signals of disproportionate reporting: proposal of an algorithm and pilot evaluation. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 617-25	2.8	9
75	French organization for the pharmacovigilance of COVID-19 vaccines: A major challenge. <i>Therapie</i> , 2021 , 76, 297-303	3.8	9
74	Propensity Score-Based Approaches in High Dimension for Pharmacovigilance Signal Detection: an Empirical Comparison on the French Spontaneous Reporting Database. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1010	5.6	9
73	Trends in the incidence of use of noninsulin glucose-lowering drugs between 2006 and 2013 in France. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 663-675	3.1	8
72	Performance of the standardised MedDRA queries for case retrieval in the French spontaneous reporting database. <i>Drug Safety</i> , 2014 , 37, 537-42	5.1	8
71	When patients report diseases that prescribers seem unaware of: discordance between patient and physician reporting of risk-related previous history in NSAID users from the CADEUS study. <i>Clinical Pharmacology and Therapeutics</i> , 2010 , 88, 668-75	6.1	8
70	Case series in drug safety: a review to determine characteristics and quality. <i>Drug Safety</i> , 2010 , 33, 1081-81	3.1	8
69	DPP-4 inhibitors and venous thromboembolism: an analysis of the WHO spontaneous reporting database. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 365-367	18.1	7
68	Rhabdomyolysis after co-administration of a statin and fusidic acid: an analysis of the literature and of the WHO database of adverse drug reactions. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1057-1063	3.8	7
67	Pilot evaluation of an automated method to decrease false-positive signals induced by co-prescriptions in spontaneous reporting databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 186-94	2.6	7
66	Evolving Roles of Spontaneous Reporting Systems to Assess and Monitor Drug Safety 2019 ,		7
65	Risk of Myopathy Associated With DPP-4 Inhibitors in Combination With Statins: A Disproportionality Analysis Using Data From the WHO and French Spontaneous Reporting Databases. <i>Diabetes Care</i> , 2017 , 40, e27-e29	14.6	6
64	Primary Care of Opioid use Disorder: The End of "the French Model"?. <i>European Addiction Research</i> , 2020 , 26, 346-354	4.6	6
63	Use of Lipid-Lowering Drugs and the Risk of Cataract: A Population-Based Nested Case-Control Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 105, 458-465	6.1	6
62	Engagement in leisure activities and benzodiazepine use in a French community-dwelling elderly population. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 716-21	3.9	6

61	The Burden of Potentially Inappropriate Medications in Chronic Polypharmacy. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
60	Patterns of Benzodiazepine Use and Excess Risk of All-Cause Mortality in the Elderly: A Nationwide Cohort Study. <i>Drug Safety</i> , 2021 , 44, 53-62	5.1	6
59	An Automated System Combining Safety Signal Detection and Prioritization from Healthcare Databases: A Pilot Study. <i>Drug Safety</i> , 2018 , 41, 377-387	5.1	6
58	Adverse events reported for Mirena levonorgestrel-releasing intrauterine device in France and impact of media coverage. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2126-2133	3.8	5
57	Medications Recommended for Secondary Prevention After First Acute Coronary Syndrome: Effectiveness of Treatment Combinations in a Real-Life Setting. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 103, 1038-1046	6.1	5
56	Antidepressants during pregnancy: a French drug utilisation study in EFEMERIS cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 841-849	5.1	5
55	Misuse of benzodiazepines: Prevalence and impact in an inpatient population with psychiatric disorders. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 601-610	3.8	5
54	Ticagrelor and central sleep apnoea: Impact of withdrawal and reintroduction. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 1855-1858	3.8	4
53	Safety of levonorgestrel 52 mg intrauterine system compared to copper intrauterine device: a population-based cohort study. <i>Contraception</i> , 2019 , 99, 345-349	2.5	4
52	Dolutegravir and neural tube defects: a new insight. <i>Lancet Infectious Diseases</i> , 2020 , 20, 405-406	25.5	4
51	Common variants in glucuronidation enzymes and membrane transporters as potential risk factors for colorectal cancer: a case control study. <i>BMC Cancer</i> , 2017 , 17, 901	4.8	4
50	Impact of Medicine Withdrawal on Reporting of Adverse Events Involving Therapeutic Alternatives: A Study From the French Spontaneous Reporting Database. <i>Drug Safety</i> , 2017 , 40, 1099-1107	5.1	4
49	The use of atypical antipsychotics in French psychiatric hospitals. <i>International Journal of Clinical Pharmacy</i> , 2007 , 29, 551-6		4
48	Risk factors for acute decompensation of chronic kidney disease in hospitalized patients in the nephrology department: a case-control study. <i>Clinical Nephrology</i> , 2014 , 81, 86-92	2.1	4
47	Leveraging the Variability of Pharmacovigilance Disproportionality Analyses to Improve Signal Detection Performances. <i>Frontiers in Pharmacology</i> , 2021 , 12, 668765	5.6	4
46	Methods in pharmacoepidemiology. <i>Therapie</i> , 2019 , 74, 187-197	3.8	4
45	Pharmacology and social media: Potentials and biases of web forums for drug mention analysis-case study of France. <i>Health Informatics Journal</i> , 2020 , 26, 1253-1272	3	4
44	Fibrates and risk of cancer in tissues with high PPAR- α concentration: a nested case-control study. <i>Drug Safety</i> , 2014 , 37, 361-8	5.1	3

43	How can the quality of medical data in pharmacovigilance, pharmacoepidemiology and clinical studies be guaranteed?. <i>Therapie</i> , 2013 , 68, 209-23	3.8	3
42	Study findings hard to interpret-reply. <i>Archives of Internal Medicine</i> , 2012 , 172, 1429-30		3
41	Can contrast dobutamine stress echocardiography be performed with standardized imaging settings for everybody?. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1194-202	5.8	3
40	High prevalence of spin was found in pharmacovigilance studies using disproportionality analyses to detect safety signals: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2021 , 138, 73-79	5.7	3
39	A meta-epidemiological study found lack of transparency and poor reporting of disproportionality analyses for signal detection in pharmacovigilance databases. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 191-198	5.7	3
38	Impact of pregnancy on antidepressant treatment course: a population-based comparative cohort study in France. <i>Archives of Women's Mental Health</i> , 2020 , 23, 699-707	5	2
37	Contribution of Causality Assessment for an Automated Detection of Safety Signals: An Example Using the French Pharmacovigilance Database. <i>Drug Safety</i> , 2020 , 43, 243-253	5.1	2
36	Impact of cancer diagnosis on persistence of oral antidiabetic drugs. <i>Diabetes Research and Clinical Practice</i> , 2018 , 139, 323-330	7.4	2
35	Linagliptin for elderly patients with type 2 diabetes. <i>Lancet, The</i> , 2014 , 383, 307	4.0	2
34	Letter: Peptic ulcer bleeding and liver cirrhosis--different diseases and different prognosis, too?. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 37, 368-9	6.1	2
33	Impact of pioglitazone regulatory withdrawal on antidiabetic drug use and health in diabetic patients. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1655-1663	2.8	2
32	Antiherpetic drugs: a potential way to prevent Alzheimer's disease?. <i>Alzheimer's Research and Therapy</i> , 2022 , 14, 3	9	2
31	Signal of potentially protective drug-drug interactions from spontaneous reporting systems: proceed with caution. <i>Acta Diabetologica</i> , 2020 , 57, 115-116	3.9	2
30	Association Between Antiangiogenic Drugs Used for Cancer Treatment and Artery Dissections or Aneurysms. <i>JAMA Oncology</i> , 2021 , 7, 775-778	13.4	2
29	Monitoring of drug misuse or potential misuse in a nationwide healthcare insurance database: A cross-sectional study in France. <i>Therapie</i> , 2019 , 74, 469-476	3.8	2
28	Risk of Serious Trauma with Glucose-Lowering Drugs in Older Persons: A Nested Case-Control Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2086-2091	5.6	2
27	Emergency room admissions induced by drug-drug interactions in the elderly: a cross-sectional study.. <i>Clinical and Translational Science</i> , 2022 ,	4.9	2
26	Health administrative data enrichment using cohort information: Comparative evaluation of methods by simulation and application to real data. <i>PLoS ONE</i> , 2019 , 14, e0211118	3.7	1

25	Use of benzodiazepines non-compliant with guidelines in patients with psychiatric and non-psychiatric chronic disorders. <i>General Hospital Psychiatry</i> , 2020 , 65, 21-27	5.6	1
24	Power shifts in the regulation of medicines: an inter-field analysis of a French agency. <i>Critical Policy Studies</i> , 2018 , 12, 314-334	1.1	1
23	Vaccine Case-Population: A New Method for Vaccine Safety Surveillance. <i>Drug Safety</i> , 2016 , 39, 1197-1209	3.9	1
22	Reply to 'The easy misuse of antidepressants during pregnancy is depressing'. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2447-2448	3.8	1
21	NSAIDs discontinuation and myocardial infarction. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1600-1604	15.4	1
20	The risk of dementia in patients using psychotropic drugs: Antidepressants, mood stabilizers or antipsychotics. <i>Acta Psychiatrica Scandinavica</i> , 2021 ,	6.5	1
19	Impact of Secured Prescription Implementation for Zolpidem on Hypnotics Use in France: A Time-Series Analysis on National Data. <i>Annals of Family Medicine</i> , 2020 , 18, 345-348	2.9	1
18	Impact of benzodiazepine consumption reduction on future burden of dementia. <i>Scientific Reports</i> , 2020 , 10, 14666	4.9	1
17	A safety signal of somnambulism with the use of antipsychotics and lithium: A pharmacovigilance disproportionality analysis. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 3971-3977	3.8	1
16	Spontaneous Reports of Serious Adverse Drug Reactions Resulting From Drug-Drug Interactions: An Analysis From the French Pharmacovigilance Database. <i>Frontiers in Pharmacology</i> , 2020 , 11, 624562	5.6	1
15	L'apport de la pharmacobiologie à la pharmacovigilance. <i>Thérapie</i> , 2016 , 71, 203-209	3.8	1
14	Evaluation of Covid-19 vaccines: Pharmacoepidemiological aspects. <i>Thérapie</i> , 2021 , 76, 305-309	3.8	1
13	Chronic polypharmacy at all age: A population-based drug utilization study. <i>Fundamental and Clinical Pharmacology</i> , 2021 ,	3.1	1
12	Specific features of amoxicillin-associated Drug Reaction with Eosinophilia and Systemic Symptoms syndrome: a nationwide study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 2415-2420	4.6	1
11	DPP-4 Inhibitors in Combination with Lipid-Lowering Agents and Risk of Serious Muscular Injury: A Nested Case-Control Study in a Nationwide Cohort of Patients with Type 2 Diabetes Mellitus. <i>Drug Safety</i> , 2020 , 43, 767-774	5.1	0
10	Antidopaminergic antiemetics and trauma-related hospitalization: A population-based self-controlled case series study. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 1303-1309	3.8	0
9	The Reply. <i>American Journal of Medicine</i> , 2019 , 132, e622	2.4	
8	Authors' reply to Tufan and colleagues and Boucaud-Maitre. <i>BMJ, The</i> , 2016 , 353, i3188	5.9	

- 7 Methods for the Post-Marketing Monitoring of Psychotropics Safety: Interests and Pitfalls **2016**, 27-44
- 6 Institutionalization-Free Survival and Health Care Costs among Quebec Community-Dwelling Elderly Patients with Dementia. *Journal of Geriatrics*, **2014**, 2014, 1-8
- 5 The value of case series in adverse drug reaction assessment. *Adverse Drug Reaction Bulletin*, **2011**, &NA;, 1039-1042 0.7
- 4 La pharmacobiologie: une autre surveillance du médicament. *Bulletin De L'Academie Nationale De Medecine*, **2015**, 199, 275-279 0.1
- 3 Association between anxiolytic/hypnotic drugs and suicidal thoughts or behaviors in a population-based cohort of students. *Psychiatry Research*, **2020**, 291, 113276 9.9
- 2 Emorragie digestive alte. *EMC - AKOS - Trattato Di Medicina*, **2016**, 18, 1-4 0
- 1 High-Dimensional Propensity Score-Adjusted Case-Crossover for Discovering Adverse Drug Reactions from Computerized Administrative Healthcare Databases.. *Drug Safety*, **2022**, 45, 275 5.1