

Dong-Ho Shin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6163841/publications.pdf>

Version: 2024-02-01

145
papers

4,320
citations

159358

30
h-index

133063

59
g-index

149
all docs

149
docs citations

149
times ranked

4325
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical Implications of Poststent Optical Coherence Tomographic Findings. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 126-137.	2.3	10
2	Ticagrelor Monotherapy After 3-Month Dual Antiplatelet Therapy in Acute Coronary Syndrome by High Bleeding Risk: The Subanalysis From the TICO Trial. <i>Korean Circulation Journal</i> , 2022, 52, 324.	0.7	12
3	Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 343-352.	1.3	5
4	Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 431-440.	1.1	16
5	Factors Related to Major Bleeding After Ticagrelor Therapy: Results from the TICO Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e019630.	1.6	11
6	Consensus Decision-Making for the Management of Antiplatelet Therapy before Non-Cardiac Surgery in Patients Who Underwent Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents: A Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020079.	1.6	6
7	Adoption of Hospitalist Care in Asia: Experiences From Singapore, Taiwan, Korea, and Japan. <i>Journal of Hospital Medicine</i> , 2021, 16, 443-445.	0.7	4
8	Cardiologists Should Pay Attention for Depression in Their Patients. <i>Korean Circulation Journal</i> , 2021, 51, 764.	0.7	0
9	Age-Dependent Effect of Ticagrelor Monotherapy Versus Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events: A Post Hoc Analysis of the TICO Randomized Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022700.	1.6	8
10	Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.	0.7	14
11	Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. <i>Circulation Journal</i> , 2020, 84, 161-168.	0.7	2
12	Patterns of Antiplatelet Therapy During Noncardiac Surgery in Patients With Second-Generation Drug-Eluting Stents. <i>Journal of the American Heart Association</i> , 2020, 9, e016218.	1.6	9
13	Effect of Ticagrelor Monotherapy vs Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events in Patients With Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2407.	3.8	326
14	Outcomes of stent optimisation in intravascular ultrasound-guided interventions for long lesions or chronic total occlusions. <i>EuroIntervention</i> , 2020, 16, e480-e488.	1.4	13
15	Determinants and Clinical Outcomes of Extended Dual Antiplatelet Therapy over 3 Years after Drug-Eluting Stent Implantation: A Retrospective Analysis. <i>Yonsei Medical Journal</i> , 2020, 61, 597.	0.9	2
16	Optimal Duration for Dual Antiplatelet Therapy After Left Main Coronary Artery Stenting. <i>Circulation Journal</i> , 2020, 85, 59-68.	0.7	5
17	Risk Factors for Restenosis after Drug-coated Balloon Angioplasty for Complex Femoropopliteal Arterial Occlusive Disease. <i>Annals of Vascular Surgery</i> , 2019, 55, 45-54.	0.4	15
18	Relation of Preprocedural Hemoglobin Level to Outcomes After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2019, 124, 1319-1326.	0.7	8

#	ARTICLE	IF	CITATIONS
19	Randomized evaluation of ticagrelor monotherapy after 3-month dual-antiplatelet therapy in patients with acute coronary syndrome treated with new-generation sirolimus-eluting stents: TICO trial rationale and design. <i>American Heart Journal</i> , 2019, 212, 45-52.	1.2	26
20	Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 403-414.	1.0	4
21	One-year clinical outcomes of ticagrelor compared with clopidogrel after percutaneous coronary intervention in patients with acute myocardial infarction: From Korean Health Insurance Review and Assessment Data. <i>Journal of Cardiology</i> , 2019, 73, 191-197.	0.8	8
22	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 & 2016 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2019, 49, 1136.	0.7	29
23	Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. <i>Heart and Vessels</i> , 2019, 34, 237-250.	0.5	5
24	Two-year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of new-generation drug-eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1264-1275.	0.7	12
25	Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 55-67.	1.3	18
26	Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. <i>Atherosclerosis</i> , 2019, 280, 166-173.	0.4	34
27	Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 435-443.	1.1	54
28	Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1810-1819.	2.3	38
29	High-intensity Statin Treatments in Clinically Stable Patients on Aspirin Monotherapy 12 Months After Drug-eluting Stent Implantation: A Randomized Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 423-431.	0.4	8
30	Immediate and late outcomes of endovascular therapy for lower extremity arteries in Buerger disease. <i>Journal of Vascular Surgery</i> , 2018, 67, 1769-1777.	0.6	18
31	Optimal duration of DAPT after second-generation drug-eluting stent in acute coronary syndrome. <i>PLoS ONE</i> , 2018, 13, e0207386.	1.1	14
32	Impact of current smoking on 2-year clinical outcomes between durable-polymer-coated stents and biodegradable-polymer-coated stents in acute myocardial infarction after successful percutaneous coronary intervention: Data from the KAMIR. <i>PLoS ONE</i> , 2018, 13, e0205046.	1.1	8
33	Association between body mass index and clinical outcomes after new-generation drug-eluting stent implantation: Korean multi-center registry data. <i>Atherosclerosis</i> , 2018, 277, 155-162.	0.4	11
34	Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.	1.1	34
35	Peripheral artery disease is associated with poor clinical outcome in patients with abdominal aortic aneurysm after endovascular aneurysm repair. <i>International Journal of Cardiology</i> , 2018, 268, 208-213.	0.8	8
36	Safety of six-month dual antiplatelet therapy after second-generation drug-eluting stent implantation: OPTIMA-C Randomised Clinical Trial and OCT Substudy. <i>EuroIntervention</i> , 2018, 13, 1923-1930.	1.4	40

#	ARTICLE	IF	CITATIONS
37	Intravascular Ultrasound Predictors of Major Adverse Cardiovascular Events After Implantation of Everolimus-eluting Stents for Long Coronary Lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 88-95.	0.4	6
38	Predictores de eventos cardiovasculares adversos mayores en la ecocardiografía intravascular tras el implante de stents liberadores de everolimus en lesiones coronarias largas. <i>Revista Espanola De Cardiologia</i> , 2017, 70, 88-95.	0.6	19
39	Characteristics of Earlier Versus Delayed Presentation of Very Late Drug-Eluting Stent Thrombosis: An Optical Coherence Tomographic Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	20
40	Reply. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 418.	1.1	0
41	Impact of National Health Checkup Service on Hard Atherosclerotic Cardiovascular Disease Events and All-Cause Mortality in the General Population. <i>American Journal of Cardiology</i> , 2017, 120, 1804-1812.	0.7	14
42	Predictors of poor clinical outcomes after successful chronic total occlusion intervention with drug-eluting stents. <i>Coronary Artery Disease</i> , 2017, 28, 381-386.	0.3	13
43	Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. <i>Clinical Research in Cardiology</i> , 2017, 106, 165-173.	1.5	14
44	Incidence, Predictors, and Clinical Outcomes of New-Onset Diabetes Mellitus after Percutaneous Coronary Intervention with Drug-Eluting Stent. <i>Journal of Korean Medical Science</i> , 2017, 32, 1603.	1.1	7
45	The Use Pattern and Clinical Impact of New Antiplatelet Agents Including Prasugrel and Ticagrelor on 30-day Outcomes after Acute Myocardial Infarction in Korea: Korean Health Insurance Review and Assessment Data. <i>Korean Circulation Journal</i> , 2017, 47, 888.	0.7	22
46	The Current Status of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 328.	0.7	31
47	Effect of Adjunct Balloon Dilation after Long Everolimus-eluting Stent Deployment on Major Adverse Cardiac Events. <i>Korean Circulation Journal</i> , 2017, 47, 694.	0.7	6
48	The Effect of Sex and Anthropometry on Clinical Outcomes in Patients Undergoing Percutaneous Coronary Intervention for Complex Coronary Lesions. <i>Yonsei Medical Journal</i> , 2017, 58, 296.	0.9	2
49	Nobori-Biolimus-Eluting Stents versus Resolute Zotarolimus-Eluting Stents in Patients Undergoing Coronary Intervention: A Propensity Score Matching. <i>Yonsei Medical Journal</i> , 2017, 58, 290.	0.9	3
50	The Practice Pattern of Percutaneous Coronary Intervention in Korea: Based on Year 2014 Cohort of Korean Percutaneous Coronary Intervention (K-PCI) Registry. <i>Korean Circulation Journal</i> , 2017, 47, 320.	0.7	33
51	Impact of Vessel Diameter Measured by Preprocedural Computed Tomography Angiography on Immediate and Late Outcomes of Endovascular Therapy for Iliac Artery Diseases. <i>Circulation Journal</i> , 2017, 81, 675-681.	0.7	3
52	Percutaneous Coronary Intervention Is More Beneficial Than Optimal Medical Therapy in Elderly Patients with Angina Pectoris. <i>Yonsei Medical Journal</i> , 2016, 57, 382.	0.9	6
53	Coronary Computed Tomographic Angiography Does Not Accurately Predict the Need of Coronary Revascularization in Patients with Stable Angina. <i>Yonsei Medical Journal</i> , 2016, 57, 1079.	0.9	2
54	Early Effects of Intensive Lipid-Lowering Treatment on Plaque Characteristics Assessed by Virtual Histology Intravascular Ultrasound. <i>Yonsei Medical Journal</i> , 2016, 57, 1087.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Long-Term Clinical Outcomes of a Biodegradable Polymer-Based Biolimus-Eluting Stent. <i>Journal of Interventional Cardiology</i> , 2016, 29, 162-167.	0.5	2
56	Assessing Computational Fractional Flow Reserve From Optical Coherence Tomography in Patients With Intermediate Coronary Stenosis in the Left Anterior Descending Artery. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	43
57	Association Between Duration of Dual Antiplatelet Therapy and Angiographic Multivessel Disease on Outcomes in Patients Treated With Newer-Generation Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .	1.4	12
58	Transient New-Onset Atrial Fibrillation Is Associated With Poor Clinical Outcomes in Patients With Acute Myocardial Infarction. <i>Circulation Journal</i> , 2016, 80, 1615-1623.	0.7	22
59	Effects of Intravascular Ultrasound-Guided Versus Angiography-Guided New-Generation Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 2232-2239.	1.1	82
60	Usefulness of Intraprocedural Coronary Computed Tomographic Angiography During Intervention for Chronic Total Coronary Occlusion. <i>American Journal of Cardiology</i> , 2016, 117, 1868-1876.	0.7	20
61	6-Month Versus 12-Month Dual-Antiplatelet Therapy Following Long-Everolimus-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1438-1446.	1.1	108
62	Predictors for Side Branch Failure During Provisional Strategy of Coronary Intervention for Bifurcation Lesions (from the Korean Bifurcation Registry). <i>American Journal of Cardiology</i> , 2016, 118, 797-803.	0.7	14
63	Attainment of low-density lipoprotein cholesterol goal after endovascular treatment is associated with reduced cardiovascular events in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2016, 63, 756-763.	0.6	12
64	Association between fractional flow reserve and coronary plaque characteristics assessed by optical coherence tomography. <i>Journal of Cardiology</i> , 2016, 68, 342-345.	0.8	8
65	Three-Dimensional Optical Coherence Tomographic Analysis of Eccentric Morphology of the Jailed Side-Branch Ostium in Coronary Bifurcation Lesions. <i>Canadian Journal of Cardiology</i> , 2016, 32, 234-239.	0.8	8
66	Comparison between drug-coated balloon angioplasty and second-generation drug-eluting stent placement for the treatment of in-stent restenosis after drug-eluting stent implantation. <i>Heart and Vessels</i> , 2016, 31, 1405-1411.	0.5	9
67	Optical coherence tomography-based predictors for creatine kinase-myocardial band elevation after elective percutaneous coronary intervention for in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 85, 564-572.	0.7	12
68	Femoropopliteal Artery Stent Fracture with Recurrent In-Stent Reocclusion and Aneurysm Formation: Successful Treatment with Self-Expandable Viabahn Endoprosthesis. <i>Korean Circulation Journal</i> , 2015, 45, 522.	0.7	5
69	Impact of Coronary Plaque Characteristics on Late Stent Malapposition after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 1538.	0.9	2
70	Impact of Statin Treatment on Strut Coverage after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 45.	0.9	15
71	Limitations of coronary computed tomographic angiography for delineating the lumen and vessel contours of coronary arteries in patients with stable angina. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1358-1365.	0.5	11
72	Optical Coherence Tomographic Observation of In-Stent Neointimal Area Stenosis in Lesions With More Than 50% Neointimal Area Stenosis After Second-Generation Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001878.	1.4	72

#	ARTICLE	IF	CITATIONS
73	Eccentric morphology of jailed side-branch ostium after stent crossover in coronary bifurcation lesions: A three-dimensional optical coherence tomographic analysis. <i>Journal of Cardiology</i> , 2015, 65, 305-310.	0.8	13
74	Elevated serum cystatin C level is an independent predictor of contrast-induced nephropathy and adverse outcomes in patients with peripheral artery disease undergoing endovascular therapy. <i>Journal of Vascular Surgery</i> , 2015, 61, 1223-1230.	0.6	22
75	Randomized comparison of acute stent malapposition between platinum-chromium versus cobalt-chromium everolimus-eluting stents. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 269-277.	0.7	12
76	Randomized Comparison of Stent Strut Coverage Following Angiography- or Optical Coherence Tomography-guided Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0 0.rgBT /Overlock 10 T		
77	Outcomes of the single-stent versus kissing-stents technique in asymmetric complex aortoiliac bifurcation lesions. <i>Journal of Vascular Surgery</i> , 2015, 62, 68-74.	0.6	10
78	Incidence, clinical presentation, and predictors of early neoatherosclerosis after drug-eluting stent implantation. <i>American Heart Journal</i> , 2015, 170, 591-597.	1.2	28
79	Outcomes of Spot Stenting Versus Long Stenting After Intentional Subintimal Approach for Long Chronic Total Occlusions of the Femoropopliteal Artery. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 472-480.	1.1	46
80	Estudio aleatorizado de comparaci3n de la cobertura de los struts de los stents tras la intervenci3n coronaria percut3nea guiada por angiograf3a y la guiada por tomograf3a de coherencia 3ptica. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 190-197.	0.6	21
81	Clinical Impact of Intravascular Ultrasound-Guided Chronic Total Occlusion Intervention With Zotarolimus-Eluting Versus Biolimus-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002592.	1.4	218
82	Effect of High-Dose Statin Therapy on Drug-Eluting Stent Strut Coverage. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2460-2467.	1.1	13
83	Favorable effect of optimal lipid-lowering therapy on neointimal tissue characteristics after drug-eluting stent implantation: Qualitative optical coherence tomographic analysis. <i>Atherosclerosis</i> , 2015, 242, 553-559.	0.4	32
84	Serial Randomized Comparison of Strut Coverage of Everolimus- and First-Generation Sirolimus-Eluting Stents. <i>Canadian Journal of Cardiology</i> , 2015, 31, 723-730.	0.8	16
85	Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.	3.8	418
86	Rationale and design: Impact of intravascular ultrasound guidance on long-term clinical outcomes of everolimus-eluting stents in long coronary lesions. <i>Contemporary Clinical Trials</i> , 2015, 40, 90-94.	0.8	7
87	Admission route and use of invasive procedures during hospitalization for acute myocardial infarction: analysis of 2007-2011 National Health Insurance database. <i>Epidemiology and Health</i> , 2015, 37, e2015022.	0.8	9
88	Comparison of Full Lesion Coverage versus Spot Drug-Eluting Stent Implantation for Coronary Artery Stenoses. <i>Yonsei Medical Journal</i> , 2014, 55, 584.	0.9	2
89	Prospective and Systematic Analysis of Unexpected Requests for Non-Cardiac Surgery or Other Invasive Procedures during the First Year after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 345.	0.9	11
90	Optical Coherence Tomographic Observation of Morphological Features of Neointimal Tissue after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 944.	0.9	7

#	ARTICLE	IF	CITATIONS
91	Serial Changes of Neointimal Tissue after Everolimus-Eluting Stent Implantation in Porcine Coronary Artery: An Optical Coherence Tomography Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	6
92	Metabolic syndrome does not impact long-term survival in patients with acute myocardial infarction after successful percutaneous coronary intervention with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 713-720.	0.7	23
93	Incidences, Predictors, and Clinical Outcomes of Acute and Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 88-96.	1.4	128
94	The Relationship Between Post-Stent Strut Apposition and Follow-Up Strut Coverage Assessed by a Contour Plot Optical Coherence Tomography Analysis. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 641-651.	1.1	31
95	Efficacy of Early Intensive Rosuvastatin Therapy in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention (ROSEMARY Study). <i>American Journal of Cardiology</i> , 2014, 114, 29-35.	0.7	16
96	Mechanisms of Postintervention and Nine-Month Luminal Enlargement After Treatment of Drug-Eluting In-Stent Restenosis With a Drug-Eluting Balloon. <i>American Journal of Cardiology</i> , 2014, 113, 1468-1473.	0.7	11
97	Relationship between endothelial vasomotor function and strut coverage after implantation of drug-eluting stent assessed by optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 263-270.	0.7	11
98	Long-Term Outcomes of Neointimal Hyperplasia Without Neoatherosclerosis After Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 788-795.	2.3	46
99	Temporal course of neointimal hyperplasia following drug-eluting stent implantation: a serial follow-up optical coherence tomography analysis. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1003-1011.	0.7	12
100	Diagnostic yield of coronary angiography in patients with acute chest pain: role of noninvasive test. <i>American Journal of Emergency Medicine</i> , 2014, 32, 1-6.	0.7	11
101	3D OCT Versus FFR for Jailed Side-Branch Ostial Stenoses. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 204-205.	2.3	16
102	Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) <i>Tj ETQq0 0 0 rgBT /Ovablock 10 1550 297 T</i>		
103	Outcomes of stents covering the deep femoral artery origin. <i>EuroIntervention</i> , 2014, 10, 632-639.	1.4	12
104	Randomised comparison of strut coverage between Nobori biolimus-eluting and sirolimus-eluting stents: an optical coherence tomography analysis. <i>EuroIntervention</i> , 2014, 9, 1389-1397.	1.4	21
105	Routine preprocedural transesophageal echocardiography might not be necessary for stroke prevention evaluation in AF patients on anticoagulation therapy. <i>International Journal of Cardiology</i> , 2013, 168, 1992-1996.	0.8	8
106	Usefulness of Intravascular Ultrasound to Predict Outcomes in Short-Length Lesions Treated With Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2013, 112, 642-646.	0.7	17
107	Optical coherence tomography derived cut-off value of uncovered stent struts to predict adverse clinical outcomes after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1255-1263.	0.7	55
108	Comparison of neointimal hyperplasia and peri-stent vascular remodeling after implantation of everolimus-eluting versus sirolimus-eluting stents: intravascular ultrasound results from the EXCELLENT study. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1229-1236.	0.7	7

#	ARTICLE	IF	CITATIONS
109	Comparison of 3-Year Clinical Outcomes Between Resolute [®] and Sirolimus-Eluting Stents for Long Coronary Artery Stenosis. <i>Journal of Interventional Cardiology</i> , 2013, 26, 378-383.	0.5	3
110	Prediction of Contrast-Induced Nephropathy With Persistent Renal Dysfunction and Adverse Long-Term Outcomes in Patients With Acute Myocardial Infarction Using the Mehran Risk Score. <i>Clinical Cardiology</i> , 2013, 36, 46-53.	0.7	38
111	Optical coherence tomography analysis of strut coverage in biolimus- and sirolimus-eluting stents: 3-Month and 12-month serial follow-up. <i>International Journal of Cardiology</i> , 2013, 168, 4617-4623.	0.8	32
112	Early repolarization pattern predicts cardiac death and fatal arrhythmia in patients with vasospastic angina. <i>International Journal of Cardiology</i> , 2013, 167, 1181-1187.	0.8	39
113	Safety and efficacy of everolimus- versus sirolimus-eluting stents: A systematic review and meta-analysis of 11 randomized trials. <i>American Heart Journal</i> , 2013, 165, 241-250.e4.	1.2	66
114	Randomized Comparison of Clinical Outcomes Between Intravascular Ultrasound and Angiography-Guided Drug-Eluting Stent Implantation for Long Coronary Artery Stenoses. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 369-376.	1.1	154
115	Comparison of Early Strut Coverage Between Zotarolimus- and Everolimus-Eluting Stents Using Optical Coherence Tomography. <i>American Journal of Cardiology</i> , 2013, 111, 1-5.	0.7	54
116	Relationship between aspirin/clopidogrel resistance and intra-stent thrombi assessed by follow-up optical coherence tomography after drug-eluting stent implantation. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1181-1186.	0.5	9
117	Comparison of Early Clinical Outcomes Following Transcatheter Aortic Valve Implantation versus Surgical Aortic Valve Replacement versus Optimal Medical Therapy in Patients Older than 80 Years with Symptomatic Severe Aortic Stenosis. <i>Yonsei Medical Journal</i> , 2013, 54, 596.	0.9	9
118	Relationship between Angiographic Late Loss and 5-Year Clinical Outcome after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2013, 54, 41.	0.9	0
119	Dorsal-Plantar Loop Technique Using Chronic Total Occlusion Devices via Anterior Tibial Artery. <i>Yonsei Medical Journal</i> , 2013, 54, 534.	0.9	3
120	Optical coherence tomography-based evaluation of in-stent neoatherosclerosis in lesions with more than 50% neointimal cross-sectional area stenosis. <i>EuroIntervention</i> , 2013, 9, 945-951.	1.4	47
121	Comparison of arterial stiffness indices measured by the Colins and SphygmoCor systems. <i>Hypertension Research</i> , 2012, 35, 1180-1184.	1.5	14
122	Optimal duration of dual antiplatelet therapy after drug-eluting stent implantation. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 1273-1285.	0.6	6
123	Impact of Positive Peri-Stent Vascular Remodeling After Sirolimus-Eluting and Paclitaxel-Eluting Stent Implantation on 5-Year Clinical Outcomes. <i>Circulation Journal</i> , 2012, 76, 1102-1108.	0.7	6
124	A New Strategy for Discontinuation of Dual Antiplatelet Therapy. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1340-1348.	1.2	592
125	Optical coherence tomographic comparison of neointimal coverage between sirolimus- and resolute zotarolimus-eluting stents at 9 months after stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1281-1287.	0.7	19
126	Optical coherence tomography-based evaluation of malapposed strut coverage after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1887-1894.	0.7	15

#	ARTICLE	IF	CITATIONS
127	Load Independence of Two-Dimensional Speckle-Trackingâ€‘Derived Left Ventricular Twist and Apex-to-Base Rotation Delay in Nonischemic Dilated Cardiomyopathy: Implications for Left Ventricular Dyssynchrony Assessment. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 652-660.	1.2	4
128	Comparison of neointimal coverage between zotarolimus-eluting stent and everolimus-eluting stent using Optical Coherence Tomography (COVER OCT). <i>American Heart Journal</i> , 2012, 163, 601-607.	1.2	44
129	Bleeding Risk and Major Adverse Events in Patients With Previous Ulcer on Oral Anticoagulation Therapy. <i>American Journal of Cardiology</i> , 2012, 110, 373-377.	0.7	12
130	Assessing Neointimal Coverage After DES Implantation by 3D OCT. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 852-853.	2.3	13
131	Quantitative and Qualitative Changes in DES-Related Neointimal Tissue Based on Serial OCT. <i>JACC: Cardiovascular Imaging</i> , 2012, 5, 1147-1155.	2.3	64
132	Serial Plasma Levels of Angiogenic Factors in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2012, 42, 464.	0.7	4
133	Correlations between Coronary Plaque Tissue Composition Assessed by Virtual Histology and Blood Levels of Biomarkers for Coronary Artery Disease. <i>Yonsei Medical Journal</i> , 2012, 53, 508.	0.9	13
134	Comparison of Vascular Remodeling in Patients Treated With Sirolimusâ€‘Versus Zotarolimusâ€‘Eluting Stent Following Acute Myocardial Infarction. <i>Clinical Cardiology</i> , 2012, 35, 49-54.	0.7	4
135	Relationship between Stent Malapposition and Incomplete Neointimal Coverage after Drugâ€‘Eluting Stent Implantation. <i>Journal of Interventional Cardiology</i> , 2012, 25, 270-277.	0.5	10
136	Synchronicity of LV Contraction as a Determinant of LV Twist Mechanics. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 338-347.	2.3	12
137	Minimal withdrawal of dual antiplatelet agents under the guidance of a point-of-care platelet activity assay early after drug-eluting stent implantation for surgical removal of renal cell carcinoma. <i>International Journal of Cardiology</i> , 2011, 149, e85-e87.	0.8	4
138	Efficacy of Predicting Thrombotic Events with Combination of Dual Point-of-Care Testing (POCT) after Drug-Eluting Stent Implantation for Coronary Heart Disease: Results from the CILON-T Randomized Trial POCT Substudy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 914-923.	0.9	12
139	Comparing Two-Stent Strategies for Bifurcation Coronary Lesions: Which Vessel Should be Stented First, the Main Vessel or the Side Branch?. <i>Journal of Korean Medical Science</i> , 2011, 26, 1031.	1.1	5
140	Comparison of Contrast-Induced Nephrotoxicity of Iodixanol and Iopromide in Patients With Renal Insufficiency Undergoing Coronary Angiography. <i>American Journal of Cardiology</i> , 2011, 108, 189-194.	0.7	31
141	Rapid increase in the prevalence of inflammatory bowel disease in candidates for the military service born after 1988 in Korea. <i>Inflammatory Bowel Diseases</i> , 2011, 17, E22.	0.9	3
142	Discrepancy in the assessment of jailed side branch lesions by visual estimation and quantitative coronary angiographic analysis. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 720-726.	0.7	22
143	Atrial Septal Defect With Total Anomalous Pulmonary Venous Return in an Adult. <i>Circulation</i> , 2011, 123, e612-3.	1.6	3
144	Impact of Loading Condition on the 2D Speckle Trackingâ€‘Derived Left Ventricular Dyssynchrony Index in Nonischemic Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 272-281.	1.3	49

#	ARTICLE	IF	CITATIONS
145	Reasonable Duration of Clopidogrel Use After Drug-Eluting Stent Implantation in Korean Patients. American Journal of Cardiology, 2009, 104, 1668-1673.	0.7	15