

Ghanbar Ali Sheikhzadeh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6164052/ghanbar-ali-sheikhzadeh-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,228
citations

18
h-index

34
g-index

63
ext. papers

1,407
ext. citations

2.8
avg, IF

4.9
L-index

#	Paper	IF	Citations
60	On the micro-scale battery cooling with a sinusoidal hybrid nanofluid flow. <i>Journal of Energy Storage</i> , 2022 , 46, 103819	7.8	1
59	Heat insulation effect in solar radiation of polyurethane powder coating nanocomposite. <i>Scientific Reports</i> , 2021 , 11, 20665	4.9	0
58	Study of flow uniformity within convergent microchannels with a circular manifold. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2021 , 43, 1	2	0
57	Heat transfer enhancement in a microchannel using a pulsating MHD hybrid nanofluid flow. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2020 , 1-16	1.6	8
56	Cooling Enhancement and Stress Reduction Optimization of Disk-Shaped Electronic Components Using Nanofluids. <i>Symmetry</i> , 2020 , 12, 931	2.7	23
55	Evaluation of the thermal properties of SrCO ₃ -microencapsulated palmitic acid composites as thermal energy storage materials. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 140, 2123-2130	4.1	4
54	Effect of a porous medium on flow and mixed convection heat transfer of nanofluids with variable properties in a trapezoidal enclosure. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 139, 741-754	4.1	21
53	Brownian models effect on turbulent fluid flow and heat transfer and entropy generation of water/boehmite alumina nanofluid inside enclosure. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 2305-2327	4.5	1
52	Introduce a novel configuration of microchannel and high-conductivity inserts for cooling of disc-shaped electronic components. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , 2019 , 30, 2845-2859	4.5	19
51	Experimental Study of the Thermal Properties of Microencapsulated Palmitic Acid Composites with CuCO ₃ Shell as Thermal Energy Storage Materials. <i>ChemistrySelect</i> , 2019 , 4, 6501-6505	1.8	4
50	A numerical study of the effect of the magnetic field on turbulent fluid flow, heat transfer and entropy generation of hybrid nanofluid in a trapezoidal enclosure. <i>European Physical Journal Plus</i> , 2019 , 134, 1	3.1	18
49	Wings shape effect on behavior of hybrid nanofluid inside a channel having vortex generator. <i>Heat and Mass Transfer</i> , 2019 , 55, 1969-1983	2.2	4
48	Numerical simulation of double-diffusive mixed convection in an enclosure filled with nanofluid using Bejan's heatlines and masslines. <i>AEJ - Alexandria Engineering Journal</i> , 2018 , 57, 1287-1300	6.1	20
47	Measurement of the dynamic viscosity of hybrid engine oil -CuO-MWCNT nanofluid, development of a practical viscosity correlation and utilizing the artificial neural network. <i>Heat and Mass Transfer</i> , 2018 , 54, 151-161	2.2	16
46	Turbulent flow and heat transfer of Water/Al ₂ O ₃ nanofluid inside a rectangular ribbed channel. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018 , 96, 73-84	3	99
45	Effect of ultrasonic peening technology on the thermal fatigue of rolling mill rolls. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 94, 2499-2513	3.2	5
44	Investigation of turbulent heat transfer and nanofluid flow in a double pipe heat exchanger. <i>Advanced Powder Technology</i> , 2018 , 29, 273-282	4.6	164

43	Preparation of SrTiO ₃ -microencapsulated palmitic acid by means of a sol-gel approach as thermal energy storage materials. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 794-800	2.1	7
42	Effect of horizontal and vertical elliptic baffles inside an enclosure on the mixed convection of a MWCNTs-water nanofluid and its entropy generation. <i>European Physical Journal Plus</i> , 2018 , 133, 1	3.1	41
41	Fabrication and characterization of microencapsulated PA with SiO ₂ shell through sol-gel synthesis via sodium silicate precursor. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 9990-9997	2.1	13
40	Study on Radiation Properties of Polyurethane/Nano Zirconium Oxide Nanocomposite Coatings. <i>Materials Science Forum</i> , 2017 , 894, 109-112	0.4	8
39	Optimization of micro-finned tubes in double pipe heat exchangers using particle swarm algorithm. <i>Applied Thermal Engineering</i> , 2017 , 119, 1-9	5.8	21
38	Mixed convection in a rotating eccentric annulus containing nanofluid using bi-orthogonal grid types: A finite volume simulation. <i>Journal of Molecular Liquids</i> , 2017 , 227, 114-126	6	17
37	Laboratory and CFD investigations of the two-phase flow behavior in flotation columns equipped with vertical baffle. <i>International Journal of Mineral Processing</i> , 2017 , 166, 79-88		17
36	Providing thermal comfort and saving energy inside the buildings using a ceiling fan in heating systems. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2017 , 39, 4219-4230	2	9
35	Analytical study of Al ₂ O ₃ -Cu/water micropolar hybrid nanofluid in a porous channel with expanding/contracting walls in the presence of magnetic field. <i>Scientia Iranica</i> , 2017 , 0-0	1.5	2
34	Numerical study of magnetic field on mixed convection and entropy generation of nanofluid in a trapezoidal enclosure. <i>Journal of Magnetism and Magnetic Materials</i> , 2016 , 403, 133-145	2.8	56
33	Analytical study of parameters affecting entropy generation of nanofluid turbulent flow in channel and micro-channel. <i>Thermal Science</i> , 2016 , 20, 2037-2050	1.2	5
32	Numerical investigation of turbulent forced-convective heat transfer of Al ₂ O ₃ /water nanofluid with variable properties in tube. <i>Ain Shams Engineering Journal</i> , 2015 , 6, 577-585	4.4	10
31	Multi-objective optimization of natural convection in a cylindrical annulus mold under magnetic field using particle swarm algorithm. <i>International Communications in Heat and Mass Transfer</i> , 2015 , 60, 13-20	5.8	79
30	Numerical study of air flow and heat transfer in a two-dimensional enclosure with floor heating. <i>Energy and Buildings</i> , 2014 , 78, 98-104	7	23
29	The effect of mineral micro particle in coating on energy consumption reduction and thermal comfort in a room with a radiation cooling panel in different climates. <i>Energy and Buildings</i> , 2014 , 82, 644-650	7	9
28	3-D numerical investigation of natural convection in a tilted cylindrical annulus containing molten potassium and controlling it using various magnetic fields. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2014 , 46, 809-821	0.4	82
27	NUMERICAL SIMULATION OF ELECTRICALLY CONDUCTING FLUID FLOW AND FREE CONVECTIVE HEAT TRANSFER IN AN ANNULUS ON APPLYING A MAGNETIC FIELD. <i>Heat Transfer Research</i> , 2014 , 45, 749-766	3.9	82
26	The Effect of Air Preheating on a Sudden-Expansion Turbulent Diffusion Air-fuel Flame. <i>Arabian Journal for Science and Engineering</i> , 2013 , 38, 2801-2808		1

25	Effects of walls temperature variation on double diffusive natural convection of Al ₂ O ₃ -water nanofluid in an enclosure. <i>Heat and Mass Transfer</i> , 2013 , 49, 1689-1700	2.2	10
24	Aspect ratio effects of an adiabatic rectangular obstacle on natural convection and entropy generation of a nanofluid in an enclosure. <i>Journal of Mechanical Science and Technology</i> , 2013 , 27, 3495-3504	1.6	9
23	Effects of nanoparticles transport mechanisms on Al ₂ O ₃ -water nanofluid natural convection in a square enclosure. <i>International Journal of Thermal Sciences</i> , 2013 , 66, 51-62	4.1	96
22	Laminar natural convection of Cu-water nanofluid in concentric annuli with radial fins attached to the inner cylinder. <i>Heat and Mass Transfer</i> , 2013 , 49, 391-403	2.2	17
21	Effect of a Magnetic Field on Mixed Convection of a Nanofluid in a Square Cavity. <i>Journal of Magnetism</i> , 2013 , 18, 321-325	1.9	5
20	Numerical study of mixed convection flows in a lid-driven enclosure filled with nanofluid using variable properties. <i>Results in Physics</i> , 2012 , 2, 5-13	3.7	21
19	The effect of oxidant flow rate on a coaxial oxy-fuel flame. <i>Heat and Mass Transfer</i> , 2012 , 48, 1615-1626	2.2	2
18	Numerical investigation of NO _x reduction in a sudden-expansion combustor with inclined turbulent air jet. <i>Journal of Mechanical Science and Technology</i> , 2012 , 26, 3723-3731	1.6	
17	Numerical study of natural convection and entropy generation of Cu-water nanofluid around an obstacle in a cavity. <i>Journal of Mechanical Science and Technology</i> , 2012 , 26, 3347-3356	1.6	15
16	EFFECTS OF RADIAL FINS ON THE LAMINAR NATURAL CONVECTION OF A NANOFLUID IN CONCENTRIC ANNULI. <i>Computational Thermal Sciences</i> , 2012 , 4, 151-158	1.9	2
15	Heat Transfer Enhancement Using Cu-Water Nanofluid in an Enclosure with Moving Cold Sidewalls. <i>Defect and Diffusion Forum</i> , 2012 , 326-328, 440-445	0.7	
14	Investigation of the effect of air turbulence intensity on NO _x emission in non-premixed hydrogen and hydrogen-hydrocarbon composite fuel combustion. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 10159-10168	6.7	13
13	Numerical study of steady magneto-convection around an adiabatic body inside a square enclosure in low Prandtl numbers. <i>Heat and Mass Transfer</i> , 2011 , 47, 27-34	2.2	11
12	Natural convection of Cu-water nanofluid in a cavity with partially active side walls. <i>European Journal of Mechanics, B/Fluids</i> , 2011 , 30, 166-176	2.4	78
11	Numerical Study of Magnetic Field Effects on Buoyancy Driven Convection in a Non-Isothermally Heated Square Enclosure. <i>Defect and Diffusion Forum</i> , 2011 , 312-315, 536-541	0.7	
10	Numerical Study of Natural Convection in a Differentially-Heated Rectangular Cavity Filled with TiO ₂ -Water Nanofluid. <i>Journal of Nano Research</i> , 2011 , 13, 75-80	1	22
9	Effect of geometry on magneto-convection in a square enclosure filled with a low Prandtl number fluid. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2011 , 225, 53-61	1.5	1
8	Effect of a Shield on Mixed Convection in a Rectangular Enclosure with Moving Cold Sidewalls and a Heat Source on the Bottom Wall. <i>Defect and Diffusion Forum</i> , 2010 , 297-301, 584-589	0.7	0

7	Numerical Simulation of Natural Convection in a Mold. <i>Defect and Diffusion Forum</i> , 2010 , 297-301, 456-461		
6	Effect of Magnetic Field on Transient Natural Convection Heat Transfer. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 2788-2790	2	1
5	Effect of a Magnetic Field on Buoyancy-Driven Convection in Differentially Heated Square Cavity. <i>IEEE Transactions on Magnetics</i> , 2009 , 45, 407-411	2	29
4	The Effect of Magnetic Field on Buoyancy-Driven Convection in a Differentially Heated Square Cavity With Two Insulated Baffles Attached to Its Isothermal Walls 2008 ,		3
3	Numerical Study of Natural Convection in a Partitioned Cavity 2008 ,		1
2	A Numerical Study of Natural Convection in a Cavity With Two Fins Attached to Its Vertical Walls 2007 , 453		
1	Computational modelling of the unsaturated flow of liquid in heap leaching, using the results of column tests to calibrate the model. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 2004 , 218, 277-289	1.5	3