Michael Wink

List of Publications by Citations

Source: https://exaly.com/author-pdf/6164262/michael-wink-publications-by-citations.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

851 24,505 109 73 h-index g-index citations papers 28,424 7.61 922 3.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
851	Evolution of secondary metabolites from an ecological and molecular phylogenetic perspective. <i>Phytochemistry</i> , 2003 , 64, 3-19	4	854
850	Plant breeding: importance of plant secondary metabolites for protection against pathogens and herbivores. <i>Theoretical and Applied Genetics</i> , 1988 , 75, 225-233	6	490
849	A new subfamily classification of the Leguminosae based on a taxonomically comprehensive phylogeny: The Legume Phylogeny Working Group (LPWG). <i>Taxon</i> , 2017 , 66, 44-77	0.8	417
848	Modes of Action of Herbal Medicines and Plant Secondary Metabolites. <i>Medicines (Basel, Switzerland)</i> , 2015 , 2, 251-286	4.1	335
847	Biochemical activities of berberine, palmatine and sanguinarine mediating chemical defence against microorganisms and herbivores. <i>Phytochemistry</i> , 1997 , 44, 257-66	4	327
846	Studies on Nutritive Potential and Toxic Constituents of Different Provenances of Jatropha curcas. Journal of Agricultural and Food Chemistry, 1997 , 45, 3152-3157	5.7	306
845	Attraction, deterrence or intoxication of bees (Apis mellifera) by plant allelochemicals. <i>Chemoecology</i> , 1993 , 4, 8-18	2	225
844	Salvia (Lamiaceae) is not monophyletic: implications for the systematics, radiation, and ecological specializations of Salvia and tribe Mentheae. <i>American Journal of Botany</i> , 2004 , 91, 1115-25	2.7	221
843	Evolutionary advantage and molecular modes of action of multi-component mixtures used in phytomedicine. <i>Current Drug Metabolism</i> , 2008 , 9, 996-1009	3.5	219
842	Patterns of quinolizidine alkaloids in 56 species of the genus Lupinus. <i>Phytochemistry</i> , 1995 , 38, 139-1	53 ₄	217
841	Synergistic properties of the terpenoids aromadendrene and 1,8-cineole from the essential oil of Eucalyptus globulus against antibiotic-susceptible and antibiotic-resistant pathogens. <i>Phytomedicine</i> , 2010 , 17, 1061-6	6.5	202
840	Medicinal plants: a source of anti-parasitic secondary metabolites. <i>Molecules</i> , 2012 , 17, 12771-91	4.8	179
839	Evolution of secondary metabolites in legumes (Fabaceae). <i>South African Journal of Botany</i> , 2013 , 89, 164-175	2.9	165
838	Genus Bupleurum: a review of its phytochemistry, pharmacology and modes of action. <i>Journal of Pharmacy and Pharmacology</i> , 2011 , 63, 305-21	4.8	159
837	Mitochondrial phylogeography of the European pond turtle, Emys orbicularis (Linnaeus 1758). <i>Molecular Ecology</i> , 1999 , 8, 1911-22	5.7	145
836	Epigallocatechin gallate from green tea (Camellia sinensis) increases lifespan and stress resistance in Caenorhabditis elegans. <i>Planta Medica</i> , 2009 , 75, 216-21	3.1	143
835	Leaf herbivory and nutrients increase nectar alkaloids. <i>Ecology Letters</i> , 2006 , 9, 960-7	10	141

(2001-2001)

834	Identification and biological activities of triterpenoid saponins from Chenopodium quinoa. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 2327-32	5.7	141
833	Modes of Action of Allelochemical Alkaloids: Interaction with Neuroreceptors, DNA, and Other Molecular Targets. <i>Journal of Chemical Ecology</i> , 1998 , 24, 1881-1937	2.7	130
832	Phylogeny and species limits in the Palaearctic chiffchaff Phylloscopus collybita complex: mitochondrial genetic differentiation and bioacoustic evidence*. <i>Ibis</i> , 1996 , 138, 650-666	1.9	118
831	Evolution of chemical defense traits in the Leguminosae: mapping of distribution patterns of secondary metabolites on a molecular phylogeny inferred from nucleotide sequences of the rbcL gene. <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 897-917	1.4	109
830	Inhibition of P-glycoprotein activity by limonin and other secondary metabolites from Citrus species in human colon and leukaemia cell lines. <i>European Journal of Pharmacology</i> , 2010 , 626, 139-45	5.3	107
829	Molecular phylogeny and phylogeography ofLupinus (Leguminosae) inferred from nucleotide sequences of therbcL gene and ITS 1 + 2 regions of rDNA. <i>Plant Systematics and Evolution</i> , 1997 , 208, 139-167	1.3	107
828	Phylogenetic relationships in the Papilionoideae (family Leguminosae) based on nucleotide sequences of cpDNA (rbcL) and ncDNA (ITS 1 and 2). <i>Molecular Phylogenetics and Evolution</i> , 1997 , 8, 65-8	3 <mark>4</mark> .1	107
827	Cycads: their evolution, toxins, herbivores and insect pollinators. <i>Die Naturwissenschaften</i> , 2002 , 89, 281	I <i>-</i> 94	107
826	Epigallocatechin gallate inhibits beta amyloid oligomerization in Caenorhabditis elegans and affects the daf-2/insulin-like signaling pathway. <i>Phytomedicine</i> , 2010 , 17, 902-9	6.5	104
825	Optimization of microwave-assisted extraction of triterpene saponins from defatted residue of yellow horn (Xanthoceras sorbifolia Bunge.) kernel and evaluation of its antioxidant activity. <i>Innovative Food Science and Emerging Technologies</i> , 2010 , 11, 637-643	6.8	102
824	Antibacterial activity of essential oils from Eucalyptus and of selected components against multidrug-resistant bacterial pathogens. <i>Pharmaceutical Biology</i> , 2011 , 49, 893-9	3.8	102
823	Molecular target-guided tumor therapy with natural products derived from traditional Chinese medicine. <i>Current Medicinal Chemistry</i> , 2007 , 14, 2024-32	4.3	102
822	Mediation of cardiac glycoside insensitivity in the monarch butterfly (Danaus plexippus): Role of an amino acid substitution in the ouabain binding site of Na(+),K (+)-ATPase. <i>Journal of Chemical Ecology</i> , 1996 , 22, 1921-37	2.7	102
821	Quinolizidine alkaloids: biochemistry, metabolism, and function in plants and cell suspension cultures. <i>Planta Medica</i> , 1987 , 53, 509-14	3.1	102
820	Secondary Metabolites from Plants Inhibiting ABC Transporters and Reversing Resistance of Cancer Cells and Microbes to Cytotoxic and Antimicrobial Agents. <i>Frontiers in Microbiology</i> , 2012 , 3, 130	5.7	101
819	Epizootic emergence of Usutu virus in wild and captive birds in Germany. <i>PLoS ONE</i> , 2012 , 7, e32604	3.7	101
818	Multiple colonization of Madagascar and Socotra by colubrid snakes: evidence from nuclear and mitochondrial gene phylogenies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2003 , 270, 2613-	- 21 14	101
817	Evolutionary relationships among the true vipers (Reptilia: Viperidae) inferred from mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2001 , 19, 94-104	4.1	97

816	Turnover and transport of quinolizidine alkaloids. Diurnal fluctuations of lupanine in the phloem sap, leaves and fruits of Lupinus albus L. <i>Planta</i> , 1984 , 161, 519-24	4.7	97
815	Piperine, a piperidine alkaloid from Piper nigrum re-sensitizes P-gp, MRP1 and BCRP dependent multidrug resistant cancer cells. <i>Phytomedicine</i> , 2011 , 19, 83-7	6.5	96
814	Triterpene saponins from Chenopodium quinoa Willd. <i>Phytochemistry</i> , 2008 , 69, 1919-26	4	96
813	Molecular basis for the insensitivity of the Monarch (Danaus plexippus) to cardiac glycosides. <i>FEBS Letters</i> , 1992 , 314, 477-80	3.8	96
812	Localization of the Enzymes of Quinolizidine Alkaloid Biosynthesis in Leaf Chloroplasts of Lupinus polyphyllus. <i>Plant Physiology</i> , 1982 , 70, 74-7	6.6	96
811	Sustainable bioproduction of phytochemicals by plant in vitro cultures: anticancer agents. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2005 , 3, 90-100	1	95
810	The role of ecto-5'-nucleotidase/CD73 in glioma cell line proliferation. <i>Molecular and Cellular Biochemistry</i> , 2008 , 319, 61-8	4.2	93
809	Compartmentation of Secondary Metabolites and Xenobiotics in Plant Vacuoles. <i>Advances in Botanical Research</i> , 1997 , 25, 141-169	2.2	91
808	Phylogenetic relationships based on two mitochondrial genes and hybridization patterns in Anatidae. <i>Journal of Zoology</i> , 2009 , 279, 310-318	2	90
807	Tetrandrine and fangchinoline, bisbenzylisoquinoline alkaloids from Stephania tetrandra can reverse multidrug resistance by inhibiting P-glycoprotein activity in multidrug resistant human cancer cells. <i>Phytomedicine</i> , 2014 , 21, 1110-9	6.5	89
806	Trypanocidal and antileukaemic effects of the essential oils of Hagenia abyssinica, Leonotis ocymifolia, Moringa stenopetala, and their main individual constituents. <i>Phytomedicine</i> , 2010 , 17, 911-2	o ^{6.5}	89
805	Antioxidant activities and xanthine oxidase inhibitory effects of extracts and main polyphenolic compounds obtained from Geranium sibiricum L. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4737-43	5.7	88
804	Accumulation of quinolizidine alkaloids in plants and cell suspension cultures: genera lupinus, cytisus, baptisia, genista, laburnum, and sophora. <i>Planta Medica</i> , 1983 , 48, 253-7	3.1	87
803	Phylogeography of western Palaearctic reptiles Spatial and temporal speciation patterns. <i>Zoologischer Anzeiger</i> , 2007 , 246, 293-313	1.1	86
802	In vitro effect of alkaloids on bloodstream forms of Trypanosoma brucei and T. congolense. <i>Planta Medica</i> , 2001 , 67, 623-7	3.1	86
801	Binding of quinolizidine alkaloids to nicotinic and muscarinic acetylcholine receptors. <i>Journal of Natural Products</i> , 1994 , 57, 1316-9	4.9	85
800	A Polymer/Peptide Complex-Based Sensor Array That Discriminates Bacteria in Urine. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 15246-15251	16.4	84
799	Cytotoxic activity of secondary metabolites derived from Artemisia annua L. towards cancer cells in comparison to its designated active constituent artemisinin. <i>Phytomedicine</i> , 2011 , 18, 959-69	6.5	83

(1995-1982)

798	Interrelationship between Quinolizidine Alkaloid Producing Legumes and Infesting Insects: Exploitation of the Alkaloid- Containing Phloem Sap of Cytisus scoparius by the Broom Aphid Aphis cytisorum. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1982 , 37, 1081-1086	1.7	83	
797	Medicinal chemistry of paclitaxel and its analogues. Current Medicinal Chemistry, 2009, 16, 3966-85	4.3	82	
796	Diversity of Pyrrolizidine Alkaloids in the Boraginaceae Structures, Distribution, and Biological Properties. <i>Diversity</i> , 2014 , 6, 188-282	2.5	81	
795	Reliance on pollinators predicts defensive chemistry across tobacco species. <i>Ecology Letters</i> , 2012 , 15, 1140-8	10	81	
794	Plant Secondary Metabolites Modulate Insect Behavior-Steps Toward Addiction?. <i>Frontiers in Physiology</i> , 2018 , 9, 364	4.6	79	
793	Anthocyanin-rich purple wheat prolongs the life span of Caenorhabditis elegans probably by activating the DAF-16/FOXO transcription factor. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 3047-53	5.7	79	
792	Genetic Differentiation and Phylogenetic Relationships of Bonelli's Warbler Phylloscopus bonelli and Green Warbler P. nitidus. <i>Journal of Avian Biology</i> , 1995 , 26, 139	1.9	79	
791	Medicinally important secondary metabolites in recombinant microorganisms or plants: progress in alkaloid biosynthesis. <i>Biotechnology Journal</i> , 2009 , 4, 1684-703	5.6	78	
790	Antiproliferative effects of crocin in HepG2 cells by telomerase inhibition and hTERT down-regulation. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 2305-9	1.7	78	
789	Anthraquinones in Rheum palmatum and Rumex dentatus (Polygonaceae), and phorbol esters in Jatropha curcas (Euphorbiaceae) with molluscicidal activity against the schistosome vector snails Oncomelania, Biomphalaria and Bulinus. <i>Tropical Medicine and International Health</i> , 1997 , 2, 179-88	2.3	78	
788	Alkaloid tolerance in Manduca sexta and phylogenetically related sphingids (Lepidoptera: Sphingidae). <i>Chemoecology</i> , 2002 , 12, 29-46	2	78	
787	Molecular Phylogeny of Owls (Strigiformes) Inferred from DNA Sequences of the Mitochondrial Cytochromeband the NuclearRAG-1gene. <i>Ardea</i> , 2009 , 97, 581-591	0.9	76	
786	Influences of sex, sex composition of brood and hatching order on mass growth in common terns Sterna hirundo. <i>Behavioral Ecology and Sociobiology</i> , 2003 , 54, 136-146	2.5	76	
7 ⁸ 5	Taxonomy and phylogeny of reed warblers (genusAcrocephalus) based on mtDNA sequences and morphology. <i>Journal Fur Ornithologie</i> , 1997 , 138, 469-496		75	
784	Reconstruction of the Evolutionary History and Dispersal of Usutu Virus, a Neglected Emerging Arbovirus in Europe and Africa. <i>MBio</i> , 2016 , 7, e01938-15	7.8	74	
783	Limited ability of Palestine Sunbirds Nectarinia osea to cope with pyridine alkaloids in nectar of Tree Tobacco Nicotiana glauca. <i>Functional Ecology</i> , 2004 , 18, 844-850	5.6	74	
782	A new cryptic species of pond turtle from southern Italy, the hottest spot in the range of the genus Emys (Reptilia, Testudines, Emydidae). <i>Zoologica Scripta</i> , 2005 , 34, 351-371	2.5	74	
781	Molecular Phylogeny of the Papilionoideae (Family Leguminosae): RbcL Gene Sequences versus Chemical Taxonomy. <i>Botanica Acta</i> , 1995 , 108, 149-162		74	

780	Pharmacological synergism of bee venom and melittin with antibiotics and plant secondary metabolites against multi-drug resistant microbial pathogens. <i>Phytomedicine</i> , 2015 , 22, 245-55	6.5	73
779	Chemical composition and biological activity of Citrus jambhiri Lush. Food Chemistry, 2011 , 127, 394-40	3 8.5	73
778	Antimicrobial Activities of European Propolis Collected from Various Geographic Origins Alone and in Combination with Antibiotics. <i>Medicines (Basel, Switzerland)</i> , 2018 , 5,	4.1	72
777	Biological activity of the essential oil of Kadsura longipedunculata (Schisandraceae) and its major components. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 62, 1037-44	4.8	72
776	Carotenoids reverse multidrug resistance in cancer cells by interfering with ABC-transporters. <i>Phytomedicine</i> , 2012 , 19, 977-87	6.5	71
775	Flavonoids in Scutellaria immaculata and S. ramosissima (Lamiaceae) and their biological activity. Journal of Pharmacy and Pharmacology, 2011 , 63, 1346-57	4.8	7°
774	Clinical trial with escalating doses of the antiepidermal growth factor receptor humanized monoclonal antibody EMD 72 000 in patients with advanced squamous cell carcinoma of the larynx and hypopharynx. <i>Cancer Chemotherapy and Pharmacology</i> , 2001 , 47, 519-24	3.5	70
773	Volatile components of four Ethiopian Artemisia species extracts and their in vitro antitrypanosomal and cytotoxic activities. <i>Phytomedicine</i> , 2010 , 17, 369-74	6.5	69
772	The beta-carboline alkaloid harmine inhibits BCRP and can reverse resistance to the anticancer drugs mitoxantrone and camptothecin in breast cancer cells. <i>Phytotherapy Research</i> , 2010 , 24, 146-9	6.7	66
771	Uptake of the Quinolizidine Alkaloid Lupanine by Protoplasts and Isolated Vacuoles of Suspension-cultured Lupinus polyphyllus Cells. Diffusion or Carrier-mediated Transport?. <i>Journal of Plant Physiology</i> , 1987 , 129, 229-242	3.6	66
770	Modulation of multidrug resistance in cancer cells by chelidonine and Chelidonium majus alkaloids. <i>Phytomedicine</i> , 2013 , 20, 282-94	6.5	65
769	The evolution of host plant manipulation by insects: molecular and ecological evidence from gall-forming aphids on Pistacia. <i>Molecular Phylogenetics and Evolution</i> , 2004 , 32, 504-11	4.1	65
768	Evolution and phylogeny of the genus Natrix (Serpentes: Colubridae). <i>Biological Journal of the Linnean Society</i> , 2006 , 87, 127-143	1.9	64
767	Acquired toxicity the advantages of specializing on alkaloid-rich lupins to Macrosiphon albifrons (Aphidae). <i>Die Naturwissenschaften</i> , 1986 , 73, 210-212	2	64
766	An Anthocyanin-Rich Extract of Acai (Euterpe precatoria Mart.) Increases Stress Resistance and Retards Aging-Related Markers in Caenorhabditis elegans. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 1283-90	5.7	63
765	Modulation of angiogenesis by dithiolethione-modified NSAIDs and valproic acid. <i>British Journal of Pharmacology</i> , 2007 , 151, 142-151	8.6	63
764	Multilocus phylogeography of the Wedge-billed Woodcreeper Glyphorynchus spirurus (Aves, Furnariidae) in lowland Amazonia: widespread cryptic diversity and paraphyly reveal a complex diversification pattern. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 66, 270-82	4.1	62
763	A rangewide phylogeography of Hermann's tortoise, Testudo hermanni (Reptilia: Testudines: Testudinidae): implications for taxonomy. <i>Zoologica Scripta</i> , 2006 , 35, 531-543	2.5	62

(2016-2005)

762	Exploration of environmental changes relates to lifestyle. <i>Behavioral Ecology</i> , 2005 , 16, 247-254	2.3	62	
761	Synergism of three-drug combinations of sanguinarine and other plant secondary metabolites with digitonin and doxorubicin in multi-drug resistant cancer cells. <i>Phytomedicine</i> , 2012 , 19, 1288-97	6.5	61	
760	Molecular evolution of the leguminosae: Phylogeny of the three subfamilies based on rbcL-sequences. <i>Biochemical Systematics and Ecology</i> , 1996 , 24, 365-378	1.4	61	
759	Mate fidelity and parentage in Cory's shearwater Calonectris diomedea - field studies and DNA fingerprinting. <i>Molecular Ecology</i> , 1994 , 3, 259-262	5.7	60	
75 ⁸	Alkaloids induce programmed cell death in bloodstream forms of trypanosomes (Trypanosoma b. brucei). <i>Molecules</i> , 2008 , 13, 2462-73	4.8	59	
757	Analysis of the taxonomy and nomenclature of the Procellariiformes based on complete nucleotide sequences of the mitochondrial cytochrome b gene. <i>Emu</i> , 2004 , 104, 125-147	1.1	58	
756	Inhibition of seed germination by quinolizidine alkaloids : Aspects of allelopathy in Lupinus albus L. <i>Planta</i> , 1983 , 158, 365-8	4.7	58	
755	Synergistic interactions in two-drug and three-drug combinations (thymol, EDTA and vancomycin) against multi drug resistant bacteria including E. coli. <i>Phytomedicine</i> , 2014 , 21, 443-7	6.5	57	
754	Chemistry, mineralogy and microbiology of termite mound soil eaten by the chimpanzees of the Mahale Mountains, Western Tanzania. <i>Journal of Tropical Ecology</i> , 1999 , 15, 565-588	1.3	57	
753	Influence of resveratrol on oxidative stress resistance and life span in Caenorhabditis elegans. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 682-8	4.8	56	
75 ²	Leaf herbivory and drought stress affect floral attractive and defensive traits in Nicotiana quadrivalvis. <i>Oecologia</i> , 2010 , 163, 961-71	2.9	56	
751	Phenotypic plasticity leads to incongruence between morphology-based taxonomy and genetic differentiation in western Palaearctic tortoises (Testudo graeca complex; Testudines, Testudinidae). <i>Amphibia - Reptilia</i> , 2007 , 28, 97-121	1.2	56	
75°	Phylogeography of the chestnut-tailed antbird (Myrmeciza hemimelaena) clarifies the role of rivers in Amazonian biogeography. <i>Journal of Biogeography</i> , 2012 , 39, 1524-1535	4.1	55	
749	Evidence for an extracellular lytic compartment of plant cell suspension cultures: the cell culture medium. <i>Die Naturwissenschaften</i> , 1984 , 71, 635-637	2	54	
748	Mineral and chemical analyses of soils eaten by humans in Indonesia. <i>International Journal of Environmental Health Research</i> , 2000 , 10, 93-109	3.6	53	
747	Quinolizidine alkaloid composition of plants and of photomixotrophic cell suspension cultures of Sarothamnus scoparius and Orobanche rapum-genistae. <i>Planta Medica</i> , 1981 , 43, 342-52	3.1	52	
746	Storage of Quinolizidine Alkaloids in Macrosiphum albifrons and Aphis genistae (Homoptera: Aphididae). <i>Entomologia Generalis</i> , 1991 , 15, 237-254	5.3	52	
745	Extracts from Traditional Chinese Medicinal Plants Inhibit Acetylcholinesterase, a Known Alzheimer's Disease Target. <i>Molecules</i> , 2016 , 21,	4.8	52	

744	Natural lignans from Arctium lappa as antiaging agents in Caenorhabditis elegans. <i>Phytochemistry</i> , 2015 , 117, 340-350	4	51
743	Biological activities of xanthatin from Xanthium strumarium leaves. <i>Phytotherapy Research</i> , 2011 , 25, 1883-90	6.7	51
742	Molecular phylogeny of cycads inferred from rbcL sequences. <i>Die Naturwissenschaften</i> , 2002 , 89, 221-5	2	51
741	Lobeline, a piperidine alkaloid from Lobelia can reverse P-gp dependent multidrug resistance in tumor cells. <i>Phytomedicine</i> , 2008 , 15, 754-8	6.5	50
740	Population sex ratio shift from fledging to recruitment: consequences for demography in a philopatric seabird. <i>Oikos</i> , 2008 , 117, 60-68	4	50
739	Mitochondrial phylogeography of European pond turtles (Emys orbicularis, Emys trinacris) lan update. <i>Amphibia - Reptilia</i> , 2007 , 28, 418-426	1.2	50
738	Molecular systematics of racers, whipsnakes and relatives (Reptilia: Colubridae) using mitochondrial and nuclear markers. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2004 , 42, 223-233	1.9	50
737	Perspectives of purinergic signaling in stem cell differentiation and tissue regeneration. <i>Purinergic Signalling</i> , 2012 , 8, 523-37	3.8	49
736	Chemical composition of the SFE-CO extracts from Cajanus cajan (L.) Huth and their antimicrobial activity in vitro and in vivo. <i>Phytomedicine</i> , 2010 , 17, 1095-101	6.5	49
735	Phylogenetic Relationships of Tribe Crotalarieae (Fabaceae) Inferred from DNA Sequences and Morphology. <i>Systematic Botany</i> , 2008 , 33, 752-761	0.7	49
734	Phylogeography and population structure of the saker falcon (Falco cherrug) and the influence of hybridization: mitochondrial and microsatellite data. <i>Molecular Ecology</i> , 2007 , 16, 1497-517	5.7	49
733	Phylogeny of Old and New World vultures (Aves: Accipitridae and Cathartidae) inferred from nucleotide sequences of the mitochondrial cytochrome b gene. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1995 , 50, 868-82	1.7	49
732	Sequestration of pyrrolizidine alkaloids in several arctiid moths (Lepidoptera: Arctiidae). <i>Journal of Chemical Ecology</i> , 1993 , 19, 1889-903	2.7	49
731	Chemische Verteidigung der Lupinen: Zur biologischen Bedeutung der Chinolizidinalkaloide. <i>Plant Systematics and Evolution</i> , 1985 , 150, 65-81	1.3	49
730	Alkaloid Pattern of Cell Suspension Cultures and Differentiated Plants of Lupinus polyphyllus. <i>Planta Medica</i> , 1980 , 38, 238-245	3.1	49
729	Biological activities and chemistry of saponins from Chenopodium quinoa Willd <i>Phytochemistry Reviews</i> , 2009 , 8, 473-490	7.7	48
728	Introduction: Biochemistry, Physiology and Ecological Functions of Secondary Metabolites1-19		47
727	Transfer of endophyte-origin defensive alkaloids from a grass to a hemiparasitic plant. <i>Ecology Letters</i> , 2005 , 8, 1256-1263	10	47

(1994-2019)

726	A Comprehensive Review of Bioactive Peptides from Marine Fungi and Their Biological Significance. <i>Marine Drugs</i> , 2019 , 17,	6	46	
7 2 5	Chemical composition and biological activity of the essential oil obtained from Bupleurum marginatum (Apiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 1079-1087	4.8	46	
724	ISSR (inter simple sequence repeats) as genetic markers in noctuids (Lepidoptera). <i>Hereditas</i> , 2002 , 136, 251-3	2.4	46	
7 2 3	Interference of alkaloids with neuroreceptors and ion channels. <i>Studies in Natural Products Chemistry</i> , 2000 , 3-122	1.5	46	
722	Wounding-Induced Increase of Quinolizidine Alkaloid Accumulation in Lupin Leaves. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1983 , 38, 905-909	1.7	46	
721	A proanthocyanidin-rich extract from Cassia abbreviata exhibits antioxidant and hepatoprotective activities in vivo. <i>Journal of Ethnopharmacology</i> , 2018 , 213, 38-47	5	46	
720	Multiple speciation across the Andes and throughout Amazonia: the case of the spot-backed antbird species complex (Hylophylax naevius/Hylophylax naevioides). <i>Journal of Biogeography</i> , 2014 , 41, 1094-1104	4.1	45	
719	Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes258-303		45	
718	Use of DNA markers to study bird migration. Journal Fur Ornithologie, 2006, 147, 234-244		45	
717	Predator-prey relationships and the evolution of colour polymorphism: a comparative analysis in diurnal raptors. <i>Biological Journal of the Linnean Society</i> , 2004 , 81, 565-578	1.9	45	
716	Hatching sex ratio and sex specific chick mortality in common terns Sterna hirundo. <i>Journal Fur Ornithologie</i> , 2005 , 146, 235-243		45	
715	Successional change in phosphorus stoichiometry explains the inverse relationship between herbivory and lupin density on Mount St. Helens. <i>PLoS ONE</i> , 2009 , 4, e7807	3.7	45	
714	Ameliorative effect of aspalathin from rooibos (Aspalathus linearis) on acute oxidative stress in Caenorhabditis elegans. <i>Phytomedicine</i> , 2013 , 20, 380-6	6.5	44	
713	Production and secretion of recombinant thaumatin in tobacco hairy root cultures. <i>Biotechnology Journal</i> , 2012 , 7, 537-45	5.6	44	
712	Characterization of ATP-induced cell death in the GL261 mouse glioma. <i>Journal of Cellular Biochemistry</i> , 2010 , 109, 983-91	4.7	44	
711	Allelochemical Activities of Pyrrolizidine Alkaloids: Interactions with Neuroreceptors and Acetylcholine Related Enzymes. <i>Journal of Chemical Ecology</i> , 1997 , 23, 399-416	2.7	44	
710	Molecular modes of action of cytotoxic alkaloids: from DNA intercalation, spindle poisoning, topoisomerase inhibition to apoptosis and multiple drug resistance. <i>The Alkaloids Chemistry and Biology</i> , 2007 , 64, 1-47	4.8	44	
709	Elevational variation of quinolizidine alkaloid contents in a lupine (Lupinus argenteus) of the Rocky Mountains. <i>Journal of Chemical Ecology</i> , 1994 , 20, 849-57	2.7	44	

708	Biological properties of alkaloids. Influence of quinolizidine alkaloids and gramine on the germination and development of powdery mildew, Erysiphe graminis f.sp. hordei. <i>Experientia</i> , 1985 , 41, 1477-1479		44
707	Plant Secondary Metabolism: Diversity, Function and its Evolution. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	43
706	Release of mercury from broken fluorescent bulbs. <i>Journal of the Air and Waste Management Association</i> , 2003 , 53, 143-51	2.4	43
705	Environmentally caused dwarfism or a valid speciesis Testudo weissingeri Bour, 1996 a distinct evolutionary lineage? New evidence from mitochondrial and nuclear genomic markers. <i>Molecular Phylogenetics and Evolution</i> , 2005 , 37, 389-401	4.1	43
704	Multiple Vaterschaften in Bruten des SeggenrohrsfigersAcrocephalus paludicola: Erste Ergebnisse des DNA-Fingerprintings. <i>Journal Fur Ornithologie</i> , 1993 , 134, 145-154		43
703	Production of Quinolizidine Alkaloids by Photomixotrophic Cell Suspension Cultures: Biochemical and Biogenetic Aspects1. <i>Planta Medica</i> , 1980 , 40, 149-155	3.1	43
702	Mechanistic investigation of interactions between steroidal saponin digitonin and cell membrane models. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 14632-9	3.4	42
701	Quinolizidine alkaloids in seeds of Lupinus mutabilis. <i>Journal of Agricultural and Food Chemistry</i> , 1983 , 31, 934-938	5.7	42
700	Haemoproteus minutus is highly virulent for Australasian and South American parrots. <i>Parasites and Vectors</i> , 2019 , 12, 40	4	41
699	Avian genomics: fledging into the wild!. <i>Journal of Ornithology</i> , 2015 , 156, 851-865	1.5	41
698	Average nucleotide identity of genome sequences supports the description of Rhizobium lentis sp. nov., Rhizobium bangladeshense sp. nov. and Rhizobium binae sp. nov. from lentil (Lens culinaris) nodules. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3037-3045	2.2	41
697	Phenolic compounds from Syzygium jambos (Myrtaceae) exhibit distinct antioxidant and hepatoprotective activities in vivo. <i>Journal of Functional Foods</i> , 2018 , 41, 223-231	5.1	41
696	Green Tea Extract Induces the Resistance of Caenorhabditis elegans against Oxidative Stress. <i>Antioxidants</i> , 2014 , 3, 129-43	7.1	41
695	An isoquinoline alkaloid from the Chinese herbal plant Corydalis yanhusuo W.T. Wang inhibits P-glycoprotein and multidrug resistance-associate protein 1. <i>Food Chemistry</i> , 2013 , 136, 1117-21	8.5	41
694	Identification and Quantification of Steroidal Alkaloids from Wild Tuber-Bearing Solanum Species by HPLC and LC-ESI-MS. <i>Potato Research</i> , 2009 , 52, 79-104	3.2	41
693	Mitochondrial diversity of European pond turtles (Emys orbicularis) in Anatolia and the Ponto-Caspian Region: Multiple old refuges, hotspot of extant diversification and critically endangered endemics. <i>Organisms Diversity and Evolution</i> , 2009 , 9, 100-114	1.7	41
692	Modulation of angiogenesis by dithiolethione-modified NSAIDs and valproic acid. <i>British Journal of Pharmacology</i> , 2007 , 151, 63-72	8.6	41
691	The effects of nectar-nicotine on colony fitness of caged honeybees. <i>Journal of Chemical Ecology</i> , 2006 , 32, 49-59	2.7	41

690	Rose-ringed Parakeet Psittacula krameri Populations and Numbers in Europe: A Complete Overview. <i>Open Ornithology Journal</i> , 2016 , 9, 1-13	0.8	41
689	Hepatoprotective effect of limonin, a natural limonoid from the seed of Citrus aurantium var. bigaradia, on D-galactosamine-induced liver injury in rats. <i>Naunyn-Schmiedebergfs Archives of Pharmacology</i> , 2014 , 387, 251-61	3.4	40
688	Influence of combinations of digitonin with selected phenolics, terpenoids, and alkaloids on the expression and activity of P-glycoprotein in leukaemia and colon cancer cells. <i>Phytomedicine</i> , 2013 , 21, 47-61	6.5	40
687	Recombinant Production of Snakin-2 (an Antimicrobial Peptide from Tomato) in E. coli and Analysis of Its Bioactivity. <i>Molecules</i> , 2015 , 20, 14889-901	4.8	40
686	Screening of some Tanzanian medicinal plants for their trypanocidal and cytotoxic activities. <i>Phytotherapy Research</i> , 2010 , 24, 945-7	6.7	40
685	The use of (GACA)4 PCR to sex Old World vultures (Aves: Accipitridae). <i>Molecular Ecology</i> , 1998 , 7, 779-	7 <i>§2</i> ;	40
684	The cell culture medium has functional extracellular compartment of suspension-cultured cells. <i>Plant Cell, Tissue and Organ Culture,</i> 1994 , 38, 307-319	2.7	40
683	In vitro wound healing of tumor cells: inhibition of cell migration by selected cytotoxic alkaloids. <i>BMC Pharmacology & Documents (Marchael Supplemental Communication of Cell migration by selected cytotoxic alkaloids)</i> .	2.6	39
682	Genetic diversity of rhizobia nodulating lentil (Lens culinaris) in Bangladesh. <i>Systematic and Applied Microbiology</i> , 2012 , 35, 98-109	4.2	39
681	Selection on a eumelanic ornament is stronger in the tropics than in temperate zones in the worldwide-distributed barn owl. <i>Journal of Evolutionary Biology</i> , 2009 , 22, 345-54	2.3	39
680	Extra-pair paternity, testes size and testosterone level in relation to colour polymorphism in the barn owl Tyto alba. <i>Journal of Avian Biology</i> , 2004 , 35, 492-500	1.9	39
679	Fate of plant-derived secondary metabolites in three moth species (Syntomis mogadorensis, Syntomeida epilais, andCreatonotos transiens). <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1990 , 160, 389-400	2.2	39
678	Evidence for a wide-spread occurrence of the genes of quinolizidine alkaloid biosynthesis. <i>FEBS Letters</i> , 1983 , 159, 196-200	3.8	39
677	Cellular localization of quinolizidine alkaloids by laser desorption mass spectrometry (LAMMA 1000). <i>Plant Cell Reports</i> , 1984 , 3, 230-3	5.1	39
676	Quinolizidine Alkaloids as Nitrogen Source for Lupin Seedlings and Cell Cultures. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1985 , 40, 767-775	1.7	39
675	Sites of Enzymatic Synthesis of Quinolizidine Alkaloids and Their Accumulation in Lupinus polyphyllus. <i>Zeitschrift Fil Pflanzenphysiologie</i> , 1981 , 102, 337-344		39
674	Natural compounds boldine and menthol are antagonists of human 5-HT3 receptors: implications for treating gastrointestinal disorders. <i>Neurogastroenterology and Motility</i> , 2014 , 26, 810-20	4	38
673	HPLC-DAD-ESI-MS/MS analysis of fruits from Firmiana simplex (L.) and evaluation of their antioxidant and antigenotoxic properties. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 133-142	4.8	38

672	Myrtenal inhibits acetylcholinesterase, a known Alzheimer target. <i>Journal of Pharmacy and Pharmacology</i> , 2011 , 63, 1368-71	4.8	38
671	Carlina oxidea natural polyacetylene from Carlina acaulis (Asteraceae) with potent antitrypanosomal and antimicrobial properties. <i>Planta Medica</i> , 2011 , 77, 1905-11	3.1	38
670	Enzymatic water extraction of taxifolin from wood sawdust of Larix gmelini (Rupr.) Rupr. and evaluation of its antioxidant activity. <i>Food Chemistry</i> , 2011 , 126, 1178-1185	8.5	38
669	Phylogenetic relationships in Mediterranean and North Atlantic shearwaters (Aves: Procellariidae) based on nucleotide sequences of mtDNA. <i>Biochemical Systematics and Ecology</i> , 1998 , 26, 145-170	1.4	38
668	Diversity of the Southeast Asian leaf turtle genus Cyclemys: how many leaves on its tree of life?. <i>Zoologica Scripta</i> , 2008 , 37, 367-390	2.5	38
667	Calibration of a molecular clock in tits (Paridae)do nucleotide substitution rates of mitochondrial genes deviate from the 2% rule?. <i>Molecular Phylogenetics and Evolution</i> , 2007 , 44, 1-14	4.1	38
666	Exposure, Occurrence, and Chemistry of Fumonisins and their Cryptic Derivatives. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2018 , 17, 769-791	16.4	37
665	High resolution UPLC-MS/MS profiling of polyphenolics in the methanol extract of Syzygium samarangense leaves and its hepatoprotective activity in rats with CCl-induced hepatic damage. <i>Food and Chemical Toxicology</i> , 2018 , 113, 145-153	4.7	37
664	Capsaicin and Piperine Can Overcome Multidrug Resistance in Cancer Cells to Doxorubicin. <i>Molecules</i> , 2018 , 23,	4.8	37
663	Synergistic and additive effects of epigallocatechin gallate and digitonin on Plasmodium sporozoite survival and motility. <i>PLoS ONE</i> , 2010 , 5, e8682	3.7	37
662	Activity of quinolizidine alkaloids from three Mexican Lupinus against the lepidopteran crop pest Spodoptera frugiperda. <i>BioControl</i> , 2009 , 54, 459-466	2.3	37
661	A revised molecular phylogeny of the globally distributed hawkmoth genus Hyles (Lepidoptera: Sphingidae), based on mitochondrial and nuclear DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2009 , 52, 852-65	4.1	37
660	Uptake and sequestration of ouabain and other cardiac glycosides inDanaus plexippus (Lepidoptera: Danaidae): Evidence for a carrier-mediated process. <i>Journal of Chemical Ecology</i> , 1995 , 21, 557-75	2.7	37
659	Chemical Defense of Leguminosae. Are Quinolizidine Alkaloids Part of the Antimicrobial Defense System of Lupins?. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1984 , 39, 548-552	1.7	37
658	Transcriptional down regulation of hTERT and senescence induction in HepG2 cells by chelidonine. <i>World Journal of Gastroenterology</i> , 2009 , 15, 3603-10	5.6	37
657	: A Polyphenol- Rich Leaf Extract Exhibits Antioxidant, Hepatoprotective, Pain-Killing and Anti-inflammatory Activities in Animal Models. <i>Frontiers in Pharmacology</i> , 2018 , 9, 566	5.6	36
656	Resveratrol mediated cancer cell apoptosis, and modulation of multidrug resistance proteins and metabolic enzymes. <i>Phytomedicine</i> , 2019 , 55, 269-281	6.5	36
655	In vitro antioxidant activities and antioxidant enzyme activities in HepG2 cells and main active compounds of endophytic fungus from pigeon pea [Cajanus cajan (L.) Millsp.]. <i>Food Research International</i> , 2014 , 56, 243-251	7	36

(1998-2013)

654	Towards a new classification system for legumes: Progress report from the 6th International Legume Conference. <i>South African Journal of Botany</i> , 2013 , 89, 3-9	2.9	36	
653	Chemical composition and anti-inflammatory activity of the essential oils of Psidium guajava fruits and leaves. <i>Journal of Essential Oil Research</i> , 2013 , 25, 475-481	2.3	36	
652	Hepatoprotective and hypoglycemic effects of a tannin rich extract from Ximenia americana var. caffra root. <i>Phytomedicine</i> , 2017 , 33, 36-42	6.5	36	
651	Invincible DNA tethers: covalent DNA anchoring for enhanced temporal and force stability in magnetic tweezers experiments. <i>Nucleic Acids Research</i> , 2014 , 42, e137	20.1	36	
650	Antitrypanosomal activities of proteasome inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 2002 , 46, 2038-40	5.9	36	
649	Pyrrolizidine Alkaloids from Echium setosum and Echium vulgare. <i>Journal of Natural Products</i> , 1996 , 59, 310-313	4.9	36	
648	Chemical composition of a new variety of the Andean lupin (Lupinus mutabilis cv. Inti) with low-alkaloid content. <i>Journal of Food Composition and Analysis</i> , 1988 , 1, 353-361	4.1	36	
647	Carrier-mediated uptake of pyrrolizidine alkaloids in larvae of the aposematic and alkaloid-exploiting moth Creatonotos. <i>Die Naturwissenschaften</i> , 1988 , 75, 524-525	2	36	
646	Chemical Defense of Lupins. Mollusc-Repellent Properties of Quinolizidine Alkaloids. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1984 , 39, 553-558	1.7	36	
645	Natural lignans from Arctium lappa modulate P-glycoprotein efflux function in multidrug resistant cancer cells. <i>Phytomedicine</i> , 2015 , 22, 301-7	6.5	35	
644	Diversity of Secondary Metabolites in the Genus Silene L. (Caryophyllaceae) Btructures, Distribution, and Biological Properties. <i>Diversity</i> , 2014 , 6, 415-499	2.5	35	
643	Digitonin synergistically enhances the cytotoxicity of plant secondary metabolites in cancer cells. <i>Phytomedicine</i> , 2012 , 19, 1307-14	6.5	35	
642	Molecular Modes of Action of Defensive Secondary Metabolites 2010 , 21-161		35	
641	Why do lupin cell cultures fail to produce alkaloids in large quantities?. <i>Plant Cell, Tissue and Organ Culture</i> , 1987 , 8, 103-111	2.7	35	
640	Enzymatic Synthesis of Quinolizidine Alkaloids in Lupin Chloroplasts. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1980 , 35, 93-97	1.7	35	
639	Potential of DNA Intercalating Alkaloids and Other Plant Secondary Metabolites against SARS-CoV-2 Causing COVID-19. <i>Diversity</i> , 2020 , 12, 175	2.5	34	
638	Membrane Disintegration Caused by the Steroid Saponin Digitonin Is Related to the Presence of Cholesterol. <i>Molecules</i> , 2015 , 20, 20146-60	4.8	34	
637	Pyrrolizidine alkaloids in members of the Boraginaceae from Sinai (Egypt). <i>Biochemical Systematics and Ecology</i> , 1998 , 26, 619-636	1.4	34	

636	Differential effects of alkaloids on sodium currents of isolated single skeletal muscle fibers. <i>FEBS Letters</i> , 1998 , 436, 251-5	3.8	34
635	Phylogeography of the blue tit (Parus teneriffae-group) on the Canary Islands based on mitochondrial DNA sequence data and morphometrics. <i>Journal of Ornithology</i> , 2008 , 149, 1-12	1.5	34
634	Radiation of Atlantic goldcrests Regulus regulus spp.: evidence of a new taxon from the Canary Islands. <i>Journal of Avian Biology</i> , 2006 , 37, 364-380	1.9	34
633	Lysine decarboxylase in plants and its integration in quinolizidine alkaloid biosynthesis. <i>Phytochemistry</i> , 1983 , 22, 65-69	4	34
632	A chloroplast-localized lysine decarboxylase of Lupinus polyphyllus: the first enzyme in the biosynthetic pathway of quinolizidine alkaloids. <i>FEBS Letters</i> , 1980 , 115, 35-8	3.8	34
631	Quinolizidine alkaloids from plants and their cell suspension cultures. <i>Planta Medica</i> , 1982 , 44, 15-20	3.1	34
630	Diurnal Fluctuation of Quinolizidine Alkaloid Accumulation in Legume Plants and Photomixotrophic Cell Suspension Cultures. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1982 , 37, 369-	-3 ⁷ 75	34
629	Inhibition of Cytochrome P450 (CYP3A4) Activity by Extracts from 57 Plants Used in Traditional Chinese Medicine (TCM). <i>Pharmacognosy Magazine</i> , 2017 , 13, 300-308	0.8	34
628	Chlorophyll enhances oxidative stress tolerance in Caenorhabditis elegans and extends its lifespan. <i>PeerJ</i> , 2016 , 4, e1879	3.1	34
627	Modulation of multidrug resistant in cancer cells by EGCG, tannic acid and curcumin. <i>Phytomedicine</i> , 2018 , 50, 213-222	6.5	34
626	An Insight into Saponins from Quinoa (Willd): A Review. <i>Molecules</i> , 2020 , 25,	4.8	33
625	Chemical Profiling of the Essential Oils of Syzygium aqueum, Syzygium samarangense and Eugenia uniflora and Their Discrimination Using Chemometric Analysis. <i>Chemistry and Biodiversity</i> , 2016 , 13, 153	7 - 155	o ³³
624	Lifespan Extending and Oxidative Stress Resistance Properties of a Leaf Extracts from L. in. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9012396	6.7	33
623	Leaf extract of Caesalpinia mimosoides enhances oxidative stress resistance and prolongs lifespan in Caenorhabditis elegans. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 164	4.7	33
622	Allopatric differentiation in the Marcusenius macrolepidotus species complex in southern and eastern Africa: the resurrection of M. pongolensis and M. angolensis, and the description of two new species (Mormyridae, Teleostei). <i>Journal of Natural History</i> , 2007 , 41, 647-708	0.5	33
621	Fate of quinolizidine alkaloids through three trophic levels:Laburnum anagyroides (Leguminosae) and associated organisms. <i>Journal of Chemical Ecology</i> , 1991 , 17, 1557-73	2.7	33
620	Influence of Light and Phytohormones on Alkaloid Production in Transformed Root Cultures of Hyoscyamus albus. <i>Journal of Plant Physiology</i> , 1992 , 140, 147-152	3.6	33
619	Time-Course of Pyrrolizidine Alkaloid Processing in the Alkaloid Exploiting Arctiid Moth, Creatonotos transiens. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1990 , 45, 881-89	94 ^{1.7}	33

618	Chemosensitizing Properties of Caryophyllene and Caryophyllene Oxide in Combination with Doxorubicin in Human Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 1191-1196	2.3	33	
617	Phytomedicines, Herbal Drugs, and Poisons 2015 ,		33	
616	Identification of phenolic secondary metabolites from Sond. (Fabaceae) and demonstration of their antioxidant activities in. <i>PeerJ</i> , 2016 , 4, e2404	3.1	33	
615	HPLC-PDA-MS/MS profiling of secondary metabolites from cladode, peel and fruit pulp extracts and their antioxidant, neuroprotective effect in rats with aluminum chloride induced neurotoxicity. <i>Saudi Journal of Biological Sciences</i> , 2020 , 27, 2829-2838	4	33	
614	Gene flow across secondary contact zones of the Emys orbicularis complex in the Western Mediterranean and evidence for extinction and re-introduction of pond turtles on Corsica and Sardinia (Testudines: Emydidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2011 ,	1.9	32	
613	49, 44-57 Occurrence of iridoid glycosides in in vitro cultures and intact plants of Scrophularia nodosa L. <i>Plant Cell Reports</i> , 2007 , 26, 365-71	5.1	32	
612	Reduction of acrylamide uptake by dietary proteins in a caco-2 gut model. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 4021-5	5.7	32	
611	Chemical composition and biological activity of the essential oils of Senecio aegyptius var. discoideus Boiss. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 434-9	1.7	32	
610	Anti-Aging and Antioxidant Potential of Paullinia cupana var. sorbilis: Findings in Caenorhabditis elegans Indicate a New Utilization for Roasted Seeds of Guarana. <i>Medicines (Basel, Switzerland)</i> , 2017 , 4,	4.1	31	
609	Differences in gene flow in a twofold secondary contact zone of pond turtles in southern Italy (Testudines: Emydidae: Emys orbicularis galloitalica, E.´o.´hellenica, E.´trinacris). <i>Zoologica Scripta</i> , 2015 , 44, 233-249	2.5	31	
608	Antimicrobial activity of a traditionally used complex essential oil distillate (Olbas([]) Tropfen) in comparison to its individual essential oil ingredients. <i>Phytomedicine</i> , 2012 , 19, 969-76	6.5	31	
607	The genus Eremophila (Scrophulariaceae): an ethnobotanical, biological and phytochemical review. <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1239-79	4.8	31	
606	Patterns of pyrrolizidine alkaloids in 12 Ethiopian Crotalaria species. <i>Biochemical Systematics and Ecology</i> , 2004 , 32, 915-930	1.4	31	
605	Phylogenetic Relationships between some Members of the Subfamily Lamioideae (Family Labiatae) Inferred from Nucleotide Sequences of the rbcL Gene*. <i>Botanica Acta</i> , 1996 , 109, 139-148		31	
604	Variability of quinolizidine alkaloid profiles of Lupinus argentous (Fabaceae) from North America. <i>Biochemical Systematics and Ecology</i> , 1994 , 22, 663-669	1.4	31	
603	Cadaverinepyruvate transamination: the principal step of enzymatic quinolizidine alkaloid biosynthesis in Lupinus polyphyllus cell suspension cultures. <i>FEBS Letters</i> , 1979 , 101, 343-6	3.8	31	
602	Senna singueana: Antioxidant, Hepatoprotective, Antiapoptotic Properties and Phytochemical Profiling of a Methanol Bark Extract. <i>Molecules</i> , 2017 , 22,	4.8	30	
601	Synergistic interactions of saponins and monoterpenes in HeLa cells, Cos7 cells and in erythrocytes. <i>Phytomedicine</i> , 2011 , 18, 1191-6	6.5	30	

600	Towards the phylogeny of the Curculionoidea (Coleoptera): Reconstructions from mitochondrial and nuclear ribosomal DNA sequences. <i>Zoologischer Anzeiger</i> , 2009 , 248, 9-31	1.1	30
599	Phylogeography of island canary (Serinus canaria) populations. <i>Journal Fur Ornithologie</i> , 2006 , 147, 485	5-494	30
598	Induction of tropane alkaloid formation in transformed root cultures of Brugmansia suaveolens (Solanaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2004 , 59, 863-7	1.7	30
597	Genetic vs. morphological differentiation of Old World buzzards (genus Buteo, Accipitridae). <i>Zoologica Scripta</i> , 2004 , 33, 197-211	2.5	30
596	Song repertoire and duetting behaviour of the tropical boubou, Laniarius aethiopicus. <i>Animal Behaviour</i> , 2004 , 68, 181-191	2.8	30
595	Utilization of Alkaloids in Modern Medicine 1998 , 435-459		30
594	Chemical composition and biological activity of the essential oil obtained from Bupleurum marginatum (Apiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2009 , 61, 1079-87	4.8	30
593	Glochidion zeylanicum leaf extracts exhibit lifespan extending and oxidative stress resistance properties in Caenorhabditis elegans via DAF-16/FoxO and SKN-1/Nrf-2 signaling pathways. <i>Phytomedicine</i> , 2019 , 64, 153061	6.5	29
592	Effect of hesperidin and neohesperidin from bittersweet orange (Citrus aurantium var. bigaradia) peel on indomethacin-induced peptic ulcers in rats. <i>Environmental Toxicology and Pharmacology</i> , 2014 , 37, 907-15	5.8	29
591	A molecular phylogeny of the hawkmoth genus Hyles (Lepidoptera: Sphingidae, Macroglossinae). <i>Molecular Phylogenetics and Evolution</i> , 2005 , 35, 442-58	4.1	29
590	Out of Africa? Phylogenetic relationships between Falco biarmicus and the other hierofalcons (Aves: Falconidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2005 , 43, 321-331	1.9	29
589	Transfer of quinolizidine alkaloids from hosts to hemiparasites in two Castilleja-Lupinus associations: analysis of floral and vegetative tissues. <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 551-561	1.4	29
588	Composition and antimicrobial activity of essential oil and hexane-ether extract of Tanacetum santolinoides (dc.) Feinbr. and Fertig. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 620-3	1.7	29
587	Chemical Ecology of Quinolizidine Alkaloids. ACS Symposium Series, 1987, 524-533	0.4	29
586	Uptake of Lupanine by Alkaloid-Storing Epidermal Cells of Lupinus polyphyllus. <i>Planta Medica</i> , 1987 , 53, 465-9	3.1	29
585	Biosynthesis of Pyrrolidine Alkaloid-Derived Pheromones in the Arctiid Moth, Creatonotos transiens: Stereochemical Conversion of Heliotrine. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1988 , 43, 737-741	1.7	29
584	The alkaloid emetine as a promising agent for the induction and enhancement of drug-induced apoptosis in leukemia cells. <i>Oncology Reports</i> , 2007 , 18, 737-44	3.5	29
583	Synergistic antibacterial activity of the combination of the alkaloid sanguinarine with EDTA and the antibiotic streptomycin against multidrug resistant bacteria. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 264-73	4.8	28

(2018-2016)

582	Eremophila maculata-Isolation of a rare naturally-occurring lignan glycoside and the hepatoprotective activity of the leaf extract. <i>Phytomedicine</i> , 2016 , 23, 1484-1493	6.5	28	
581	Mesenchymal stem cells from different murine tissues have differential capacity to metabolize extracellular nucleotides. <i>Journal of Cellular Biochemistry</i> , 2014 , 115, 1673-82	4.7	28	
580	Cryptic diversity in a Eurasian water snake (Natrix tessellata, Serpentes: Colubridae): Evidence from mitochondrial sequence data and nuclear ISSR-PCR fingerprinting. <i>Organisms Diversity and Evolution</i> , 2009 , 9, 201-214	1.7	28	
579	Evolution of Breeding Systems in Acrocephaline Warblers. <i>Auk</i> , 2002 , 119, 379-390	2.1	28	
578	Binding of flavonoids from Sophora flavescens to the rat uterine estrogen receptor. <i>Planta Medica</i> , 2005 , 71, 1065-8	3.1	28	
577	The Adaptive Significance of Geophagy for Japanese Macaques (Macaca fuscata) at Arashiyama, Japan. <i>International Journal of Primatology</i> , 2001 , 22, 495-520	2	28	
576	Chemical Ecology of Alkaloids 1998 , 265-300		28	
575	Variations of the chemical composition and bioactivity of essential oils from leaves and stems of Liquidambar styraciflua (Altingiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2013 , 65, 1653-63	4.8	27	
574	Determination of quinolizidine alkaloids in different Lupinus species by NACE using UV and MS detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 1231-5	3.5	27	
573	Application of 16S, 18S rDNA and COI sequences in the molecular systematics of the earthworm family Lumbricidae (Annelida, Oligochaeta). <i>European Journal of Soil Biology</i> , 2007 , 43, S43-S52	2.9	27	
572	The phylogeny of the complex (Lepidoptera: Sphingidae): Molecular evidence from sequence data and ISSR-PCR fingerprints. <i>Organisms Diversity and Evolution</i> , 2005 , 5, 173-198	1.7	27	
571	Chapter 11 Importance of plant secondary metabolites for protection against insects and microbial infections. <i>Advances in Phytomedicine</i> , 2006 , 3, 251-268		27	
570	Hippopotamyrus ansorgii species complex in the Upper Zambezi River System with a description of a new species, H. szaboi (Mormyridae). <i>Zoologica Scripta</i> , 2004 , 33, 1-18	2.5	27	
569	Triterpene glycosides of Lupinus angustifolius. <i>Phytochemistry</i> , 2002 , 60, 323-7	4	27	
568	Molecular systematics of the nepetoideae (family Labiatae): phylogenetic implications from rbcL gene sequences. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1994 , 49, 635-45	1.7	27	
567	Quinolizidine alkaloids inGenista acanthoclada and its holoparasite,Cuscuta palaestina. <i>Journal of Chemical Ecology</i> , 1993 , 19, 441-8	2.7	27	
566	Enzymatic synthesis of quinolizidine alkaloid esters: a tigloyl-CoA: 13-hydroxylupanine O-tigloyltransferase from Lupinus albus L. <i>Planta</i> , 1982 , 156, 560-5	4.7	27	
565	HPLC-ESI-MS/MS Profiling of Polyphenolics of a Leaf Extract from (Zingiberaceae) and Its Anti-Inflammatory, Anti-Nociceptive, and Antipyretic Activities In Vivo. <i>Molecules</i> , 2018 , 23,	4.8	27	

564	Tools of pathway reconstruction and production of economically relevant plant secondary metabolites in recombinant microorganisms. <i>Biotechnology Journal</i> , 2017 , 12, 1600145	5.6	26
563	Chemical Profiling of Polyphenolics in and Evaluation of Its Hepato-Renal Protective Potential Against Cyclophosphamide Induced Toxicity in Mice. <i>Antioxidants</i> , 2019 , 8,	7.1	26
562	Albizia harveyi: phytochemical profiling, antioxidant, antidiabetic and hepatoprotective activities of the bark extract. <i>Medicinal Chemistry Research</i> , 2017 , 26, 3091-3105	2.2	26
561	Antimicrobial, Antioxidant, and Anti-Inflammatory Activities of Essential Oils of Selected Aromatic Plants from Tajikistan. <i>Foods</i> , 2015 , 4, 645-653	4.9	26
560	The generic concept of Lotononis (Crotalarieae, Fabaceae): Reinstatement of the genera Euchlora, Leobordea and Listia and the new genus Ezoloba. <i>Taxon</i> , 2011 , 60, 161-177	0.8	26
559	Antihepatotoxic activity and chemical constituents of Buddleja asiatica Lour. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009 , 64, 11-9	1.7	26
558	Phylogenetic differentiation of Sylvia species (Aves: Passeriformes) of the Atlantic islands (Macaronesia) based on mitochondrial DNA sequence data and morphometrics. <i>Biological Journal of the Linnean Society</i> , 2008 , 95, 157-174	1.9	26
557	Molecular phylogeography of the viperine snake Natrix maura (Serpentes: Colubridae): Evidence for strong intraspecific differentiation. <i>Organisms Diversity and Evolution</i> , 2008 , 8, 130-145	1.7	26
556	Evidence for Parapatric Speciation in the Mormyrid Fish, Pollimyrus castelnaui (Boulenger, 1911), from the Okavango Upper Zambezi River Systems: P. marianne sp. nov., Defined by Electric Organ Discharges, Morphology and Genetics. <i>Environmental Biology of Fishes</i> , 2003 , 67, 47-70	1.6	26
555	Cytochrome b gene haplotypes characterize chromosomal lineages of anoa, the Sulawesi dwarf buffalo (Bovidae: Bubalus sp.). <i>Journal of Heredity</i> , 1999 , 90, 165-76	2.4	26
554	Synergistic antimicrobial activity of combinations of sanguinarine and EDTA with vancomycin against multidrug resistant bacteria. <i>Drug Metabolism Letters</i> , 2014 , 8, 119-28	2.1	26
553	Resource Use by Non-Native Ring-Necked Parakeets (Psittacula krameri) and Native Starlings (Sturnus vulgaris) in Central Europe. <i>Open Ornithology Journal</i> , 2011 , 4, 17-22	0.8	26
552	Natural Products Modulate the Multifactorial Multidrug Resistance of Cancer. <i>Pharmacology & Pharmacy</i> , 2015 , 06, 146-176	0.3	26
551	Antihyperglycaemic activity of the methanol extract from leaves of Eremophila maculata (Scrophulariaceae) in streptozotocin-induced diabetic rats. <i>Journal of Pharmacy and Pharmacology</i> , 2017 , 69, 733-742	4.8	25
550	Extracts of Glycyrrhiza uralensis and isoliquiritigenin counteract amyloid-雕oxicity in Caenorhabditis elegans. <i>Planta Medica</i> , 2015 , 81, 357-62	3.1	25
549	In vitro propagation of the medicinal plant Ziziphora tenuior L. and evaluation of its antioxidant activity. <i>Saudi Journal of Biological Sciences</i> , 2014 , 21, 317-23	4	25
548	The phorbol ester fraction from Jatropha curcas seed oil: potential and limits for crop protection against insect pests. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 16157-71	6.3	25
547	Molecular cloning and expression of ranalexin, a bioactive antimicrobial peptide from Rana catesbeiana in Escherichia coli and assessments of its biological activities. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 3535-43	5.7	25

(2002-2011)

5	:46	Diversity of Pharmacological Properties in Chinese and European Medicinal Plants: Cytotoxicity, Antiviral and Antitrypanosomal Screening of 82 Herbal Drugs. <i>Diversity</i> , 2011 , 3, 547-580	2.5	25	
5	45	Taxonomy of the Houbara Bustard Chlamydotis undulata subspecies considered on the basis of sexual display and genetic divergence. <i>Ibis</i> , 2008 , 138, 273-282	1.9	25	
5	:44	Pyrrolizidine alkaloids from Onosma arenaria (Boraginaceae). <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 477-485	1.4	25	
5	43	Phylogenetic relationships among European ratsnakes of the genus Elaphe Fitzinger based on mitochondrial DNA sequence comparisons. <i>Amphibia - Reptilia</i> , 2001 , 22, 329-339	1.2	25	
5	:42	Terpenoid composition of the wound-induced bark exudate of Commiphora tenuis from Ethiopia. <i>Planta Medica</i> , 1998 , 64, 473-5	3.1	25	
5	:41	Pyrrolizidine and tetrahydroisoquinoline alkaloids from Echium humile. <i>Phytochemistry</i> , 1996 , 42, 225-2.	3.Ф	25	
5	40	Geese and dietary allelochemicals Food palatability and geophagy. <i>Chemoecology</i> , 1993 , 4, 93-107	2	25	
5	39	Carrier-mediated uptake of digoxin by larvae of the cardenolide sequestering moth, Syntomeida epilais. <i>Die Naturwissenschaften</i> , 1990 , 77, 336-338	2	25	
5	;38	Hyperthermia and associated changes in membrane fluidity potentiate P2X7 activation to promote tumor cell death. <i>Oncotarget</i> , 2017 , 8, 67254-67268	3.3	25	
5	37	The <code>tarboline</code> alkaloid harmine inhibits telomerase activity of MCF-7 cells by down-regulating hTERT mRNA expression accompanied by an accelerated senescent phenotype. <i>PeerJ</i> , 2013 , 1, e174	3.1	25	
5	;36	Tannin-rich extracts from Lannea stuhlmannii and Lannea humilis (Anacardiaceae) exhibit hepatoprotective activities in vivo via enhancement of the anti-apoptotic protein Bcl-2. <i>Scientific Reports</i> , 2018 , 8, 9343	4.9	25	
5	35	Radical scavenging and antioxidant activities of essential oil componentsan experimental and computational investigation. <i>Natural Product Communications</i> , 2015 , 10, 153-6	0.9	25	
5	34	Chemical profiling of secondary metabolites of Eugenia uniflora and their antioxidant, anti-inflammatory, pain killing and anti-diabetic activities: A comprehensive approach. <i>Journal of Ethnopharmacology</i> , 2019 , 240, 111939	5	24	
5	33	Evidence for the anti-inflammatory activity of Bupleurum marginatum (Apiaceae) extracts using in vitro and in vivo experiments supported by virtual screening. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 952-963	4.8	24	
5	32	Biodiversity of the Hypersaline Urmia Lake National Park (NW Iran). <i>Diversity</i> , 2014 , 6, 102-132	2.5	24	
5	31	Molecular phylogeny of Old World swifts (Aves: Apodiformes, Apodidae, Apus and Tachymarptis) based on mitochondrial and nuclear markers. <i>Molecular Phylogenetics and Evolution</i> , 2012 , 63, 606-16	4.1	24	
5	30	Microarray analysis of nemorosone-induced cytotoxic effects on pancreatic cancer cells reveals activation of the unfolded protein response (UPR). <i>British Journal of Pharmacology</i> , 2011 , 162, 1045-59	8.6	24	
5	:29	Geschlechtsabhfigige Grfinunterschiede von Fliglingen der Flussseeschwalbe (Sterna hirundo). Journal Fur Ornithologie, 2002 , 143, 51-56		24	

528	Phylogenetic Relationships in Asphodelaceae (Subfamily Alooideae) Inferred from Chloroplast DNA Sequences (rbcL, matK) and from Genomic Fingerprinting (ISSR). <i>Taxon</i> , 2003 , 52, 193	0.8	24
527	Molecular relationships in Encephalartos (Zamiaceae, Cycadales) based on nucleotide sequences of nuclear ITS 1&2, rbcL, and genomic ISSR fingerprinting. <i>Plant Biology</i> , 2005 , 7, 79-90	3.7	24
526	A parthenogenetic Varanus. <i>Amphibia - Reptilia</i> , 2005 , 26, 507-514	1.2	24
525	Phytochemicals: Potential Lead Molecules for MDR Reversal. <i>Frontiers in Pharmacology</i> , 2020 , 11, 832	5.6	23
524	Composition of the essential oils of three Uzbek Scutellaria species (Lamiaceae) and their antioxidant activities. <i>Natural Product Research</i> , 2017 , 31, 1172-1176	2.3	23
523	Cytotoxicity of the Essential Oil of Fennel (Foeniculum vulgare) from Tajikistan. <i>Foods</i> , 2017 , 6,	4.9	23
522	Antiproliferative effect of the isoquinoline alkaloid papaverine in hepatocarcinoma HepG-2 cellsinhibition of telomerase and induction of senescence. <i>Molecules</i> , 2014 , 19, 11846-59	4.8	23
521	A novel method for semen collection and artificial insemination in large parrots (Psittaciformes). <i>Scientific Reports</i> , 2013 , 3, 2066	4.9	23
520	Influence of red clover (Trifolium pratense) isoflavones on gene and protein expression profiles in liver of ovariectomized rats. <i>Phytomedicine</i> , 2009 , 16, 845-55	6.5	23
519	Reduction of cytotoxicity of the alkaloid emetine through P-glycoprotein (MDR1/ABCB1) in human Caco-2 cells and leukemia cell lines. <i>Planta Medica</i> , 2006 , 72, 1121-6	3.1	23
518	Evidence for the Polyphyly of Haworthia (Asphodelaceae Subfamily Alooideae; Asparagales) Inferred from Nucleotide Sequences of rbcL, matK, ITS1 and Genomic Fingerprinting with ISSR-PCR. <i>Plant Biology</i> , 2003 , 5, 513-521	3.7	23
517	How do slugs cope with toxic alkaloids?. <i>Chemoecology</i> , 2005 , 15, 167-177	2	23
516	Male Reproductive Success is Correlated With Blood Parasite Levels and Body Condition in the Promiscuous Aquatic Warbler (Acrocephalus Paludicola). <i>Auk</i> , 2005 , 122, 558-565	2.1	23
515	Compartmentation of Alkaloid Synthesis, Transport, and Storage 1998 , 239-262		23
514	Biotransformation of Cadaverine and Potential Biogenetic Intermediates of Lupanine Biosynthesis by Plant Cell Suspension Cultures. <i>Planta Medica</i> , 1980 , 40, 31-39	3.1	23
513	Chrysophanol, Physcion, Hesperidin and Curcumin Modulate the Gene Expression of Pro-Inflammatory Mediators Induced by LPS in HepG2: In Silico and Molecular Studies. <i>Antioxidants</i> , 2019 , 8,	7.1	22
512	Antioxidant Activity of an Aqueous Leaf Extract from and Its Major Alkaloids Mitraphylline and Isomitraphylline in. <i>Molecules</i> , 2019 , 24,	4.8	22
511	Polyphenols from Impair Virulence and Inhibit Quorum Sensing of. <i>Molecules</i> , 2020 , 25,	4.8	22

510	Bioaccessibility and biological activity of Melissa officinalis, Lavandula latifolia and Origanum vulgare extracts: Influence of an in vitro gastrointestinal digestion. <i>Journal of Functional Foods</i> , 2018 , 44, 146-154	5.1	22	
509	Chemical profiling of Phlomis thapsoides (Lamiaceae) and in vitro testing of its biological activities. <i>Medicinal Chemistry Research</i> , 2016 , 25, 2304-2315	2.2	22	
508	Anthocyanin-rich extract of Acai (Euterpe precatoria Mart.) mediates neuroprotective activities in Caenorhabditis elegans. <i>Journal of Functional Foods</i> , 2016 , 26, 385-393	5.1	22	
507	Rhizobium leguminosarum is the symbiont of lentils in the Middle East and Europe but not in Bangladesh. <i>FEMS Microbiology Ecology</i> , 2014 , 87, 64-77	4.3	22	
506	Polyphenolics from Albizia harveyi Exhibit Antioxidant Activities and Counteract Oxidative Damage and Ultra-Structural Changes of Cryopreserved Bull Semen. <i>Molecules</i> , 2017 , 22,	4.8	22	
505	Taxonomic status and evolutionary history of the Saxicola torquata complex. <i>Molecular Phylogenetics and Evolution</i> , 2009 , 52, 769-73	4.1	22	
504	A mtDNA phylogeny of bustards (family Otididae) based on nucleotide sequences of the cytochromeb-gene. <i>Journal Fur Ornithologie</i> , 2003 , 144, 176-185		22	
503	A phytochemical study of the quinolizidine alkaloids from Genista tenera by gas chromatography-mass spectrometry. <i>Phytochemical Analysis</i> , 2005 , 16, 264-6	3.4	22	
502	Sequestration of phorbolesters by the aposematically coloured bug Pachycoris klugii (Heteroptera: Scutelleridae) feeding on Jatropha curcas (Euphorbiaceae). <i>Chemoecology</i> , 2000 , 10, 179-184	2	22	
501	Frequencies of multiple paternity in three Acrocephalus species (Aves Sylviidae) with different mating systems (A. palustris, A. arundinaceus, A. paludicola). <i>Ethology Ecology and Evolution</i> , 2000 , 12, 237-249	0.7	22	
500	Pyrrolizidine alkaloids of Cynoglossum officinale and Cynoglossum amabile (family boraginaceae). <i>Biochemical Systematics and Ecology</i> , 1996 , 24, 415-421	1.4	22	
499	The Alkaloid Patterns of Cell Suspension Cultures and Differentiated Plants of Baptisia Australis and Their Biogenetic Implications. <i>Journal of Natural Products</i> , 1981 , 44, 14-20	4.9	22	
498	Towards the elimination of anti-nutritional factors in grain legumes. <i>Current Plant Science and Biotechnology in Agriculture</i> , 2000 , 671-683		22	
497	In vitro metabolic activation of vitamin D3 by using a multi-compartment microfluidic liver-kidney organ on chip platform. <i>Scientific Reports</i> , 2019 , 9, 4616	4.9	21	
496	The antimicrobial peptide snakin-2 is upregulated in the defense response of tomatoes (Solanum lycopersicum) as part of the jasmonate-dependent signaling pathway. <i>Journal of Plant Physiology</i> , 2017 , 208, 1-6	3.6	21	
495	Cytotoxicity of arctigenin and matairesinol against the T-cell lymphoma cell line CCRF-CEM. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 1316-23	4.8	21	
494	Genetic differentiation of the Thorn-tailed Rayadito Aphrastura spinicauda (Furnariidae: Passeriformes) revealed by ISSR profiles suggests multiple palaeorefugia and high recurrent gene flow. <i>Ibis</i> , 2010 , 152, 761-774	1.9	21	
493	Biosynthesis of Phenylpropanoids and Related Compounds182-257		21	

492	Evidence from DNA nucleotide sequences and ISSR profiles indicates paraphyly in subspecies of the Southern Grey Shrike (Lanius meridionalis). <i>Journal of Ornithology</i> , 2008 , 149, 495-506	1.5	21
491	Introduced Alien or Persecuted Native? Resolving the Origin of the Viperine Snake (Natrix Maura) on Mallorca. <i>Biodiversity and Conservation</i> , 2006 , 15, 3045-3054	3.4	21
490	Variation in extra-pair paternity in the polygynous Great Reed Warbler (Acrocephalus arundinaceus). <i>Journal Fur Ornithologie</i> , 2000 , 141, 77-84		21
489	Chapter 1 Allelochemical Properties or the Raison D'tre of Alkaloids. <i>Alkaloids: Chemistry and Pharmacology</i> , 1993 , 1-118		21
488	Molecular systematics of falcons (family Falconidae). <i>Die Naturwissenschaften</i> , 1993 , 80, 87-90	2	21
487	Populationsgenetik und Vaterschaftsanalyse beim Eleonorenfalken (Falco eleonorae). <i>Journal Fur Ornithologie</i> , 1993 , 134, 137-143		21
486	Evolutionsbiologie 2013 ,		21
485	Secondary metabolites as biostimulant and bioprotectant agents: A review. <i>Science of the Total Environment</i> , 2021 , 777, 146204	10.2	21
484	Synthesis, antidiabetic activity and molecular docking study of rhodanine-substitued spirooxindole pyrrolidine derivatives as novel hmylase inhibitors. <i>Bioorganic Chemistry</i> , 2021 , 106, 104507	5.1	21
483	Pro-oxidant and lifespan extension effects of caffeine and related methylxanthines in. <i>Food Chemistry: X</i> , 2019 , 1, 100005	4.7	20
482	Volatile constituents of Dietes bicolor (Iridaceae) and their antimicrobial activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2015 , 70, 217-25	1.7	20
481	Avian transcriptomics: opportunities and challenges. <i>Journal of Ornithology</i> , 2018 , 159, 599-629	1.5	20
480	Lupanine Improves Glucose Homeostasis by Influencing KATP Channels and Insulin Gene Expression. <i>Molecules</i> , 2015 , 20, 19085-100	4.8	20
479	Microsatellite marker discovery using single molecule real-time circular consensus sequencing on the Pacific Biosciences RS. <i>BioTechniques</i> , 2013 , 55, 253-6	2.5	20
478	Molecular phylogeny of the Eremias persica complex of the Iranian plateau (Reptilia: Lacertidae), based on mtDNA sequences. <i>Zoological Journal of the Linnean Society</i> , 2010 , 158, 641-660	2.4	20
477	Comparison of microsatellite and single nucleotide polymorphism markers for the genetic analysis of a Galloway cattle population. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 637-43	1.7	20
476	Sequestration of phorbol esters by aposematic larvae of Hyles euphorbiae (Lepidoptera: Sphingidae)?. <i>Chemoecology</i> , 2005 , 15, 261-267	2	20
475	Mineralogical and chemical interactions of soils eaten by chimpanzees of the Mahale Mountains and Gombe Stream National Parks, Tanzania. <i>Journal of Chemical Ecology</i> , 2001 , 27, 285-311	2.7	20

474	Pyrrolizidine alkaloids from Cynoglossum creticum. <i>Phytochemistry</i> , 1996 , 42, 1217-1221	4	20
473	Uptake of Alkaloids by Latex Vesicles and Isolated Mesophyll Vacuoles of Chelidonium ntajus (Papaveraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1990 , 45, 949-957	1.7	20
472	N-Methylation of quinolizidine alkaloids: an S-adenosyl-L-methionine: cytisine N-methyltransferase from Laburnum anagyroides plants and cell cultures of L. alpinum and Cytisus canariensis. <i>Planta</i> , 1984 , 161, 339-44	4.7	20
471	Cellular and Subcellular Localization of Peroxidase Isoenzymes in Plants and Cell Suspension Cultures from Lupinus polyphyllus. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1989 , 44, 931-936	1.7	20
470	extracts inhibit aggregation and toxicity of amyloid- in used as a model for Alzheimer's disease. <i>PeerJ</i> , 2018 , 6, e4683	3.1	20
469	and: Chemical Composition of Their Essential Oils and Their Potential Use as Natural Preservatives with Antimicrobial and Antioxidant Activities. <i>Foods</i> , 2020 , 9,	4.9	20
468	Evaluation of antioxidant and neuroprotective activities of (L.) using the model. <i>PeerJ</i> , 2018 , 6, e5159	3.1	20
467	Combinations of alkaloids affecting different molecular targets with the saponin digitonin can synergistically enhance trypanocidal activity against Trypanosoma brucei brucei. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 7011-7	5.9	19
466	Anti-infective and cytotoxic properties of Bupleurum marginatum. Chinese Medicine, 2014, 9, 4	4.7	19
465	Artemia biodiversity in Asia with the focus on the phylogeography of the introduced American species Artemia franciscana Kellogg, 1906. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 79, 392-403	4.1	19
464	Phylogeography, pre-zygotic isolation and taxonomic status in the endemic Cyprus Wheatear Oenanthe cypriaca. <i>Journal of Ornithology</i> , 2012 , 153, 303-312	1.5	19
463	Native or not? Tracing the origin of wild-caught and captive freshwater turtles in a threatened and widely distributed species (Emys orbicularis). <i>Conservation Genetics</i> , 2011 , 12, 583-588	2.6	19
462	Biochemistry of Sterols, Cardiac Glycosides, Brassinosteroids, Phytoecdysteroids and Steroid saponins:	304-36	319
461	Plant-Microbe Interactions and Secondary Metabolites with Antibacterial, Antifungal and Antiviral Properties 2010 , 214-347		19
460	A RNA/RNA heteroduplex cleavage analysis to detect rare mutations in populations. <i>Molecular Ecology</i> , 1997 , 6, 687-90	5.7	19
459	Chemotaxonomy of Portuguese Ulex: quinolizidine alkaloids as taxonomical markers. <i>Phytochemistry</i> , 2006 , 67, 1943-9	4	19
458	Characteristics of apoptosis induction by the alkaloid emetine in human tumour cell lines. <i>Planta Medica</i> , 2007 , 73, 1389-96	3.1	19
457	Chemical composition and biological activity of the essential oil from Thymus lanceolatus. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2016 , 71, 155-63	1.7	19

456	A novel tool against multiresistant bacterial pathogens: lipopeptide modification of the natural antimicrobial peptide ranalexin for enhanced antimicrobial activity and improved pharmacokinetics. <i>International Journal of Antimicrobial Agents</i> , 2018 , 52, 52-62	14.3	18
455	Quinolizidine and Pyrrolizidine Alkaloid Chemical Ecology - a Mini-Review on Their Similarities and Differences. <i>Journal of Chemical Ecology</i> , 2019 , 45, 109-115	2.7	18
454	Isoliquiritigenin exerts antioxidant activity in Caenorhabditis elegans via insulin-like signaling pathway and SKN-1. <i>Phytomedicine</i> , 2019 , 55, 119-124	6.5	18
453	Immediate effects of nectar robbing by Palestine sunbirds (Nectarinia osea) on nectar alkaloid concentrations in tree tobacco (Nicotiana glauca). <i>Journal of Chemical Ecology</i> , 2014 , 40, 325-30	2.7	18
452	Volatile oils from the aerial parts of Eremophila maculata and their antimicrobial activity. <i>Chemistry and Biodiversity</i> , 2014 , 11, 831-41	2.5	18
451	Preparative enrichment and separation of astragalosides from Radix Astragali extracts using macroporous resins. <i>Journal of Separation Science</i> , 2010 , 33, 2278-86	3.4	18
450	Activity and expression of ecto-5'-nucleotidase/CD73 are increased during phenotype conversion of a hepatic stellate cell line. <i>Life Sciences</i> , 2008 , 82, 21-9	6.8	18
449	Binding of phytoestrogens to rat uterine estrogen receptors and human sex hormone-binding globulins. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 649-56	1.7	18
448	Offspring sex ratio variation in relation to brood size and mortality in a promiscuous species: the Aquatic Warbler Acrocephalus paludicola. <i>Ibis</i> , 2004 , 146, 269-280	1.9	18
447	Concomitant occurrence of pyrrolizidine and quinolizidine alkaloids in the hemiparasite Osyris alba L. (Santalaceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 139-149	1.4	18
446	Seed chemistry of Sophora chrysophylla (mamane) in relation to diet of specialist avian seed predator Loxioides bailleui (palila) in Hawaii. <i>Journal of Chemical Ecology</i> , 2002 , 28, 1393-410	2.7	18
445	MALE REPRODUCTIVE SUCCESS IS CORRELATED WITH BLOOD PARASITE LEVELS AND BODY CONDITION IN THE PROMISCUOUS AQUATIC WARBLER (ACROCEPHALUS PALUDICOLA). <i>Auk</i> , 2005 , 122, 558	2.1	18
444	Allozyme and DNA sequence comparisons of nine species of Encephalartos (Zamiaceae). <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 241-266	1.4	18
443	GLC and GLC-mS analysis of thiophene derivatives in plants and in in vitro cultures of Tagetes patula L. (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 63-71	1.7	18
442	Physicochemical properties of harpagoside and its in vitro release from Harpagophytum procumbens extract tablets. <i>Phytomedicine</i> , 2000 , 6, 469-73	6.5	18
441	Inter- and intraspecific variation of the nucleotide sequence of the cytochrome b gene in Cory's (Calonectris diomedea), Manx Shearwater (Puffinus puffinus) and the Fulmar (Fulmarus glacialis). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993 , 48, 504-9	1.7	18
440	Biologie des Eleonorenfalken (Falco eleonorae): 2. Zur Vererbung der Gefiederphasen (hell -dunkel). <i>Journal Fur Ornithologie</i> , 1978 , 119, 421-428		18
439	Evolutionsbiologie. <i>Springer-Lehrbuch</i> , 2001 ,	0.4	18

(2020-2019)

438	Antioxidant, Cytotoxic, and Antimicrobial Activities of L., Pall., and (Thunb.) Lindl. Extracts. <i>Medicines (Basel, Switzerland)</i> , 2019 , 6,	4.1	17	
437	A novel cytotoxic aryltetraline lactone from Bupleurum marginatum (Apiaceae). <i>Phytochemistry Letters</i> , 2012 , 5, 387-392	1.9	17	
436	Polyphenols from aerial parts of Polygonum bellardii and their biological activities. <i>Pharmaceutical Biology</i> , 2013 , 51, 1026-34	3.8	17	
435	Dose-dependent cytotoxic effects of boldine in HepG-2 cells-telomerase inhibition and apoptosis induction. <i>Molecules</i> , 2015 , 20, 3730-43	4.8	17	
434	Radical Scavenging and Antioxidant Activities of Essential Oil Components An Experimental and Computational Investigation. <i>Natural Product Communications</i> , 2015 , 10, 1934578X1501000	0.9	17	
433	A critical revision of the churchill snoutfish, genus Petrocephalus Marcusen, 1854 (Actinopterygii: Teleostei: Mormyridae), from southern and eastern Africa, with the recognition of Petrocephalus tanensis, and the description of five new species. <i>Journal of Natural History</i> , 2012 , 46, 2179-2258	0.5	17	
432	Chemical Composition of the Essential Oils of Variegated Pink-Fleshed Lemon (Citrus x limon L. Burm. f.) and their Anti-Inflammatory and Antimicrobial Activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 275-284	1.7	17	
431	Tropane Alkaloids of Hyoscyamus boveanus, H. desertorum, H. muticus and H. albus from Egypt. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1997 , 52, 729-739	1.7	17	
430	Phylogenetic Relationships in Weevils (Coleoptera: Curculionoidea) Inferred from Nucleotide Sequences of Mitochondrial 16S rDNA. <i>Die Naturwissenschaften</i> , 1997 , 84, 318-21	2	17	
429	Heterogeneity of three molecular data partition phylogenies of mints related to M. x piperita (Mentha; Lamiaceae). <i>Plant Biology</i> , 2006 , 8, 470-85	3.7	17	
428	Phylogenetic relationships in Asphodelaceae (subfamily Alooideae) inferred from chloroplast DNA sequences (rbcL, matK) and from genomic fingerprinting (ISSR). <i>Taxon</i> , 2003 , 52, 193-207	0.8	17	
427	Genetic diversity of scarlet macaws Ara macao in reintroduction studies for threatened populations in Costa Rica. <i>Biological Conservation</i> , 1999 , 87, 269-272	6.2	17	
426	Uresiphita reversalis (Lepidoptera: Pyralidae): Carrier-Mediated Uptake and Sequestration of Quinolizidine Alkaloids Obtained from the Host Plant Teline monspessulana. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1991 , 46, 1080-1088	1.7	17	
425	New ester alkaloids from lupins (genus lupinus). <i>Planta Medica</i> , 1988 , 54, 237-9	3.1	17	
424	Quinolizidine alkaloids in petteria ramentacea and the infesting aphids, Aphis cytisorum. <i>Phytochemistry</i> , 1985 , 24, 2567-2568	4	17	
423	Storage of Quinolizidine Alkaloids in Epidermal Tissues. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1986 , 41, 375-380	1.7	17	
422	Mode of action and membrane specificity of the antimicrobial peptide snakin-2. <i>PeerJ</i> , 2016 , 4, e1987	3.1	17	
421	The carotenoid fucoxanthin can sensitize multidrug resistant cancer cells to doxorubicin via induction of apoptosis, inhibition of multidrug resistance proteins and metabolic enzymes. <i>Phytomedicine</i> , 2020 , 77, 153280	6.5	17	

420	A Short History of Alkaloids 1998 , 11-44		17
419	Evidence for Anti-Inflammatory Activity of Isoliquiritigenin, 18 Clycyrrhetinic Acid, Ursolic Acid, and the Traditional Chinese Medicine Plants and , at the Molecular Level. <i>Medicines (Basel, Switzerland)</i> , 2019 , 6,	4.1	16
418	and: Chemical Composition, In Vivo Antiinflammatory, Pain Killing and Antipyretic Activities: A Comprehensive Comparison. <i>Biomolecules</i> , 2020 , 10,	5.9	16
417	Antitrypanosomal properties of Panax ginseng C. A. Meyer: new possibilities for a remarkable traditional drug. <i>Phytotherapy Research</i> , 2013 , 27, 86-98	6.7	16
416	Bactericidal properties of the antimicrobial peptide Ib-AMP4 from Impatiens balsamina produced as a recombinant fusion-protein in Escherichia coli. <i>Biotechnology Journal</i> , 2013 , 8, 1213-20	5.6	16
415	Aromatic Medicinal Plants from Tajikistan (Central Asia). <i>Medicines (Basel, Switzerland)</i> , 2015 , 2, 28-46	4.1	16
414	Tetrahydroisoquinoline and beta-carboline alkaloids from Haloxylon articulatum (Cav.) Bunge (Chenopodiaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003 , 58, 477-80	1.7	16
413	Use of 18S, 16S rDNA and cytochrome c oxidase sequences in earthworm taxonomy (Oligochaeta, Lumbricidae). <i>Pedobiologia</i> , 2003 , 47, 428-433	1.7	16
412	Beta-carboline and quinoline alkaloids in root cultures and intact plants of Peganum harmala. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 451-8	1.7	16
411	Systematics and evolution of Velloziaceae, with special reference to sieve-element plastids and L sequence data. <i>Botanical Journal of the Linnean Society</i> , 2000 , 134, 93-129	2.2	16
410	Organ Specific Storage of Dietary Pyrrolizidine Alkaloids in the Arctiid Moth Creatonotos transiens. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1990 , 45, 115-120	1.7	16
409	A model mechanism for the enzymatic synthesis of lupin alkaloids. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1979 , 34, 704-8	1.7	16
408	Biologically active recombinant human erythropoietin expressed in hairy root cultures and regenerated plantlets of Nicotiana tabacum L. <i>PLoS ONE</i> , 2017 , 12, e0182367	3.7	16
407	Defensins: Transcriptional regulation and function beyond antimicrobial activity. <i>Developmental and Comparative Immunology</i> , 2020 , 104, 103556	3.2	16
406	The Interference of Selected Cytotoxic Alkaloids with the Cytoskeleton: An Insight into Their Modes of Action. <i>Molecules</i> , 2016 , 21,	4.8	16
405	Cytoskeletal interference - A new mode of action for the anticancer drugs camptothecin and topotecan. <i>European Journal of Pharmacology</i> , 2016 , 789, 265-274	5.3	16
404	Biochemistry of Terpenoids: Monoterpenes, Sesquiterpenes and Diterpenes 2018 , 258-303		16
403	Biological characteristics, bioactive components and antineoplastic properties of sporoderm-broken spores from wild Cordyceps cicadae. <i>Phytomedicine</i> , 2017 , 36, 217-228	6.5	15

402	Chemical composition, antioxidant and hepatoprotective activities of methanol extracts from leaves of and (Combretaceae). <i>PeerJ</i> , 2019 , 7, e6322	3.1	15
401	Bark Extract of the Amazonian Tree (Humiriaceae) Extends Lifespan and Enhances Stress Resistance in. <i>Molecules</i> , 2019 , 24,	4.8	15
400	Simultaneous production of antioxidants and starch from the microalga Chlorella sorokiniana. <i>Algal Research</i> , 2018 , 34, 164-174	5	15
399	Phytochemical profiling and seasonal variation of essential oils of three Callistemon species cultivated in Egypt. <i>PLoS ONE</i> , 2019 , 14, e0219571	3.7	15
398	Phytochemical analysis and bioactivity of the aerial parts of Abutilon theophrasti (Malvaceae), a medicinal weed. <i>Natural Product Research</i> , 2014 , 28, 1777-9	2.3	15
397	Alkaloid concentration of the invasive plant species Ulex europaeus in relation to geographic origin and herbivory. <i>Die Naturwissenschaften</i> , 2012 , 99, 883-92	2	15
396	Song complexity in male marsh warblers: does it reflect male quality?. <i>Journal of Ornithology</i> , 2012 , 153, 431-439	1.5	15
395	Fine-scale population genetic structure in Artemia urmiana (Gfither, 1890) based on mtDNA sequences and ISSR genomic fingerprinting. <i>Organisms Diversity and Evolution</i> , 2013 , 13, 531-543	1.7	15
394	Special Nitrogen Metabolism 1997 , 439-486		15
393	Sequence Data of Mitochondrial 16S rDNA of Arctiidae and Nymphalidae: Evidence for a Convergent Evolution of Pyrrolizidine Alkoloid and Cardiac Glycoside Sequestration. <i>Journal of Chemical Ecology</i> , 1997 , 23, 1549-1568	2.7	15
392	Canary Island great spotted woodpecker (Dendrocopos major) has distinct mtDNA. <i>Journal of Ornithology</i> , 2007 , 148, 531-536	1.5	15
391	Induction of apoptosis by alkaloids, non-protein amino acids, and cardiac glycosides in human promyelotic HL-60 cells. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007 , 62, 458-6	6 ^{1.7}	15
390	A mtDNA phylogeny of sea eagles (genus Haliaeetus) based on nucleotide sequences of the cytochrome b-gene. <i>Biochemical Systematics and Ecology</i> , 1996 , 24, 783-791	1.4	15
389	Alkaloids in Stem Roots of Nicotiana tabacum and Spartium junceum Transformed by Agrobacterium rhizogenes. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1987 , 42, 69-72	1.7	15
388	L-Canavanine potentiates the cytotoxicity of doxorubicin and cisplatin in arginine deprived human cancer cells. <i>PeerJ</i> , 2016 , 4, e1542	3.1	15
387	Carlina acaulis Exhibits Antioxidant Activity and Counteracts Affoxicity in Caenorhabditis elegans. <i>Molecules</i> , 2016 , 21,	4.8	15
386	The Essential Oil Compositions of Ocimum basilicum from Three Different Regions: Nepal, Tajikistan, and Yemen. <i>Chemistry and Biodiversity</i> , 2016 , 13, 241-8	2.5	15
385	Phenolic Compounds from L. and Willd. (Salicaceae) Counteract Oxidative Stress in. <i>Molecules</i> , 2019 , 24,	4.8	14

384	Cloning, characterization and tissue-specific expression of the antimicrobial peptide hepcidin from caspian trout (Salmo caspius) and the antibacterial activity of the synthetic peptide. <i>Fish and Shellfish Immunology</i> , 2019 , 90, 288-296	4.3	14
383	Isolation of Myricitrin and 3,5-di-O-Methyl Gossypetin from and Evaluation of their Involvement in Protecting Keratinocytes against Oxidative Stress via Activation of the Nrf-2 Pathway. <i>Molecules</i> , 2019 , 24,	4.8	14
382	Identification of valid endogenous control genes for determining gene expression in C6 glioma cell line treated with conditioned medium from adipose-derived stem cell. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 75, 75-82	7.5	14
381	A Polyphenol-Rich Fraction from Exhibits Antioxidant and Hepatoprotective Activities In Vivo. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	14
380	Corynebacterium uropygiale sp. nov., isolated from the preen gland of Turkeys (Meleagris gallopavo). <i>Systematic and Applied Microbiology</i> , 2016 , 39, 88-92	4.2	14
379	Calycophyllum spruceanum (Benth.), the Amazonian "Tree of Youth" Prolongs Longevity and Enhances Stress Resistance in Caenorhabditis elegans. <i>Molecules</i> , 2018 , 23,	4.8	14
378	Jatrorrhizine inhibits mammary carcinoma cells by targeting TNIK mediated Wnt/駐atenin signalling and epithelial-mesenchymal transition (EMT). <i>Phytomedicine</i> , 2019 , 63, 153015	6.5	14
377	The repelling effect of plant secondary metabolites on water voles, Arvicola amphibius. <i>Pest Management Science</i> , 2013 , 69, 437-43	4.6	14
376	Purinergic signaling in glioma progression. <i>Advances in Experimental Medicine and Biology</i> , 2013 , 986, 81-102	3.6	14
375	A revision of African Velloziaceae based on leaf anatomy characters andrbcLnucleotide sequences. <i>Botanical Journal of the Linnean Society</i> , 2013 , 172, 22-94	2.2	14
374	A comparative study of ectonucleotidase and P2 receptor mRNA profiles in C6 cell line cultures and C6 ex vivo glioma model. <i>Cell and Tissue Research</i> , 2009 , 335, 331-40	4.2	14
373	Quinolizidine alkaloid profiles of Lupinus varius orientalis, L. albus albus, L. hartwegii, and L. densiflorus. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001 , 56, 21-30	1.7	14
372	Modes of Action of Alkaloids 1998 , 301-326		14
371	Pyrrolizidine alkaloids from Echium rauwolfii and Echium horridum (Boraginaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1999 , 54, 295-300	1.7	14
370	Lassen sich Silber-, Weikopf- und Heringsmwe (Larus argentatus, L. cachinnans, L. fuscus) molekulargenetisch unterscheiden?. <i>Journal Fur Ornithologie</i> , 1994 , 135, 73-80		14
369	Activation of chloroplast-localized enzymes of quinolizidine alkaloid biosynthesis by reduced thioredoxin. <i>Plant Cell Reports</i> , 1981 , 1, 6-9	5.1	14
368	Neuroprotective effects of oolong tea extracts against glutamate-induced toxicity in cultured neuronal cells and 軸myloid-induced toxicity in. <i>Food and Function</i> , 2020 , 11, 8179-8192	6.1	14
367	Phytochemistry, Pharmacology and Medicinal Uses of Plants of the Genus: An Updated Review. <i>Frontiers in Pharmacology</i> , 2021 , 12, 593856	5.6	14

(2017-2020)

366	Green Synthesis of Silver Nanoparticles Using Extract of L. Leaves and Evaluation of Cytotoxic Activity Towards Bladder (5637) and Breast Cancer (MCF-7) Cell Lines. <i>International Journal of Nanomedicine</i> , 2020 , 15, 9771-9781	7.3	13	
365	L. Flower Extract Inhibits P-glycoprotein and Reverses Multi-Drug Resistance in Cancer Cells: A Mechanistic Study. <i>Molecules</i> , 2020 , 25,	4.8	13	
364	Tulbaghia violacea and Allium ursinum Extracts Exhibit Anti-Parasitic and Antimicrobial Activities. <i>Molecules</i> , 2018 , 23,	4.8	13	
363	Birds, feather-degrading bacteria and preen glands: the antimicrobial activity of preen gland secretions from turkeys (Meleagris gallopavo) is amplified by keratinase. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	13	
362	Roxb. Extract Alleviates Neuropathic Pain in Rats via Modulation of the NF- B /TNF- B NOX/iNOS Pathway. <i>Antioxidants</i> , 2019 , 8,	7.1	13	
361	EPs7630([]) from Pelargonium sidoides increases stress resistance in Caenorhabditis elegans probably via the DAF-16/FOXO pathway. <i>Phytomedicine</i> , 2014 , 21, 547-50	6.5	13	
360	Ecto-5'-nucleotidase/CD73 knockdown increases cell migration and mRNA level of collagen I in a hepatic stellate cell line. <i>Cell and Tissue Research</i> , 2011 , 344, 279-86	4.2	13	
359	Biosynthesis of Alkaloids and Betalains20-91		13	
358	Apparent influences of host-plant distribution on the structure and the genetic variability of local populations of the Purple Clay (Diarsia brunnea). <i>Biochemical Systematics and Ecology</i> , 2009 , 37, 6-15	1.4	13	
357	Phylogeny and phylogeography of critically endangered Gyps species based on nuclear and mitochondrial markers. <i>Journal of Ornithology</i> , 2009 , 150, 419-430	1.5	13	
356	Antitrypanosomal and cytotoxic activities of pyrrolizidine alkaloid-producing plants of Ethiopia. <i>Journal of Pharmacy and Pharmacology</i> , 2010 , 61, 801-808	4.8	13	
355	Species boundaries in Malagasy snakes of the genus Madagascarophis (Serpentes: Colubridae sensu lato) assessed by nuclear and mitochondrial markers. <i>Organisms Diversity and Evolution</i> , 2007 , 7, 241-25	1 ^{1.7}	13	
354	Pharmacologically active natural products in the defence secretion of Palembus ocularis (Tenebrionidae, Coleoptera). <i>Journal of Ethnopharmacology</i> , 2006 , 106, 51-6	5	13	
353	Do nate ruminants degrade alkaloids in the rumen?. <i>Journal of Chemical Ecology</i> , 2005 , 31, 761-87	2.7	13	
352	On the role of opines in plants transformed with Agrobacterium rhizogenes: Tropane alkaloid metabolism, insect-toxicity and allelopathic properties. <i>Journal of Plant Physiology</i> , 1993 , 142, 446-451	3.6	13	
351	Molecular phylogeny of South American screech owls of the Otus atricapillus complex (Aves: Strigidae) inferred from nucleotide sequences of the mitochondrial cytochrome b gene. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1995 , 50, 294-302	1.7	13	
350	Incorporation of 1-13C-Acetate into tropane alkaloids by hairy root cultures of Hyoscyamus albus. <i>Phytochemistry</i> , 1993 , 32, 905-909	4	13	
349	Cucurbitacins: elucidation of their interactions with the cytoskeleton. <i>PeerJ</i> , 2017 , 5, e3357	3.1	13	

348	Gene flow and genetic drift contribute to high genetic diversity with low phylogeographical structure in European hoopoes (Upupa epops). <i>Molecular Phylogenetics and Evolution</i> , 2017 , 113, 113-12	2 ^{4.1}	12
347	A Polymer/Peptide Complex-Based Sensor Array That Discriminates Bacteria in Urine. <i>Angewandte Chemie</i> , 2017 , 129, 15448-15453	3.6	12
346	How do the alkaloids emetine and homoharringtonine kill trypanosomes? An insight into their molecular modes of action. <i>Phytomedicine</i> , 2016 , 23, 1771-1777	6.5	12
345	Anti-Parasitic Activities of and against and. <i>Medicines (Basel, Switzerland)</i> , 2018 , 5,	4.1	12
344	Fallopia japonica, a Natural Modulator, Can Overcome Multidrug Resistance in Cancer Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 868424	2.3	12
343	Overexpression of NTPDase2 in gliomas promotes systemic inflammation and pulmonary injury. <i>Purinergic Signalling</i> , 2012 , 8, 235-43	3.8	12
342	Secondary metabolites of ponderosa lemon (Citrus pyriformis) and their antioxidant, anti-inflammatory, and cytotoxic activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 385-93	1.7	12
341	Genetic Variation of Four Gyps Species (Gyps bengalensis, G. AFRICANUS, G. indicus and G. fulvus) Based on Microsatellite Analysis. <i>Journal of Raptor Research</i> , 2009 , 43, 227-236	0.9	12
340	Effect of variety and harvesting management on the concentration of tannins and alkaloids in tagasaste (Chamaecytisus palmensis). <i>Animal Feed Science and Technology</i> , 2008 , 144, 242-256	3	12
339	Evidence for a Cardenolide Carrier in Oncopeltus fasciatus (Dallas) (Insecta: Hemiptera). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1995 , 50, 127-134	1.7	12
338	Tawny owl (Strix aluco) and Hume's Tawny owl (Strix butleri) are distinct species: evidence from nucleotide sequences of the cytochrome b gene. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1994 , 49, 230-4	1.7	12
337	Cell-Free Synthesis of the Alkaloids Ammodendrine and Smipine. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1987 , 42, 197-204	1.7	12
336	Mitochondrial DNA Phylogenetic Definition of a Group of Arid-ZonelCarduelini Finches. <i>Open Ornithology Journal</i> , 2008 , 1, 1-7	0.8	12
335	Evolutionsbiologie 2013 ,		12
334	Kocuria uropygioeca sp. nov. and Kocuria uropygialis sp. nov., isolated from the preen glands of Great Spotted Woodpeckers (Dendrocopos major). <i>Systematic and Applied Microbiology</i> , 2018 , 41, 38-43	3 4.2	12
333	Reversal of Multidrug Resistance in Human Colon Cancer and Human Leukemia Cells by Three Plant Extracts and Their Major Secondary Metabolites. <i>Medicines (Basel, Switzerland)</i> , 2018 , 5,	4.1	12
332	Albizia anthelmintica: HPLC-MS/MS profiling and in vivo anti-inflammatory, pain killing and antipyretic activities of its leaf extract. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 115, 108882	7.5	11
331	Cytotoxic potentiation of vinblastine and paclitaxel by L-canavanine in human cervical cancer and hepatocellular carcinoma cells. <i>Phytomedicine</i> , 2015 , 22, 1232-7	6.5	11

330	Evolution of Secondary Plant Metabolism 2016 , 1-11		11	
329	HPLC-ESI- MS/MS analysis of beet (Beta vulgaris) leaves and its beneficial properties in type 1 diabetic rats. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 120, 109541	7.5	11	
328	Phylogeography and population structure of Krpera Nuthatch Sitta krueperi from Turkey based on microsatellites and mitochondrial DNA. <i>Journal of Ornithology</i> , 2012 , 153, 405-411	1.5	11	
327	Chemotaxonomy Seen from a Phylogenetic Perspective and Evolution of Secondary Metabolism364-4	33	11	
326	Transformed Roots of Lupinus mutabilis: Induction, Culture and Isoflavone Biosynthesis. <i>Plant Cell, Tissue and Organ Culture</i> , 2004 , 78, 29-36	2.7	11	
325	Phytochemical Diversity of Secondary Metabolites 2004 , 915-919		11	
324	Molecular Systematics of African Colubroidea (Squamata: Serpentes) 2005, 221-228		11	
323	Evidence for two genetically and chemically defined host races of Tyria jacobaeae (Arctiidae, Lepidoptera). <i>Chemoecology</i> , 2001 , 11, 199-207	2	11	
322	Identification of brain ecto-apyrase as a phosphoprotein. <i>Molecular and Cellular Biochemistry</i> , 2000 , 213, 11-6	4.2	11	
321	Differenzierung von Gelb- und Schwarzschnabelsturmtauchern (Calonectris diomedea, Puffinus puffinus, P. yelkouan) und Grofhwen des Silbermwenkomplexes (Larus argentatus, L. fuscus, L. cachinnans). <i>Journal Fur Ornithologie</i> , 1996 , 137, 281-294		11	
320	Molecular cloning of a cDNA from Lupinus polyphyllus cell cultures encoding a ribosomal protein (rps16). <i>Plant Molecular Biology</i> , 1991 , 16, 739-40	4.6	11	
319	Site of Lupanine and Sparteine Biosynthesis in Intact Plants and in vitro Organ Cultures. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1987 , 42, 868-872	1.7	11	
318	New Isorhamnetin Derivatives from Salsola imbricata Forssk. Leaves with Distinct Anti-inflammatory Activity. <i>Pharmacognosy Magazine</i> , 2016 , 12, S47-51	0.8	11	
317	Anti-Allergic, Anti-Inflammatory and Anti-Hyperglycemic Activity of Leaf Extract and Its Profiling Using LC/MS and GLC/MS. <i>Plants</i> , 2021 , 10,	4.5	11	
316	Phylogeny and new taxonomy of the Booted Eagles (Accipitriformes: Aquilinae). <i>Zootaxa</i> , 2017 , 4216, zootaxa.4216.4.1	0.5	10	
315	Geographical distribution and evolutionary divergence times of Asian populations of the brine shrimpArtemia(Crustacea, Anostraca). <i>Zoological Journal of the Linnean Society</i> , 2015 , 174, 447-458	2.4	10	
314	Characterization of phenolic compounds from Eugenia supra-axillaris leaf extract using HPLC-PDA-MS/MS and its antioxidant, anti-inflammatory, antipyretic and pain killing activities in vivo. Scientific Reports, 2019 , 9, 11122	4.9	10	
313	(L.) Schott Fruits Increase Stress Resistance and Exert Antioxidant Properties in and Mouse Models. <i>Molecules</i> , 2019 , 24,	4.8	10	

312	Marked differentiation in a new species of dwarf stonebasher, Pollimyrus cuandoensis sp. nov. (Mormyridae: Teleostei), from a contact zone with two sibling species of the Okavango and Zambezi rivers. <i>Journal of Natural History</i> , 2014 , 48, 429-463	0.5	10
311	Scavenging of small bird carrion in southwestern Germany by beetles, birds and mammals. <i>Journal of Ornithology</i> , 2017 , 158, 287-295	1.5	10
310	HPLC-PDA-MS/MS Characterization of Bioactive Secondary Metabolites from Turraea fischeri Bark Extract and Its Antioxidant and Hepatoprotective Activities In Vivo. <i>Molecules</i> , 2017 , 22,	4.8	10
309	Chemical Composition of the Essential Oils of Variegated Pink-Fleshed Lemon (Citrus x limon L. Burm. f.) and their Anti-Inflammatory and Antimicrobial Activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 0275	1.7	10
308	EastWest differentiation in the Marcusenius macrolepidotus species complex in Southern Africa: the description of a new species for the lower Cunene River, Namibia (Teleostei: Mormyridae). <i>Journal of Natural History</i> , 2013 , 47, 2327-2362	0.5	10
307	Use of mitochondrial and nuclear genes to infer the origin of two endemic pigeons from the Canary Islands. <i>Journal of Ornithology</i> , 2009 , 150, 357-367	1.5	10
306	Antibacterial, antiviral, antiproliferative and apoptosis-inducing properties of Brackenridgea zanguebarica (Ochnaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2006 , 58, 1131-8	4.8	10
305	Ein Drossel- x Teichrohrsßger-HybrideAcrocephalus arundinaceus xA. scirpaceus und der Nachweis seiner Elternschaft. <i>Journal Fur Ornithologie</i> , 1997 , 138, 51-60		10
304	Analysis of forestry impacts and biodiversity in two Pyrenean forests through a comparison of moth communities (Lepidoptera, Heterocera). <i>Insect Science</i> , 2007 , 14, 323-338	3.6	10
303	Distinct taxonomic position of the Madagascar stonechat (Saxicola torquatus sibilla) revealed by nucleotide sequences of mitochondrial DNA. <i>Journal of Ornithology</i> , 2008 , 149, 423-430	1.5	10
302	Incongruence of morphology and genetic markers in Hyles tithymali (Lepidoptera: Sphingidae) from the Canary Islands. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2006 , 44, 316-322	1.9	10
301	New source of genetic polymorphisms in Lepidoptera?. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2005 , 60, 618-24	1.7	10
300	A new Ninox owl from Sumba, Indonesia. <i>Emu</i> , 2002 , 102, 223-231	1.1	10
299	Alkaloid profile of leaves and seeds of Lupinus hintonii C. P. Smith. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2002 , 57, 243-7	1.7	10
298	Trypanosoma theileri: in vitro cultivation in tsetse fly and vertebrate cell culture systems. <i>International Journal for Parasitology</i> , 1979 , 9, 585-9	4.3	10
297	Physiology of the Accumulation of Secondary Metabolites with Special Reference to Alkaloids 1987 , 17-42		10
296	Phytochemical Profiling of Poir. Aerial Parts Extract and Its Larvicidal, Antibacterial, and Antibiofilm Activity Against. <i>Molecules</i> , 2021 , 26,	4.8	10
295	Anacardium Occidentale L. Leaf Extracts Protect Against Glutamate/HO-Induced Oxidative Toxicity and Induce Neurite Outgrowth: The Involvement of SIRT1/Nrf2 Signaling Pathway and Teneurin 4 Transmembrane Protein. <i>Frontiers in Pharmacology</i> , 2021 , 12, 627738	5.6	10

294	Flavonoids of the Caryophyllaceae. <i>Phytochemistry Reviews</i> ,1	7.7	10
293	Ib-AMP4 insertion causes surface rearrangement in the phospholipid bilayer of biomembranes: Implications from quartz-crystal microbalance with dissipation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 617-623	3.8	10
292	Profile of volatile components of hydrodistilled and extracted leaves of Jacaranda acutifolia and their antimicrobial activity against foodborne pathogens. <i>Natural Product Communications</i> , 2014 , 9, 10	07-10	10
291	Current research in biotechnology: Exploring the biotech forefront. <i>Current Research in Biotechnology</i> , 2019 , 1, 34-40	4.8	9
290	Analysis of the genetic variability of Artemia franciscana Kellogg, 1906 from the Great Salt Lake (USA) based on mtDNA sequences, ISSR genomic fingerprinting and biometry. <i>Marine Biodiversity</i> , 2015 , 45, 311-319	1.4	9
289	Marcusenius desertus sp. nov. (Teleostei: Mormyridae), a mormyrid fish from the Namib desert. <i>African Journal of Aquatic Science</i> , 2016 , 41, 1-18	1.6	9
288	Can the intake of antiparasitic secondary metabolites explain the low prevalence of hemoparasites among wild Psittaciformes?. <i>Parasites and Vectors</i> , 2018 , 11, 357	4	9
287	Residency and a Broad Feeding Spectrum are Related to Extensive Spatial Exploration in Parrots*. <i>Behavioral Ecology</i> , 2012 , 23, 1365-1371	2.3	9
286	High mortality and sex ratio imbalance in a critically declining Oriental White-backed Vulture population (Gyps bengalensis) in Pakistan. <i>Journal of Ornithology</i> , 2009 , 150, 495-503	1.5	9
285	Combination of On-Line Solid-Phase Extraction with LC-MS for the Determination of Potentially Hazardous Glycoalkaloids in Potato Products. <i>Potato Research</i> , 2009 , 52, 39-56	3.2	9
284	Trypanocidal and cytotoxic effects of 30 Ethiopian medicinal plants. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 541-6	1.7	9
283	Rapid Sustainability Modeling for Raptors by Radiotagging and DNA-Fingerprinting. <i>Journal of Wildlife Management</i> , 2007 , 71, 238-245	1.9	9
282	Phylogenetic Relationships between Asplenium bourgaei (Boiss.) Milde and A. jahandiezii (Litard.) Rouy Inferred from Morphological Characters and rbcL Sequences. <i>Plant Biology</i> , 2001 , 3, 364-371	3.7	9
281	Blood parasites of some birds from Ghana. <i>Journal of Wildlife Diseases</i> , 1976 , 12, 587-90	1.3	9
280	Multiple Molecular Mechanisms to Overcome Multidrug Resistance in Cancer by Natural Secondary Metabolites. <i>Frontiers in Pharmacology</i> , 2021 , 12, 658513	5.6	9
279	Chemical Composition of the Essential Oil from Aerial Parts of Javanian Pimpinella pruatjan Molk. and Its Molecular Phylogeny. <i>Diversity</i> , 2016 , 8, 15	2.5	9
278	Polyphenols from Erythrina crista-galli: Structures, Molecular Docking and Phytoestrogenic Activity. <i>Molecules</i> , 2016 , 21,	4.8	9
277	Sulforaphane promotes longevity and healthspan via DAF-16/DAF-2 insulin/IGF-1 signaling. <i>Aging</i> , 2021 , 13, 1649-1670	5.6	9

276	A Polyphenols-Rich Extract from Boiss. Exhibits Analgesic, Anti-Inflammatory and Antipyretic Activities In Vivo. <i>Molecules</i> , 2020 , 25,	4.8	8
275	Rheum palmatum root extract inhibits hepatocellular carcinoma in rats treated with diethylnitrosamine. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 821-829	4.8	8
274	Chlorophyll and Chlorophyll Derivatives Interfere with Multi-Drug Resistant Cancer Cells and Bacteria. <i>Molecules</i> , 2019 , 24,	4.8	8
273	Phylogeography of the Caspian whipsnake in Europe with emphasis on the westernmost populations. <i>Amphibia - Reptilia</i> , 2010 , 31, 455-461	1.2	8
272	Biosynthesis of Cyanogenic Glycosides, Glucosinolates and Non-Protein Amino Acids92-181		8
271	Isolation of microsatellite markers in the Emys orbicularis complex and development of multiplex PCR amplification. <i>Conservation Genetics</i> , 2009 , 10, 725-727	2.6	8
270	Occurrence of pyrrolizidine alkaloids in three Ethiopian Solanecio species. <i>Biochemical Systematics and Ecology</i> , 2008 , 36, 399-407	1.4	8
269	Phylogenetic position of the monotypic Des MurslWiretail (Sylviorthorhynchus desmursii, Aves: Furnariidae) based on mitochondrial and nuclear DNA. <i>Journal of Ornithology</i> , 2008 , 149, 393-398	1.5	8
268	Molecular Phylogeny of the Genus Acanthosaura (Agamidae). Current Herpetology, 2004 , 23, 7-16	0.3	8
267	Distribution of mtDNA haplotypes (cyt b) of Emys orbicularis in France and implications for postglacial recolonization. <i>Amphibia - Reptilia</i> , 2005 , 26, 231-238	1.2	8
266	Wie funktionieren Phytopharmaka? - Wirkmechanismen der Vielstoffgemische. <i>Zeitschrift Fur Phytotherapie: Offizielles Organ Der Ges F Phytotherapie E V</i> , 2005 , 26, 262-270	0.1	8
265	Wounding- and Elicitor-induced Formation of Coloured Chalcones and Flavans (as Phytoalexins) in Hippeastrum x hortorum*. <i>Botanica Acta</i> , 1996 , 109, 412-421		8
264	Quinolizidine Alkaloid Profiles of South American Lupins: Lupinus linearis and the Lupinus gibertianus Complex. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993 , 48, 702-706	1.7	8
263	Molecular cloning of a Lupinus polyphyllus cDNA encoding a basic peroxidase isoenzyme of cell suspension cultures. <i>Journal of Plant Physiology</i> , 1991 , 137, 537-540	3.6	8
262	Biologie des Eleonorenfalken(Falco eleonorae): 10. Der Einflußder Horstlage auf den Bruterfolg. Journal Fur Ornithologie, 1982 , 123, 401-408		8
261	Evolution of toxins and anti-nutritional factors in plants with special emphasis on Leguminosae. 2004 , 1-25		8
260	Complex hybridization patterns in European pond turtles (Emys orbicularis) in the Pyrenean Region. <i>Scientific Reports</i> , 2018 , 8, 15925	4.9	8
259	Diversity of insect antimicrobial peptides and proteins - A functional perspective: A review. <i>International Journal of Biological Macromolecules</i> , 2021 , 191, 277-287	7.9	8

(2018-2019)

258	Antimicrobial peptide hybrid fluorescent protein based sensor array discriminate ten most frequent clinic isolates. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 1158-1166	4	7	
257	Pliocene Origin, Ice Ages and Postglacial Population Expansion Have Influenced a Panmictic Phylogeography of the European Bee-Eater Merops apiaster. <i>Diversity</i> , 2019 , 11, 12	2.5	7	
256	The role of landscape change and paleoclimatic events in shaping the evolutionary history of the Polioptila gnatcatchers (Passeriformes, Polioptilidae) with emphasis on species associated with open habitats. <i>Journal of Avian Biology</i> , 2018 , 49, jav-012409	1.9	7	
255	Secondary Metabolites: Deterring Herbivores 2016 , 1-10		7	
254	Mitochondrial phylogeography of the Eurasian Reed Warbler Acrocephalus scirpaceus and the first genetic record of A. s. fuscus in Central Europe. <i>Ibis</i> , 2014 , 156, 799-811	1.9	7	
253	Molecular phylogeny and intraspecific differentiation of the Eremias velox complex of the Iranian Plateau and Central Asia (Sauria, Lacertidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2012 , 50, 220-229	1.9	7	
252	Phytoecdysteroids of Silene guntensis and their in vitro cytotoxic and antioxidant activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 215-24	1.7	7	
251	Quinolizidine alkaloids from the east-african legume Dicraeopetalum stipulare harms. <i>Biochemical Systematics and Ecology</i> , 1997 , 25, 305-308	1.4	7	
250	PESTICIDE RESIDUES OF FAILED EGGS OF ELEONORA'S FALCON FALCO ELEONORAE FROM AN AEGEAN COLONY. <i>Ibis</i> , 2008 , 122, 74-76	1.9	7	
249	The alkaloid emetine as a promising agent for the induction and enhancement of drug-induced apoptosis in leukemia cells. <i>Oncology Reports</i> , 2007 ,	3.5	7	
248	Correlates of multiple paternity in the Aquatic Warbler (Acrocephalus [paludicola). <i>Journal Fur Ornithologie</i> , 2002 , 143, 430-439		7	
247	Verfiderungen des Brutvogelbestandes im Grofaum Bonn: Analyse der Rasterkartierung 1975 und 1985. <i>Journal Fur Ornithologie</i> , 1987 , 128, 477-484		7	
246	Aussagemßlichkeit der Rasterkartierung fil langfristige und groflichige Brutvogel-Bestandsverfiderungen: Ergebnisse im Groflaum Bonn 1974[1978. <i>Journal Fur</i> <i>Ornithologie</i> , 1980 , 121, 245-256		7	
245	Biologie des Eleonorenfalken(Falco eleonorae): 14. Das Brutreifealter der Weibchen. <i>Journal Fur Ornithologie</i> , 1983 , 124, 291-293		7	
244	Nestling Development of Ring-necked Parakeets (Psittacula krameri) in a Nest Box Population. <i>Open Ornithology Journal</i> , 2013 , 6, 9-24	0.8	7	
243	Leaf Extract Protects Against Glutamate-Induced Oxidative Toxicity in HT22 Hippocampal Neuronal Cells and Increases Stress Resistance Properties in. <i>Frontiers in Nutrition</i> , 2021 , 8, 634100	6.2	7	
242	A New Octadecenoic Acid Derivative from Caesalpinia gilliesii Flowers with Potent Hepatoprotective Activity. <i>Pharmacognosy Magazine</i> , 2016 , 12, S332-6	0.8	7	
241	Diversity of social-genetic relationships in the socially monogamous pied flycatcher () breeding in Western Siberia. <i>PeerJ</i> , 2018 , 6, e6059	3.1	7	

240	Phylogeography and population genetic structure of an exotic invasive brine shrimp, Artemia Leach, 1819 (Crustacea: Anostraca), in Australia. <i>Australian Journal of Zoology</i> , 2018 , 66, 307	0.5	7
239	Contrasting heterozygosity-fitness correlations across life in a long-lived seabird. <i>Molecular Ecology</i> , 2019 , 28, 671-685	5.7	7
238	A New Polyoxygenated Flavonol Gossypetin-3d-Robinobioside from (Hook.) D. Dietr. and In Vivo Hepatoprotective, Anti-Inflammatory, and Anti-Ulcer Activities of the Leaf Methanol Extract. <i>Molecules</i> , 2018 , 24,	4.8	7
237	Kocuria tytonicola, new bacteria from the preen glands of American barn owls (Tyto furcata). <i>Systematic and Applied Microbiology</i> , 2019 , 42, 198-204	4.2	7
236	Molecular Modes of Action of Defensive Secondary Metabolites 2018 , 21-161		7
235	Telomere shortening in breast cancer cells (MCF7) under treatment with low doses of the benzylisoquinoline alkaloid chelidonine. <i>PLoS ONE</i> , 2018 , 13, e0204901	3.7	7
234	Syzygium jambos extract mitigates pancreatic oxidative stress, inflammation and apoptosis and modulates hepatic IRS-2/AKT/GLUT4 signaling pathway in streptozotocin-induced diabetic rats. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 142, 112085	7.5	7
233	Current Understanding of Modes of Action of Multicomponent Bioactive Phytochemicals: Potential for Nutraceuticals and Antimicrobials <i>Annual Review of Food Science and Technology</i> , 2022 , 13, 337-359	9 ^{14.7}	7
232	Metabolic Profiling of Leaves using LC/MS and Evidence of their Antioxidant and Hepatoprotective Activity Using Different In Vitro and In Vivo Experimental Models. <i>Antioxidants</i> , 2019 , 8,	7.1	6
231	Replacement of l-Amino Acids by d-Amino Acids in the Antimicrobial Peptide Ranalexin and Its Consequences for Antimicrobial Activity and Biodistribution. <i>Molecules</i> , 2019 , 24,	4.8	6
230	Genetic admixture despite ecological segregation in a North African sparrow hybrid zone (Aves, Passeriformes, T). <i>Ecology and Evolution</i> , 2019 , 9, 12710-12726	2.8	6
229	Inhibition of Cytosolic Phospholipase A2ҢcPLA2∯by Medicinal Plants in Relation to Their Phenolic Content. <i>Molecules</i> , 2015 , 20, 15033-48	4.8	6
228	Secretory ranalexin produced in recombinant Pichia pastoris exhibits additive or synergistic bactericidal activity when used in combination with polymyxin B or linezolid against multi-drug resistant bacteria. <i>Biotechnology Journal</i> , 2014 , 9, 110-9	5.6	6
227	Iranian Onobrychis carduchorum (Fabaceae) populations: morphology, ecology and phylogeography. <i>Plant Ecology and Evolution</i> , 2013 , 146, 53-67	1.6	6
226	Induction of pyridine alkaloid formation in transformed root cultures of Nicotiana tabacum. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009 , 64, 869-74	1.7	6
225	Androconial hairbrushes of the Syntomis (Amata) phegea (L.) group (Lepidoptera, Ctenuchinae): a synapomorphic character supported by sequence data of the mitochondrial 16S rRNA gene. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1999 , 54, 1119-39	1.7	6
224	The use of DNA fingerprinting to estimate annual survival rates in the Saker Falcon(Falco cherrug). <i>Journal Fur Ornithologie</i> , 1999 , 140, 481-489		6
223	Alkaloid Composition of Lupinus albescens (Fabaceae) from South America. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993 , 48, 414-416	1.7	6

222	Molecular cloning of a cDNA for the ubiquitin gene of Lupinus polyphyllus. <i>Nucleic Acids Research</i> , 1990 , 18, 6428	20.1	6
221	Constitutive Expression and Molecular Characterization of a cDNA Clone Encoding a Partial HSP70 Gene in Cell Suspension Cultures of Lupinus polyphyllus. <i>Journal of Plant Physiology</i> , 1991 , 137, 744-748	3.6	6
220	Development of New Microsatellite (STR) Markers for Montagu® Harrier (Circus pygargus) via 454 Shot-Gun Pyrosequencing. <i>Open Ornithology Journal</i> , 2014 , 7, 11-18	0.8	6
219	Kocuria tytonis sp. nov., isolated from the uropygial gland of an American barn owl (Tyto furcata). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 447-451	2.2	6
218	Piquißhells (): A Fruit by-Product with Antioxidant and Antiaging Properties in. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 7590707	6.7	6
217	Update of B iodiversity of the Hypersaline Urmia Lake National Park (NW Iran)□ <i>Diversity</i> , 2016 , 8, 6	2.5	6
216	The marine Gram-negative bacterium Novosphingobium sp. PP1Y as a potential source of novel metabolites with antioxidant activity. <i>Biotechnology Letters</i> , 2019 , 41, 273-281	3	6
215	Transcriptome signatures in the brain of a migratory songbird. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2020 , 34, 100681	2	6
214	Chemotaxonomy Seen from a Phylogenetic Perspective and Evolution of Secondary Metabolism 2018 , 364-433		6
213	Alkaloid Content, Antioxidant and Cytotoxic Activities of Various Parts of Papaver somniferum. <i>Pharmaceutical Chemistry Journal</i> , 2018 , 52, 459-463	0.9	6
212	Neuroprotective Effects of Extracts from Tiger Milk Mushroom Against Glutamate-Induced Toxicity in HT22 Hippocampal Neuronal Cells and Neurodegenerative Diseases in. <i>Biology</i> , 2021 , 10,	4.9	6
211	Chemical composition of the essential oils of variegated pink-fleshed lemon (Citrus x limon L. Burm. f.) and their anti-inflammatory and antimicrobial activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2013 , 68, 275-84	1.7	6
2 10	High Genetic Diversity among Breeding Red-Backed Shrikes Lanius collurio in the Western Palearctic. <i>Diversity</i> , 2019 , 11, 31	2.5	5
209	Extract Ameliorates Neuropathic Pain via Inhibition of NF-B/TNF-PNOX/iNOS Signalling Pathway in a Rat Model of Chronic Constriction Injury. <i>Biomolecules</i> , 2020 , 10,	5.9	5
208	A new species of the genus Eremias Fitzinger, 1834 (Squamata: Lacertidae) from Central Iran, supported by mtDNA sequences and morphology. <i>Zootaxa</i> , 2016 , 4132, 207-20	0.5	5
207	Morphological, Anatomical, Genetical and High Performance Thin Layer Chromatography Profiling of Buddleia indica (Scrophulariaceae). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2018 , 246-247, 83-95	1.9	5
206	Modes of Action of Defensive Secondary Metabolites 2018 , 18-137		5
205	Essential Oil Composition, In Vivo Antioxidant, and Antimicrobial Activities of Pimpinella pruatjan from West Java, Indonesia. <i>Natural Products Journal</i> , 2018 , 8, 61-69	0.6	5

204	Mitochondrial evidence for genetic diversity and low phylogeographic differentiation in the Marsh Warbler Acrocephalus palustris (Aves: Acrocephalidae). <i>Organisms Diversity and Evolution</i> , 2014 , 14, 40	19-4:77	5
203	Diversity of the Mountain Flora of Central Asia with Emphasis on Alkaloid-Producing Plants. <i>Diversity</i> , 2017 , 9, 11	2.5	5
202	Reprising the taxonomy of Cyprus Scops Owl Otus (scops) cyprius, a neglected island endemic. <i>Zootaxa</i> , 2015 , 4040, 301-16	0.5	5
201	Profile of Volatile Components of Hydrodistilled and Extracted Leaves of Jacaranda acutifolia and their Antimicrobial Activity Against Foodborne Pathogens. <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	5
200	Concentrations of retinol, 3,4-didehydroretinol, and retinyl esters in plasma of free-ranging birds of prey. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2012 , 96, 1044-53	2.6	5
199	Physical training normalizes nucleotide hydrolysis and biochemical parameters in blood serum from streptozotocin-diabetic rats. <i>Archives of Physiology and Biochemistry</i> , 2012 , 118, 253-9	2.2	5
198	Quinolizidine alkaloid composition in different organs of Lupinus aschenbornii. <i>Revista Brasileira De Farmacognosia</i> , 2011 , 21, 824-828	2	5
197	Effect of a traditional processing method on the chemical composition of local white lupin (Lupinus albus L.) seed in North-Western Ethiopia. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 403-8	1.7	5
196	CRUDE PROTEIN, AMINO ACID AND ALKALOID CONTENTS OF ANNUAL SWEET LUPIN (LUPINUS SPP. L.) FORAGES AND SEEDS GROWN IN ETHIOPIA. <i>Experimental Agriculture</i> , 2012 , 48, 414-427	1.7	5
195	Alkylation of adenosine deaminase and thioredoxin by acrylamide in human cell cultures. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009 , 64, 447-53	1.7	5
194	Response by Michael Wink, Eva von Nickisch-Rosenegk, and Luc Legal. <i>Journal of Chemical Ecology</i> , 1998 , 24, 1285-1291	2.7	5
193	Characterisation and expression of monosaccharide transporters in lupins, Lupinus polyphyllus and L. albus. <i>Journal of Plant Research</i> , 2007 , 120, 697-705	2.6	5
192	Molekulare Evolutionsforschung. Schriftzeichen im Logbuch des Lebens. <i>Biologie in Unserer Zeit</i> , 2006 , 36, 26-37	0.1	5
191	Analysis of proteins in the spent culture medium of Lupinus albus by electrospray ionisation tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2003 , 1009, 105-10	4.5	5
190	Molecular versus Chemical Taxonomy. <i>Planta Medica</i> , 1993 , 59, A594-A595	3.1	5
189	Molecular cloning of a lupin-specific gene from a cDNA library of suspension-cultured cells of Lupinus polyphyllus. <i>Plant Molecular Biology</i> , 1990 , 15, 175-6	4.6	5
188	Biologie des Eleonorenfalken (Falco eleonorae) 3. Parasitenbefall würend der Brutzeit und Jugendentwicklung. <i>Journal Fur Ornithologie</i> , 1979 , 120, 94-97		5
187	Phylogeny of Falconidae and phylogeography of Peregrine Falcons. <i>Ornis Hungarica</i> , 2018 , 26, 27-37	0.5	5

186	Formal Description of a New Subspecies of the European Robin from Gran Canaria Island, Spain (Aves: Muscicapidae: Erithacus rubecula marionae subsp. nov.). <i>Open Ornithology Journal</i> , 2015 , 8, 39-42	20.8	5	
185	The Chemical Composition and Biological Activity of the Essential Oil from the Underground Parts of Ferula tadshikorum (Apiaceae). <i>Records of Natural Products</i> , 2018 , 13, 18-23	1.9	5	
184	Phytoecdysteroids of Silene guntensis and their in vitro Cytotoxic and Antioxidant Activity. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 0215	1.7	5	
183	Secondary Metabolites of Ponderosa Lemon (Citrus pyriformis) and their Antioxidant, Anti-Infl ammatory, and Cytotoxic Activities. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 0385	1.7	5	
182	Using a Membrane-Penetrating-Peptide to Anchor Ligands in the Liposome Membrane Facilitates Targeted Drug Delivery. <i>Bioconjugate Chemistry</i> , 2020 , 31, 113-122	6.3	5	
181	Thymus algeriensis and Thymus fontanesii exert neuroprotective effect against chronic constriction injury-induced neuropathic pain in rats. <i>Scientific Reports</i> , 2020 , 10, 20559	4.9	5	
180	Apple leaves and their major secondary metabolite phlorizin exhibit distinct neuroprotective activities: Evidence from in vivo and in silico studies. <i>Arabian Journal of Chemistry</i> , 2021 , 14, 103188	5.9	5	
179	Syzygium samarangense leaf extract mitigates indomethacin-induced gastropathy via the NF-B signaling pathway in rats. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 139, 111675	7.5	5	
178	Composition of the Essential Oil of Ferula clematidifolia. Chemistry of Natural Compounds, 2016, 52, 518	8-5 . †9	5	
177	Grape-Leaf Extract Attenuates Alcohol-Induced Liver Injury via Interference with NF- B Signaling Pathway. <i>Biomolecules</i> , 2020 , 10,	5.9	5	
176	Biosynthesis of Alkaloids and Betalains 2018 , 20-91		5	
175	Synthesis, antiproliferative activity and 2D-QSAR study of some 8-alkyl-2,4-bisbenzylidene-3-nortropinones. <i>Future Medicinal Chemistry</i> , 2018 , 10, 2815-2833	4.1	5	
174	Recombinant AfusinC, an anionic fungal CSHefensin from Aspergillus fumigatus, exhibits antimicrobial activity against gram-positive bacteria. <i>PLoS ONE</i> , 2018 , 13, e0205509	3.7	5	
173	Antitrypanosomal and cytotoxic activities of pyrrolizidine alkaloid-producing plants of Ethiopia. <i>Journal of Pharmacy and Pharmacology</i> , 2009 , 61, 801-8	4.8	5	
172	Taxonomic reevaluation of Eremias strauchi strauchi Kessler, 1878 and Eremias strauchi kopetdaghica Szczerbak, 1972, based on nuclear and mitochondrial DNA sequences (Reptilia: Lacertidae). <i>Zoology in the Middle East</i> , 2015 , 61, 118-124	0.7	4	
171	A re-evaluation of taxonomic status of Montivipera (Squamata: Viperidae) from Iran using a DNA barcoding approach. <i>Biochemical Systematics and Ecology</i> , 2014 , 57, 350-356	1.4	4	
170	A re-evaluation of phylogenetic relationships within reed warblers (Aves: Acrocephalidae) based on eight molecular loci and ISSR profiles. <i>Molecular Phylogenetics and Evolution</i> , 2014 , 78, 304-13	4.1	4	
169	Sekundfstoffe Idie Geheimwaffen der Pflanzen. <i>Biologie in Unserer Zeit</i> , 2015 , 45, 225-235	0.1	4	

168	Genetic and Phenotypic Evidence Supports Evolutionary Divergence of the American Flamingo (Phoenicopterus ruber) Population in the Galpagos Islands. <i>Waterbirds</i> , 2014 , 37, 349-468	0.5	4
167	Genetically confirmed interbreeding between western Bonelliß warbler (Phylloscopus bonelli) and wood warbler (P. sibilatrix). <i>Journal of Ornithology</i> , 2007 , 148, 85-90	1.5	4
166	Eine neue Unterart des Brasil-Sperlingskauzes aus Zentralargentinien:Glaucidium brasilianum stranecki n. ssp <i>Journal Fur Ornithologie</i> , 1995 , 136, 461-465		4
165	Biologie des Eleonorenfalken(Falco eleonorae). 8. Die Gelegegrß in Relation zum Nahrungsangebot, Jagderfolg und Gewicht der Altfalken. <i>Journal Fur Ornithologie</i> , 1980 , 121, 387-390		4
164	L-Canavanine Potentiates Cytotoxicity of Chemotherapeutic Drugs in Human Breast Cancer Cells. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017 , 17, 206-211	2.2	4
163	Trypanocidal and Cytotoxic Effects of 30 Ethiopian Medicinal Plants. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 0541	1.7	4
162	annotation of the transcriptome of the Northern Wheatear (). <i>PeerJ</i> , 2018 , 6, e5860	3.1	4
161	Cosmetic colouring by Bearded Vultures : still no evidence for an antibacterial function. <i>PeerJ</i> , 2019 , 7, e6783	3.1	4
160	Secondary Metabolites Isolated from Dichloromethane Fraction of Rough Lemon Stem and Hepatoprotective Effect of Limonianin. <i>British Journal of Pharmaceutical Research</i> , 2014 , 4, 1963-1975		4
159	Production of Quinolizidine Alkaloids in in Vitro Cultures of Legumes. <i>Biotechnology in Agriculture and Forestry</i> , 2002 , 118-136		4
158	Can Mitogenomes of the Northern Wheatear (Oenanthe oenanthe) Reconstruct Its Phylogeography and Reveal the Origin of Migrant Birds?. <i>Scientific Reports</i> , 2020 , 10, 9290	4.9	4
157	A Polyphenol-Rich Extract From Reduces Oxidative Damage in Cryopreserved Ram Semen. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 604477	3.1	4
156	Validation of Antidiabetic Potential of Gymnocarpos decandrus Forssk. <i>Natural Product Research</i> , 2021 , 35, 5954-5959	2.3	4
155	Pinoresinol-4-O-即-glucopyranoside: a lignan from prunes (Prunus domestica) attenuates oxidative stress, hyperglycaemia and hepatic toxicity in vitro and in vivo. <i>Journal of Pharmacy and Pharmacology</i> , 2020 , 72, 1830-1839	4.8	4
154	HPLC-PDA-ESI-MS/MS Profiling and Anti-Biofilm Potential of Flowers. <i>Antibiotics</i> , 2021 , 10,	4.9	4
153	Chemometric-enhanced metabolic profiling of five Pinus species using HPLC-MS/MS spectrometry: Correlation to in vitro anti-aging, anti-Alzheimer and antidiabetic activities. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1177, 122759	3.2	4
152	Phenolic Constituents of L. Leaf Down-Regulate TGF- Expression and Ameliorate CCl-Induced Liver Fibrosis: Evidence from In Vivo and In Silico Studies. <i>Antioxidants</i> , 2019 , 8,	7.1	4
151	Reanalysis and Revision of the Complete Mitochondrial Genome of Artemia urmiana Gfither, 1899 (Crustacea: Anostraca). <i>Diversity</i> , 2021 , 13, 14	2.5	4

150	Chemotaxonomy in Relation to Molecular Phylogeny of Plants 2018 , 295-335		4
149	Introduction: Biochemistry, Role and Biotechnology of Secondary Metabolites (From APR Volume 3) 2018 , 1-17		4
148	Changes in Species Composition of Birds and Declining Number of Breeding Territories over 40 Years in a Nature Conservation Area in Southwest Germany. <i>Diversity</i> , 2018 , 10, 97	2.5	4
147	Corynebacterium heidelbergense sp. nov., isolated from the preen glands of Egyptian geese (Alopochen aegyptiacus). <i>Systematic and Applied Microbiology</i> , 2018 , 41, 564-569	4.2	4
146	Pea (Pisum sativum) peel extract attenuates DOX-induced oxidative myocardial injury. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 143, 112120	7.5	4
145	Gastro-Protective Effects of Leaf Extract on Indomethacin-Induced Gastric Ulcer in Wistar Rats: In Silico and In Vivo Studies. <i>Antioxidants</i> , 2021 , 10,	7.1	4
144	Extracts of the Tiger Milk Mushroom () Enhance Stress Resistance and Extend Lifespan in via the DAF-16/FoxO Signaling Pathway. <i>Pharmaceuticals</i> , 2021 , 14,	5.2	4
143	Production of Plant Secondary Metabolites by Plant Cell Cultures in Relation to the Site and Mechanism of Their Accumulation 1987 , 477-484		4
142	Ellagic Acid: A Review on Its Natural Sources, Chemical Stability, and Therapeutic Potential <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 3848084	6.7	4
141	Effect of Ethanol Solvents on Total Phenolic Content and Antioxidant Properties of Seed Extracts of Fenugreek (Trigonella foenum-graecum L.) Varieties and Determination of Phenolic Composition by HPLC-ESI-MS. <i>Diversity</i> , 2022 , 14, 7	2.5	4
140	Enhanced extraction efficiency of bioactive compounds and antioxidant activity from Hippophae rhamnoides L. by-products using a fast and efficient extraction method. <i>Separation Science and Technology</i> , 2017 , 52, 1160-1171	2.5	3
139	Oxidative stress and the presence of bacteria increase gene expression of the antimicrobial peptide, a fungal CS即efensin in. <i>PeerJ</i> , 2019 , 7, e6290	3.1	3
138	A molecular phylogeny of the genus Psittacula sensu lato (Aves: Psittaciformes: Psittacidae: Psittacula, Psittinus, Tanygnathus, [Mascarinus) with taxonomic implications. <i>Zootaxa</i> , 2019 , 4563, zoo	taxa.45	63.3.8
137	Using ISSR Genomic Fingerprinting to Study the Genetic Differentiation of Artemia Leach, 1819 (Crustacea: Anostraca) from Iran and Neighbor Regions with the Focus on the Invasive American Artemia franciscana. <i>Diversity</i> , 2020 , 12, 132	2.5	3
136	Influences of oceanic islands and the Pleistocene on the biogeography and evolution of two groups of Australasian parrots (Aves: Psittaciformes: Eclectus roratus, Trichoglossus haematodus complex). Rapid evolution and implications for taxonomy and conservation. <i>European Journal of</i>	1.8	3
135	Ecology, 2016 , 3, 47-66 Molecular Characterization of Onobrychis altissima (Fabaceae) Populations from Iran, with the Description of O. chaldoranensis sp. nova. <i>Annales Botanici Fennici</i> , 2013 , 50, 249-257	0.3	3
134	Chemical Composition and Biological Activity of Essential Oils of Cumin and Coriander Fruits from Egypt. <i>Natural Products Journal</i> , 2014 , 4, 63-69	0.6	3
133	Population genetics of the Halys pit viper (Gloydius halys) at the northern distribution limit in Siberia. <i>Amphibia - Reptilia</i> , 2012 , 33, 273-283	1.2	3

132	Plasma concentration of £ocopherol in different free-ranging birds of prey. <i>European Journal of Wildlife Research</i> , 2011 , 57, 1043-1049	2	3
131	Production of Natural Products by Plant Cell and Organ Cultures 2010 , 381-397		3
130	Relict Populations and Endemic Clades in Palearctic Reptiles: Evolutionary History and Implications for Conservation 2010 , 119-143		3
129	Quinolizidine Alkaloids of Platycelphium vBnse (Engl.) Wild (Leguminosae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1997 , 52, 129-131	1.7	3
128	Sexual size dimorphism and moult in the Plain Swift Apus unicolor. <i>Ringing and Migration</i> , 2008 , 24, 81-8	37. ₄	3
127	In vitro organogenesis and alkaloid accumulation in Datura innoxia. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006 , 61, 560-4	1.7	3
126	Systematics and evolution of Velloziaceae, with special reference to sieve-element plastids and rbcL sequence data. <i>Botanical Journal of the Linnean Society</i> , 2000 , 134, 93-129	2.2	3
125	Das Alkaloidmuster der Pfropfchimfle Laburnocytisus adamii (Fabaceae). <i>Biochemie Und Physiologie Der Pflanzen</i> , 1991 , 187, 385-391		3
124	Tissue-specific expression of a cDNA clone from cell suspension cultures of Lupinus polyphyllus. <i>Plant Molecular Biology</i> , 1990 , 14, 1055-6	4.6	3
123	Hormonal growth stimulation and inhibition of pupal cells of the tsetse fly, Glossina m. morsitans, in vitro. <i>Die Naturwissenschaften</i> , 1977 , 64, 226-7	2	3
122	Function of selected natural antidiabetic compounds with potential against cancer via modulation of the PI3K/AKT/mTOR cascade. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 144, 112138	7.5	3
121	Effect of a Traditional Processing Method on the Chemical Composition of Local White Lupin (Lupinus albus L.) Seed in North-Western Ethiopia. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 0403	1.7	3
120	Molecular phylogeny and intraspecific differentiation of the species complex in Iran (Squamata: Agamidae) inferred from mitochondrial DNA sequences. <i>PeerJ</i> , 2020 , 8, e8295	3.1	3
119	Evolution of the Angiosperms and Co-evolution of Secondary Metabolites, Especially of Alkaloids. <i>Reference Series in Phytochemistry</i> , 2020 , 1-24	0.7	3
118	Evolution of the Angiosperms and Co-evolution of Secondary Metabolites, Especially of Alkaloids. <i>Reference Series in Phytochemistry</i> , 2020 , 151-174	0.7	3
117	Evolutionary history of the Pectoral Sparrow Arremon taciturnus: evidence for diversification during the Late Pleistocene. <i>Ibis</i> , 2020 , 162, 1198-1210	1.9	3
116	Chlorogenic and 1,5-Dicaffeoylquinic Acid-Rich Extract of Topinambur (Helianthus tuberosus L.) Exhibits Strong Antioxidant Activity and Weak Cytotoxicity. <i>Pharmaceutical Chemistry Journal</i> , 2020 , 54, 745-754	0.9	3
115	Common patterns in the molecular phylogeography of western palearctic birds: a comprehensive review. <i>Journal of Ornithology</i> , 2021 , 1-23	1.5	3

(2004-2021)

114	Molecular and Chemical Markers to Illustrate the Complex Diversity of the Genus Lupinus (Fabaceae). <i>Diversity</i> , 2021 , 13, 263	2.5	3
113	Phytochemical profiling and anti-aging activities of Euphorbia retusa extract: In silico and in vitro studies. <i>Arabian Journal of Chemistry</i> , 2021 , 14, 103159	5.9	3
112	A note on the biogeographical origin of the brine shrimp Artemia urmiana Güther, 1899 from Urmia Lake, Iran. <i>Zootaxa</i> , 2016 , 4097, 294-300	0.5	3
111	Discovery of a new breeding population of the Vulnerable Swinhoe® Rail Coturnicops exquisitus confirmed by genetic analysis. <i>Bird Conservation International</i> , 2019 , 29, 454-462	1.7	3
110	Introduction: Biochemistry, Physiology and Ecological Functions of Secondary Metabolites 2018 , 1-19		3
109	Bioactivity of Three Salvia Species in Relation to Their Total Phenolic and Flavonoid Contents. <i>Pharmaceutical Chemistry Journal</i> , 2018 , 52, 596-600	0.9	3
108	Neuroprotective Effects of Leaf Extract against HO/Glutamate-Induced Toxicity in Cultured Neuronal Cells and A們nduced Toxicity in. <i>Biology</i> , 2021 , 10,	4.9	3
107	The Genus (Lamiaceae): A Review of Its Diversity, Ethnobotany, Phytochemistry, and Pharmacology. <i>Plants</i> , 2021 , 10,	4.5	3
106	A myrsinol diterpene isolated from reverses multidrug resistance in breast cancer cells. <i>Die Pharmazie</i> , 2016 , 71, 537-539	1.5	3
105	Data on the effects of leaf extracts in. <i>Data in Brief</i> , 2019 , 26, 104461	1.2	2
105	Data on the effects of leaf extracts in. <i>Data in Brief</i> , 2019 , 26, 104461 Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151	3.7	2
	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS</i>		2
104	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151 What do minerals in the feces of Bearded Vultures reveal about their dietary habits?. <i>Science of the</i>	3.7	2
104	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151 What do minerals in the feces of Bearded Vultures reveal about their dietary habits?. <i>Science of the Total Environment</i> , 2020 , 728, 138836 Pre-Quaternary divergence and subsequent radiation explain longitudinal patterns of genetic and	3.7	2
104 103 102	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151 What do minerals in the feces of Bearded Vultures reveal about their dietary habits?. <i>Science of the Total Environment</i> , 2020 , 728, 138836 Pre-Quaternary divergence and subsequent radiation explain longitudinal patterns of genetic and morphological variation in the striped skink, Heremites vittatus. <i>BMC Evolutionary Biology</i> , 2017 , 17, 13 Transaction costs: an empirical analysis of their relationship with investment and foreign direct	3·7 10.2 2 ³	2 2
104 103 102	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns'of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151 What do minerals in the feces of Bearded Vultures reveal about their dietary habits?. <i>Science of the Total Environment</i> , 2020 , 728, 138836 Pre-Quaternary divergence and subsequent radiation explain longitudinal patterns of genetic and morphological variation in the striped skink, Heremites vittatus. <i>BMC Evolutionary Biology</i> , 2017 , 17, 13 Transaction costs: an empirical analysis of their relationship with investment and foreign direct investment. <i>RAE Revista De Administracao De Empresas</i> , 2011 , 51, 175-187 Allozyme and DNA sequence data support speciation of northern and southern populations of silver catfish, Schilbe intermedius (Rppel, 1832). <i>Comparative Biochemistry and Physiology Part A</i> ,	3·7 10.2 2 ³ 0.5	2 2 2
104 103 102 101	Phylogeny of the Eurasian Wren Nannus troglodytes (Aves: Passeriformes: Troglodytidae) reveals deep and complex diversification patterns of Ibero-Maghrebian and Cyrenaican populations. <i>PLoS ONE</i> , 2020 , 15, e0230151 What do minerals in the feces of Bearded Vultures reveal about their dietary habits?. <i>Science of the Total Environment</i> , 2020 , 728, 138836 Pre-Quaternary divergence and subsequent radiation explain longitudinal patterns of genetic and morphological variation in the striped skink, Heremites vittatus. <i>BMC Evolutionary Biology</i> , 2017 , 17, 13 Transaction costs: an empirical analysis of their relationship with investment and foreign direct investment. <i>RAE Revista De Administracao De Empresas</i> , 2011 , 51, 175-187 Allozyme and DNA sequence data support speciation of northern and southern populations of silver catfish, Schilbe intermedius (Ripel, 1832). <i>Comparative Biochemistry and Physiology Part A, Molecular & Amp; Integrative Physiology</i> , 1998 , 120, 531-43	3·7 10.2 2 ³ 0.5	2 2 2 2

96	Secondary Metabolites: Deterring Herbivores 2001,		2
95	Phylogenetic relationships between Synodontis species: some preliminary results. <i>African Journal of Aquatic Science</i> , 2000 , 25, 89-92	1.6	2
94	Niedrige Ei- und Kipertemperatur (Hypothermiellbei brienden Gelbschnabelsturmtauchern (Calonectris diomedea). <i>Journal Fur Ornithologie</i> , 1987 , 128, 334-338		2
93	Ortstreue und Genflußei Inselvogelarten: Eleonorenfalke (Falco eleonorae) und Gelbschnabelsturmtaucher (Calonectris diomedea). <i>Journal Fur Ornithologie</i> , 1987 , 128, 485-488		2
92	On the Role of 🛘 -Piperideine and Tripiperideine in the Biosynthesis of Quinolizidine Alkaloids. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1988 , 43, 363-369	1.7	2
91	Light-mediated control of quinolizidine alkaloid biosynthesis. <i>Planta Medica</i> , 1981 , 42, 116	3.1	2
90	L. Alston: An Insight Into its Phytochemistry, Traditional Uses, and Pharmacological Properties <i>Frontiers in Pharmacology</i> , 2022 , 13, 786712	5.6	2
89	Einflußder Ernfirungsvorgeschichte und der Umgebungstemperatur auf Metabolisierungsraten und Speicherungsraten von Pyrrolizidin-Alkaloiden bei der Bfenspinner-Art Creatonotos transiens (Lepidoptera: Arctiidae). <i>Entomologia Generalis</i> , 1995 , 19, 157-170	5.3	2
88	(Burm.f.) Alston Prevents Streptozotocin-Induced Pancreatic Beta Cells Damage the TLR-4 Signaling Pathway <i>Frontiers in Pharmacology</i> , 2021 , 12, 769244	5.6	2
87	The problems of genetic support of dividing the black kite (Milvus migrans) into subspecies. <i>Vavilovskii Zhurnal Genetiki I Selektsii</i> , 2019 , 23, 226-231	0.9	2
86	Recruitment Rates, Natal and Breeding Dispersal of Montagu® Harriers (Circus Pygargus) by Means of Microsatellite Analysis. <i>Open Ornithology Journal</i> , 2018 , 11, 39-55	0.8	2
85	Evaluation of possible mechanisms of Cordia dichotoma fruits for hyperlipidemia controlling in Wistar albino rats. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2018 , 8, 302	1.4	2
84	Characterization of a assembled transcriptome of the Common Blackbird (). <i>PeerJ</i> , 2017 , 5, e4045	3.1	2
83	Molecular Systematics, Taxonomy and Distribution of the Pyrrhura Pictalleucotis Complex. <i>Open Ornithology Journal</i> , 2017 , 10, 53-91	0.8	2
82	A Methanol Extract of Enhances Doxorubicin Cytotoxicity against Resistant Colorectal Cancer Cells In Vitro. <i>Molecules</i> , 2020 , 25,	4.8	2
81	Search for Alternative Control Strategies of (Diptera: Drosophilidae): Laboratory Assays Using Volatile Natural Plant Compounds. <i>Insects</i> , 2020 , 11,	2.8	2
80	A Revised and Improved Version of the Northern Wheatear (Oenanthe oenanthe) Transcriptome. <i>Diversity</i> , 2021 , 13, 151	2.5	2
79	A sulfated polyphenols-rich extract from exhibits antitumor activities in Ehrlich ascites carcinoma. <i>Saudi Journal of Biological Sciences</i> , 2021 , 28, 3117-3125	4	2

(2003-2021)

78	Eugenia uniflora and Syzygium samarangense extracts exhibit anti-trypanosomal activity: Evidence from in-silico molecular modelling, in vitro, and in vivo studies. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 138, 111508	7.5	2
77	Chemical Composition of the Essential Oils of Some Central Asian Nepeta Species (Lamiaceae) by GLC-MS. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601101	0.9	2
76	Introduction: Biochemistry, Role and Biotechnology of Secondary Metabolites (From APR Volume 2) 2018 , 1-15		2
75	The role of ketogenesis in the migratory fattening of the northern wheatear. <i>Biology Letters</i> , 2021 , 17, 20210195	3.6	2
74	Phylogeography and demographic history of the black kite Milvus migrans, a widespread raptor in Eurasia, Australia and Africa. <i>Journal of Avian Biology</i> , 2021 , 52,	1.9	2
73	Bixin and fucoxanthin sensitize human lung cancer and cervical cancer cell to cisplatin in vitro <i>BMC Research Notes</i> , 2021 , 14, 454	2.3	2
72	Unraveling the Phytochemistry, Traditional Uses, and Biological and Pharmacological Activities of Thymus algeriensis Boiss. & Description (2014) and Cellular Longevity, 2022, 2022, 1-39	6.7	2
71	Wurzelkulturen als Produktionssystem. <i>BioSpektrum</i> , 2019 , 25, 455-457	0.1	1
70	Evidences for ecological niche differentiation on the Anatolian lizard (Apathya cappadocica ssp.) (Reptilia: Lacertidae) in western Asia. <i>Biologia (Poland)</i> , 2019 , 74, 1661-1667	1.5	1
69	Lack of correlation between sex ratio and food supply or other biotic variables in nestlings of Tengmalm Owl Aegolius funereus. <i>Journal of Ornithology</i> , 2014 , 155, 497-505	1.5	1
68	Use of rbcL sequences for DNA barcoding and authentication of plant drugs used in Traditional Chinese Medicine 2014 ,		1
67	Eleven new microsatellite loci in the globally threatened Aquatic Warbler (Acrocephalus paludicola). <i>Conservation Genetics Resources</i> , 2012 , 4, 279-282	0.8	1
66	Epigallocatechin Gallate (EGCG) from Green Tea (Camellia sinensis) and Other Natural Products Mediate Stress Resistance and Slows Down Aging Processes in Caenorhabditis elegans 2013 , 1105-1115	j	1
65	Mating system, paternity and sex allocation in Eurasian Wrynecks (Jynx torquilla). <i>Journal of Ornithology</i> , 2011 , 152, 983-989	1.5	1
64	Secondary Metabolites: Deterring Herbivores 2010 ,		1
63	Experimental population genetics in insects: inheritance of ISSR-PCR bands in an artificial population. <i>Zootaxa</i> , 2009 , 2231, 40-46	0.5	1
62	Bioprospecting: The Search for Bioactive Lead Structures from Nature97-116		1
61	Quinolizidine alkaloid profiles of two taxa of Teline maderensis. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003 , 58, 776-8	1.7	1

60	Antitrypanosomal Activities of Proteasome Inhibitors. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 3036-3036	5.9	1
59	Heritability of the extra-pair mating behaviour of the pied flycatcher in Western Siberia. <i>PeerJ</i> , 2020 , 8, e9571	3.1	1
58	New Microsatellite Markers for the Common Tern (Sterna hirundo) Developed with 454 Shot-Gun Pyrosequencing. <i>Open Ornithology Journal</i> , 2016 , 9, 50-59	0.8	1
57	Anti-amnesic effects of withaferin A, steroidal lactone isolated from Withania adpressa on scopolamine-induced memory impairment in mice. <i>Arabian Journal of Chemistry</i> , 2021 , 15, 103529	5.9	1
56	Molekulare Evolutionsforschung: Methoden, Phylogenie, Merkmalsevolution und Phylogeographie 2013 , 305-416		1
55	The Chemical Composition and Biological Activities of Essential Oil from the Leaves of Philadelphus x purpureomaculatus Lemoine. <i>Pharmaceutical Chemistry Journal</i> , 2020 , 54, 386-388	0.9	1
54	Old and Cosmopolite: Molecular Phylogeny of TropicalBubtropical Kites (Aves: Elaninae) with Taxonomic Implications. <i>Diversity</i> , 2020 , 12, 327	2.5	1
53	Synthesis of some tropane-based compounds targeting colon cancer. <i>Future Medicinal Chemistry</i> , 2020 , 12, 2123-2140	4.1	1
52	A Leaf Extract of Ameliorates Neurobehavioral, Histological and Biochemical Changes in the Hippocampus of Rats with Aluminum Chloride-Induced Alzheimer's Disease. <i>Antioxidants</i> , 2021 , 10,	7.1	1
51	Composition of the Essential Oil of Polychrysum tadshikorum. <i>Chemistry of Natural Compounds</i> , 2016 , 52, 523-524	0.7	1
50	Subspecies in the Sarus Crane Antigone antigone revisited; with particular reference to the Australian population. <i>PLoS ONE</i> , 2020 , 15, e0230150	3.7	1
49	Physiology of Camptothecin Synthesis in Plants and Root Organ Cultures of Ophiorrhiza mungos L. and Its Production in Root Fermenters 2021 , 291-338		1
48	Anti-Inflammatory, Antipyretic, and Analgesic Properties of Extract: In Vitro and In Vivo Study. <i>Molecules</i> , 2021 , 26,	4.8	1
47	Phytochemical Profiling of the Leaf Extract of var. and Its Antioxidant, Antibacterial, and Antiaging Activities and in: A Cosmeceutical and Dermatological Approach <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 3486257	6.7	1
46	Syzygium samarangense leaf extract exhibits distinct antidiabetic activities: Evidences from in silico and in vivo studies. <i>Arabian Journal of Chemistry</i> , 2022 , 15, 103822	5.9	1
45	Metabolomics-based profiling of 4 avocado varieties using HPLC-MS/MS and GC/MS and evaluation of their antidiabetic activity <i>Scientific Reports</i> , 2022 , 12, 4966	4.9	1
44	A Historical Perspective of Avian Genomics 2019 , 7-19		0
43	Evolution of Secondary Metabolism in Plants 2014 , 38-48		O

42	Wirkungen von in der Phytotherapie eingesetzten Vielkomponenten-Gemischen auf Proteine, Gene und Biomembranen. <i>Schweizerische Zeitschrift F\(\textit{B}\) GanzheitsMedizin, 2009, 21, 42-53</i>		О
41	Tropane and pyrrolidine alkaloids from Convolvulus lanatus Vahl. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008 , 63, 321-5	1.7	О
40	Transcriptome signature changes in the liver of a migratory passerine <i>Genomics</i> , 2022 , 114, 110283	4.3	О
39	Wirkung und Kulturgeschichte psychotroper Pflanzen und Drogen. Heidelberger Jahrbucher, 1999 , 27-90	0	Ο
38	In vitro anti-proliferative activity of selected nutraceutical compounds in human cancer cell lines. <i>BMC Research Notes</i> , 2021 , 14, 18	2.3	О
37	Unraveling the Biosynthesis of Quinolizidine Alkaloids Using the Genetic and Chemical Diversity of Mexican Lupins. <i>Diversity</i> , 2021 , 13, 375	2.5	0
36	Thymus fontanesii attenuates CCl-induced oxidative stress and inflammation in mild liver fibrosis <i>Biomedicine and Pharmacotherapy</i> , 2022 , 148, 112738	7.5	0
35	Antioxidant and anti-aging effects of Warburgia salutaris bark aqueous extract: Evidence from in silico, in vitro and in vivo studies <i>Journal of Ethnopharmacology</i> , 2022 , 115187	5	Ο
34	L. Extract Attenuates Neuroinflammation and Neuropathic Pain in Sciatic Nerve Chronic Constriction Injury-Induced Peripheral Neuropathy in Rats <i>Frontiers in Pharmacology</i> , 2021 , 12, 799444	5.6	Ο
33	Understanding Extra-Pair Mating Behaviour: A Case Study of Socially Monogamous European Pied Flycatcher (Ficedula hypoleuca) in Western Siberia. <i>Diversity</i> , 2022 , 14, 283	2.5	О
32	Watery Rose Apple: A Comprehensive Review of Its Traditional Uses, Nutritional Value, Phytochemistry, and Therapeutic Merits against Inflammation-Related Disorders. <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 1-17	6.7	O
31	Das geheime Leben der Schmetterlinge. <i>Biologie in Unserer Zeit</i> , 2020 , 50, 145-146	0.1	
30	Hat Rotkppchen gelogen?. <i>Biologie in Unserer Zeit</i> , 2020 , 50, 68-68	0.1	
29	Assessment and Validation of i-Skyradiometer Retrievals Using Broadband Flux and MODIS Data. <i>Advances in Meteorology</i> , 2014 , 2014, 1-8	1.7	
28	Chemical-Biology of Natural Products from Medicinal Plants for Cancer Therapy 2010 , 557-582		
27	Does Serranochromis altus (Teleostei: Cichlidae) exist in the Okavango Delta, Botswana?. <i>African Journal of Aquatic Science</i> , 2009 , 34, 57-68	1.6	
26	Ecological Roles of Alkaloids1-24		
25	A reply to Baldwin: critique does not weaken major conclusions. <i>Ecology Letters</i> , 2007 , 10, E2-E3	10	

24	Welche Vgel sind noch da? Groffumiges Kartierungsprojekt im Rheinland. <i>Biologie in Unserer Zeit</i> , 2006 , 36, 252-259	0.1
23	Correlates of multiple paternity in the Aquatic Warbler (Acrocephalus paludicola). <i>Journal Fur Ornithologie</i> , 2002 , 143, 430-439	
22	Molecular Targets of Alkaloids. <i>Planta Medica</i> , 1993 , 59, A646-A647	3.1
21	Infection by Agrobacteria and Opine Production: On the Role of Opines in Infected Tissues. <i>Planta Medica</i> , 1993 , 59, A589-A589	3.1
20	Studies on the Biochemistry and Molecular Biology of Peroxidase Isoenzymes in Plants and Cell Suspension Cultures of Lupinus polyphyllus. <i>Planta Medica</i> , 1990 , 56, 607-607	3.1
19	Eifund der Bulwersturmschwalbe (Bulweria bulwerii) auf Teneriffa. <i>Journal Fur Ornithologie</i> , 1975 , 116, 489-490	
18	Critique on conclusions regarding toxic compounds in Jatropha curcas kernel cake. <i>Communications Biology</i> , 2021 , 4, 1348	6.7
17	Mechanismen und Ursachen der Evolution. <i>Springer-Lehrbuch</i> , 2001 , 183-260	0.4
16	Molekulare Evolutionsforschung. <i>Springer-Lehrbuch</i> , 2001 , 261-348	0.4
15	DNA Polymorphisms Affecting Chemosensitivity Toward Drugs 2008 , 365-387	
14	Anticholinergika 2018 , 701-713	
13	cs-3781 article number teo for test deposite4683	
12	cs-3781 article number one for test deposite4683	
11	The cell culture medium (la functional extracellular compartment of suspension-cultured cells 1994 , 307-319	
10	LC-DAD-ESI-MS/MS, total phenolic content, and antioxidant activity of Firmiana simplex. <i>Planta Medica</i> , 2016 , 81, S1-S381	3.1
9	Anticholinergika 2017 , 1-19	
8	Evolution Igenetische und zellbiologische Grundlagen 2013 , 219-304	
7	Roparadiese schaffen. <i>Biologie in Unserer Zeit</i> , 2020 , 50, 366-366	0.1

6	Greirvgel destimmen. <i>Biologie in Unserer Zeit</i> , 2020 , 50, 286-286	0.1
5	∏ede Jeck is anders∏ <i>Biologie in Unserer Zeit</i> , 2020 , 50, 144-144	0.1
4	The effectiveness of mycorrhizae inoculation to perennial sow thistle biomass and quercetin production, and its extract effect to cervical cancer cells inhibition in vitro. <i>Acta Horticulturae</i> , 2018 , 80)3- 8 ₹0
3	Divergence Time Estimation of Aloes and Allies (Xanthorrhoeaceae) Based on Three Marker Genes. <i>Diversity</i> , 2018 , 10, 60	2.5
2	Red-Backed Shrike Lanius collurio Whole-Genome Sequencing Reveals Population Genetic Admixture. <i>Diversity</i> , 2022 , 14, 216	2.5
1	Intelligence in the Animal Kingdom 2022 , 87-103	