

Meilian Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6164657/meilian-chen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33
papers

1,059
citations

18
h-index

32
g-index

39
ext. papers

1,353
ext. citations

7.1
avg, IF

4.84
L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 33 | Assessing the impact of freshwater discharge on the fluid chemistry in the Svalbard fjords.. <i>Science of the Total Environment</i> , 2022 , 155516 | 10.2 | 0 |
| 32 | Source tracking of dissolved organic nitrogen at the molecular level during storm events in an agricultural watershed.. <i>Science of the Total Environment</i> , 2021 , 810, 152183 | 10.2 | 0 |
| 31 | Light absorption and fluorescence characteristics of water-soluble organic compounds in carbonaceous particles at a typical remote site in the southeastern Himalayas and Tibetan Plateau. <i>Environmental Pollution</i> , 2021 , 272, 116000 | 9.3 | 6 |
| 30 | Climatic, land cover, and anthropogenic controls on dissolved organic matter quantity and quality from major alpine rivers across the Himalayan-Tibetan Plateau. <i>Science of the Total Environment</i> , 2021 , 754, 142411 | 10.2 | 8 |
| 29 | Spectral Characterization of Dissolved Organic Matter in Seawater and Sediment Pore Water from the Arctic Fjords (West Svalbard) in Summer. <i>Water (Switzerland)</i> , 2021 , 13, 202 | 3 | 1 |
| 28 | A Pulse of Meteoric Subsurface Fluid Discharging Into the Chukchi Sea During the Early Holocene Thermal Maximum (EHTM). <i>Geochemistry, Geophysics, Geosystems</i> , 2021 , 22, e2021GC009750 | 3.6 | 1 |
| 27 | Subsea permafrost as a potential major source of dissolved organic matter to the East Siberian Arctic Shelf. <i>Science of the Total Environment</i> , 2021 , 777, 146100 | 10.2 | 3 |
| 26 | Characteristics of methanesulfonic acid, non-sea-salt sulfate and organic carbon aerosols over the Amundsen Sea, Antarctica. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 5405-5424 | 6.8 | 10 |
| 25 | Upwarding gas source and postgenetic processes in the shallow sediments from the ARAON Mounds, Chukchi Sea. <i>Journal of Natural Gas Science and Engineering</i> , 2020 , 76, 103223 | 4.6 | 4 |
| 24 | Characteristics of Dissolved Organic Matter from a Transboundary Himalayan Watershed: Relationships with Land Use, Elevation, and Hydrology. <i>ACS Earth and Space Chemistry</i> , 2020 , 4, 449-456 | 3.2 | 8 |
| 23 | Characteristics of biogenically-derived aerosols over the Amundsen Sea, Antarctica 2019 , | | 4 |
| 22 | Immobilization of relic anthropogenic dissolved organic matter from alpine rivers in the Himalayan-Tibetan Plateau in winter. <i>Water Research</i> , 2019 , 160, 97-106 | 12.5 | 24 |
| 21 | Production of tyrosine-like fluorescence and labile chromophoric dissolved organic matter (DOM) and low surface accumulation of low molecular weight-dominated DOM in a productive Antarctic sea. <i>Marine Chemistry</i> , 2019 , 213, 40-48 | 3.7 | 4 |
| 20 | Exploring pore water biogeochemical characteristics as environmental monitoring proxies for a CO storage project in Pohang Basin, South Korea. <i>Marine Pollution Bulletin</i> , 2018 , 137, 331-338 | 6.7 | 2 |
| 19 | Surface accumulation of low molecular weight dissolved organic matter in surface waters and horizontal off-shelf spreading of nutrients and humic-like fluorescence in the Chukchi Sea of the Arctic Ocean. <i>Science of the Total Environment</i> , 2018 , 639, 624-632 | 10.2 | 33 |
| 18 | Dynamics of dissolved organic matter in riverine sediments affected by weir impoundments: Production, benthic flux, and environmental implications. <i>Water Research</i> , 2017 , 121, 150-161 | 12.5 | 44 |
| 17 | Spectroscopic and molecular characterization of humic substances (HS) from soils and sediments in a watershed: comparative study of HS chemical fractions and the origins. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 16933-16945 | 5.1 | 38 |

| | | | |
|----|---|------|-----|
| 16 | High abundance of protein-like fluorescence in the Amerasian Basin of Arctic Ocean: Potential implication of a fall phytoplankton bloom. <i>Science of the Total Environment</i> , 2017 , 599-600, 355-363 | 10.2 | 12 |
| 15 | Biological early diagenesis and insolation-paced paleoproductivity signified in deep core sediment organic matter. <i>Scientific Reports</i> , 2017 , 7, 1581 | 4.9 | 10 |
| 14 | Tracking the monthly changes of dissolved organic matter composition in a newly constructed reservoir and its tributaries during the initial impounding period. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 1274-83 | 5.1 | 26 |
| 13 | Quantitative assessment of photo- and bio-reactivity of chromophoric and fluorescent dissolved organic matter from biomass and soil leachates and from surface waters in a subtropical wetland. <i>Biogeochemistry</i> , 2016 , 129, 273-289 | 3.8 | 33 |
| 12 | Dynamic exchanges between DOM and POM pools in coastal and inland aquatic ecosystems: A review. <i>Science of the Total Environment</i> , 2016 , 551-552, 415-28 | 10.2 | 93 |
| 11 | Structural and compositional changes of dissolved organic matter upon solid-phase extraction tracked by multiple analytical tools. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6249-58 | 4.4 | 30 |
| 10 | Production of fluorescent dissolved organic matter in Arctic Ocean sediments. <i>Scientific Reports</i> , 2016 , 6, 39213 | 4.9 | 49 |
| 9 | Effects of dissolved organic matter (DOM) sources and nature of solid extraction sorbent on recoverable DOM composition: Implication into potential lability of different compound groups. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4809-19 | 4.4 | 31 |
| 8 | Molecular diversity of riverine alkaline-extractable sediment organic matter and its linkages with spectral indicators and molecular size distributions. <i>Water Research</i> , 2016 , 100, 222-231 | 12.5 | 32 |
| 7 | Pre-treatments, characteristics, and biogeochemical dynamics of dissolved organic matter in sediments: A review. <i>Water Research</i> , 2015 , 79, 10-25 | 12.5 | 91 |
| 6 | Effects of sampling methods on the quantity and quality of dissolved organic matter in sediment pore waters as revealed by absorption and fluorescence spectroscopy. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 14841-51 | 5.1 | 21 |
| 5 | Fluorescence characteristics of size-fractionated dissolved organic matter: implications for a molecular assembly based structure?. <i>Water Research</i> , 2014 , 55, 40-51 | 12.5 | 89 |
| 4 | Photo- and bio-reactivity patterns of dissolved organic matter from biomass and soil leachates and surface waters in a subtropical wetland. <i>Water Research</i> , 2014 , 61, 181-90 | 12.5 | 101 |
| 3 | Spatial and temporal variability of dissolved organic matter quantity and composition in an oligotrophic subtropical coastal wetland. <i>Biogeochemistry</i> , 2013 , 115, 167-183 | 3.8 | 53 |
| 2 | Integrated Carbon Budget Models for the Everglades Terrestrial-Coastal-Oceanic Gradient: Current Status and Needs for Inter-Site Comparisons. <i>Oceanography</i> , 2013 , 26, 98-107 | 2.3 | 32 |
| 1 | Comparative study of dissolved organic matter from groundwater and surface water in the Florida coastal Everglades using multi-dimensional spectrofluorometry combined with multivariate statistics. <i>Applied Geochemistry</i> , 2010 , 25, 872-880 | 3.5 | 166 |