

Mathias Mller

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6166105/mathias-muller-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

8,848
citations

46
h-index

91
g-index

157
ext. papers

10,278
ext. citations

8.5
avg, IF

5.52
L-index

#	Paper	IF	Citations
154	Interferons reshape the 3D conformation and accessibility of macrophage chromatin.. <i>IScience</i> , 2022 , 25, 103840	6.1	3
153	PTPN2 elicits cell autonomous and non-cell autonomous effects on antitumor immunity in triple-negative breast cancer.. <i>Science Advances</i> , 2022 , 8, eabk3338	14.3	0
152	Essential role of M1 macrophages in blocking cytokine storm and pathology associated with murine HSV-1 infection. <i>PLoS Pathogens</i> , 2021 , 17, e1009999	7.6	4
151	Listeria monocytogenes infection rewires host metabolism with regulatory input from type I interferons. <i>PLoS Pathogens</i> , 2021 , 17, e1009697	7.6	1
150	Tyrosine Kinase 2 Signalling Drives Pathogenic T cells in Colitis. <i>Journal of Crohn's and Colitis</i> , 2021 , 15, 617-630	1.5	6
149	TYK2 licenses non-canonical inflammasome activation during endotoxemia. <i>Cell Death and Differentiation</i> , 2021 , 28, 748-763	12.7	5
148	Single-cell transcriptional profiling of splenic fibroblasts reveals subset-specific innate immune signatures in homeostasis and during viral infection. <i>Communications Biology</i> , 2021 , 4, 1355	6.7	1
147	TYK2 in Tumor Immunosurveillance. <i>Cancers</i> , 2020 , 12,	6.6	8
146	TYK2 inhibition reduces type 3 immunity and modifies disease progression in murine spondyloarthritis. <i>Journal of Clinical Investigation</i> , 2020 , 130, 1863-1878	15.9	29
145	IDO1 Paneth cells promote immune escape of colorectal cancer. <i>Communications Biology</i> , 2020 , 3, 252	6.7	13
144	STAT1 Isoforms Differentially Regulate NK Cell Maturation and Anti-tumor Activity. <i>Frontiers in Immunology</i> , 2020 , 11, 2189	8.4	5
143	Bacterial polyphosphates interfere with the innate host defense to infection. <i>Nature Communications</i> , 2020 , 11, 4035	17.4	22
142	High activation of STAT5A drives peripheral T-cell lymphoma and leukemia. <i>Haematologica</i> , 2020 , 105, 435-447	6.6	13
141	Twins with different personalities: STAT5B-but not STAT5A-has a key role in BCR/ABL-induced leukemia. <i>Leukemia</i> , 2019 , 33, 1583-1597	10.7	24
140	NK Cells Require Cell-Extrinsic and -Intrinsic TYK2 for Full Functionality in Tumor Surveillance and Antibacterial Immunity. <i>Journal of Immunology</i> , 2019 , 202, 1724-1734	5.3	6
139	Dependency on the TYK2/STAT1/MCL1 axis in anaplastic large cell lymphoma. <i>Leukemia</i> , 2019 , 33, 696-700	10.7	25
138	Comparative oncology: The paradigmatic example of canine and human mast cell neoplasms. <i>Veterinary and Comparative Oncology</i> , 2019 , 17, 1-10	2.5	11

137	A molecular switch from STAT2-IRF9 to ISGF3 underlies interferon-induced gene transcription. <i>Nature Communications</i> , 2019 , 10, 2921	17.4	60
136	TYK2: An Upstream Kinase of STATs in Cancer. <i>Cancers</i> , 2019 , 11,	6.6	24
135	Myeloid Cells Restrict MCMV and Drive Stress-Induced Extramedullary Hematopoiesis through STAT1. <i>Cell Reports</i> , 2019 , 26, 2394-2406.e5	10.6	2
134	Hepatic growth hormone - JAK2 - STAT5 signalling: Metabolic function, non-alcoholic fatty liver disease and hepatocellular carcinoma progression. <i>Cytokine</i> , 2019 , 124, 154569	4	21
133	STAT5BN642H is a driver mutation for T cell neoplasia. <i>Journal of Clinical Investigation</i> , 2018 , 128, 387-401.9	5.9	38
132	STAT1 is a sex-specific tumor suppressor in colitis-associated colorectal cancer. <i>Molecular Oncology</i> , 2018 , 12, 514-528	7.9	18
131	Implications of STAT3 and STAT5 signaling on gene regulation and chromatin remodeling in hematopoietic cancer. <i>Leukemia</i> , 2018 , 32, 1713-1726	10.7	91
130	Aggressive B-cell lymphomas in patients with myelofibrosis receiving JAK1/2 inhibitor therapy. <i>Blood</i> , 2018 , 132, 694-706	2.2	104
129	The RNA helicase DDX3X is an essential mediator of innate antimicrobial immunity. <i>PLoS Pathogens</i> , 2018 , 14, e1007397	7.6	34
128	The C-Terminal Transactivation Domain of STAT1 Has a Gene-Specific Role in Transactivation and Cofactor Recruitment. <i>Frontiers in Immunology</i> , 2018 , 9, 2879	8.4	3
127	Obesity Drives STAT-1-Dependent NASH and STAT-3-Dependent HCC. <i>Cell</i> , 2018 , 175, 1289-1306.e20	56.2	132
126	The good and the bad faces of STAT1 in solid tumours. <i>Cytokine</i> , 2017 , 89, 12-20	4	135
125	Tyrosine kinase 2 - Surveillant of tumours and bona fide oncogene. <i>Cytokine</i> , 2017 , 89, 209-218	4	29
124	Canonical and Non-Canonical Aspects of JAK-STAT Signaling: Lessons from Interferons for Cytokine Responses. <i>Frontiers in Immunology</i> , 2017 , 8, 29	8.4	164
123	Microbial communities in dairy processing environment floor-drains are dominated by product-associated bacteria and yeasts. <i>Food Control</i> , 2016 , 70, 210-215	6.2	18
122	CD13/aminopeptidase N is a negative regulator of mast cell activation. <i>FASEB Journal</i> , 2016 , 30, 2225-350.9	0.9	8
121	Type I Interferon Signaling Prevents IL-1 β -Driven Lethal Systemic Hyperinflammation during Invasive Bacterial Infection of Soft Tissue. <i>Cell Host and Microbe</i> , 2016 , 19, 375-87	23.4	56
120	Response to interferons and antibacterial innate immunity in the absence of tyrosine-phosphorylated STAT1. <i>EMBO Reports</i> , 2016 , 17, 367-82	6.5	33

119	Novel non-canonical role of STAT1 in Natural Killer cell cytotoxicity. <i>OncolImmunology</i> , 2016 , 5, e1186314	7.2	10
118	Cooperative Transcriptional Activation of Antimicrobial Genes by STAT and NF- κ B Pathways by Concerted Recruitment of the Mediator Complex. <i>Cell Reports</i> , 2015 , 12, 300-12	10.6	34
117	Effects of the mTOR inhibitor everolimus and the PI3K/mTOR inhibitor NVP-BEZ235 in murine acute lung injury models. <i>Transplant Immunology</i> , 2015 , 33, 45-50	1.7	8
116	Myeloid promotes formation of colitis-associated colorectal cancer in mice. <i>OncolImmunology</i> , 2015 , 4, e998529	7.2	19
115	Intestinal Epithelial Cell Tyrosine Kinase 2 Transduces IL-22 Signals To Protect from Acute Colitis. <i>Journal of Immunology</i> , 2015 , 195, 5011-24	5.3	33
114	tumor surveillance by NK cells requires TYK2 but not TYK2 kinase activity. <i>OncolImmunology</i> , 2015 , 4, e1047579	7.2	24
113	STAT1 signaling within macrophages is required for antifungal activity against <i>Cryptococcus neoformans</i> . <i>Infection and Immunity</i> , 2015 , 83, 4513-27	3.7	57
112	Growth hormone resistance exacerbates cholestasis-induced murine liver fibrosis. <i>Hepatology</i> , 2015 , 61, 613-26	11.2	22
111	High-throughput mRNA and miRNA profiling of epithelial-mesenchymal transition in MDCK cells. <i>BMC Genomics</i> , 2015 , 16, 944	4.5	16
110	Trypanosomosis: potential driver of selection in African cattle. <i>Frontiers in Genetics</i> , 2015 , 6, 137	4.5	21
109	Intestinal Microbiota Signatures Associated with Inflammation History in Mice Experiencing Recurring Colitis. <i>Frontiers in Microbiology</i> , 2015 , 6, 1408	5.7	67
108	Longitudinal study of murine microbiota activity and interactions with the host during acute inflammation and recovery. <i>ISME Journal</i> , 2014 , 8, 1101-14	11.9	121
107	Conditional ablation of TYK2 in immunity to viral infection and tumor surveillance. <i>Transgenic Research</i> , 2014 , 23, 519-29	3.3	14
106	Loss of STAT3 in murine NK cells enhances NK cell-dependent tumor surveillance. <i>Blood</i> , 2014 , 124, 2370-9	7.2	65
105	Role of Tyk-2 in Th9 and Th17 cells in allergic asthma. <i>Scientific Reports</i> , 2014 , 4, 5865	4.9	16
104	Inducible, dose-adjustable and time-restricted reconstitution of STAT1 deficiency in vivo. <i>PLoS ONE</i> , 2014 , 9, e86608	3.7	7
103	Lactotransferrin-Cre reporter mice trace neutrophils, monocytes/macrophages and distinct subtypes of dendritic cells. <i>Haematologica</i> , 2014 , 99, 1006-15	6.6	11
102	Interruption of macrophage-derived IL-27(p28) production by IL-10 during sepsis requires STAT3 but not SOCS3. <i>Journal of Immunology</i> , 2014 , 193, 5668-77	5.3	30

101	Tyrosine kinase 2 promotes sepsis-associated lethality by facilitating production of interleukin-27. <i>Journal of Leukocyte Biology</i> , 2014 , 96, 123-31	6.5	18
100	STAT1 is not dominant negative and is capable of contributing to gamma interferon-dependent innate immunity. <i>Molecular and Cellular Biology</i> , 2014 , 34, 2235-48	4.8	24
99	Deciphering host genotype-specific impacts on the metabolic fingerprint of <i>Listeria monocytogenes</i> by FTIR spectroscopy. <i>PLoS ONE</i> , 2014 , 9, e115959	3.7	14
98	Mammary gland development is delayed in mice deficient for aminopeptidase N. <i>Transgenic Research</i> , 2013 , 22, 425-34	3.3	5
97	CDK8 kinase phosphorylates transcription factor STAT1 to selectively regulate the interferon response. <i>Immunity</i> , 2013 , 38, 250-62	32.3	165
96	TYK2-STAT1-BCL2 pathway dependence in T-cell acute lymphoblastic leukemia. <i>Cancer Discovery</i> , 2013 , 3, 564-77	24.4	103
95	p38 senses environmental stress to control innate immune responses via mechanistic target of rapamycin. <i>Journal of Immunology</i> , 2013 , 190, 1519-27	5.3	25
94	The tyrosine kinase Btk regulates the macrophage response to <i>Listeria monocytogenes</i> infection. <i>PLoS ONE</i> , 2013 , 8, e60476	3.7	13
93	Route of Infection Determines the Impact of Type I Interferons on Innate Immunity to <i>Listeria monocytogenes</i> . <i>PLoS ONE</i> , 2013 , 8, e65007	3.7	38
92	Lipocalin 2 deactivates macrophages and worsens pneumococcal pneumonia outcomes. <i>Journal of Clinical Investigation</i> , 2013 , 123, 3363-72	15.9	99
91	Generation of mice with a conditional Stat1 null allele. <i>Transgenic Research</i> , 2012 , 21, 217-24	3.3	19
90	Multifaceted Antiviral Actions of Interferon-stimulated Gene Products 2012 , 387-423		
89	TYK2 kinase activity is required for functional type I interferon responses in vivo. <i>PLoS ONE</i> , 2012 , 7, e39141	3.7	46
88	PI3Ks essential for tumor clearance mediated by cytotoxic T lymphocytes. <i>PLoS ONE</i> , 2012 , 7, e40852	3.7	29
87	In vivo functional requirement of the mouse <i>Ifitm1</i> gene for germ cell development, interferon mediated immune response and somitogenesis. <i>PLoS ONE</i> , 2012 , 7, e44609	3.7	9
86	Phylotype-level 16S rRNA analysis reveals new bacterial indicators of health state in acute murine colitis. <i>ISME Journal</i> , 2012 , 6, 2091-106	11.9	208
85	A mouse model to identify cooperating signaling pathways in cancer. <i>Nature Methods</i> , 2012 , 9, 897-900	21.6	14
84	The Continuing Fascination with Jaks and Stats: An Introduction 2012 , 1-4		1

83	Conditional Stat1 ablation reveals the importance of interferon signaling for immunity to <i>Listeria monocytogenes</i> infection. <i>PLoS Pathogens</i> , 2012 , 8, e1002763	7.6	42
82	Type I interferons promote fatal immunopathology by regulating inflammatory monocytes and neutrophils during <i>Candida</i> infections. <i>PLoS Pathogens</i> , 2012 , 8, e1002811	7.6	105
81	Conditional IFNAR1 ablation reveals distinct requirements of Type I IFN signaling for NK cell maturation and tumor surveillance. <i>Oncotarget</i> , 2012 , 1, 1027-1037	7.2	42
80	A comparative proteome analysis links tyrosine kinase 2 (Tyk2) to the regulation of cellular glucose and lipid metabolism in response to poly(I:C). <i>Journal of Proteomics</i> , 2011 , 74, 2866-80	3.9	12
79	IFIT1 is an antiviral protein that recognizes 5Triphosphate RNA. <i>Nature Immunology</i> , 2011 , 12, 624-30	19.1	331
78	Tyrosine kinase 2 (TYK2) in cytokine signalling and host immunity. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 3214-32	2.8	66
77	The cooperating mutation or "second hit" determines the immunologic visibility toward MYC-induced murine lymphomas. <i>Blood</i> , 2011 , 118, 4635-45	2.2	22
76	Inhibition of mTOR blocks the anti-inflammatory effects of glucocorticoids in myeloid immune cells. <i>Blood</i> , 2011 , 117, 4273-83	2.2	103
75	Tristetraprolin-driven regulatory circuit controls quality and timing of mRNA decay in inflammation. <i>Molecular Systems Biology</i> , 2011 , 7, 560	12.2	90
74	A novel <i>Ncr1-Cre</i> mouse reveals the essential role of STAT5 for NK-cell survival and development. <i>Blood</i> , 2011 , 117, 1565-73	2.2	159
73	An unusual splice defect in the mitofusin 2 gene (MFN2) is associated with degenerative axonopathy in Tyrolean Grey cattle. <i>PLoS ONE</i> , 2011 , 6, e18931	3.7	33
72	Conventional dendritic cells mount a type I IFN response against <i>Candida</i> spp. requiring novel phagosomal TLR7-mediated IFN- β signaling. <i>Journal of Immunology</i> , 2011 , 186, 3104-12	5.3	88
71	Cross-talk between interferon- β and hedgehog signaling regulates adipogenesis. <i>Diabetes</i> , 2011 , 60, 1668-76	0.9	31
70	Putting the brakes on mammary tumorigenesis: loss of STAT1 predisposes to intraepithelial neoplasias. <i>Oncotarget</i> , 2011 , 2, 1043-54	3.3	36
69	Tyrosine kinase 2 controls IL-1 β production at the translational level. <i>Journal of Immunology</i> , 2010 , 185, 3544-53	5.3	22
68	Pronounced segregation of donor mitochondria introduced by bovine ooplasmic transfer to the female germ-line. <i>Biology of Reproduction</i> , 2010 , 82, 563-71	3.9	39
67	Nonconventional initiation complex assembly by STAT and NF-kappaB transcription factors regulates nitric oxide synthase expression. <i>Immunity</i> , 2010 , 33, 25-34	32.3	114
66	Transcriptome analysis reveals a major impact of JAK protein tyrosine kinase 2 (Tyk2) on the expression of interferon-responsive and metabolic genes. <i>BMC Genomics</i> , 2010 , 11, 199	4.5	16

65	The anti-inflammatory potency of dexamethasone is determined by the route of application in vivo. <i>Immunology Letters</i> , 2010 , 129, 50-2	4.1	13
64	Octamer-binding factor 6 (Oct-6/Pou3f1) is induced by interferon and contributes to dsRNA-mediated transcriptional responses. <i>BMC Cell Biology</i> , 2010 , 11, 61		7
63	Identification of an indispensable role for tyrosine kinase 2 in CTL-mediated tumor surveillance. <i>Cancer Research</i> , 2009 , 69, 203-11	10.1	22
62	Dendritic cells require STAT-1 phosphorylated at its transactivating domain for the induction of peptide-specific CTL. <i>Journal of Immunology</i> , 2009 , 183, 2286-93	5.3	30
61	Tristetraprolin is required for full anti-inflammatory response of murine macrophages to IL-10. <i>Journal of Immunology</i> , 2009 , 183, 1197-206	5.3	88
60	Characterization of the interferon-producing cell in mice infected with <i>Listeria monocytogenes</i> . <i>PLoS Pathogens</i> , 2009 , 5, e1000355	7.6	90
59	UME6 is a crucial downstream target of other transcriptional regulators of true hyphal development in <i>Candida albicans</i> . <i>FEMS Yeast Research</i> , 2009 , 9, 126-42	3.1	79
58	Type I interferons as mediators of immune adjuvants for T- and B cell-dependent acquired immunity. <i>Vaccine</i> , 2009 , 27 Suppl 6, G17-20	4.1	33
57	Type I IFN are host modulators of strain-specific <i>Listeria monocytogenes</i> virulence. <i>Cellular Microbiology</i> , 2008 , 10, 1116-29	3.9	31
56	Selective contribution of Tyk2 to cell activation by lipopolysaccharide. <i>FEBS Letters</i> , 2008 , 582, 3681-6	3.8	2
55	The TSC-mTOR signaling pathway regulates the innate inflammatory response. <i>Immunity</i> , 2008 , 29, 565-73	3.3	594
54	Commentary on H. Ide et al., "Tyk2 expression and its signaling enhances the invasiveness of prostate cancer cells". <i>Biochemical and Biophysical Research Communications</i> , 2008 , 366, 869-70	3.4	9
53	Stat5 activation enables erythropoiesis in the absence of EpoR and Jak2. <i>Blood</i> , 2008 , 111, 4511-22	2.2	75
52	The impact of tyrosine kinase 2 (Tyk2) on the proteome of murine macrophages and their response to lipopolysaccharide (LPS). <i>Proteomics</i> , 2008 , 8, 3469-85	4.8	13
51	Comparing the applicability of CGE-on-the-chip and SDS-PAGE for fast pre-screening of mouse serum samples prior to proteomics analysis. <i>Electrophoresis</i> , 2008 , 29, 4332-40	3.6	6
50	Tyk2 and signal transducer and activator of transcription 1 contribute to intestinal I/R injury. <i>Shock</i> , 2008 , 29, 238-44	3.4	9
49	Organ-specific and differential requirement of TYK2 and IFNAR1 for LPS-induced iNOS expression in vivo. <i>Immunobiology</i> , 2007 , 212, 863-75	3.4	8
48	Mitochondrial DNA heteroplasmy in ovine fetuses and sheep cloned by somatic cell nuclear transfer. <i>BMC Developmental Biology</i> , 2007 , 7, 141	3.1	36

47	Contribution of cell culture additives to the two-dimensional protein patterns of mouse macrophages. <i>Electrophoresis</i> , 2006 , 27, 1626-9	3.6	19
46	Transgenic Modification of Production Traits in Farm Animals 2006 , 1-26		
45	Phylogeny, recombination and expression of porcine endogenous retrovirus gamma2 nucleotide sequences. <i>Journal of General Virology</i> , 2006 , 87, 977-986	4.9	11
44	Interferons limit inflammatory responses by induction of tristetraprolin. <i>Blood</i> , 2006 , 107, 4790-7	2.2	122
43	A time- and dose-dependent STAT1 expression system. <i>BMC Biotechnology</i> , 2006 , 6, 48	3.5	4
42	Development of a transgenic mouse model susceptible to human coronavirus 229E. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 8275-80	11.5	50
41	The yin and yang of type I interferon activity in bacterial infection. <i>Nature Reviews Immunology</i> , 2005 , 5, 675-87	36.5	365
40	Studying human pathogens in animal models: fine tuning the humanized mouse. <i>Transgenic Research</i> , 2005 , 14, 803-6	3.3	12
39	Novel functions of tyrosine kinase 2 in the antiviral defense against murine cytomegalovirus. <i>Journal of Immunology</i> , 2005 , 175, 4000-8	5.3	49
38	IFN regulatory factor 3-dependent induction of type I IFNs by intracellular bacteria is mediated by a TLR- and Nod2-independent mechanism. <i>Journal of Immunology</i> , 2004 , 173, 7416-25	5.3	171
37	Control of <i>Leishmania major</i> in the absence of Tyk2 kinase. <i>European Journal of Immunology</i> , 2004 , 34, 519-29	6.1	30
36	Cloned transgenic farm animals produce a bispecific antibody for T cell-mediated tumor cell killing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6858-63	11.5	44
35	Comparative human-mouse-rat sequence analysis of the ICAM gene cluster on HSA 19p13.2 and a 185-kb porcine region from SSC 2q. <i>Gene</i> , 2004 , 343, 239-44	3.8	6
34	TYK2 is a key regulator of the surveillance of B lymphoid tumors. <i>Journal of Clinical Investigation</i> , 2004 , 114, 1650-1658	15.9	46
33	TYK2 is a key regulator of the surveillance of B lymphoid tumors. <i>Journal of Clinical Investigation</i> , 2004 , 114, 1650-8	15.9	27
32	Recombination analysis of human-tropic porcine endogenous retroviruses. <i>Journal of General Virology</i> , 2003 , 84, 2729-2734	4.9	14
31	Central role for type I interferons and Tyk2 in lipopolysaccharide-induced endotoxin shock. <i>Nature Immunology</i> , 2003 , 4, 471-7	19.1	304
30	Phosphorylation of the Stat1 transactivation domain is required for full-fledged IFN-gamma-dependent innate immunity. <i>Immunity</i> , 2003 , 19, 793-802	32.3	196

29	Characterization of endogenous retroviruses in sheep. <i>Journal of Virology</i> , 2003 , 77, 11268-73	6.6	18
28	A natural mutation in the Tyk2 pseudokinase domain underlies altered susceptibility of B10.Q/J mice to infection and autoimmunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11594-9	11.5	109
27	Species-specific regulation of Toll-like receptor 3 genes in men and mice. <i>Journal of Biological Chemistry</i> , 2003 , 278, 21502-9	5.4	152
26	Somatic gene transfer into the lactating ovine mammary gland. <i>Journal of Gene Medicine</i> , 2002 , 4, 282-91	3.5	4
25	Reduced body growth and excessive incisor length in insertional mutants mapping to mouse Chromosome 13. <i>Mammalian Genome</i> , 2002 , 13, 504-9	3.2	4
24	Production of type I IFN sensitizes macrophages to cell death induced by <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2002 , 169, 6522-9	5.3	136
23	Characterization of porcine endogenous retrovirus gamma pro-pol nucleotide sequences. <i>Journal of Virology</i> , 2002 , 76, 11738-43	6.6	35
22	Transfection of epithelial cells is enhanced by combined treatment with mannitol and polyethyleneglycol. <i>Journal of Gene Medicine</i> , 2001 , 3, 115-24	3.5	9
21	Mitochondrial DNA heteroplasmy in cloned cattle produced by fetal and adult cell cloning. <i>Nature Genetics</i> , 2000 , 25, 255-7	36.3	147
20	Rapid and sensitive detection of enhanced green fluorescent protein expression in paraffin sections by confocal laser scanning microscopy. <i>The Histochemical Journal</i> , 2000 , 32, 99-103		36
19	Tyrosinase gene variants in different rabbit strains. <i>Mammalian Genome</i> , 2000 , 11, 700-2	3.2	60
18	Partial leptin receptor gene deletion in transgenic mice prevents expression of the membrane-bound isoforms except for Ob-Rc. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 269, 496-501	3.4	7
17	Contrasting obesity phenotypes uncovered by partial leptin receptor gene deletion in transgenic mice. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 269, 502-7	3.4	3
16	Partial impairment of cytokine responses in Tyk2-deficient mice. <i>Immunity</i> , 2000 , 13, 549-60	32.3	339
15	Stable long-term germ-line transmission of transgene integration sites in mice. <i>Transgenic Research</i> , 1999 , 8, 1-8	3.3	11
14	Species-specific alternative splicing of transgenic RNA in the mammary glands of pigs, rabbits, and mice. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 257, 843-50	3.4	10
13	Stable production of human insulin-like growth factor 1 (IGF-1) in the milk of hemi- and homozygous transgenic rabbits over several generations. <i>Transgenic Research</i> , 1998 , 7, 437-47	3.3	37
12	Genetic variation in functionally important domains of the bovine mtDNA control region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998 , 1397, 295-304		10

11	Jak2 deficiency defines an essential developmental checkpoint in definitive hematopoiesis. <i>Cell</i> , 1998 , 93, 397-409	56.2	832
10	Composition of parental mitochondrial DNA in cloned bovine embryos. <i>FEBS Letters</i> , 1998 , 426, 352-6	3.8	50
9	Non-balanced mix of mitochondrial DNA in cloned cattle produced by cytoplasm-blastomere fusion. <i>FEBS Letters</i> , 1998 , 426, 357-61	3.8	49
8	Intracellular, genetic or congenital immunisation--transgenic approaches to increase disease resistance of farm animals. <i>Journal of Biotechnology</i> , 1996 , 44, 233-42	3.7	11
7	In vivo footprinting of the IRF-1 promoter: inducible occupation of a GAS element next to a persistent structural alteration of the DNA. <i>Nucleic Acids Research</i> , 1994 , 22, 3033-7	20.1	43
6	Molecular cloning of porcine Mx cDNAs: new members of a family of interferon-inducible proteins with homology to GTP-binding proteins. <i>Journal of Interferon Research</i> , 1992 , 12, 119-29		45
5	Transgenic pigs carrying cDNA copies encoding the murine Mx1 protein which confers resistance to influenza virus infection. <i>Gene</i> , 1992 , 121, 263-70	3.8	60
4	A mammary-specific promoter directs expression of growth hormone not only to the mammary gland, but also to Bergman glia cells in transgenic mice. <i>Molecular Endocrinology</i> , 1991 , 5, 123-33		77
3	Transgenic offspring by transcaryotic implantation of transgenic ovaries into normal mice. <i>Molecular Reproduction and Development</i> , 1990 , 25, 42-4	2.6	10
2	Nucleotide sequence of porcine insulin-like growth factor. 1:5Untranslated region, exons 1 and 2 and mRNA. <i>Nucleic Acids Research</i> , 1990 , 18, 364	20.1	18
1	A fast detection protocol for screening large numbers of transgenic animals. <i>Nucleic Acids Research</i> , 1989 , 17, 6422	20.1	9