

John N Galgiani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6167434/john-n-galgiani-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

7,057
citations

44
h-index

82
g-index

147
ext. papers

8,058
ext. citations

6.1
avg, IF

5.5
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 138 | Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2005 , 41, 1217-23 | 11.6 | 515 |
| 137 | NIAID Mycoses Study Group Multicenter Trial of Oral Itraconazole Therapy for Invasive Aspergillosis. <i>American Journal of Medicine</i> , 1994 , 97, 135-44 | 2.4 | 412 |
| 136 | An insight into the antifungal pipeline: selected new molecules and beyond. <i>Nature Reviews Drug Discovery</i> , 2010 , 9, 719-27 | 64.1 | 305 |
| 135 | The Role of Understaffing in Central Venous Catheter-Associated Bloodstream Infection. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 150-158 | 2 | 281 |
| 134 | 2016 Infectious Diseases Society of America (IDSA) Clinical Practice Guideline for the Treatment of Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2016 , 63, e112-46 | 11.6 | 270 |
| 133 | Comparative genomic analyses of the human fungal pathogens <i>Coccidioides</i> and their relatives. <i>Genome Research</i> , 2009 , 19, 1722-31 | 9.7 | 229 |
| 132 | Comparison of oral fluconazole and itraconazole for progressive, nonmeningeal coccidioidomycosis. A randomized, double-blind trial. Mycoses Study Group. <i>Annals of Internal Medicine</i> , 2000 , 133, 676-86 | 8 | 198 |
| 131 | Coccidioidomycosis as a common cause of community-acquired pneumonia. <i>Emerging Infectious Diseases</i> , 2006 , 12, 958-62 | 10.2 | 193 |
| 130 | The role of understaffing in central venous catheter-associated bloodstream infections. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 150-8 | 2 | 178 |
| 129 | Recent advances in our understanding of the environmental, epidemiological, immunological, and clinical dimensions of coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2013 , 26, 505-25 | 34 | 175 |
| 128 | Signal transducer and activator of transcription 1 (STAT1) gain-of-function mutations and disseminated coccidioidomycosis and histoplasmosis. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1624-34 | 11.5 | 162 |
| 127 | Itraconazole treatment of coccidioidomycosis. NAIAD Mycoses Study Group. <i>American Journal of Medicine</i> , 1990 , 89, 282-90 | 2.4 | 151 |
| 126 | Coccidioidomycosis during human immunodeficiency virus infection: results of a prospective study in a coccidioidal endemic area. <i>American Journal of Medicine</i> , 1993 , 94, 235-40 | 2.4 | 148 |
| 125 | Antimicrobial susceptibility testing of yeasts: a turbidimetric technique independent of inoculum size. <i>Antimicrobial Agents and Chemotherapy</i> , 1976 , 10, 721-8 | 5.9 | 143 |
| 124 | Population genomic sequencing of <i>Coccidioides</i> fungi reveals recent hybridization and transposon control. <i>Genome Research</i> , 2010 , 20, 938-46 | 9.7 | 140 |
| 123 | Fluconazole therapy for coccidioidal meningitis. The NIAID-Mycoses Study Group. <i>Annals of Internal Medicine</i> , 1993 , 119, 28-35 | 8 | 139 |
| 122 | Coccidioidomycosis during human immunodeficiency virus infection. A review of 77 patients. <i>Medicine (United States)</i> , 1990 , 69, 384-91 | 1.8 | 135 |

| | | | |
|-----|--|------|-----|
| 121 | Visceral fungal infections due to <i>Petrellidium boydii</i> (<i>allescheria boydii</i>). In vitro drug sensitivity studies. <i>American Journal of Medicine</i> , 1976 , 61, 632-40 | 2.4 | 131 |
| 120 | Gynecomastia with ketoconazole. <i>Antimicrobial Agents and Chemotherapy</i> , 1981 , 19, 1073-4 | 5.9 | 126 |
| 119 | Coccidioidomycosis: a regional disease of national importance. Rethinking approaches for control. <i>Annals of Internal Medicine</i> , 1999 , 130, 293-300 | 8 | 125 |
| 118 | Fluconazole in the treatment of chronic pulmonary and nonmeningeal disseminated coccidioidomycosis. NIAID Mycoses Study Group. <i>American Journal of Medicine</i> , 1995 , 98, 249-56 | 2.4 | 113 |
| 117 | An epidemic of coccidioidomycosis in Arizona associated with climatic changes, 1998-2001. <i>Journal of Infectious Diseases</i> , 2005 , 191, 1981-7 | 7 | 103 |
| 116 | The public health impact of coccidioidomycosis in Arizona and California. <i>International Journal of Environmental Research and Public Health</i> , 2011 , 8, 1150-73 | 4.6 | 92 |
| 115 | Safety, tolerance, and efficacy of posaconazole therapy in patients with nonmeningeal disseminated or chronic pulmonary coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2007 , 45, 562-8 | 11.6 | 92 |
| 114 | Refractory disseminated coccidioidomycosis and mycobacteriosis in interferon-gamma receptor 1 deficiency. <i>Clinical Infectious Diseases</i> , 2009 , 49, e62-5 | 11.6 | 87 |
| 113 | Ketoconazole therapy of progressive coccidioidomycosis. Comparison of 400- and 800-mg doses and observations at higher doses. <i>American Journal of Medicine</i> , 1988 , 84, 603-10 | 2.4 | 86 |
| 112 | Natural History of Non-CNS Disseminated Coccidioidomycosis. <i>Open Forum Infectious Diseases</i> , 2017 , 4, S77-S77 | 1 | 78 |
| 111 | 1718. The Natural History of Chronic Pulmonary Coccidioidomycosis in the Pre-Antifungal Era. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S630-S630 | 1 | 78 |
| 110 | 2598. Macrophage Migration Inhibitory Factor May Contribute to Disseminated Coccidioidomycosis Susceptibility. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S903-S903 | 1 | 78 |
| 109 | Fluconazole, a new antifungal agent. <i>Annals of Internal Medicine</i> , 1990 , 113, 177-9 | 8 | 77 |
| 108 | Interleukin-12 receptor β deficiency predisposing to disseminated Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2011 , 52, e99-e102 | 11.6 | 68 |
| 107 | Risk Factors for Disseminated Coccidioidomycosis, United States. <i>Emerging Infectious Diseases</i> , 2017 , 23, | 10.2 | 65 |
| 106 | Regional dust storm modeling for health services: The case of valley fever. <i>Aeolian Research</i> , 2014 , 14, 53-73 | 3.9 | 58 |
| 105 | Turbidimetric studies of growth inhibition of yeasts with three drugs: inquiry into inoculum-dependent susceptibility testing, time of onset of drug effect, and implications for current and newer methods. <i>Antimicrobial Agents and Chemotherapy</i> , 1978 , 13, 249-54 | 5.9 | 58 |
| 104 | Factors and outcomes associated with the decision to treat primary pulmonary coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2009 , 48, 172-8 | 11.6 | 57 |

| | | | |
|-----|--|------|----|
| 103 | Pharmacokinetics of nikkomycin Z after single rising oral doses. <i>Antimicrobial Agents and Chemotherapy</i> , 2009 , 53, 2517-21 | 5.9 | 55 |
| 102 | Executive Summary: 2016 Infectious Diseases Society of America (IDSA) Clinical Practice Guideline for the Treatment of Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2016 , 63, 717-22 | 11.6 | 53 |
| 101 | Coccidioidomycosis during pregnancy. An analysis of ten cases among 47,120 pregnancies. <i>Chest</i> , 1988 , 94, 376-9 | 5.3 | 52 |
| 100 | Protection of mice against <i>Coccidioides immitis</i> intranasal infection by vaccination with recombinant antigen 2/PRA. <i>Infection and Immunity</i> , 2002 , 70, 3287-9 | 3.7 | 48 |
| 99 | Evaluation of the proline-rich antigen of <i>Coccidioides immitis</i> as a vaccine candidate in mice. <i>Infection and Immunity</i> , 1998 , 66, 3519-22 | 3.7 | 47 |
| 98 | Coccidioidomycosis among visitors to a <i>Coccidioides immitis</i> -endemic area: an outbreak in a military reserve unit. <i>Journal of Infectious Diseases</i> , 1995 , 171, 1672-5 | 7 | 46 |
| 97 | <i>Coccidioides posadasii</i> contains single chitin synthase genes corresponding to classes I to VII. <i>Fungal Genetics and Biology</i> , 2006 , 43, 775-88 | 3.9 | 44 |
| 96 | Improved protection of mice against lethal respiratory infection with <i>Coccidioides posadasii</i> using two recombinant antigens expressed as a single protein. <i>Vaccine</i> , 2006 , 24, 5904-11 | 4.1 | 44 |
| 95 | Resistance to <i>Coccidioides immitis</i> in mice after immunization with recombinant protein or a DNA vaccine of a proline-rich antigen. <i>Infection and Immunity</i> , 1999 , 67, 2935-40 | 3.7 | 44 |
| 94 | Modeling nikkomycin Z dosing and pharmacology in murine pulmonary coccidioidomycosis preparatory to phase 2 clinical trials. <i>Journal of Infectious Diseases</i> , 2014 , 209, 1949-54 | 7 | 43 |
| 93 | Ketoconazole treatment of nonprimary coccidioidomycosis. Evaluation of 60 patients during three years of study. <i>American Journal of Medicine</i> , 1982 , 72, 681-7 | 2.4 | 41 |
| 92 | Management of coccidioidomycosis in patients receiving biologic response modifiers or disease-modifying antirheumatic drugs. <i>Arthritis Care and Research</i> , 2012 , 64, 1903-9 | 4.7 | 40 |
| 91 | Physical characterization of the "immunosignaturing effect". <i>Molecular and Cellular Proteomics</i> , 2012 , 11, M111.011593 | 7.6 | 40 |
| 90 | The Return of Delayed-Type Hypersensitivity Skin Testing for Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2015 , 61, 787-91 | 11.6 | 39 |
| 89 | Legionnaires Disease following cardiac transplantation. <i>Chest</i> , 1981 , 79, 669-71 | 5.3 | 38 |
| 88 | Evaluation of VT-1161 for Treatment of Coccidioidomycosis in Murine Infection Models. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 7249-54 | 5.9 | 37 |
| 87 | Cloning and sequence analysis of the cDNA for a protein from <i>Coccidioides immitis</i> with immunogenic potential. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 218, 485-9 | 3.4 | 37 |
| 86 | <i>Bacteroides fragilis</i> endocarditis, bacteremia and other infections treated with oral or intravenous metronidazole. <i>American Journal of Medicine</i> , 1978 , 65, 284-9 | 2.4 | 37 |

| | | | |
|----|--|------|----|
| 85 | Protein expression profiling of <i>Coccidioides posadasii</i> by two-dimensional differential in-gel electrophoresis and evaluation of a newly recognized peroxisomal matrix protein as a recombinant vaccine candidate. <i>Infection and Immunity</i> , 2006 , 74, 1865-72 | 3.7 | 36 |
| 84 | Markers of coccidioidomycosis before cardiac or renal transplantation and the risk of recurrent infection. <i>Transplantation</i> , 1993 , 55, 1422-4 | 1.8 | 35 |
| 83 | <i>Coccidioides posadasii</i> contains a single 1,3-beta-glucan synthase gene that appears to be essential for growth. <i>Eukaryotic Cell</i> , 2005 , 4, 111-20 | | 33 |
| 82 | Efficacy of Nikkomycin Z for respiratory coccidioidomycosis in naturally infected dogs. <i>Medical Mycology</i> , 2013 , 51, 747-54 | 3.9 | 32 |
| 81 | A <i>Coccidioides posadasii</i> CPS1 Deletion Mutant Is Avirulent and Protects Mice from Lethal Infection. <i>Infection and Immunity</i> , 2016 , 84, 3007-16 | 3.7 | 29 |
| 80 | Human polymorphonuclear-leukocyte inhibition of incorporation of chitin precursors into mycelia of <i>Coccidioides immitis</i> . <i>Journal of Infectious Diseases</i> , 1984 , 149, 404-12 | 7 | 28 |
| 79 | Vaccine-induced cellular immune responses differ from innate responses in susceptible and resistant strains of mice infected with <i>Coccidioides posadasii</i> . <i>Infection and Immunity</i> , 2008 , 76, 5553-64 | 3.7 | 27 |
| 78 | Spherules derived from <i>Coccidioides posadasii</i> promote human dendritic cell maturation and activation. <i>Infection and Immunity</i> , 2006 , 74, 2415-22 | 3.7 | 26 |
| 77 | Cavitary coccidioidomycosis with fungus ball formation. Diagnosis by fiberoptic bronchoscopy with coexistence of hyphae and spherules. <i>Chest</i> , 1994 , 105, 412-6 | 5.3 | 25 |
| 76 | Antigenemia in primary coccidioidomycosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 1984 , 33, 645-9 | 3.2 | 24 |
| 75 | Coccidioidomycosis: changing perceptions and creating opportunities for its control. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1111, 1-18 | 6.5 | 23 |
| 74 | Localization within a proline-rich antigen (Ag2/PRA) of protective antigenicity against infection with <i>Coccidioides immitis</i> in mice. <i>Infection and Immunity</i> , 2002 , 70, 3330-5 | 3.7 | 23 |
| 73 | Ketoconazole treatment of coccidioidal meningitis. <i>Annals of the New York Academy of Sciences</i> , 1988 , 544, 488-96 | 6.5 | 23 |
| 72 | Extraction of serologic and delayed hypersensitivity antigens from spherules of <i>Coccidioides immitis</i> . <i>Diagnostic Microbiology and Infectious Disease</i> , 1988 , 11, 65-80 | 2.9 | 23 |
| 71 | Amphotericin B and imidazole therapy for coccidioidal meningitis in children. <i>Pediatric Infectious Disease Journal</i> , 1983 , 2, 216-21 | 3.4 | 23 |
| 70 | Glucan-Chitin Particles Enhance Th17 Response and Improve Protective Efficacy of a Multivalent Antigen (rCpa1) against Pulmonary <i>Coccidioides posadasii</i> Infection. <i>Infection and Immunity</i> , 2018 , 86, | 3.7 | 22 |
| 69 | The Rise of : Forces Against the Dust Devil Unleashed. <i>Frontiers in Immunology</i> , 2019 , 10, 2188 | 8.4 | 21 |
| 68 | Ketoconazole in the treatment of coccidioidomycosis. <i>Drugs</i> , 1983 , 26, 355-63 | 12.1 | 20 |

| | | | |
|----|--|------|----|
| 67 | Paracoccidioidomycosis (South American blastomycosis): treatment with miconazole. <i>American Journal of Tropical Medicine and Hygiene</i> , 1978 , 27, 801-7 | 3.2 | 20 |
| 66 | Efficacy of ambruticin analogs in a murine model of coccidioidomycosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 3467-9 | 5.9 | 18 |
| 65 | Evaluation of 80% inhibition standards for the determination of fluconazole minimum inhibitory concentrations in three laboratories. <i>Diagnostic Microbiology and Infectious Disease</i> , 1994 , 20, 81-6 | 2.9 | 18 |
| 64 | Safety, antigenicity, and efficacy of a recombinant coccidioidomycosis vaccine in cynomolgus macaques (<i>Macaca fascicularis</i>). <i>Annals of the New York Academy of Sciences</i> , 2007 , 1111, 290-300 | 6.5 | 17 |
| 63 | Application of immunosignatures for diagnosis of valley fever. <i>Vaccine Journal</i> , 2014 , 21, 1169-77 | | 15 |
| 62 | Persistent coccidioidal seropositivity without clinical evidence of active coccidioidomycosis in patients infected with human immunodeficiency virus. <i>Clinical Infectious Diseases</i> , 1995 , 20, 1281-5 | 11.6 | 15 |
| 61 | Early Events in Coccidioidomycosis. <i>Clinical Microbiology Reviews</i> , 2019 , 33, | 34 | 14 |
| 60 | Coccidioidal peritonitis associated with continuous ambulatory peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 1988 , 11, 512-4 | 7.4 | 14 |
| 59 | Characterizing in vitro spherule morphogenesis of multiple strains of both species of <i>Coccidioides</i> . <i>Medical Mycology</i> , 2019 , 57, 478-488 | 3.9 | 13 |
| 58 | Analysis of autoantibodies to T-cell receptors among HIV-infected individuals: epitope analysis and time course. <i>Clinical Immunology and Immunopathology</i> , 1997 , 82, 174-89 | | 13 |
| 57 | Vaccines to prevent systemic mycoses: holy grails meet translational realities. <i>Journal of Infectious Diseases</i> , 2008 , 197, 938-40 | 7 | 13 |
| 56 | Delays in Coccidioidomycosis Diagnosis and Associated Healthcare Utilization, Tucson, Arizona, USA. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1745-1747 | 10.2 | 12 |
| 55 | Viable spores of <i>Coccidioides posadasii</i> Δ ps1 are required for vaccination and provide long lasting immunity. <i>Vaccine</i> , 2018 , 36, 3375-3380 | 4.1 | 12 |
| 54 | Coccidioidomycosis among scholarship athletes and other college students, Arizona, USA. <i>Emerging Infectious Diseases</i> , 2010 , 16, 321-3 | 10.2 | 12 |
| 53 | Interaction of human peripheral blood mononuclear cells with <i>Coccidioides immitis</i> arthroconidia. <i>Cellular Immunology</i> , 1991 , 133, 253-62 | 4.4 | 12 |
| 52 | Comparison of a Novel Rapid Lateral Flow Assay to Enzyme Immunoassay Results for Early Diagnosis of Coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2746-e2753 | 11.6 | 12 |
| 51 | Treatment for Early, Uncomplicated Coccidioidomycosis: What Is Success?. <i>Clinical Infectious Diseases</i> , 2020 , 70, 2008-2012 | 11.6 | 12 |
| 50 | Mouse models for the study of fungal pneumonia: a collection of detailed experimental protocols for the study of <i>Coccidioides</i> , <i>Cryptococcus</i> , <i>Fusarium</i> , <i>Histoplasma</i> and combined infection due to <i>Aspergillus-Rhizopus</i> . <i>Virulence</i> , 2012 , 3, 329-38 | 4.7 | 11 |

| | | | |
|----|--|------|----|
| 49 | Detecting serum antibodies to a purified recombinant proline-rich antigen of <i>Coccidioides immitis</i> in patients with coccidioidomycosis. <i>Clinical Infectious Diseases</i> , 1998 , 27, 1475-8 | 11.6 | 11 |
| 48 | A paradigm for the evaluation and management of spinal coccidioidomycosis. <i>Surgical Neurology International</i> , 2015 , 6, 107 | 1 | 11 |
| 47 | Development of dermal hypersensitivity to coccidioidal antigens associated with repeated skin testing. <i>The American Review of Respiratory Disease</i> , 1986 , 134, 1045-7 | | 10 |
| 46 | Mannose-binding lectin serum levels are low in persons with clinically active coccidioidomycosis. <i>Mycopathologia</i> , 2009 , 167, 173-80 | 2.9 | 9 |
| 45 | Differences in oxidant release by human polymorphonuclear leukocytes produced by stimulation with different phases of <i>Coccidioides immitis</i> . <i>Journal of Infectious Diseases</i> , 1995 , 172, 199-203 | 7 | 9 |
| 44 | Top Questions in the Diagnosis and Treatment of Coccidioidomycosis. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx197 | 1 | 8 |
| 43 | Coccidioidomycosis: The Initial Pulmonary Infection and Beyond. <i>Seminars in Respiratory and Critical Care Medicine</i> , 1997 , 18, 235-247 | 3.9 | 8 |
| 42 | Delays in Coccidioidomycosis Diagnosis and Relationship to Healthcare Utilization, Phoenix, Arizona, USA1. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1742-1744 | 10.2 | 8 |
| 41 | Effect of Geography on the Analysis of Coccidioidomycosis-Associated Deaths, United States. <i>Emerging Infectious Diseases</i> , 2016 , 22, 1821-3 | 10.2 | 8 |
| 40 | Population Structure and Genetic Diversity among Isolates of in Venezuela and Surrounding Regions. <i>MBio</i> , 2019 , 10, | 7.8 | 8 |
| 39 | The application of proteomic techniques to fungal protein identification and quantification. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1111, 133-46 | 6.5 | 7 |
| 38 | Delays in Coccidioidomycosis Diagnosis and Relationship to Healthcare Utilization, Phoenix, Arizona, USA. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1742-1744 | 10.2 | 6 |
| 37 | Nuclear labeling of <i>Coccidioides posadasii</i> with green fluorescent protein. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1111, 198-207 | 6.5 | 6 |
| 36 | Clinical and Economic Burden of Valley Fever in Arizona: An Incidence-Based Cost-of-Illness Analysis. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofaa623 | 1 | 6 |
| 35 | Natural History of Disseminated Coccidioidomycosis: Examination of the Veterans Affairs-Armed Forces Database. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3814-e3819 | 11.6 | 6 |
| 34 | Coccidioidal Meningitis in New York Traced to Texas by Fungal Genomic Analysis. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1060-1062 | 11.6 | 6 |
| 33 | A Chronic Murine Disease Model of Coccidioidomycosis Using <i>Coccidioides posadasii</i> , Strain 1038. <i>Journal of Infectious Diseases</i> , 2021 , 223, 166-173 | 7 | 6 |
| 32 | Clinician Practice Patterns That Result in the Diagnosis of Coccidioidomycosis Before or During Hospitalization. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1587-e1593 | 11.6 | 5 |

| | | | |
|----|---|------|---|
| 31 | Susceptibility of <i>Candida albicans</i> to flucytosine when tested in different formulations of yeast nitrogen base broth. <i>Diagnostic Microbiology and Infectious Disease</i> , 1986 , 5, 273-6 | 2.9 | 5 |
| 30 | Delays in Coccidioidomycosis Diagnosis and Associated Healthcare Utilization, Tucson, Arizona, USA. <i>Emerging Infectious Diseases</i> , 2019 , 25, 1745-1747 | 10.2 | 5 |
| 29 | Differential Thermotolerance Adaptation between Species of. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020 , 6, | 5.6 | 5 |
| 28 | Molecular approaches to the study of <i>Coccidioides immitis</i> . <i>International Journal of Medical Microbiology</i> , 2002 , 292, 373-80 | 3.7 | 4 |
| 27 | Comparative analysis of three antifungal susceptibility test methods against prospectively collected <i>Candida</i> species. <i>Diagnostic Microbiology and Infectious Disease</i> , 1994 , 18, 89-94 | 2.9 | 4 |
| 26 | Coccidioidomycosis (<i>Coccidioides</i> Species) 2015 , 2974-2984.e3 | | 4 |
| 25 | A quantitative enzyme-linked immunoassay (ELISA) to approximate complement-fixing antibody titers in serum from patients with coccidioidomycosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2021 , 99, 115198 | 2.9 | 4 |
| 24 | Approach to Management of Coccidioidomycosis in Patients Receiving Inhibitors of Tumor Necrosis Factor- α <i>Infectious Diseases in Clinical Practice</i> , 2017 , 25, 184-192 | 0.2 | 3 |
| 23 | Studies of the effects of spherulin from <i>Coccidioides immitis</i> on human polymorphonuclear leukocytes. <i>Mycopathologia</i> , 1985 , 90, 107-11 | 2.9 | 3 |
| 22 | Clinical conference in pulmonary disease. Coccidioidomycosis. Clinical conference in pulmonary disease from the Tucson V.A. Medical Center and the University of Arizona. <i>Chest</i> , 1982 , 81, 488-92 | 5.3 | 3 |
| 21 | 2888. STAT4 Mutation in Three Generations with Disseminated Coccidioidomycosis (DCM) also Exhibits Increased Susceptibility to Coccidioidal Infection in Transfected Mice. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S77-S78 | 1 | 3 |
| 20 | How does genetics influence valley fever? research underway now to answer this question. <i>Southwest Journal of Pulmonary & Critical Care</i> , 230-237 | 0.8 | 2 |
| 19 | 42. Common Population Variants Cause Susceptibility to Disseminated Coccidioidomycosis. <i>Open Forum Infectious Diseases</i> , 2020 , 7, S22-S23 | 1 | 2 |
| 18 | 1732. A Canine Target Species Challenge Model to Evaluate Efficacy of a Coccidioidomycosis Vaccine. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S634-S635 | 1 | 2 |
| 17 | Demonstration of , -Dimethyldithiocarbamate as a Copper-Dependent Antibiotic against Multiple Upper Respiratory Tract Pathogens. <i>Microbiology Spectrum</i> , 2021 , 9, e0077821 | 8.9 | 2 |
| 16 | Cross-Sectional Study of Clinical Predictors of Coccidioidomycosis, Arizona, USA. <i>Emerging Infectious Diseases</i> , 2022 , 28, 1091-1100 | 10.2 | 2 |
| 15 | Mouse Model of a Human STAT4 Point Mutation That Predisposes to Disseminated Coccidiomycosis.. <i>ImmunoHorizons</i> , 2022 , 6, 130-143 | 2.7 | 1 |
| 14 | FDA Public Workshop Summary-Coccidioidomycosis (Valley Fever): Considerations for Development of Antifungal Drugs. <i>Clinical Infectious Diseases</i> , 2021 , | 11.6 | 1 |

| | | | |
|----|--|-----|---|
| 13 | βps1 vaccine protects dogs against experimentally induced coccidioidomycosis. <i>Vaccine</i> , 2021 , 39, 6894-6901 | 4.2 | 1 |
| 12 | A randomized, double-blind, placebo-controlled clinical trial of fluconazole as early empiric treatment of coccidioidomycosis pneumonia (Valley Fever) in adults presenting with community-acquired pneumonia in endemic areas (FLEET-Valley Fever). <i>Contemporary Clinical Trials Communications</i> , 2021 , 24, 100851 | 1.8 | 1 |
| 11 | The WOPR family protein Ryp1 is a key regulator of gene expression, development, and virulence in the thermally dimorphic fungal pathogen <i>Coccidioides posadasii</i> | | 1 |
| 10 | 386. A Reexamination of Disseminated Coccidioidomycosis: The Natural History in the Pre-Antifungal Era. <i>Open Forum Infectious Diseases</i> , 2018 , 5, S149-S150 | 1 | 1 |
| 9 | Vaccine Protection of Mice With Primary Immunodeficiencies Against Disseminated Coccidioidomycosis.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 790488 | 5.9 | 0 |
| 8 | The WOPR family protein Ryp1 is a key regulator of gene expression, development, and virulence in the thermally dimorphic fungal pathogen <i>Coccidioides posadasii</i> .. <i>PLoS Pathogens</i> , 2022 , 18, e1009832 | 7.6 | 0 |
| 7 | Oxygen Consumption Deficits in Patients With Residual Fatigue After Primary Coccidioidomycosis. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx136 | 1 | |
| 6 | Program for the 45th coccidioidomycosis study group Tucson, Arizona, March 31, 2001. <i>Mycopathologia</i> , 2002 , 154, 1-13 | 2.9 | |
| 5 | Pertussis vaccine: An unnecessary renewal of anti-vaccine sentiment. <i>Infectious Diseases Newsletter (New York, N Y)</i> , 1982 , 1, 69-71 | | |
| 4 | TNFβBlockade Inhibits Both Initial and Continued Control of Pulmonary .. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 796114 | 5.9 | |
| 3 | Contribution of Biologic Response Modifiers to the Risk of Coccidioidomycosis Severity.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofac032 | 1 | |
| 2 | A Pilot Study of Valley Fever Tweets. <i>Infection Control and Hospital Epidemiology</i> , 2020 , 41, s101-s101 | | 2 |
| 1 | The <i>Cryptococcus neoformans</i> GeneDHA1 Encodes an Antigen That Elicits a Delayed-Type Hypersensitivity Reaction in Immune Mice. <i>Infection and Immunity</i> , 2000 , 68, 6196-6201 | 3.7 | |