

JosÃ© Antonio NavÃ©o

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6168352/publications.pdf>

Version: 2024-02-01

159
papers

7,497
citations

41344

49
h-index

58581

82
g-index

160
all docs

160
docs citations

160
times ranked

7718
citing authors

#	ARTICLE	IF	CITATIONS
1	ZnO/Ag ₃ PO ₄ and ZnO@Malachite as Effective Photocatalysts for the Removal of Enteropathogenic Bacteria, Dyestuffs, and Heavy Metals from Municipal and Industrial Wastewater. <i>Water (Switzerland)</i> , 2021, 13, 2264.	2.7	0
2	How the Ti Precursor is Involved in the Effectiveness of Pt-TiO ₂ Materials in Photodegrading Methyl Orange. <i>Revista Facultad De Ciencias Básicas</i> , 2021, 16, 21-30.	0.2	2
3	Photocatalytic production of hydrogen and methane from glycerol reforming over Pt/TiO ₂ @Nb ₂ O ₅ . <i>International Journal of Hydrogen Energy</i> , 2021, 46, 38678-38691.	7.1	20
4	Photocatalytic Treatment of Stained Wastewater Coming from Handicraft Factories. A Case Study at the Pilot Plant Level. <i>Water (Switzerland)</i> , 2021, 13, 2705.	2.7	8
5	Fluorinated and Platinized Titania for Glycerol Oxidation. <i>Materials Proceedings</i> , 2021, 4, 37.	0.2	1
6	LaFeO ₃ Modified with Ni for Hydrogen Evolution via Photocatalytic Glucose Reforming in Liquid Phase. <i>Catalysts</i> , 2021, 11, 1558.	3.5	7
7	Role of Fe(III) in aqueous solution or deposited on ZnO surface in the photoassisted degradation of rhodamine B and caffeine. <i>Chemosphere</i> , 2020, 241, 125009.	8.2	18
8	Influence of Water on the Oxidation of NO on Pd/TiO ₂ Photocatalysts. <i>Nanomaterials</i> , 2020, 10, 2354.	4.1	5
9	Evaluation of Au@ZnO, ZnO/Ag ₂ CO ₃ and Ag@TiO ₂ as Photocatalyst for Wastewater Treatment. <i>Topics in Catalysis</i> , 2020, 63, 1286-1301.	2.8	11
10	Fluorinated and Platinized Titania as Effective Materials in the Photocatalytic Treatment of Dyestuffs and Stained Wastewater Coming from Handicrafts Factories. <i>Catalysts</i> , 2019, 9, 179.	3.5	13
11	UV and visible-light driven photocatalytic removal of caffeine using ZnO modified with different noble metals (Pt, Ag and Au). <i>Materials Research Bulletin</i> , 2019, 112, 251-260.	5.2	81
12	A facile shape-controlled synthesis of highly photoactive fluorine containing TiO ₂ nanosheets with high {001} facet exposure. <i>Journal of Materials Science</i> , 2018, 53, 435-446.	3.7	32
13	Photo/Electrocatalytic Properties of Nanocrystalline ZnO and Doped ZnO: Combined DFT Fundamental Semiconducting Properties and Experimental Study. <i>ChemistrySelect</i> , 2018, 3, 7778-7791.	1.5	34
14	Photocatalytic removal of patent blue V dye on Au-TiO ₂ and Pt-TiO ₂ catalysts. <i>Applied Catalysis B: Environmental</i> , 2016, 188, 134-146.	20.2	130
15	Boosting the visible-light photoactivity of Bi ₂ WO ₆ using acidic carbon additives. <i>Applied Catalysis A: General</i> , 2015, 505, 467-477.	4.3	16
16	Enhancement of stability and photoactivity of TiO ₂ coatings on annular glass reactors to remove emerging pollutants from waters. <i>Chemical Engineering Journal</i> , 2015, 279, 488-497.	12.7	43
17	Simultaneous Production of CH ₄ and H ₂ from Photocatalytic Reforming of Glucose Aqueous Solution on Sulfated Pd-TiO ₂ Catalysts. <i>Oil and Gas Science and Technology</i> , 2015, 70, 891-902.	1.4	31
18	Photocatalytic reduction of CO ₂ over platinised Bi ₂ WO ₆ -based materials. <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 678-685.	2.9	39

#	ARTICLE	IF	CITATIONS
19	Photocatalytic propylene epoxidation on Bi ₂ WO ₆ -based photocatalysts. Research on Chemical Intermediates, 2015, 41, 4199-4212.	2.7	7
20	Synthesis and application of layered titanates in the photocatalytic degradation of phenol. Applied Catalysis B: Environmental, 2015, 163, 23-29.	20.2	23
21	Correlation study between photo-degradation and surface adsorption properties of phenol and methyl orange on TiO ₂ Vs platinum-supported TiO ₂ . Applied Catalysis B: Environmental, 2014, 150-151, 107-115.	20.2	51
22	Effect of the type of acid used in the synthesis of titania-silica mixed oxides on their photocatalytic properties. Applied Catalysis B: Environmental, 2014, 150-151, 389-395.	20.2	19
23	Hydrogen production using Pt-loaded TiO ₂ photocatalysts. International Journal of Hydrogen Energy, 2013, 38, 11737-11748.	7.1	66
24	Role of activated carbon on the increased photocatalytic activity of AC/Bi ₂ WO ₆ coupled materials. Applied Catalysis A: General, 2013, 466, 51-59.	4.3	17
25	Efficient and affordable hydrogen production by water photo-splitting using TiO ₂ -based photocatalysts. International Journal of Hydrogen Energy, 2013, 38, 2144-2155.	7.1	101
26	Cyclohexane photocatalytic oxidation on Pt/TiO ₂ catalysts. Catalysis Today, 2013, 209, 164-169.	4.4	66
27	Degradation of Rhodamine B/Phenol Mixtures in Water by Sun-Like Excitation of a Bi ₂ WO ₆ -TiO ₂ Photocatalyst. Photochemistry and Photobiology, 2013, 89, 832-840.	2.5	29
28	In situ FT-IR study of the adsorption and photocatalytic oxidation of ethanol over sulfated and metallized TiO ₂ . Applied Catalysis B: Environmental, 2013, 142-143, 205-213.	20.2	52
29	Preparación de Sistemas Óxido de Titanio/Óxido de Silicio (TiO ₂ /SiO ₂) mediante el Método Solvotérmico para Aplicaciones en Fotocatálisis. Informacion Tecnológica (discontinued), 2013, 24, 81-92.	0.3	6
30	Gas-phase Photocatalytic Partial Oxidation of Cyclohexane to Cyclohexanol and Cyclohexanone on Au/TiO ₂ Photocatalysts. Journal of Advanced Oxidation Technologies, 2013, 16, .	0.5	7
31	Photocatalytic Ethanol Oxidative Dehydrogenation over Pt/TiO ₂ : Effect of the Addition of Blue Phosphors. International Journal of Photoenergy, 2012, 2012, 1-9.	2.5	23
32	Ethanol partial photooxidation on Pt/TiO ₂ catalysts as green route for acetaldehyde synthesis. Catalysis Today, 2012, 196, 101-109.	4.4	60
33	Insights towards the influence of Pt features on the photocatalytic activity improvement of TiO ₂ by platinisation. Applied Catalysis B: Environmental, 2012, 126, 76-85.	20.2	58
34	Effect of deposition of silver on structural characteristics and photoactivity of TiO ₂ -based photocatalysts. Applied Catalysis B: Environmental, 2012, 127, 112-120.	20.2	66
35	Effect of hydrothermal treatment on structural and photocatalytic properties of TiO ₂ synthesized by sol-gel method. Applied Catalysis A: General, 2012, 411-412, 153-159.	4.3	32
36	Photocatalytic activity of single and mixed nanosheet-like Bi ₂ WO ₆ and TiO ₂ for Rhodamine B degradation under sunlike and visible illumination. Applied Catalysis A: General, 2012, 423-424, 34-41.	4.3	43

#	ARTICLE	IF	CITATIONS
37	Synthesis, characterization and photocatalytic activity of Bi-doped TiO ₂ photocatalysts under simulated solar irradiation. <i>Applied Catalysis A: General</i> , 2011, , .	4.3	13
38	Influence of the strong metal support interaction effect (SMSI) of Pt/TiO ₂ and Pd/TiO ₂ systems in the photocatalytic biohydrogen production from glucose solution. <i>Catalysis Communications</i> , 2011, 16, 1-6.	3.3	108
39	Photodeposition of gold on titanium dioxide for photocatalytic phenol oxidation. <i>Applied Catalysis A: General</i> , 2011, 397, 112-120.	4.3	86
40	Comparative study of the photodeposition of Pt, Au and Pd on pre-sulphated TiO ₂ for the photocatalytic decomposition of phenol. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 217, 275-283.	3.9	164
41	Novel Bi ₂ WO ₆ –TiO ₂ heterostructures for Rhodamine B degradation under sunlike irradiation. <i>Journal of Hazardous Materials</i> , 2011, 185, 1425-1434.	12.4	87
42	Determination of the local structure of a highly dispersed Pd-Nanosystem located on a titanium dioxide carrier. <i>Journal of Surface Investigation</i> , 2010, 4, 636-639.	0.5	3
43	Characterisation and photocatalytic properties of titania–silica mixed oxides doped with Ag and Pt. <i>Applied Catalysis A: General</i> , 2010, 387, 135-140.	4.3	25
44	Photocatalytic degradation of phenolic compounds with new TiO ₂ catalysts. <i>Applied Catalysis B: Environmental</i> , 2010, 100, 346-354.	20.2	85
45	Gas phase photocatalytic oxidation of toluene using highly active Pt doped TiO ₂ . <i>Journal of Molecular Catalysis A</i> , 2010, 320, 14-18.	4.8	31
46	Sunlight highly photoactive Bi ₂ WO ₆ –TiO ₂ heterostructures for rhodamine B degradation. <i>Chemical Communications</i> , 2010, 46, 4809.	4.1	129
47	Degradation of n-Butyl tin Chlorides in Waters. A Comparative Assessment of the Process by Photo-assisted and Chemical- treatment Methods. <i>Journal of Advanced Oxidation Technologies</i> , 2009, 12, .	0.5	0
48	Influence of sulfur on the structural, surface properties and photocatalytic activity of sulfated TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2009, 90, 633-641.	20.2	52
49	ZnO activation by using activated carbon as a support: Characterisation and photoreactivity. <i>Applied Catalysis A: General</i> , 2009, 364, 174-181.	4.3	41
50	FTIR study of photocatalytic degradation of 2-propanol in gas phase with different TiO ₂ catalysts. <i>Applied Catalysis B: Environmental</i> , 2009, 89, 204-213.	20.2	63
51	Effect of Sulfate Pretreatment on Gold-Modified TiO ₂ for Photocatalytic Applications. <i>Journal of Physical Chemistry C</i> , 2009, 113, 12840-12847.	3.1	81
52	Titania-Supported Gold Catalysts: Comparison between the Photochemical Phenol Oxidation and Gaseous CO Oxidation Performances. <i>Catalysis Letters</i> , 2008, 123, 198-206.	2.6	32
53	Modification of the photocatalytic activity of Pd/TiO ₂ and Zn/TiO ₂ systems through different oxidative and reductive calcination treatments. <i>Applied Catalysis B: Environmental</i> , 2008, 80, 88-97.	20.2	59
54	Highly photoactive ZnO by amine capping-assisted hydrothermal treatment. <i>Applied Catalysis B: Environmental</i> , 2008, 83, 30-38.	20.2	70

#	ARTICLE	IF	CITATIONS
55	Influence of amine template on the photoactivity of TiO ₂ nanoparticles obtained by hydrothermal treatment. <i>Applied Catalysis B: Environmental</i> , 2008, 78, 176-182.	20.2	27
56	Study of the synergic effect of sulphate pre-treatment and platinisation on the highly improved photocatalytic activity of TiO ₂ . <i>Applied Catalysis B: Environmental</i> , 2008, 81, 49-55.	20.2	34
57	Functionalisation versus mineralisation of some N-heterocyclic compounds upon UV-illumination in the presence of un-doped and iron-doped TiO ₂ photocatalysts. <i>Applied Catalysis B: Environmental</i> , 2008, 82, 225-232.	20.2	6
58	Soporte de Nuevas PelÃculas de TiO ₂ y TiO ₂ /SiO ₂ sobre GrÃnulos de PoliÃster para AplicaciÃn en FotocatÃlisis. <i>Informacion Tecnologica (discontinued)</i> , 2008, 19, .	0.3	2
59	Preparation of TiO ₂ and TiO ₂ /SiO ₂ Films on Polyester Granules for Photocatalytic Applications. <i>Journal of Advanced Oxidation Technologies</i> , 2007, 10, .	0.5	0
60	Photocatalytic properties of surface modified platinised TiO ₂ : Effects of particle size and structural composition. <i>Catalysis Today</i> , 2007, 129, 43-49.	4.4	82
61	Hydrothermal preparation of highly photoactive TiO ₂ nanoparticles. <i>Catalysis Today</i> , 2007, 129, 50-58.	4.4	114
62	Effect of the redox treatment of Pt/TiO ₂ system on its photocatalytic behaviour in the gas phase selective photooxidation of propan-2-ol. <i>Catalysis Today</i> , 2007, 128, 235-244.	4.4	58
63	EXAFS study and photocatalytic properties of un-doped and iron-doped ZrO ₂ -TiO ₂ (photo-) catalysts. <i>Catalysis Today</i> , 2007, 128, 245-250.	4.4	21
64	XAFS study of high-disperse Pd-containing nanosystem supported on TiO ₂ oxide matrix. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007, 575, 180-184.	1.6	3
65	The effect of dosage on the photocatalytic degradation of organic pollutants. <i>Research on Chemical Intermediates</i> , 2007, 33, 351-358.	2.7	19
66	Superparamagnetic $\hat{1}^3$ -Fe ₂ O ₃ nanoclusters in silicate matrices. <i>Inorganic Materials</i> , 2006, 42, 377-380.	0.8	3
67	Effect of TiO ₂ acidic pre-treatment on the photocatalytic properties for phenol degradation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2006, 179, 20-27.	3.9	133
68	Structural and surface approach to the enhanced photocatalytic activity of sulfated TiO ₂ photocatalyst. <i>Applied Catalysis B: Environmental</i> , 2006, 63, 45-59.	20.2	228
69	Cu-doped TiO ₂ systems with improved photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2006, 67, 41-51.	20.2	491
70	EXAFS Study of Fe ₃ Interaction with ZrO ₂ and TiO ₂ Oxides. <i>Physica Scripta</i> , 2005, , 736.	2.5	1
71	Synthesis and textural-structural characterization of magnesia, magnesia-titania and magnesia-zirconia catalysts. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 234, 17-25.	4.7	47
72	Gas-phase ethanol photocatalytic degradation study with TiO ₂ doped with Fe, Pd and Cu. <i>Journal of Molecular Catalysis A</i> , 2004, 215, 153-160.	4.8	112

#	ARTICLE	IF	CITATIONS
73	Enhancement of TiO ₂ /C photocatalytic activity by sulfate promotion. <i>Applied Catalysis A: General</i> , 2004, 259, 235-243.	4.3	37
74	Title is missing!. <i>Kinetics and Catalysis</i> , 2003, 44, 165-174.	1.0	5
75	Title is missing!. <i>Journal of Materials Science</i> , 2003, 38, 2219-2222.	3.7	0
76	ACID-base properties of a CERIA-lanthana catalytic system. <i>Journal of Thermal Analysis and Calorimetry</i> , 2003, 72, 223-229.	3.6	6
77	Catalytic activity of a ceria-lanthana system for 4-methylpentan-2-ol dehydration. <i>Reaction Kinetics and Catalysis Letters</i> , 2003, 79, 93-99.	0.6	6
78	Influence of residual carbon on the photocatalytic activity of TiO ₂ /C samples for phenol oxidation. <i>Applied Catalysis B: Environmental</i> , 2003, 43, 163-173.	20.2	46
79	TiO ₂ activation by using activated carbon as a support Part II. Photoreactivity and FTIR study. <i>Applied Catalysis B: Environmental</i> , 2003, 44, 153-160.	20.2	122
80	TiO ₂ activation by using activated carbon as a support Part I. Surface characterisation and decantability study. <i>Applied Catalysis B: Environmental</i> , 2003, 44, 161-172.	20.2	151
81	Photocatalytic behaviour of sulphated TiO ₂ for phenol degradation. <i>Applied Catalysis B: Environmental</i> , 2003, 45, 39-50.	20.2	118
82	XAFS study of an intermetallic TiFe _{0.95} Zr _{0.03} Mo _{0.02} system for CO ₂ conversion. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2003, 199, 216-221.	1.4	0
83	Role of Fe ³⁺ /Fe ²⁺ as TiO ₂ dopant ions in photocatalytic degradation of carboxylic acids. <i>Journal of Molecular Catalysis A</i> , 2003, 197, 157-171.	4.8	75
84	Preparation, characterisation and activity of CeO ₂ -ZrO ₂ catalysts for alcohol dehydration. <i>Journal of Molecular Catalysis A</i> , 2003, 204-205, 629-635.	4.8	49
85	Effect of Phosphate Precursor and Organic Additives on the Structural and Catalytic Properties of Amorphous Mesoporous AlPO ₄ Materials. <i>Chemistry of Materials</i> , 2003, 15, 3352-3364.	6.7	72
86	Oxidation of 6- and 8-methylquinolines upon UV-illumination in the presence of a powder of TiO ₂ photocatalyst. <i>Photochemical and Photobiological Sciences</i> , 2002, 1, 133-135.	2.9	2
87	Effect of ZrO ₂ incorporation and calcination temperature on the photocatalytic activity of commercial TiO ₂ for salicylic acid and Cr(VI) photodegradation. <i>Applied Catalysis A: General</i> , 2002, 231, 185-199.	4.3	54
88	Modification of the physicochemical properties of commercial TiO ₂ samples by soft mechanical activation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2002, 148, 341-348.	3.9	43
89	A novel preparation of high surface area TiO ₂ nanoparticles from alkoxide precursor and using active carbon as additive. <i>Catalysis Today</i> , 2002, 76, 91-101.	4.4	96
90	Thermal Behaviour of a TiO ₂ -ZrO ₂ Microcomposite Prepared by Chemical Coating. <i>Magyar Árvizsgáló és Vizsgáló Lap</i> , 2002, 67, 229-238.	1.4	11

#	ARTICLE	IF	CITATIONS
91	CeO ₂ –La ₂ O ₃ catalytic system. Part II. Acid–base properties and catalytic activity for 4-methylpentan-2-ol dehydration. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 2928-2934.	2.8	20
92	Preparation and Physicochemical Properties of ZrO ₂ and Fe/ZrO ₂ Prepared by a Sol–Gel Technique. <i>Langmuir</i> , 2001, 17, 202-210.	3.5	210
93	Influence of Carboxylic Acid on the Photocatalytic Reduction of Cr(VI) Using Commercial TiO ₂ . <i>Langmuir</i> , 2001, 17, 7174-7177.	3.5	76
94	XAFS study of the structured modified oxides of titanium. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 470, 331-335.	1.6	5
95	Structural determination of the Fe-modified zirconium oxide. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 470, 341-346.	1.6	19
96	XAFS study of TiO ₂ /SiO ₂ system prepared by sol–gel from inorganic precursors. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 470, 347-352.	1.6	6
97	EXAFS study of the Fe _x /ZrO ₂ composite nanomaterials obtained by sol–gel synthesis. <i>Journal of Synchrotron Radiation</i> , 2001, 8, 528-530.	2.4	3
98	Title is missing!. <i>Catalysis Letters</i> , 2001, 72, 11-15.	2.6	6
99	Photocatalytic deactivation of commercial TiO ₂ samples during simultaneous photoreduction of Cr(VI) and photooxidation of salicylic acid. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2001, 138, 79-85.	3.9	146
100	M ²⁺ study of carbon-supported spinel clusters catalysing oxidative decomposition of hydrogen sulphide: role of the labile surface oxygen. <i>Surface and Interface Analysis</i> , 2000, 30, 74-76.	1.8	8
101	Selectivity and mechanism of cumene liquid-phase oxidation in the presence of powdered mixed iron–aluminum oxides prepared by alkoxy method. <i>Applied Catalysis A: General</i> , 2000, 193, 237-242.	4.3	16
102	CeO ₂ –La ₂ O ₃ catalytic system. Part I. Preparation and characterisation of catalysts. <i>Physical Chemistry Chemical Physics</i> , 2000, 2, 4453-4459.	2.8	54
103	Iron-doped titania semiconductor powders prepared by a sol–gel method. Part I: synthesis and characterization. <i>Applied Catalysis A: General</i> , 1999, 177, 111-120.	4.3	153
104	Iron-doped titania powders prepared by a sol–gel method.. <i>Applied Catalysis A: General</i> , 1999, 178, 191-203.	4.3	156
105	Photocatalytic properties of ZrO ₂ and Fe/ZrO ₂ semiconductors prepared by a sol–gel technique. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1999, 129, 89-99.	3.9	142
106	Low temperature selective methane activation to alkenes by a new hydrogen-accumulating system. <i>Chemical Communications</i> , 1999, , 943-944.	4.1	4
107	Structure, texture, acidity and catalytic performance of AlPO ₄ -caesium oxide catalysts in 2-methyl-3-butyn-2-ol conversion. <i>Journal of Materials Chemistry</i> , 1999, 9, 827-835.	6.7	14
108	A laser flash photolysis study of the photochemical activity of a synthesised ZrTiO ₄ . <i>Materials Letters</i> , 1999, 39, 370-373.	2.6	14

#	ARTICLE	IF	CITATIONS
109	Study of the Initiation Route of Cumene Liquid-Phase Oxidation over Iron-Aluminum Oxide Catalysts Obtained by the Alkoxy Method. <i>Langmuir</i> , 1999, 15, 463-468.	3.5	8
110	Transformation of CO ₂ Alone and Combined with Ethanol Present in the Hydrogen-Accumulating Intermetallic System TiFe _{0.95} Zr _{0.03} Mo _{0.02} , Pd/SiO ₂ , and γ -Al ₂ O ₃ . <i>Langmuir</i> , 1999, 15, 6601-6604.	3.5	7
111	Structure, Texture, Surface Acidity, and Catalytic Activity of AlPO ₄ -ZrO ₂ (5-50 wt% ZrO ₂) Catalysts Prepared by a Sol-Gel Procedure. <i>Journal of Catalysis</i> , 1998, 179, 483-494.	6.2	38
112	Heterogeneous photocatalytic reactions of nitrite oxidation and Cr(VI) reduction on iron-doped titania prepared by the wet impregnation method. <i>Applied Catalysis B: Environmental</i> , 1998, 16, 187-196.	20.2	143
113	Structure and texture of AlPO ₄ -cesium oxide (20 wt.%) catalysts obtained by impregnation with cesium chloride. <i>Reaction Kinetics and Catalysis Letters</i> , 1998, 65, 245-251.	0.6	2
114	Catalytic properties of sulfated and non-sulfated ZrO ₂ -SiO ₂ : effects of the sulfation submitted before or after the calcination process, in the cyclohexene isomerization reaction. <i>Journal of Molecular Catalysis A</i> , 1998, 135, 155-162.	4.8	8
115	Synthesis, structure and catalytic activity of CuO/TiO ₂ mixed oxides obtained by alkoxy-methods in CO oxidation. <i>Studies in Surface Science and Catalysis</i> , 1998, , 679-689.	1.5	5
116	Structural and Textural Characterization of AlPO ₄ -B ₂ O ₃ and Al ₂ O ₃ -B ₂ O ₃ (5-30 wt% B ₂ O ₃) Systems Obtained by Boric Acid Impregnation. <i>Journal of Catalysis</i> , 1998, 173, 333-344.	6.2	50
117	Photoassisted Degradation (in the UV) of Phenyltin(IV) Chlorides in the Presence of Titanium Dioxide. <i>Langmuir</i> , 1998, 14, 388-395.	3.5	24
118	Effects of H ₂ O ₂ and SO ₄ ²⁻ Species on the Crystalline Structure and Surface Properties of ZrO ₂ Processed by Alkaline Precipitation. <i>Chemistry of Materials</i> , 1997, 9, 1256-1261.	6.7	41
119	Cumene Photo-oxidation over Powder TiO ₂ Catalyst. <i>Langmuir</i> , 1997, 13, 2373-2379.	3.5	19
120	Title is missing!. <i>Journal of Sol-Gel Science and Technology</i> , 1997, 10, 165-175.	2.4	11
121	Influence of the nature of iron, aluminium and yttrium organometallic nanocluster precursors on the formation mechanism of ceramic ZrO ₂ obtained by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 1997, 8, 213-221.	2.4	5
122	UV-photoassisted degradation of phenyltin(IV) chlorides in water. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1997, 108, 59-63.	3.9	11
123	Photoconductive and photocatalytic properties of ZrTiO ₄ . Comparison with the parent oxides TiO ₂ and ZrO ₂ . <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1997, 108, 179-185.	3.9	69
124	Photoassisted Degradation of n-Butyltin Chlorides in Air-Equilibrated Aqueous TiO ₂ Suspension. <i>Langmuir</i> , 1996, 12, 2007-2014.	3.5	16
125	Catalytic Properties of ZrO ₂ -SiO ₂ : Effects of Sulfation in the Cyclohexene Isomerization Reaction. <i>Journal of Catalysis</i> , 1996, 161, 605-613.	6.2	27
126	Synthesis, characterization and photocatalytic properties of iron-doped titania semiconductors prepared from TiO ₂ and iron(III) acetylacetonate. <i>Journal of Molecular Catalysis A</i> , 1996, 106, 267-276.	4.8	142

#	ARTICLE	IF	CITATIONS
127	ZrO ₂ -SiO ₂ mixed oxides: surface aspects, photophysical properties and photoreactivity for 4-nitrophenol oxidation in aqueous phase. <i>Journal of Molecular Catalysis A</i> , 1996, 109, 239-248.	4.8	31
128	Photo-induced Transformation, upon UV Illumination in Air, of Hyponitrite Species N ₂ O ₂ - Preadsorbed on TiO ₂ Surface. <i>Surface and Interface Analysis</i> , 1996, 24, 355-359.	1.8	52
129	Photocatalytic properties of iron-doped titania semiconductors. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1996, 98, 171-181.	3.9	405
130	Partial or complete heterogeneous photocatalytic oxidation of neat toluene and 4-picoline in liquid organic oxygenated dispersions containing pure or iron-doped titania photocatalysts. <i>Journal of Molecular Catalysis A</i> , 1996, 104, 329-339.	4.8	35
131	Modification of the Activity of Mg ₃ (PO ₄) ₂ in the Gas-Phase Conversion of Cyclohexanol by Addition of Sodium-Carbonate. <i>Journal of Catalysis</i> , 1995, 157, 97-108.	6.2	28
132	Effect of preparation method on the surface acidity and catalytic performance of iron orthophosphates in cyclohexene conversion. <i>Journal of Materials Chemistry</i> , 1995, 5, 2019.	6.7	8
133	Heterogeneous Photocatalytic Oxidation of Liquid Isopropanol by TiO ₂ , ZrO ₂ and ZrTiO ₄ Powders. <i>Studies in Surface Science and Catalysis</i> , 1994, , 721-728.	1.5	13
134	Kinetic study of zirconia crystallization from amorphous ZrO ₂ -SiO ₂ composite precursors processed by sol-gel chemistry. <i>Journal of Sol-Gel Science and Technology</i> , 1994, 2, 353-357.	2.4	5
135	Identification of the fixed nitrogen containing species during the photo-oxidative fixation of molecular nitrogen on UV-illuminated TiO ₂ surfaces. <i>Surface and Interface Analysis</i> , 1994, 22, 417-420.	1.8	4
136	Combined use of XPS, IR and EDAX techniques for the characterization of ZrO ₂ -SiO ₂ powders prepared by a sol-gel process. <i>Applied Surface Science</i> , 1994, 81, 325-329.	6.1	26
137	Heterogeneous photocatalytic oxidation of nitrite over iron-doped TiO ₂ samples. <i>Journal of Molecular Catalysis</i> , 1994, 87, 67-74.	1.2	38
138	Comparison of the photocatalytic efficiency of TiO ₂ , iron oxides and mixed Ti(IV)-Fe(III) oxides: photodegradation of oligocarboxylic acids. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1994, 84, 183-193.	3.9	99
139	UV photolytic degradation of phenylmercury compounds in water-acetonitrile (1:1) media. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 1994, 84, 299-303.	3.9	4
140	Fluoride and Sulfate Treatment of AlPO ₄ -Al ₂ O ₃ Catalysts .I. Structure, Texture, Surface Acidity and Catalytic Performance in Cyclohexene Conversion and Cumene Cracking. <i>Journal of Catalysis</i> , 1994, 145, 107-125.	6.2	51
141	Fluoride treatment of AlPO ₄ -Al ₂ O ₃ catalysts. II. Poisoning experiments by bases for cyclohexene conversion and cumene cracking. <i>Catalysis Letters</i> , 1994, 24, 293-301.	2.6	7
142	Thermal evolution of TiO ₂ -ZrO ₂ composites prepared by chemical coating processing. <i>Materials Letters</i> , 1994, 20, 339-344.	2.6	8
143	Effects of sulfation on the crystallization and textural properties of processed ZrO ₂ . <i>Materials Letters</i> , 1994, 20, 345-349.	2.6	5
144	AlPO ₄ -Al ₂ O ₃ catalysts with low alumina content. Part IV. Effect of fluoride ion addition on texture, surface acidity and catalytic performance in cyclohexene and cumene conversions. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1994, 90, 2265-2275.	1.7	17

#	ARTICLE	IF	CITATIONS
145	Surface characterization of ZrO ₂ -SiO ₂ systems prepared by a sol-gel method. Applied Surface Science, 1993, 70-71, 226-229.	6.1	19
146	Anion treatment (F ⁻ or SO ₄ ²⁻) of AlPO ₄ -Al ₂ O ₃ (25 wt.-% Al ₂ O ₃) catalysts. Applied Catalysis A: General, 1993, 99, 161-173.	4.3	22
147	Surface characterization of zirconium titanate (ZrTiO ₄) powder by measurements of electrical photoconductance and photoassisted oxygen isotope exchange. Catalysis Letters, 1993, 20, 251-258.	2.6	10
148	UV photolytic degradation of butyltin chlorides in water. Journal of Photochemistry and Photobiology A: Chemistry, 1993, 71, 97-102.	3.9	34
149	Thermal evolution of (Zr,Ti)O ₂ gels synthesized at different basic pH. Journal of Thermal Analysis, 1993, 40, 1095-1102.	0.6	5
150	Kinetic study of crystallization in zirconium titanate from an amorphous reactive prepared precursor. Journal of Non-Crystalline Solids, 1992, 147-148, 262-265.	3.1	7
151	Bulk and surface characterization of powder iron-doped titania photocatalysts. Journal of Materials Science, 1992, 27, 3036-3042.	3.7	94
152	Formation of zirconium titanate powder from a sol-gel prepared reactive precursor. Journal of Materials Science, 1992, 27, 2463-2467.	3.7	65
153	On the influence of chemical processing in the crystallization behaviour of zirconium titanate materials. Journal of Materials Science Letters, 1992, 11, 1570-1572.	0.5	27
154	Thermal decomposition of sodium nitrite and sodium nitrate pre-adsorbed on TiO ₂ surfaces. Journal of Thermal Analysis, 1992, 38, 673-682.	0.6	7
155	Photo-oxidative fixation of molecular nitrogen on TiO ₂ (rutile) surfaces: the nature of the adsorbed nitrogen-containing species. Surface Science, 1991, 251-252, 1052-1056.	1.9	12
156	A laser flash photolysis study of the reduction of methyl viologen by conduction band electrons of TiO ₂ and Fe ³⁺ -Ti oxide photocatalysts. Journal of Photochemistry and Photobiology A: Chemistry, 1991, 55, 319-322.	3.9	42
157	Remarks on "Effects of surface modification with silicon oxides on the photochemical properties of powdered titania". Langmuir, 1990, 6, 1525-1526.	3.5	2
158	Oxidation of 2-furoic acid via singlet oxygen generated photochemically. Journal of Photochemistry and Photobiology A: Chemistry, 1990, 52, 91-95.	3.9	16
159	Photocatalytic treatment based on TiO ₂ for a coal mining drainage. Revista Facultad De Ingenieria, 0, , .	0.5	1