Adam Strzelczyk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/616862/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cost of Epilepsy. Pharmacoeconomics, 2008, 26, 463-476.	3.3	211
2	Postictal generalized electroencephalographic suppression is associated with generalized seizures. Epilepsy and Behavior, 2011, 21, 271-274.	1.7	155
3	Costs, length of stay, and mortality of superâ€refractory status epilepticus: A populationâ€based study from Germany. Epilepsia, 2017, 58, 1533-1541.	5.1	147
4	International Consensus Based Review and Recommendations for Minimum Reporting Standards in Research on Transcutaneous Vagus Nerve Stimulation (Version 2020). Frontiers in Human Neuroscience, 2020, 14, 568051.	2.0	143
5	Prospective evaluation of a post-stroke epilepsy risk scale. Journal of Neurology, 2010, 257, 1322-1326.	3.6	133
6	Prevalence, utilization, and costs of antiepileptic drugs for epilepsy in Germany—a nationwide population-based study in children and adults. Journal of Neurology, 2012, 259, 2376-2384.	3.6	116
7	Direct and Indirect Costs of Refractory Epilepsy in a Tertiary Epilepsy Center in Germany. Epilepsia, 2006, 47, 2165-2172.	5.1	103
8	Lacosamide in status epilepticus: Systematic review of current evidence. Epilepsia, 2017, 58, 933-950.	5.1	100
9	Costs of epilepsy and costâ€driving factors in children, adolescents, and their caregivers in <scp>G</scp> ermany. Epilepsia, 2015, 56, 1388-1397.	5.1	97
10	Postmarketing experience with brivaracetam in the treatment of epilepsies: A multicenter cohort study from Germany. Epilepsia, 2017, 58, 1208-1216.	5.1	97
11	Revised version of quality guidelines for presurgical epilepsy evaluation and surgical epilepsy therapy issued by the Austrian, German, and Swiss working group on presurgical epilepsy diagnosis and operative epilepsy treatment. Epilepsia, 2016, 57, 1215-1220.	5.1	96
12	The Burden of Severely Drug-Refractory Epilepsy: A Comparative Longitudinal Evaluation of Mortality, Morbidity, Resource Use, and Cost Using German Health Insurance Data. Frontiers in Neurology, 2017, 8, 712.	2.4	94
13	Factors predicting cessation of status epilepticus in clinical practice: Data from a prospective observational registry (SENSE). Annals of Neurology, 2019, 85, 421-432.	5.3	90
14	KCNC3: phenotype, mutations, channel biophysics-a study of 260 familial ataxia patients. Human Mutation, 2010, 31, 191-196.	2.5	84
15	The history of invasive EEG evaluation in epilepsy patients. Seizure: the Journal of the British Epilepsy Association, 2016, 41, 191-195.	2.0	82
16	Management and long-term outcome in patients presenting with ictal asystole or bradycardia. Epilepsia, 2011, 52, 1160-1167.	5.1	81
17	Evaluation of health-care utilization among adult patients with epilepsy in Germany. Epilepsy and Behavior, 2012, 23, 451-457.	1.7	73
18	Reduced Rate of Inpatient Hospital Admissions in 18 German University Hospitals During the COVID-19 Lockdown. Frontiers in Public Health, 2020, 8, 594117.	2.7	73

#	Article	IF	CITATIONS
19	Costs and costâ€driving factors for acute treatment of adults with status epilepticus: A multicenter cohort study from Germany. Epilepsia, 2016, 57, 2056-2066.	5.1	71
20	A systematic review on the burden of illness in individuals with tuberous sclerosis complex (TSC). Orphanet Journal of Rare Diseases, 2020, 15, 23.	2.7	69
21	Treatment of refractory and super-refractory status epilepticus with brivaracetam: A cohort study from two German university hospitals. Epilepsy and Behavior, 2017, 70, 177-181.	1.7	68
22	Perampanel in routine clinical use across Europe: Pooled, multicenter, observational data. Epilepsia, 2018, 59, 1727-1739.	5.1	67
23	Inpatient treatment costs of status epilepticus in adults in Germany. Seizure: the Journal of the British Epilepsy Association, 2013, 22, 882-885.	2.0	66
24	Use of brivaracetam in genetic generalized epilepsies and for acute, intravenous treatment of absence status epilepticus. Epilepsia, 2018, 59, 1549-1556.	5.1	63
25	Intravenous initiation and maintenance of ketogenic diet: Proof of concept in super-refractory status epilepticus. Seizure: the Journal of the British Epilepsy Association, 2013, 22, 581-583.	2.0	60
26	Comparison of minimally invasive and traditional surgical approaches for refractory mesial temporal lobe epilepsy: A systematic review and metaâ€analysis of outcomes. Epilepsia, 2021, 62, 831-845.	5.1	59
27	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany from 2003 to 2013 — A ten-year overview. Epilepsy and Behavior, 2018, 83, 28-35.	1.7	57
28	Predictors of and attitudes toward counseling about <scp>SUDEP</scp> and other epilepsy risk factors among Austrian, German, and Swiss neurologists and neuropediatricians. Epilepsia, 2016, 57, 612-620.	5.1	55
29	The LaLiMo Trial: lamotrigine compared with levetiracetam in the initial 26â€weeks of monotherapy for focal and generalised epilepsy—an open-label, prospective, randomised controlled multicenter study. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, 1093-1098.	1.9	53
30	Sustained seizure remission on perampanel in progressive myoclonic epilepsy (Lafora disease). Epilepsy & Behavior Case Reports, 2013, 1, 118-121.	1.5	53
31	Quality of life and correlating factors in children, adolescents with epilepsy, and their caregivers: A cross-sectional multicenter study from Germany. Seizure: the Journal of the British Epilepsy Association, 2019, 69, 92-98.	2.0	53
32	Postictal increase in T-wave alternans after generalized tonic-clonic seizures. Epilepsia, 2011, 52, 2112-2117.	5.1	52
33	Cost of status epilepticus: A systematic review. Seizure: the Journal of the British Epilepsy Association, 2015, 24, 17-20.	2.0	52
34	A systematic review of epileptic seizures in adults with subdural haematomas. Seizure: the Journal of the British Epilepsy Association, 2017, 45, 28-35.	2.0	52
35	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany. Epilepsy and Behavior, 2013, 27, 433-438.	1.7	51
36	Evaluation of health-care utilization in patients with Dravet syndrome and on adjunctive treatment with stiripentol and clobazam. Epilepsy and Behavior, 2014, 34, 86-91.	1.7	50

#	Article	IF	CITATIONS
37	Brivaracetam in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. Expert Review of Clinical Pharmacology, 2016, 9, 637-645.	3.1	50
38	Burden and epidemiology of status epilepticus in infants, children, and adolescents: A populationâ€based study on German health insurance data. Epilepsia, 2019, 60, 911-920.	5.1	50
39	Incidence, Risk Factors and Consequences of Epilepsy-Related Injuries and Accidents: A Retrospective, Single Center Study. Frontiers in Neurology, 2018, 9, 414.	2.4	49
40	Burden-of-illness and cost-driving factors in Dravet syndrome patients and carers: A prospective, multicenter study from Germany. European Journal of Paediatric Neurology, 2019, 23, 392-403.	1.6	48
41	Significant increase in acute subdural hematoma in octo- and nonagenarians: surgical treatment, functional outcome, and predictors in this patient cohort. Neurosurgical Focus, 2017, 43, E10.	2.3	45
42	A multicenter, matched caseâ€control analysis comparing burdenâ€ofâ€illness in Dravet syndrome to refractory epilepsy and seizure remission in patients and caregivers in Germany. Epilepsia, 2019, 60, 1697-1710.	5.1	44
43	Therapeutic advances in Dravet syndrome: a targeted literature review. Expert Review of Neurotherapeutics, 2020, 20, 1065-1079.	2.8	44
44	Six months of postmarketing experience with adjunctive lacosamide in patients with pharmacoresistant focal epilepsy at a tertiary epilepsy center in Germany. Epilepsy and Behavior, 2009, 16, 423-425.	1.7	43
45	Perampanel in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. Expert Review of Clinical Pharmacology, 2015, 8, 733-740.	3.1	40
46	Minocycline as potent anticonvulsant in a patient with astrocytoma and drug resistant epilepsy. Seizure: the Journal of the British Epilepsy Association, 2012, 21, 227-228.	2.0	39
47	Guideline conform initial monotherapy increases in patients with focal epilepsy: A population-based study on German health insurance data. Seizure: the Journal of the British Epilepsy Association, 2016, 41, 9-15.	2.0	39
48	Perampanel for treatment of status epilepticus in Austria, Finland, Germany, and Spain. Acta Neurologica Scandinavica, 2019, 139, 369-376.	2.1	39
49	Expanding the Treatment Landscape for Lennox-Gastaut Syndrome: Current and Future Strategies. CNS Drugs, 2021, 35, 61-83.	5.9	39
50	Quality of life and employment status are correlated with antiepileptic monotherapy versus polytherapy and not with use of "newer―versus "classic―drugs: Results of the "Compliant 2006― survey in 907 patients. Epilepsy and Behavior, 2010, 19, 618-622.	1.7	38
51	Ictal asystole in temporal lobe epilepsy before and after pacemaker implantation. Epileptic Disorders, 2008, 10, 39-44.	1.3	38
52	A Practical Guide to the Treatment of Dravet Syndrome with Anti-Seizure Medication. CNS Drugs, 2022, 36, 217-237.	5.9	38
53	Stiripentol for the treatment of super-refractory status epilepticus. Acta Neurologica Scandinavica, 2015, 132, 435-439.	2.1	35
54	Socioeconomic Outcome and Quality of Life in Adults after Status Epilepticus: A Multicenter, Longitudinal, Matched Case–Control Analysis from Germany. Frontiers in Neurology, 2017, 8, 507.	2.4	34

#	Article	IF	CITATIONS
55	Electrode placement accuracy in robot-assisted epilepsy surgery: A comparison of different referencing techniques including frame-based CT versus facial laser scan based on CT or MRI. Epilepsy and Behavior, 2019, 91, 38-47.	1.7	34
56	The role of mTOR inhibitors in preventing epileptogenesis in patients with TSC: Current evidence and future perspectives. Epilepsy and Behavior, 2019, 91, 94-98.	1.7	33
57	Postmarketing experience with brivaracetam in the treatment of focal epilepsy in children and adolescents. Epilepsy and Behavior, 2018, 89, 89-93.	1.7	32
58	National Institutes of Health Stroke Scale (NIHSS) on admission predicts acute symptomatic seizure risk in ischemic stroke: a population-based study involving 135,117 cases. Scientific Reports, 2020, 10, 3779.	3.3	32
59	SARS-CoV-2-related rapid reorganization of an epilepsy outpatient clinic from personal appointments to telemedicine services: A German single-center experience. Epilepsy and Behavior, 2020, 112, 107483.	1.7	31
60	Association Between Treatment Progression, Disease Refractoriness, and Burden of Illness Among Hospitalized Patients With Status Epilepticus. JAMA Neurology, 2021, 78, 588.	9.0	31
61	Efficacy, Retention, and Tolerability of Brivaracetam in Patients With Epileptic Encephalopathies: A Multicenter Cohort Study From Germany. Frontiers in Neurology, 2018, 9, 569.	2.4	30
62	Treatment of refractory and superrefractory status epilepticus with topiramate: A cohort study of 106 patients and a review of the literature. Epilepsia, 2019, 60, 2448-2458.	5.1	30
63	Use of Emergency Medication in Adult Patients with Epilepsy: A Multicentre Cohort Study from Germany. CNS Drugs, 2018, 32, 771-781.	5.9	29
64	Prediction of Long-term Survival After Status Epilepticus Using the ACD Score. JAMA Neurology, 2022, 79, 604.	9.0	29
65	Invasive EEG-electrodes in presurgical evaluation of epilepsies: Systematic analysis of implantation-, video-EEG-monitoring- and explantation-related complications, and review of literature. Epilepsy and Behavior, 2019, 91, 30-37.	1.7	28
66	Intranasal midazolam during presurgical epilepsy monitoring is well tolerated, delays seizure recurrence, and protects from generalized tonic–clonic seizures. Epilepsia, 2015, 56, 1408-1414.	5.1	27
67	Noncompliance of patients with driving restrictions due to uncontrolled epilepsy. Epilepsy and Behavior, 2019, 91, 86-89.	1.7	27
68	Treatment of paroxysmal dyskinesias. Expert Opinion on Pharmacotherapy, 2011, 12, 63-72.	1.8	26
69	Neurologist adherence to clinical practice guidelines and costs in patients with newly diagnosed and chronic epilepsy in Germany. Epilepsy and Behavior, 2016, 64, 75-82.	1.7	26
70	Personalized translational epilepsy research — Novel approaches and future perspectives. Epilepsy and Behavior, 2017, 76, 13-18.	1.7	26
71	Seizure management and prescription patterns of anticonvulsants in Dravet syndrome: A multicenter cohort study from Germany and review of literature. Epilepsy and Behavior, 2019, 98, 88-95.	1.7	26
72	General Trends in Prices and Prescription Patterns of Anticonvulsants in Germany between 2000 and 2017: Analysis of National and Cohort-Based Data. Applied Health Economics and Health Policy, 2019, 17, 707-722.	2.1	26

#	Article	IF	CITATIONS
73	Robotâ€guided stereoelectroencephalography without a computed tomography scan for referencing: Analysis of accuracy. International Journal of Medical Robotics and Computer Assisted Surgery, 2018, 14, e1888.	2.3	25
74	Intranasal midazolam as firstâ€line inhospital treatment for status epilepticus: a pharmacoâ€EEG cohort study. Annals of Clinical and Translational Neurology, 2019, 6, 2413-2425.	3.7	24
75	Can commercially available wearable EEG devices be used for diagnostic purposes? An explorative pilot study. Epilepsy and Behavior, 2020, 103, 106507.	1.7	24
76	Evaluation of costs of epilepsy using an electronic practice management software in Germany. Seizure: the Journal of the British Epilepsy Association, 2015, 26, 49-55.	2.0	23
77	The Phenotypic Spectrum of PRRT2-Associated Paroxysmal Neurologic Disorders in Childhood. Biomedicines, 2020, 8, 456.	3.2	23
78	The efficacy of lacosamide as monotherapy and adjunctive therapy in focal epilepsy and its use in status epilepticus: clinical trial evidence and experience. Therapeutic Advances in Neurological Disorders, 2017, 10, 103-126.	3.5	22
79	Recent advances in the pharmacotherapy of epilepsy: brivaracetam and perampanel as broad-spectrum antiseizure drugs for the treatment of epilepsies and status epilepticus. Expert Opinion on Pharmacotherapy, 2019, 20, 1755-1765.	1.8	22
80	Review of the treatment options for epilepsy in tuberous sclerosis complex: towards precision medicine. Therapeutic Advances in Neurological Disorders, 2021, 14, 175628642110311.	3.5	22
81	Fenfluramine significantly reduces dayâ€toâ€day seizure burden by increasing number of seizureâ€free days and time between seizures in patients with Dravet syndrome: A timeâ€toâ€event analysis. Epilepsia, 2022, 63, 130-138.	5.1	22
82	Focused review on seizures caused by meningiomas. Epilepsy and Behavior, 2018, 88, 146-151.	1.7	21
83	Seizure and status epilepticus in chronic subdural hematoma. Acta Neurologica Scandinavica, 2019, 140, 194-203.	2.1	21
84	Efficacy, Tolerability, and Safety of Concentrated Intranasal Midazolam Spray as Emergency Medication in Epilepsy Patients During Video-EEG Monitoring. CNS Drugs, 2020, 34, 545-553.	5.9	21
85	Efficacy, tolerability, and retention of fenfluramine for the treatment of seizures in patients with Dravet syndrome: Compassionate use program in Germany. Epilepsia, 2021, 62, 2518-2527.	5.1	21
86	Seizures and epilepsy in patients with ischaemic stroke. Neurological Research and Practice, 2021, 3, 63.	2.0	20
87	Multicenter, crossâ€sectional study of the costs of illness and costâ€driving factors in adult patients with epilepsy. Epilepsia, 2022, 63, 904-918.	5.1	20
88	Continuous phenobarbital treatment leads to recurrent plantar fibromatosis. Epilepsia, 2008, 49, 1965-1968.	5.1	19
89	Early detection of bone metabolism changes under different antiepileptic drugs (ED-BoM-AED) – A prospective multicenter study. Epilepsy Research, 2013, 106, 417-422.	1.6	19
90	Counseling and social work for persons with epilepsy: Observational study on demand and issues in Hessen, Germany. Epilepsy and Behavior, 2013, 28, 358-362.	1.7	18

#	Article	IF	CITATIONS
91	Could the 2017 ILAE and the four-dimensional epilepsy classifications be merged to a new "Integrated Epilepsy Classification�. Seizure: the Journal of the British Epilepsy Association, 2020, 78, 31-37.	2.0	18
92	Longâ€ŧerm efficacy, tolerability, and retention of brivaracetam in epilepsy treatment: A longitudinal multicenter study with up to 5Ayears of followâ€up. Epilepsia, 2021, 62, 2994-3004.	5.1	18
93	Sure, or unsure? Measuring students' confidence and the potential impact on patient safety in multiple-choice questions. Medical Teacher, 2017, 39, 1189-1194.	1.8	17
94	Risk incidence of fractures and injuries: a multicenter video-EEG study of 626 generalized convulsive seizures. Journal of Neurology, 2020, 267, 3632-3642.	3.6	17
95	Fractures in Parkinson's Disease: injury patterns, hospitalization, and therapeutic aspects. European Journal of Trauma and Emergency Surgery, 2021, 47, 573-580.	1.7	17
96	Epidemiology, healthcare resource use, and mortality in patients with probable Lennox-Gastaut syndrome: A population-based study on German health insurance data. Epilepsy and Behavior, 2021, 115, 107647.	1.7	17
97	Trends in antiseizure medication prescription patterns among all adults, women, and older adults with epilepsy: A German longitudinal analysis from 2008 to 2020. Epilepsy and Behavior, 2022, 130, 108666.	1.7	17
98	Epileptic Seizures in Patients Following Surgical Treatment of Acute Subdural Hematoma—Incidence, Risk Factors, Patient Outcome, and Development of New Scoring System for Prophylactic Antiepileptic Treatment (GATE-24 score). World Neurosurgery, 2017, 101, 416-424.	1.3	16
99	Eslicarbazepine acetate in epilepsies with focal and secondary generalised seizures: systematic review of clinical Pharmacology, 2018, 11, 309-324.	3.1	15
100	Intravenous thrombolysis or mechanical thrombectomy do not increase risk of acute symptomatic seizures in patients with ischemic stroke. Scientific Reports, 2020, 10, 21083.	3.3	15
101	Cenobamate for the treatment of focal epilepsies. Expert Opinion on Pharmacotherapy, 2020, 21, 2215-2223.	1.8	15
102	Direct and indirect costs and cost-driving factors in adults with tuberous sclerosis complex: a multicenter cohort study and a review of the literature. Orphanet Journal of Rare Diseases, 2021, 16, 250.	2.7	15
103	An examination of the efficacy and safety of fenfluramine in adults, children, and adolescents with Dravet syndrome in a <scp>realâ€world</scp> practice setting: A report from the Fenfluramine European Early Access Program. Epilepsia Open, 2022, 7, 578-587.	2.4	15
104	Costs of epilepsy and their predictors: Cross-sectional study in Germany and review of literature. Epileptology, 2013, 1, 55-60.	0.4	14
105	Personalized translational epilepsy research — Novel approaches and future perspectives. Epilepsy and Behavior, 2017, 76, 7-12.	1.7	14
106	Prevalence, risk factors and therapeutic aspects of injuries and accidents in women with epilepsy. European Journal of Trauma and Emergency Surgery, 2019, 45, 375-381.	1.7	14
107	Estimating the Quantitative Demand of NOAC Antidote Doses on Stroke Units. Cerebrovascular Diseases, 2016, 42, 415-420.	1.7	13
108	Characteristics of bilateral versus unilateral temporal encephalocele-associated epilepsy. Seizure: the Journal of the British Epilepsy Association, 2019, 71, 13-19.	2.0	13

#	Article	IF	CITATIONS
109	Acute symptomatic seizures in intracerebral and subarachnoid hemorrhage: A population study of 19,331 patients. Epilepsy Research, 2020, 161, 106286.	1.6	13
110	Prevalence and Therapy Rates for Stuttering, Cluttering, and Developmental Disorders of Speech and Language: Evaluation of German Health Insurance Data. Frontiers in Human Neuroscience, 2021, 15, 645292.	2.0	13
111	Prescription patterns of antiseizure drugs in tuberous sclerosis complex (TSC)-associated epilepsy: a multicenter cohort study from Germany and review of the literature. Expert Review of Clinical Pharmacology, 2021, 14, 749-760.	3.1	13
112	Direct and indirect costs and cost-driving factors of Tuberous sclerosis complex in children, adolescents, and caregivers: a multicenter cohort study. Orphanet Journal of Rare Diseases, 2021, 16, 282.	2.7	13
113	Efficacy, Retention and Tolerability of Everolimus in Patients with Tuberous Sclerosis Complex: A Survey-Based Study on Patients' Perspectives. CNS Drugs, 2021, 35, 1107-1122.	5.9	13
114	Transcutaneous auricular vagus nerve stimulation influences gastric motility: A randomized, double-blind trial in healthy individuals. Brain Stimulation, 2021, 14, 1126-1132.	1.6	13
115	Early and Late Postoperative Seizures in Meningioma Patients and Prediction by a Recent Scoring System. Cancers, 2021, 13, 450.	3.7	13
116	Patients' knowledge about epilepsy-related risks, morbidity, and mortality: A multicenter cohort study from Germany. Epilepsy and Behavior, 2021, 124, 108343.	1.7	13
117	First clinical postmarketing experiences in the treatment of epilepsies with brivaracetam: a retrospective observational multicentre study. BMJ Open, 2019, 9, e030746.	1.9	12
118	Therapeutic Options for Patients with Refractory Status Epilepticus in Palliative Settings or with a Limitation of Life-Sustaining Therapies: A Systematic Review. CNS Drugs, 2020, 34, 801-826.	5.9	12
119	Increased occurrence of status epilepticus in patients with brain metastases and checkpoint inhibition. Oncolmmunology, 2020, 9, 1851517.	4.6	12
120	Everolimus in adult tuberous sclerosis complex patients with epilepsy: Too late for success? A retrospective study. Epilepsia, 2021, 62, 785-794.	5.1	12
121	Mesial temporal lobe epilepsy in a patient with spinocerebellar ataxia type 13 (SCA13). International Journal of Neuroscience, 2013, 123, 278-282.	1.6	11
122	Periodic EEG patterns in sporadic Creutzfeld-Jakob-Disease can be benzodiazepine-responsive and be difficult to distinguish from non-convulsive status epilepticus. Seizure: the Journal of the British Epilepsy Association, 2017, 53, 47-50.	2.0	11
123	Risk and risk factors for epilepsy in shunt-treated children with hydrocephalus. European Journal of Paediatric Neurology, 2019, 23, 819-826.	1.6	11
124	Counseling and social work for people with epilepsy in Germany: A cross-sectional multicenter study on demand, frequent content, patient satisfaction, and burden-of-disease. Epilepsy and Behavior, 2019, 92, 114-120.	1.7	11
125	Prone, lateral, or supine positioning at seizure onset determines the postictal body position: A multicenter video-EEG monitoring cohort study. Seizure: the Journal of the British Epilepsy Association, 2020, 76, 173-178.	2.0	11
126	Exploring the relationships between composite scores of disease severity, seizure-freedom and quality of life in Dravet syndrome. Neurological Research and Practice, 2022, 4, .	2.0	11

#	Article	IF	CITATIONS
127	Adjunctive retigabine in refractory focal epilepsy: Postmarketing experience at four tertiary epilepsy care centers in Germany. Epilepsy and Behavior, 2016, 56, 54-58.	1.7	10
128	Factorial validity of a neuropsychological test battery and its ability to discern temporal lobe epilepsy from frontal lobe epilepsy – A retrospective study. Seizure: the Journal of the British Epilepsy Association, 2020, 74, 81-88.	2.0	10
129	Health-related quality of life in children and adolescents with tuberous sclerosis complex and their caregivers: A multicentre cohort study from Germany. European Journal of Paediatric Neurology, 2021, 35, 111-122.	1.6	10
130	Assessing Cognitive Change and Quality of Life 12 Months After Epilepsy Surgery—Development and Application of Reliable Change Indices and Standardized Regression-Based Change Norms for a Neuropsychological Test Battery in the German Language. Frontiers in Psychology, 2020, 11, 582836.	2.1	9
131	Tick-borne encephalitis virus (TBEV) infection in pregnancy: Absence of virus transmission to the fetuses despite severe maternal disease – A case study. Ticks and Tick-borne Diseases, 2020, 11, 101491.	2.7	9
132	Quality of life and its predictors in adults with tuberous sclerosis complex (TSC): a multicentre cohort study from Germany. Neurological Research and Practice, 2021, 3, 35.	2.0	9
133	EEG patterns and their correlations with short- and long-term mortality in patients with hypoxic encephalopathy. Clinical Neurophysiology, 2021, 132, 2851-2860.	1.5	9
134	Epidemiology, healthcare resource use, and mortality in patients with probable Dravet syndrome: A population-based study on German health insurance data. Epilepsy and Behavior, 2022, 126, 108442.	1.7	9
135	Immune Checkpoint Inhibitor-Induced Cerebral Pseudoprogression: Patterns and Categorization. Frontiers in Immunology, 2021, 12, 798811.	4.8	9
136	Gender differences in concerns about planning to have children and child-rearing among patients with epilepsy: A prospective, multicenter study with 477 patients from Germany. Epilepsy and Behavior, 2022, 129, 108650.	1.7	9
137	Trends in resource utilization and cost of illness in patients with active epilepsy in Germany from 2003 to 2020. Epilepsia, 2022, 63, 1591-1602.	5.1	9
138	Localizing and lateralizing value of ictal flatulence. Epilepsy and Behavior, 2010, 17, 278-282.	1.7	8
139	Eslicarbazepine acetate as a therapeutic option in a patient with carbamazepine-induced rash and HLA-A*31:01. Seizure: the Journal of the British Epilepsy Association, 2017, 47, 81-82.	2.0	8
140	Stiripentol in the treatment of adults with focal epilepsy- a retrospective analysis. Seizure: the Journal of the British Epilepsy Association, 2021, 88, 7-11.	2.0	8
141	Epidemiology, healthcare resource use, and mortality in patients with tuberous sclerosis complex: A population-based study on German health insurance data. Seizure: the Journal of the British Epilepsy Association, 2021, 91, 287-295.	2.0	8
142	Attitudes toward epilepsy assessed by the SAPE questionnaire in Germany – Comparison of its psychometric properties and results in a web-based vs. face-to-face survey. Epilepsy and Behavior, 2022, 130, 108665.	1.7	8
143	Intravenous lacosamide for treatment of absence status epilepticus in genetic generalized epilepsy: A case report and review of literature. Acta Neurologica Scandinavica, 2018, 138, 259-262.	2.1	7
144	Is there a role for microRNAs in epilepsy diagnostics?. Expert Review of Molecular Diagnostics, 2020, 20, 693-701.	3.1	7

#	Article	IF	CITATIONS
145	Predicting Poststroke Pneumonia in Patients With Anterior Large Vessel Occlusion: A Prospective, Population-Based Stroke Registry Analysis. Frontiers in Neurology, 2022, 13, 824450.	2.4	7
146	Predicting outcome of epilepsy surgery in clinical practice: Prediction models vs. clinical acumen. Seizure: the Journal of the British Epilepsy Association, 2020, 76, 79-83.	2.0	6
147	Temporal encephaloceles in epilepsy patients and asymptomatic cases: Size may indicate epileptogenicity. Epilepsia, 2021, 62, 1354-1361.	5.1	6
148	A female adult with Sandifer's syndrome and hiatal hernia misdiagnosed as epilepsy with focal seizures. Epilepsy and Behavior, 2012, 24, 141-142.	1.7	5
149	Concepts for Prehospital and Initial In-hospital Therapy of Status Epilepticus. Neurology International Open, 2017, 01, E217-E223.	0.4	5
150	Ictal conduction aphasia and ictal angular gyrus syndrome as rare manifestations of epilepsy: The importance of ictal testing during video-EEG monitoring. Epilepsy & Behavior Case Reports, 2017, 8, 55-62.	1.5	5
151	Ondine's curse and temporal lobe seizures: antiâ€Hu―and Zic4â€associated paraneoplastic brainstem and limbic encephalitis. European Journal of Neurology, 2018, 25, e59-e60.	3.3	5
152	Sustained Effort Network for treatment of Status Epilepticus (SENSE) – A multicenter prospective observational registry. Epilepsy and Behavior, 2019, 101, 106553.	1.7	5
153	Editorial: Burden of Illness in People With Epilepsy: From Population-Based Studies to Precision Medicine. Frontiers in Neurology, 2019, 9, 1164.	2.4	5
154	Hemispheric language lateralization in presurgical patients with temporal lobe epilepsy: Improving the retest reliability of functional transcranial Doppler sonography. Epilepsy and Behavior, 2019, 91, 48-52.	1.7	5
155	From theory to practice: Critical points in the 2017 ILAE classification of epileptic seizures and epilepsies. Epilepsia, 2020, 61, 350-353.	5.1	5
156	Prospective evaluation of interrater agreement between EEG technologists and neurophysiologists. Scientific Reports, 2021, 11, 13406.	3.3	5
157	Persistent knowledge gaps between 2005 and 2020 in women with epilepsy: Comparison of multicenter studies from Germany. Seizure: the Journal of the British Epilepsy Association, 2022, 100, 36-43.	2.0	5
158	Treatment of status epilepticus with zonisamide: A multicenter cohort study of 34 patients and review of literature. Epilepsy and Behavior, 2020, 109, 107139.	1.7	4
159	Acute-on-chronic subdural hematoma: a new entity for prophylactic anti-epileptic treatment?. European Journal of Trauma and Emergency Surgery, 2022, 48, 933-942.	1.7	4
160	Wada test results contribute to the prediction of change in verbal learning and verbal memory function after temporal lobe epilepsy surgery. Scientific Reports, 2021, 11, 10979.	3.3	4
161	Benefits, safety and outcomes of long-term video EEG monitoring in pediatric patients. European Journal of Paediatric Neurology, 2021, 32, 29-35.	1.6	4
162	Satisfaction with and reliability of in-hospital video-EEG monitoring systems in epilepsy diagnosis – A German multicenter experience. Clinical Neurophysiology, 2021, 132, 2317-2322.	1.5	4

#	Article	IF	CITATIONS
163	Teaching NeuroImages: Spontaneous asymptomatic occlusion of a cerebral arteriovenous malformation. Neurology, 2010, 74, e105-e105.	1.1	3
164	Predictors of New Cerebral Microbleeds in Patients with Antiplatelet Drug Therapy. Journal of Stroke and Cerebrovascular Diseases, 2016, 25, 1671-1677.	1.6	3
165	Rapid discontinuation of sodium channel–blocking antiseizure drugs evokes focal edema in the splenium corporis callosi: A matched caseâ€control study. Epilepsia, 2019, 60, 1353-1364.	5.1	3
166	Improving post-hypoxic myoclonus using cannabidiol. Seizure: the Journal of the British Epilepsy Association, 2019, 67, 38-39.	2.0	3
167	Advantages of methohexital over amobarbital in determining hemispheric language and memory lateralization in the Wada test – A retrospective study. Epilepsy and Behavior, 2020, 113, 107551.	1.7	3
168	Update zu Temporallappenepilepsien. Zeitschrift Fur Epileptologie, 2020, 33, 4-5.	0.7	3
169	Postoperative outcomes and surgical ratio at a newly established epilepsy center: The first 100 procedures. Epilepsy and Behavior, 2021, 116, 107715.	1.7	3
170	Valproate but not levetiracetam slows the EEG alpha peak frequency – A pharmaco-EEG study. Clinical Neurophysiology, 2021, 132, 1203-1208.	1.5	3
171	Seizure related injuries – Frequent injury patterns, hospitalization and therapeutic aspects. Chinese Journal of Traumatology - English Edition, 2022, 25, 272-276.	1.4	3
172	Mechanical thrombectomy does not increase the risk of acute symptomatic seizures in patients with an ischaemic stroke: a propensity score matching study. Journal of Neurology, 2022, 269, 3328-3336.	3.6	3
173	Predictive Factors of Acute Symptomatic Seizures in Patients With Ischemic Stroke Due to Large Vessel Occlusion. Frontiers in Neurology, 2022, 13, .	2.4	3
174	Benign paroxysmal positional vertigo following diagnostic transcranial magnetic stimulation. Neurological Sciences, 2011, 32, 503-505.	1.9	2
175	Susceptibilityâ€weighted imaging (<scp>SWI</scp>) or T2* contrasts should remain standard in the neuroimaging of epilepsy. Epilepsia, 2019, 60, 2141-2142.	5.1	2
176	"Yes, we can open access it". Zeitschrift Fur Epileptologie, 2020, 33, 1-3.	0.7	2
177	Association of time-to-levodopa with initial Parkinsonian medication: a retrospective cohort study. International Journal of Clinical Pharmacology and Therapeutics, 2015, 53, 107-114.	0.6	2
178	Executive deficits in neuropsychological testing differentiate between autoimmune temporal lobe epilepsy caused by limbic encephalitis and temporal lobe epilepsies with non-autoimmune etiologies. Epilepsy and Behavior, 2021, 124, 108378.	1.7	2
179	EuroQOL-5D-3L does not adequately map quality-of-life deterioration in severely affected patients with epilepsy. Epilepsy and Behavior, 2022, 127, 108554.	1.7	2
180	Costs and cost-driving factors of acute treatment of status epilepticus in children and adolescents: A cohort study from Germany. Seizure: the Journal of the British Epilepsy Association, 2022, 97, 63-72.	2.0	2

#	Article	IF	CITATIONS
181	Editorial for the in focus issue of Seizure—European Journal of Epilepsy on "Diagnostic and therapeutic use of invasive electrodes in epilepsy—A "highway―to personalized epilepsy treatment― Seizure: the Journal of the British Epilepsy Association, 2016, 41, 189-190.	2.0	1
182	"Ein Blick zurück und nach vorne". Zeitschrift Fur Epileptologie, 2018, 31, 1-2.	0.7	1
183	Update zum Status epilepticus. Zeitschrift Fur Epileptologie, 2018, 31, 231-232.	0.7	1
184	Neue Klassifikations- und Diagnosekriterien für epileptische AnfÃ ¤ e und Epilepsien. Zeitschrift Fur Epileptologie, 2018, 31, 229-230.	0.7	1
185	Clinical Relevance of Seizure in Pediatric Patients with Isolated Acute Subdural Hematoma without Parenchymal Brain Injury. Journal of Neurological Surgery, Part A: Central European Neurosurgery, 2019, 80, 233-239.	0.8	1
186	"Ein Blick auf 2018, 2019 and beyond". Zeitschrift Fur Epileptologie, 2019, 32, 1-3.	0.7	1
187	Individualized epilepsy management: Medicines, surgery, and beyond. Epilepsy and Behavior, 2019, 91, 1-3.	1.7	1
188	Dlagnostic Subdural EEG electrodes And Subdural hEmatoma (DISEASE): a study protocol for a prospective nonrandomized controlled trial. Neurological Research and Practice, 2020, 2, 50.	2.0	1
189	"Und tÃ g lich grüßt das Murmeltier",Â…Âoder?. Zeitschrift Fur Epileptologie, 2021, 34, 1-3.	0.7	1
190	Informed DEcision for cerebrospinal fluid analysis after epiLeptic seizures- the IDEAL-score: A development and validation study. Seizure: the Journal of the British Epilepsy Association, 2021, 91, 228-232.	2.0	1
191	Die nähsten Etappenschritte fÃ1⁄4r die Zeitschrift fÃ1⁄4r Epileptologie wärend 2021, oder "Stairways to heaven"?. Zeitschrift Fur Epileptologie, 2022, 35, 3-5.	0.7	1
192	Zeitschrift für Epileptologie wird zur Dreiläderzeitschrift. Zeitschrift Fur Epileptologie, 2022, 35, 1-2.	0.7	1
193	Enhancing Safety in Epilepsy Surgery (EASINESS): Study Protocol for a Retrospective, Multicenter, Open Registry. Frontiers in Neurology, 2021, 12, 782666.	2.4	1
194	Seizures induced by the sight of moving water. Epileptic Disorders, 2008, 10, 49-52.	1.3	1
195	Yes, we can become internationalÂ…. Zeitschrift Fur Epileptologie, 2022, 35, 105-106.	0.7	1
196	Advancing our knowledge about the social management of epilepsy: Epilepsy & Behavior's 15th anniversary. Epilepsy and Behavior, 2014, 40, 110.	1.7	0
197	Staffelstabübergabe an die neuen Herausgeber. Zeitschrift Fur Epileptologie, 2017, 30, 179-179	0.7	0
198	The Borderland of Epilepsy. Zeitschrift Fur Epileptologie, 2017, 30, 1-2.	0.7	0

#	Article	IF	CITATIONS
199	EEG bei Epilepsien im Kindesalter. Neurophysiologie-Labor, 2018, 40, 231-246.	0.0	0
200	Limitations of a Short Demographic Questionnaire for Bedside Estimation of Patients' Global Cognitive Functioning in Epilepsy Patients. Frontiers in Neurology, 2018, 9, 85.	2.4	0
201	Neurologische Differenzialdiagnose des paroxysmalen Erbrechens: Gastrointestinale Ursache bei familiär Kavernomatose. Zeitschrift Fur Epileptologie, 2020, 33, 70-73.	0.7	0
202	Syndromspezifische Therapien, Impfung gegen Corona und Epileptologie in der DDR. Zeitschrift Fur Epileptologie, 2021, 34, 129-131.	0.7	0
203	Langfristige Themenplanung und Aufruf zu Artikeln der Zeitschrift für Epileptologie. Zeitschrift Fur Epileptologie, 2021, 34, 249-250.	0.7	0
204	Epilepsien. , 2019, , 99-116.		0
205	Video-EEG-Monitoring. , 2020, , 285-305.		0
206	Reply to: "All patients with epilepsy, whether at high or low risk of SUDEP, should have access to individually tailored SUDEP information―by Oliver Henning, Karl O. Nakken, and Morten I. Lossius. Epilepsy and Behavior, 2022, , 108534.	1.7	0
207	Reply to: "Do executive deficits differentiate between autoimmune temporal lobe epilepsy and temporal lobe epilepsy and temporal lobe epilepsies with non-autoimmune etiologies? A critical view on recently published data―by Juri-Alexander Witt and Christoph Helmstaedter (EB-D-21-01129). Epilepsy and Behavior, 2022, , 108566.	1.7	Ο
208	Local glucose metabolism is unaltered in reversible splenial lesion syndrome. European Journal of Neurology, 2022, , .	3.3	0
209	Repetitive monocular eye adduction. , 0, , 8-11.		0

New onset focal and generalized epilepsy in an elderly patient. , 0, , 22-25.

0