Adam Strzelczyk

List of Publications by Citations

Source: https://exaly.com/author-pdf/616862/adam-strzelczyk-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,431 50 214 35 h-index g-index citations papers 4,566 5.56 256 3.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
214	Cost of epilepsy: a systematic review. <i>Pharmacoeconomics</i> , 2008 , 26, 463-76	4.4	175
213	Postictal generalized electroencephalographic suppression is associated with generalized seizures. <i>Epilepsy and Behavior</i> , 2011 , 21, 271-4	3.2	127
212	Costs, length of stay, and mortality of super-refractory status epilepticus: A population-based study from Germany. <i>Epilepsia</i> , 2017 , 58, 1533-1541	6.4	97
211	Prevalence, utilization, and costs of antiepileptic drugs for epilepsy in Germanya nationwide population-based study in children and adults. <i>Journal of Neurology</i> , 2012 , 259, 2376-84	5.5	93
210	Direct and indirect costs of refractory epilepsy in a tertiary epilepsy center in Germany. <i>Epilepsia</i> , 2006 , 47, 2165-72	6.4	81
209	Costs of epilepsy and cost-driving factors in children, adolescents, and their caregivers in Germany. <i>Epilepsia</i> , 2015 , 56, 1388-97	6.4	78
208	Revised version of quality guidelines for presurgical epilepsy evaluation and surgical epilepsy therapy issued by the Austrian, German, and Swiss working group on presurgical epilepsy diagnosis and operative epilepsy treatment. <i>Epilepsia</i> , 2016 , 57, 1215-20	6.4	71
207	KCNC3: phenotype, mutations, channel biophysics-a study of 260 familial ataxia patients. <i>Human Mutation</i> , 2010 , 31, 191-6	4.7	70
206	Postmarketing experience with brivaracetam in the treatment of epilepsies: A multicenter cohort study from Germany. <i>Epilepsia</i> , 2017 , 58, 1208-1216	6.4	69
205	Lacosamide in status epilepticus: Systematic review of current evidence. <i>Epilepsia</i> , 2017 , 58, 933-950	6.4	64
204	Evaluation of health-care utilization among adult patients with epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2012 , 23, 451-7	3.2	62
203	Treatment of refractory and super-refractory status epilepticus with brivaracetam: A cohort study from two German university hospitals. <i>Epilepsy and Behavior</i> , 2017 , 70, 177-181	3.2	60
202	Management and long-term outcome in patients presenting with ictal asystole or bradycardia. <i>Epilepsia</i> , 2011 , 52, 1160-7	6.4	60
201	The Burden of Severely Drug-Refractory Epilepsy: A Comparative Longitudinal Evaluation of Mortality, Morbidity, Resource Use, and Cost Using German Health Insurance Data. <i>Frontiers in Neurology</i> , 2017 , 8, 712	4.1	57
200	Inpatient treatment costs of status epilepticus in adults in Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 882-5	3.2	54
199	Costs and cost-driving factors for acute treatment of adults with status epilepticus: A multicenter cohort study from Germany. <i>Epilepsia</i> , 2016 , 57, 2056-2066	6.4	52
198	The history of invasive EEG evaluation in epilepsy patients. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 41, 191-5	3.2	50

197	Prospective evaluation of a post-stroke epilepsy risk scale. <i>Journal of Neurology</i> , 2010 , 257, 1322-6	5.5	49
196	Intravenous initiation and maintenance of ketogenic diet: proof of concept in super-refractory status epilepticus. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 581-3	3.2	46
195	International Consensus Based Review and Recommendations for Minimum Reporting Standards in Research on Transcutaneous Vagus Nerve Stimulation (Version 2020). <i>Frontiers in Human Neuroscience</i> , 2020 , 14, 568051	3.3	46
194	Use of brivaracetam in genetic generalized epilepsies and for acute, intravenous treatment of absence status epilepticus. <i>Epilepsia</i> , 2018 , 59, 1549-1556	6.4	45
193	Evaluation of health-care utilization in patients with Dravet syndrome and on adjunctive treatment with stiripentol and clobazam. <i>Epilepsy and Behavior</i> , 2014 , 34, 86-91	3.2	42
192	Sustained seizure remission on perampanel in progressive myoclonic epilepsy (Lafora disease). <i>Epilepsy & Behavior Case Reports</i> , 2013 , 1, 118-21	1.2	42
191	The LaLiMo Trial: lamotrigine compared with levetiracetam in the initial 26 weeks of monotherapy for focal and generalised epilepsyan open-label, prospective, randomised controlled multicenter study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 1093-8	5.5	42
190	A systematic review of epileptic seizures in adults with subdural haematomas. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 45, 28-35	3.2	41
189	Perampanel in routine clinical use across Europe: Pooled, multicenter, observational data. <i>Epilepsia</i> , 2018 , 59, 1727-1739	6.4	41
188	Cost of status epilepticus: A systematic review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 24, 17-20	3.2	40
187	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany from 2003 to 2013 - A ten-year overview. <i>Epilepsy and Behavior</i> , 2018 , 83, 28-35	3.2	40
186	Predictors of and attitudes toward counseling about SUDEP and other epilepsy risk factors among Austrian, German, and Swiss neurologists and neuropediatricians. <i>Epilepsia</i> , 2016 , 57, 612-20	6.4	40
185	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2013 , 27, 433-8	3.2	40
184	Six months of postmarketing experience with adjunctive lacosamide in patients with pharmacoresistant focal epilepsy at a tertiary epilepsy center in Germany. <i>Epilepsy and Behavior</i> , 2009 , 16, 423-5	3.2	39
183	Brivaracetam in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 637-45	3.8	38
182	Postictal increase in T-wave alternans after generalized tonic-clonic seizures. <i>Epilepsia</i> , 2011 , 52, 2112-7	6.4	36
181	Factors predicting cessation of status epilepticus in clinical practice: Data from a prospective observational registry (SENSE). <i>Annals of Neurology</i> , 2019 , 85, 421-432	9.4	35
180	A systematic review on the burden of illness in individuals with tuberous sclerosis complex (TSC). <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 23	4.2	35

179	Incidence, Risk Factors and Consequences of Epilepsy-Related Injuries and Accidents: A Retrospective, Single Center Study. <i>Frontiers in Neurology</i> , 2018 , 9, 414	4.1	35
178	Burden and epidemiology of status epilepticus in infants, children, and adolescents: A population-based study on German health insurance data. <i>Epilepsia</i> , 2019 , 60, 911-920	6.4	34
177	Minocycline as potent anticonvulsant in a patient with astrocytoma and drug resistant epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012 , 21, 227-8	3.2	32
176	Quality of life and correlating factors in children, adolescents with epilepsy, and their caregivers: A cross-sectional multicenter study from Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 69, 92-98	3.2	31
175	Significant increase in acute subdural hematoma in octo- and nonagenarians: surgical treatment, functional outcome, and predictors in this patient cohort. <i>Neurosurgical Focus</i> , 2017 , 43, E10	4.2	31
174	Quality of life and employment status are correlated with antiepileptic monotherapy versus polytherapy and not with use of "newer" versus "classic" drugs: results of the "Compliant 2006" survey in 907 patients. <i>Epilepsy and Behavior</i> , 2010 , 19, 618-22	3.2	31
173	Guideline conform initial monotherapy increases in patients with focal epilepsy: A population-based study on German health insurance data. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 41, 9-15	3.2	29
172	Ictal asystole in temporal lobe epilepsy before and after pacemaker implantation. <i>Epileptic Disorders</i> , 2008 , 10, 39-44	1.9	29
171	Burden-of-illness and cost-driving factors in Dravet syndrome patients and carers: A prospective, multicenter study from Germany. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 392-403	3.8	27
170	A multicenter, matched case-control analysis comparing burden-of-illness in Dravet syndrome to refractory epilepsy and seizure remission in patients and caregivers in Germany. <i>Epilepsia</i> , 2019 , 60, 16	59 7-1 71	0 ²⁶
169	Stiripentol for the treatment of super-refractory status epilepticus. <i>Acta Neurologica Scandinavica</i> , 2015 , 132, 435-9	3.8	26
168	Efficacy, Retention, and Tolerability of Brivaracetam in Patients With Epileptic Encephalopathies: A Multicenter Cohort Study From Germany. <i>Frontiers in Neurology</i> , 2018 , 9, 569	4.1	25
167	Postmarketing experience with brivaracetam in the treatment of focal epilepsy in children and adolescents. <i>Epilepsy and Behavior</i> , 2018 , 89, 89-93	3.2	25
166	The role of mTOR inhibitors in preventing epileptogenesis in patients with TSC: Current evidence and future perspectives. <i>Epilepsy and Behavior</i> , 2019 , 91, 94-98	3.2	24
165	Perampanel for treatment of status epilepticus in Austria, Finland, Germany, and Spain. <i>Acta Neurologica Scandinavica</i> , 2019 , 139, 369-376	3.8	24
164	Reduced Rate of Inpatient Hospital Admissions in 18 German University Hospitals During the COVID-19 Lockdown. <i>Frontiers in Public Health</i> , 2020 , 8, 594117	6	24
163	Perampanel in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 733-40	3.8	23
162	Socioeconomic Outcome and Quality of Life in Adults after Status Epilepticus: A Multicenter, Longitudinal, Matched Case-Control Analysis from Germany. <i>Frontiers in Neurology</i> , 2017 , 8, 507	4.1	23

161	Intranasal midazolam during presurgical epilepsy monitoring is well tolerated, delays seizure recurrence, and protects from generalized tonic-clonic seizures. <i>Epilepsia</i> , 2015 , 56, 1408-14	6.4	21
160	Therapeutic advances in Dravet syndrome: a targeted literature review. <i>Expert Review of Neurotherapeutics</i> , 2020 , 20, 1065-1079	4.3	21
159	Robot-guided stereoelectroencephalography without a computed tomography scan for referencing: Analysis of accuracy. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2018 , 14, e1888	2.9	20
158	Treatment of paroxysmal dyskinesias. Expert Opinion on Pharmacotherapy, 2011 , 12, 63-72	4	20
157	Electrode placement accuracy in robot-assisted epilepsy surgery: A comparison of different referencing techniques including frame-based CT versus facial laser scan based on CT or MRI. <i>Epilepsy and Behavior</i> , 2019 , 91, 38-47	3.2	20
156	Neurologist adherence to clinical practice guidelines and costs in patients with newly diagnosed and chronic epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2016 , 64, 75-82	3.2	19
155	Use of Emergency Medication in Adult Patients with Epilepsy: A Multicentre Cohort Study from Germany. <i>CNS Drugs</i> , 2018 , 32, 771-781	6.7	19
154	Personalized translational epilepsy research - Novel approaches and future perspectives: Part I: Clinical and network analysis approaches. <i>Epilepsy and Behavior</i> , 2017 , 76, 13-18	3.2	18
153	Seizure management and prescription patterns of anticonvulsants in Dravet syndrome: A multicenter cohort study from Germany and review of literature. <i>Epilepsy and Behavior</i> , 2019 , 98, 88-95	3.2	17
152	General Trends in Prices and Prescription Patterns of Anticonvulsants in Germany between 2000 and 2017: Analysis of National and Cohort-Based Data. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 707-722	3.4	16
151	Recent advances in the pharmacotherapy of epilepsy: brivaracetam and perampanel as broad-spectrum antiseizure drugs for the treatment of epilepsies and status epilepticus. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1755-1765	4	16
150	The efficacy of lacosamide as monotherapy and adjunctive therapy in focal epilepsy and its use in status epilepticus: clinical trial evidence and experience. <i>Therapeutic Advances in Neurological Disorders</i> , 2017 , 10, 103-126	6.6	16
149	Early detection of bone metabolism changes under different antiepileptic drugs (ED-BoM-AED)a prospective multicenter study. <i>Epilepsy Research</i> , 2013 , 106, 417-22	3	15
148	Continuous phenobarbital treatment leads to recurrent plantar fibromatosis. <i>Epilepsia</i> , 2008 , 49, 1965-8	36.4	15
147	Epileptic Seizures in Patients Following Surgical Treatment of Acute Subdural Hematoma-Incidence, Risk Factors, Patient Outcome, and Development of New Scoring System for Prophylactic Antiepileptic Treatment (GATE-24 score). <i>World Neurosurgery</i> , 2017 , 101, 416-424	2.1	14
146	Seizure and status epilepticus in chronic subdural hematoma. <i>Acta Neurologica Scandinavica</i> , 2019 , 140, 194-203	3.8	14
145	Invasive EEG-electrodes in presurgical evaluation of epilepsies: Systematic analysis of implantation-, video-EEG-monitoring- and explantation-related complications, and review of literature. <i>Epilepsy and Behavior</i> , 2019 , 91, 30-37	3.2	14
144	Noncompliance of patients with driving restrictions due to uncontrolled epilepsy. <i>Epilepsy and Behavior</i> , 2019 , 91, 86-89	3.2	14

143	Evaluation of costs of epilepsy using an electronic practice management software in Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 26, 49-55	3.2	14
142	Eslicarbazepine acetate in epilepsies with focal and secondary generalised seizures: systematic review of current evidence. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 309-324	3.8	13
141	Treatment of refractory and superrefractory status epilepticus with topiramate: A cohort study of 106 patients and a review of the literature. <i>Epilepsia</i> , 2019 , 60, 2448-2458	6.4	13
140	The Phenotypic Spectrum of PRRT2-Associated Paroxysmal Neurologic Disorders in Childhood. <i>Biomedicines</i> , 2020 , 8,	4.8	12
139	Intranasal midazolam as first-line inhospital treatment for status epilepticus: a pharmaco-EEG cohort study. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 2413-2425	5.3	12
138	SARS-CoV-2-related rapid reorganization of an epilepsy outpatient clinic from personal appointments to telemedicine services: A German single-center experience. <i>Epilepsy and Behavior</i> , 2020 , 112, 107483	3.2	12
137	Estimating the Quantitative Demand of NOAC Antidote Doses on Stroke Units. <i>Cerebrovascular Diseases</i> , 2016 , 42, 415-420	3.2	12
136	Could the 2017 ILAE and the four-dimensional epilepsy classifications be merged to a new "Integrated Epilepsy Classification"?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 78, 31-37	3.2	11
135	Efficacy, Tolerability, and Safety of Concentrated Intranasal Midazolam Spray as Emergency Medication in Epilepsy Patients During Video-EEG Monitoring. <i>CNS Drugs</i> , 2020 , 34, 545-553	6.7	11
134	Costs of epilepsy and their predictors: Cross-sectional study in Germany and review of literature. <i>Epileptology</i> , 2013 , 1, 55-60		11
133	Personalized translational epilepsy research - Novel approaches and future perspectives: Part II: Experimental and translational approaches. <i>Epilepsy and Behavior</i> , 2017 , 76, 7-12	3.2	11
132	Can commercially available wearable EEG devices be used for diagnostic purposes? An explorative pilot study. <i>Epilepsy and Behavior</i> , 2020 , 103, 106507	3.2	11
131	Comparison of minimally invasive and traditional surgical approaches for refractory mesial temporal lobe epilepsy: A systematic review and meta-analysis of outcomes. <i>Epilepsia</i> , 2021 , 62, 831-84	5 ^{6.4}	11
130	Counseling and social work for persons with epilepsy: observational study on demand and issues in Hessen, Germany. <i>Epilepsy and Behavior</i> , 2013 , 28, 358-62	3.2	10
129	Sure, or unsure? Measuring studentsPconfidence and the potential impact on patient safety in multiple-choice questions. <i>Medical Teacher</i> , 2017 , 39, 1189-1194	3	10
128	Focused review on seizures caused by meningiomas. <i>Epilepsy and Behavior</i> , 2018 , 88, 146-151	3.2	10
127	Expanding the Treatment Landscape for Lennox-Gastaut Syndrome: Current and Future Strategies. <i>CNS Drugs</i> , 2021 , 35, 61-83	6.7	10
126	National Institutes of Health Stroke Scale (NIHSS) on admission predicts acute symptomatic seizure risk in ischemic stroke: a population-based study involving 135,117 cases. <i>Scientific Reports</i> , 2020 , 10, 3779	4.9	9

125	Direct and indirect costs and cost-driving factors in adults with tuberous sclerosis complex: a multicenter cohort study and a review of the literature. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 25	0 ^{4.2}	9
124	Adjunctive retigabine in refractory focal epilepsy: Postmarketing experience at four tertiary epilepsy care centers in Germany. <i>Epilepsy and Behavior</i> , 2016 , 56, 54-8	3.2	9
123	Epidemiology, healthcare resource use, and mortality in patients with probable Lennox-Gastaut syndrome: A population-based study on German health insurance data. <i>Epilepsy and Behavior</i> , 2021 , 115, 107647	3.2	9
122	Eslicarbazepine acetate as a therapeutic option in a patient with carbamazepine-induced rash and HLA-A*31:01. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 47, 81-82	3.2	8
121	Risk and risk factors for epilepsy in shunt-treated children with hydrocephalus. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 819-826	3.8	8
120	Fractures in Parkinson® Disease: injury patterns, hospitalization, and therapeutic aspects. <i>European Journal of Trauma and Emergency Surgery</i> , 2021 , 47, 573-580	2.3	8
119	Characteristics of bilateral versus unilateral temporal encephalocele-associated epilepsy. <i>Seizure:</i> the Journal of the British Epilepsy Association, 2019 , 71, 13-19	3.2	7
118	Increased occurrence of status epilepticus in patients with brain metastases and checkpoint inhibition. <i>Oncolmmunology</i> , 2020 , 9, 1851517	7.2	7
117	Acute symptomatic seizures in intracerebral and subarachnoid hemorrhage: A population study of 19,331 patients. <i>Epilepsy Research</i> , 2020 , 161, 106286	3	7
116	Periodic EEG patterns in sporadic Creutzfeld-Jakob-Disease can be benzodiazepine-responsive and be difficult to distinguish from non-convulsive status epilepticus. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 53, 47-50	3.2	7
115	Cenobamate for the treatment of focal epilepsies. Expert Opinion on Pharmacotherapy, 2020, 21, 2215-	2 2 23	7
114	Association Between Treatment Progression, Disease Refractoriness, and Burden of Illness Among Hospitalized Patients With Status Epilepticus. <i>JAMA Neurology</i> , 2021 , 78, 588-595	17.2	7
113	First clinical postmarketing experiences in the treatment of epilepsies with brivaracetam: a retrospective observational multicentre study. <i>BMJ Open</i> , 2019 , 9, e030746	3	7
112	Prone, lateral, or supine positioning at seizure onset determines the postictal body position: A multicenter video-EEG monitoring cohort study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 173-178	3.2	6
111	Mesial temporal lobe epilepsy in a patient with spinocerebellar ataxia type 13 (SCA13). <i>International Journal of Neuroscience</i> , 2013 , 123, 278-82	2	6
110	Fenfluramine significantly reduces day-to-day seizure burden by increasing number of seizure-free days and time between seizures in patients with Dravet syndrome: A time-to-event analysis. <i>Epilepsia</i> , 2021 , 63, 130	6.4	6
109	Factorial validity of a neuropsychological test battery and its ability to discern temporal lobe epilepsy from frontal lobe epilepsy - A retrospective study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 74, 81-88	3.2	6
108	Risk incidence of fractures and injuries: a multicenter video-EEG study of 626 generalized convulsive seizures. <i>Journal of Neurology</i> , 2020 , 267, 3632-3642	5.5	6

107	Prevalence and Therapy Rates for Stuttering, Cluttering, and Developmental Disorders of Speech and Language: Evaluation of German Health Insurance Data. <i>Frontiers in Human Neuroscience</i> , 2021 , 15, 645292	3.3	6
106	Prescription patterns of antiseizure drugs in tuberous sclerosis complex (TSC)-associated epilepsy: a multicenter cohort study from Germany and review of the literature. <i>Expert Review of Clinical Pharmacology</i> , 2021 , 14, 749-760	3.8	6
105	Everolimus in adult tuberous sclerosis complex patients with epilepsy: Too late for success? A retrospective study. <i>Epilepsia</i> , 2021 , 62, 785-794	6.4	6
104	Tele-EEG: Aktuelle Anwendungen, Hindernisse und technische L\(\begin{align*} \begin{align*} \lambda \limbda \rightarrow \limbda \rightarrow \rightarr	0.2	6
103	Efficacy, tolerability, and retention of fenfluramine for the treatment of seizures in patients with Dravet syndrome: Compassionate use program in Germany. <i>Epilepsia</i> , 2021 , 62, 2518-2527	6.4	6
102	Leitlinienumsetzung und Kosten bei neudiagnostizierter Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2015 , 28, 304-310	0.1	5
101	Intravenous lacosamide for treatment of absence status epilepticus in genetic generalized epilepsy: A case report and review of literature. <i>Acta Neurologica Scandinavica</i> , 2018 , 138, 259-262	3.8	5
100	Localizing and lateralizing value of ictal flatulence. <i>Epilepsy and Behavior</i> , 2010 , 17, 278-82	3.2	5
99	Seizures and epilepsy in patients with ischaemic stroke. <i>Neurological Research and Practice</i> , 2021 , 3, 63	3.2	5
98	Long-term efficacy, tolerability, and retention of brivaracetam in epilepsy treatment: A longitudinal multicenter study with up to 5lyears of follow-up. <i>Epilepsia</i> , 2021 , 62, 2994-3004	6.4	5
97	Direct and indirect costs and cost-driving factors of Tuberous sclerosis complex in children, adolescents, and caregivers: a multicenter cohort study. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 282	4.2	5
96	Quality of life and its predictors in adults with tuberous sclerosis complex (TSC): a multicentre cohort study from Germany. <i>Neurological Research and Practice</i> , 2021 , 3, 35	3.2	5
95	Efficacy, Retention and Tolerability of Everolimus in Patients with Tuberous Sclerosis Complex: A Survey-Based Study on PatientsPPerspectives. <i>CNS Drugs</i> , 2021 , 35, 1107-1122	6.7	5
94	Prevalence, risk factors and therapeutic aspects of injuries and accidents in women with epilepsy. <i>European Journal of Trauma and Emergency Surgery</i> , 2019 , 45, 375-381	2.3	5
93	Is there a role for microRNAs in epilepsy diagnostics?. <i>Expert Review of Molecular Diagnostics</i> , 2020 , 20, 693-701	3.8	4
92	From theory to practice: Critical points in the 2017 ILAE classification of epileptic seizures and epilepsies. <i>Epilepsia</i> , 2020 , 61, 350-353	6.4	4
91	Ondineß curse and temporal lobe seizures: anti-Hu- and Zic4-associated paraneoplastic brainstem and limbic encephalitis. <i>European Journal of Neurology</i> , 2018 , 25, e59-e60	6	4
90	Ictal conduction aphasia and ictal angular gyrus syndrome as rare manifestations of epilepsy: The importance of ictal testing during video-EEG monitoring. <i>Epilepsy & Behavior Case Reports</i> , 2017 , 8, 55-6	2 ^{1.2}	4

(2021-2012)

89	A female adult with Sandiferß syndrome and hiatal hernia misdiagnosed as epilepsy with focal seizures. <i>Epilepsy and Behavior</i> , 2012 , 24, 141-2	3.2	4
88	Intravenous thrombolysis or mechanical thrombectomy do not increase risk of acute symptomatic seizures in patients with ischemic stroke. <i>Scientific Reports</i> , 2020 , 10, 21083	4.9	4
87	Stiripentol in the treatment of adults with focal epilepsy- a retrospective analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 88, 7-11	3.2	4
86	Concepts for Prehospital and Initial In-hospital Therapy of Status Epilepticus. <i>Neurology International Open</i> , 2017 , 01, E217-E223		3
85	Aufgaben und Struktur moderner Epilepsiezentren in Deutschland. Aktuelle Neurologie, 2018, 45, 513-5	33	3
84	Predictors of New Cerebral Microbleeds in Patients with Antiplatelet Drug Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1671-1677	2.8	3
83	Klinische Charakteristika, Ressourcenverbrauch, Lebensqualit und Versorgungssituation beim Dravet-Syndrom in Deutschland. <i>Zeitschrift Fur Epileptologie</i> , 2019 , 32, 326-338	0.1	3
82	Teaching NeuroImages: spontaneous asymptomatic occlusion of a cerebral arteriovenous malformation. <i>Neurology</i> , 2010 , 74, e105	6.5	3
81	PatientsPknowledge about epilepsy-related risks, morbidity, and mortality: A multicenter cohort study from Germany. <i>Epilepsy and Behavior</i> , 2021 , 124, 108343	3.2	3
80	Epilepsiebedingte Verletzungen und Unfle. <i>Nervenheilkunde</i> , 2014 , 33, 331-334	0.3	3
79	Treatment of status epilepticus with zonisamide: A multicenter cohort study of 34 patients and review of literature. <i>Epilepsy and Behavior</i> , 2020 , 109, 107139	3.2	3
78	Therapeutic Options for Patients with Refractory Status Epilepticus in Palliative Settings or with a Limitation of Life-Sustaining Therapies: A Systematic Review. <i>CNS Drugs</i> , 2020 , 34, 801-826	6.7	3
77	Acute-on-chronic subdural hematoma: a new entity for prophylactic anti-epileptic treatment?. <i>European Journal of Trauma and Emergency Surgery</i> , 2020 , 1	2.3	3
76	Counseling and social work for people with epilepsy in Germany: A cross-sectional multicenter study on demand, frequent content, patient satisfaction, and burden-of-disease. <i>Epilepsy and Behavior</i> , 2019 , 92, 114-120	3.2	3
75	Therapie des akuten konvulsiven Anfalls und Status epilepticus im Kindesalter. <i>Zeitschrift Fur Epileptologie</i> , 2019 , 32, 116-125	0.1	3
74	Everolimus als krankheitsspezifische Therapieoption bei mit tuber\u00eder Sklerose assoziierter, therapierefrakt\u00dfer Epilepsie Lein systematischer Berblick. Zeitschrift Fur Epileptologie, 2021, 34, 168-174	0.1	3
73	Transcutaneous auricular vagus nerve stimulation influences gastric motility: A randomized, double-blind trial in healthy individuals. <i>Brain Stimulation</i> , 2021 , 14, 1126-1132	5.1	3
72	Epidemiology, healthcare resource use, and mortality in patients with tuberous sclerosis complex: A population-based study on German health insurance data. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 91, 287-295	3.2	3

71	Early and Late Postoperative Seizures in Meningioma Patients and Prediction by a Recent Scoring System. <i>Cancers</i> , 2021 , 13,	6.6	3
70	Review of the treatment options for epilepsy in tuberous sclerosis complex: towards precision medicine. <i>Therapeutic Advances in Neurological Disorders</i> , 2021 , 14, 17562864211031100	6.6	3
69	Multicenter, cross-sectional study of the costs of illness and cost-driving factors in adult patients with epilepsy <i>Epilepsia</i> , 2022 ,	6.4	3
68	A Practical Guide to the Treatment of Dravet Syndrome with Anti-Seizure Medication <i>CNS Drugs</i> , 2022 , 36, 217	6.7	3
67	Visuelle Auren im Grenzgebiet zwischen Epilepsie und MigrBe. Zeitschrift Fur Epileptologie, 2017 , 30, 21-27	0.1	2
66	Sustained Effort Network for treatment of Status Epilepticus (SENSE) - A multicenter prospective observational registry. <i>Epilepsy and Behavior</i> , 2019 , 101, 106553	3.2	2
65	Benign paroxysmal positional vertigo following diagnostic transcranial magnetic stimulation. <i>Neurological Sciences</i> , 2011 , 32, 503-5	3.5	2
64	Immune Checkpoint Inhibitor-Induced Cerebral Pseudoprogression: Patterns and Categorization <i>Frontiers in Immunology</i> , 2021 , 12, 798811	8.4	2
63	Advantages of methohexital over amobarbital in determining hemispheric language and memory lateralization in the Wada test - A retrospective study. <i>Epilepsy and Behavior</i> , 2020 , 113, 107551	3.2	2
62	Tick-borne encephalitis virus (TBEV) infection in pregnancy: Absence of virus transmission to the fetuses despite severe maternal disease - A case study. <i>Ticks and Tick-borne Diseases</i> , 2020 , 11, 101491	3.6	2
61	Hemispheric language lateralization in presurgical patients with temporal lobe epilepsy: Improving the retest reliability of functional transcranial Doppler sonography. <i>Epilepsy and Behavior</i> , 2019 , 91, 48-	52 ²	2
60	Initiale Therapie des Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 245-249	0.1	2
59	Topiramat, Perampanel und Brivaracetam im Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 256-261	0.1	2
58	Rapid discontinuation of sodium channel-blocking antiseizure drugs evokes focal edema in the splenium corporis callosi: A matched case-control study. <i>Epilepsia</i> , 2019 , 60, 1353-1364	6.4	1
57	Improving post-hypoxic myoclonus using cannabidiol. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 67, 38-39	3.2	1
56	Clinical Relevance of Seizure in Pediatric Patients with Isolated Acute Subdural Hematoma without Parenchymal Brain Injury. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019 , 80, 233-239	1.1	1
55	Gesundheitskonomie und Lebensqualittibei Epilepsie. Zeitschrift Fur Epileptologie, 2015 , 28, 153-160	0.1	1
54	Predicting outcome of epilepsy surgery in clinical practice: Prediction models vs. clinical acumen. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 79-83	3.2	1

53	Erfolgreiche Epilepsiechirurgie bei seit Ber 20 Jahren therapierefrakt Per Temporallappenepilepsie und multiplen Voreingriffen. <i>Zeitschrift Fur Epileptologie</i> , 2016 , 29, 156-160	0.1	1
52	Susceptibility-weighted imaging (SWI) or T2* contrasts should remain standard in the neuroimaging of epilepsy. <i>Epilepsia</i> , 2019 , 60, 2141-2142	6.4	1
51	Direkte und indirekte Kosten der Epilepsie. Zeitschrift Fur Epileptologie, 2011 , 24, 172-177	0.1	1
50	Epidemiology, healthcare resource use, and mortality in patients with probable Dravet syndrome: A population-based study on German health insurance data. <i>Epilepsy and Behavior</i> , 2021 , 126, 108442	3.2	1
49	Executive deficits in neuropsychological testing differentiate between autoimmune temporal lobe epilepsy caused by limbic encephalitis and temporal lobe epilepsies with non-autoimmune etiologies. <i>Epilepsy and Behavior</i> , 2021 , 124, 108378	3.2	1
48	Health-related quality of life in children and adolescents with tuberous sclerosis complex and their caregivers: A multicentre cohort study from Germany. <i>European Journal of Paediatric Neurology</i> , 2021 , 35, 111-122	3.8	1
47	Gesundheitskonomie 2020 , 37-43		1
46	Assessing Cognitive Change and Quality of Life 12 Months After Epilepsy Surgery-Development and Application of Reliable Change Indices and Standardized Regression-Based Change Norms for a Neuropsychological Test Battery in the German Language. <i>Frontiers in Psychology</i> , 2020 , 11, 582836	3.4	1
45	Postoperative outcomes and surgical ratio at a newly established epilepsy center: The first 100 procedures. <i>Epilepsy and Behavior</i> , 2021 , 116, 107715	3.2	1
44	Temporal encephaloceles in epilepsy patients and asymptomatic cases: Size may indicate epileptogenicity. <i>Epilepsia</i> , 2021 , 62, 1354-1361	6.4	1
43	MR-gestEzte stereotaktische Laserthermoablation eines hypothalamischen Hamartoms bei einer jungen Epilepsiepatientin: klinischer Verlauf und Kostenanalyse. <i>Zeitschrift Fur Epileptologie</i> , 2021 , 34, 324-330	0.1	1
42	Einstellungen und Hinderungsgr\u00edde bez\u00edlich Telemedizin bei Epilepsien: Eine Umfrage in neurologischen Praxen. <i>Zeitschrift Fur Epileptologie</i> , 2021 , 34, 318-323	0.1	1
41	Impfung zur Vorbeugung der COVID-19-Erkrankung sowie Impfpriorisierung bei Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2021 , 34, 209-212	0.1	1
40	Satisfaction with and reliability of in-hospital video-EEG monitoring systems in epilepsy diagnosis - A German multicenter experience. <i>Clinical Neurophysiology</i> , 2021 , 132, 2317-2322	4.3	1
39	Informed DEcision for cerebrospinal fluid analysis after epiLeptic seizures- the IDEAL-score: A development and validation study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 91, 228-	2 32	1
38	Gender differences in concerns about planning to have children and child-rearing among patients with epilepsy: A prospective, multicenter study with 477 patients from Germany <i>Epilepsy and Behavior</i> , 2022 , 129, 108650	3.2	1
37	Attitudes toward epilepsy assessed by the SAPE questionnaire in Germany - Comparison of its psychometric properties and results in a web-based vs. face-to-face survey <i>Epilepsy and Behavior</i> , 2022 , 130, 108665	3.2	1
36	Seizures induced by the sight of moving water. <i>Epileptic Disorders</i> , 2008 , 10, 49-52	1.9	1

35	Differenzialdiagnose paroxysmaler Bewusstseinsstflungen. Zeitschrift Fur Epileptologie, 2017 , 30, 45-48	0.1	О
34	100 Jahre Dieter Janz. Zeitschrift Fur Epileptologie, 2020 , 33, 101-106	0.1	O
33	Konzepte zur prBospitalen und initialen intrahospitalen Therapie des Status epilepticus. <i>Aktuelle Neurologie</i> , 2017 , 44, 637-644		O
32	Paroxysmale sympathische Hyperaktivitlals Syndrom im Grenzgebiet der Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2017 , 30, 49-52	0.1	O
31	Mechanical thrombectomy does not increase the risk of acute symptomatic seizures in patients with an ischaemic stroke: a propensity score matching study <i>Journal of Neurology</i> , 2022 , 1	5.5	0
30	Temporale Enzephalozelen Leine neue Ursache von Temporallappenepilepsien?. Zeitschrift Fur Epileptologie, 2020 , 33, 15-21	0.1	O
29	Wada test results contribute to the prediction of change in verbal learning and verbal memory function after temporal lobe epilepsy surgery. <i>Scientific Reports</i> , 2021 , 11, 10979	4.9	0
28	Benefits, safety and outcomes of long-term video EEG monitoring in pediatric patients. <i>European Journal of Paediatric Neurology</i> , 2021 , 32, 29-35	3.8	O
27	Valproate but not levetiracetam slows the EEG alpha peak frequency - A pharmaco-EEG study. <i>Clinical Neurophysiology</i> , 2021 , 132, 1203-1208	4.3	O
26	Prospective evaluation of interrater agreement between EEG technologists and neurophysiologists. <i>Scientific Reports</i> , 2021 , 11, 13406	4.9	O
25	Krankheitskosten und Outcome: Versorgungsrealitlides Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 267-271	0.1	О
24	EEG patterns and their correlations with short- and long-term mortality in patients with hypoxic encephalopathy. <i>Clinical Neurophysiology</i> , 2021 , 132, 2851-2860	4.3	O
23	Predicting Poststroke Pneumonia in Patients With Anterior Large Vessel Occlusion: A Prospective, Population-Based Stroke Registry Analysis <i>Frontiers in Neurology</i> , 2022 , 13, 824450	4.1	O
22	Trends in antiseizure medication prescription patterns among all adults, women, and older adults with epilepsy: A German longitudinal analysis from 2008 to 2020 <i>Epilepsy and Behavior</i> , 2022 , 108666	3.2	O
21	Costs and cost-driving factors of acute treatment of status epilepticus in children and adolescents: A cohort study from Germany <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022 , 97, 63-72	3.2	O
20	Anticonvulsant Agents: Cannabidiol and Fenfluramine 2022 , 1-15		O
19	Zerebrale Sinus/-Venenthrombose durch zervikale Lymphadenopathie mit Jugularvenenkompression bei akuter EBV-Infektion. <i>Aktuelle Neurologie</i> , 2018 , 45, 135-141		
18	Limitations of a Short Demographic Questionnaire for Bedside Estimation of PatientsPGlobal Cognitive Functioning in Epilepsy Patients. <i>Frontiers in Neurology</i> , 2018 , 9, 85	4.1	

LIST OF PUBLICATIONS

17	Advancing our knowledge about the social management of epilepsy: Epilepsy & behavior 15th anniversary. <i>Epilepsy and Behavior</i> , 2014 , 40, 110	3.2
16	Im Grenzgebiet zwischen Bewegungsstflungen und Epilepsien. <i>Der Neurologe Und Psychiater</i> , 2013 , 14, 62-68	Ο
15	Filtersetting beim invasiven Video-EEG-Monitoring. Zeitschrift Fur Epileptologie, 2010, 23, 122-127	0.1
14	EuroQOL-5D-3L does not adequately map quality-of-life deterioration in severely affected patients with epilepsy <i>Epilepsy and Behavior</i> , 2022 , 127, 108554	3.2
13	Reply to: "Do executive deficits differentiate between autoimmune temporal lobe epilepsy and temporal lobe epilepsies with non-autoimmune etiologies? A critical view on recently published data" by Juri-Alexander Witt and Christoph Helmstaedter (EB-D-21-01129) <i>Epilepsy and Behavior</i> ,	3.2
12	Reply to: "All patients with epilepsy, whether at high or low risk of SUDEP, should have access to individually tailored SUDEP information" by Oliver Henning, Karl O. Nakken, and Morten I. Lossius <i>Epilepsy and Behavior</i> , 2022 , 108534	3.2
11	Epilepsien 2019 , 99-116	
10	Video-EEG-Monitoring 2020 , 285-305	
9	Neurologische Differenzialdiagnose des paroxysmalen Erbrechens: Gastrointestinale Ursache bei familiër Kavernomatose. <i>Zeitschrift Fur Epileptologie</i> , 2020 , 33, 70-73	0.1
8	Diagnostic Subdural EEG electrodes And Subdural hEmatoma (DISEASE): a study protocol for a prospective nonrandomized controlled trial. <i>Neurological Research and Practice</i> , 2020 , 2, 50	3.2
7	Klinische Charakteristika und Lebensqualitl beim Dravet-Syndrom: Ergebnisse der deutschen Kohorte des D ravet syndrome caregiver survey[[DISCUSS]). <i>Monatsschrift Fur Kinderheilkunde</i> ,1	0.2
6	Klinische Charakteristika und Lebensqualitl beim Dravet-Syndrom: Ergebnisse der deutschen Kohorte des D ravet syndrome caregiver survey[[DISCUSS]). <i>Zeitschrift Fur Epileptologie</i> ,1	0.1
5	MedikamentBe Therapie von epileptischen Anflen und Epilepsien. Nervenheilkunde, 2019 , 38, 887-901	0.3
4	EEG bei Epilepsien im Kindesalter. <i>Neurophysiologie-Labor</i> , 2018 , 40, 231-246	0.1
3	Stufenadaptierte Therapie des Status epilepticus. <i>Neurologie Up2date</i> , 2018 , 1, 67-79	0.1
2	Erster epileptischer Anfall. <i>Deutsche Medizinische Wochenschrift</i> , 2022 , 147, 355-360	O
1	Enhancing Safety in Epilepsy Surgery (EASINESS): Study Protocol for a Retrospective, Multicenter, Open Registry <i>Frontiers in Neurology</i> , 2021 , 12, 782666	4.1