

Adam Strzelczyk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/616862/adam-strzelczyk-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

214
papers

3,431
citations

35
h-index

50
g-index

256
ext. papers

4,566
ext. citations

3.3
avg, IF

5.56
L-index

#	Paper	IF	Citations
214	Mechanical thrombectomy does not increase the risk of acute symptomatic seizures in patients with an ischaemic stroke: a propensity score matching study.. <i>Journal of Neurology</i> , 2022 , 1	5.5	0
213	EuroQOL-5D-3L does not adequately map quality-of-life deterioration in severely affected patients with epilepsy.. <i>Epilepsy and Behavior</i> , 2022 , 127, 108554	3.2	
212	Reply to: "Do executive deficits differentiate between autoimmune temporal lobe epilepsy and temporal lobe epilepsies with non-autoimmune etiologies? A critical view on recently published data" by Juri-Alexander Witt and Christoph Helmstaedter (EB-D-21-01129).. <i>Epilepsy and Behavior</i> , 2022 , 127, 108554	3.2	
211	Reply to: "All patients with epilepsy, whether at high or low risk of SUDEP, should have access to individually tailored SUDEP information" by Oliver Henning, Karl O. Nakken, and Morten I. Lossius.. <i>Epilepsy and Behavior</i> , 2022 , 108534	3.2	
210	Multicenter, cross-sectional study of the costs of illness and cost-driving factors in adult patients with epilepsy.. <i>Epilepsia</i> , 2022 ,	6.4	3
209	A Practical Guide to the Treatment of Dravet Syndrome with Anti-Seizure Medication.. <i>CNS Drugs</i> , 2022 , 36, 217	6.7	3
208	Predicting Poststroke Pneumonia in Patients With Anterior Large Vessel Occlusion: A Prospective, Population-Based Stroke Registry Analysis.. <i>Frontiers in Neurology</i> , 2022 , 13, 824450	4.1	0
207	Erster epileptischer Anfall. <i>Deutsche Medizinische Wochenschrift</i> , 2022 , 147, 355-360	0	
206	Trends in antiseizure medication prescription patterns among all adults, women, and older adults with epilepsy: A German longitudinal analysis from 2008 to 2020.. <i>Epilepsy and Behavior</i> , 2022 , 108666	3.2	0
205	Gender differences in concerns about planning to have children and child-rearing among patients with epilepsy: A prospective, multicenter study with 477 patients from Germany.. <i>Epilepsy and Behavior</i> , 2022 , 129, 108650	3.2	1
204	Costs and cost-driving factors of acute treatment of status epilepticus in children and adolescents: A cohort study from Germany.. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2022 , 97, 63-72	3.2	0
203	Attitudes toward epilepsy assessed by the SAPE questionnaire in Germany - Comparison of its psychometric properties and results in a web-based vs. face-to-face survey.. <i>Epilepsy and Behavior</i> , 2022 , 130, 108665	3.2	1
202	Anticonvulsant Agents: Cannabidiol and Fenfluramine 2022 , 1-15		0
201	Seizures and epilepsy in patients with ischaemic stroke. <i>Neurological Research and Practice</i> , 2021 , 3, 63	3.2	5
200	Fenfluramine significantly reduces day-to-day seizure burden by increasing number of seizure-free days and time between seizures in patients with Dravet syndrome: A time-to-event analysis. <i>Epilepsia</i> , 2021 , 63, 130	6.4	6
199	Epidemiology, healthcare resource use, and mortality in patients with probable Dravet syndrome: A population-based study on German health insurance data. <i>Epilepsy and Behavior</i> , 2021 , 126, 108442	3.2	1
198	Immune Checkpoint Inhibitor-Induced Cerebral Pseudoprogression: Patterns and Categorization.. <i>Frontiers in Immunology</i> , 2021 , 12, 798811	8.4	2

197	Long-term efficacy, tolerability, and retention of brivaracetam in epilepsy treatment: A longitudinal multicenter study with up to 5 years of follow-up. <i>Epilepsia</i> , 2021 , 62, 2994-3004	6.4	5
196	Executive deficits in neuropsychological testing differentiate between autoimmune temporal lobe epilepsy caused by limbic encephalitis and temporal lobe epilepsies with non-autoimmune etiologies. <i>Epilepsy and Behavior</i> , 2021 , 124, 108378	3.2	1
195	Patients' knowledge about epilepsy-related risks, morbidity, and mortality: A multicenter cohort study from Germany. <i>Epilepsy and Behavior</i> , 2021 , 124, 108343	3.2	3
194	Health-related quality of life in children and adolescents with tuberous sclerosis complex and their caregivers: A multicentre cohort study from Germany. <i>European Journal of Paediatric Neurology</i> , 2021 , 35, 111-122	3.8	1
193	Postoperative outcomes and surgical ratio at a newly established epilepsy center: The first 100 procedures. <i>Epilepsy and Behavior</i> , 2021 , 116, 107715	3.2	1
192	Prevalence and Therapy Rates for Stuttering, Cluttering, and Developmental Disorders of Speech and Language: Evaluation of German Health Insurance Data. <i>Frontiers in Human Neuroscience</i> , 2021 , 15, 645292	3.3	6
191	Stiripentol in the treatment of adults with focal epilepsy- a retrospective analysis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 88, 7-11	3.2	4
190	Association Between Treatment Progression, Disease Refractoriness, and Burden of Illness Among Hospitalized Patients With Status Epilepticus. <i>JAMA Neurology</i> , 2021 , 78, 588-595	17.2	7
189	Prescription patterns of antiseizure drugs in tuberous sclerosis complex (TSC)-associated epilepsy: a multicenter cohort study from Germany and review of the literature. <i>Expert Review of Clinical Pharmacology</i> , 2021 , 14, 749-760	3.8	6
188	Wada test results contribute to the prediction of change in verbal learning and verbal memory function after temporal lobe epilepsy surgery. <i>Scientific Reports</i> , 2021 , 11, 10979	4.9	0
187	Temporal encephaloceles in epilepsy patients and asymptomatic cases: Size may indicate epileptogenicity. <i>Epilepsia</i> , 2021 , 62, 1354-1361	6.4	1
186	Benefits, safety and outcomes of long-term video EEG monitoring in pediatric patients. <i>European Journal of Paediatric Neurology</i> , 2021 , 32, 29-35	3.8	0
185	Direct and indirect costs and cost-driving factors of Tuberous sclerosis complex in children, adolescents, and caregivers: a multicenter cohort study. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 282	4.2	5
184	Quality of life and its predictors in adults with tuberous sclerosis complex (TSC): a multicentre cohort study from Germany. <i>Neurological Research and Practice</i> , 2021 , 3, 35	3.2	5
183	MR-gestützte stereotaktische Laserthermoablation eines hypothalamischen Hamartoms bei einer jungen Epilepsiepatientin: klinischer Verlauf und Kostenanalyse. <i>Zeitschrift Fur Epileptologie</i> , 2021 , 34, 324-330	0.1	1
182	Valproate but not levetiracetam slows the EEG alpha peak frequency - A pharmaco-EEG study. <i>Clinical Neurophysiology</i> , 2021 , 132, 1203-1208	4.3	0
181	Einstellungen und Hinderungsgründe bezüglich Telemedizin bei Epilepsien: Eine Umfrage in neurologischen Praxen. <i>Zeitschrift Fur Epileptologie</i> , 2021 , 34, 318-323	0.1	1
180	Prospective evaluation of interrater agreement between EEG technologists and neurophysiologists. <i>Scientific Reports</i> , 2021 , 11, 13406	4.9	0

179	Direct and indirect costs and cost-driving factors in adults with tuberous sclerosis complex: a multicenter cohort study and a review of the literature. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 250 ^{4.2}	9
178	Efficacy, Retention and Tolerability of Everolimus in Patients with Tuberous Sclerosis Complex: A Survey-Based Study on Patients' Perspectives. <i>CNS Drugs</i> , 2021 , 35, 1107-1122	6.7 5
177	Fractures in Parkinson's Disease: injury patterns, hospitalization, and therapeutic aspects. <i>European Journal of Trauma and Emergency Surgery</i> , 2021 , 47, 573-580	2.3 8
176	Everolimus als krankheitsspezifische Therapieoption bei mit tuberöser Sklerose assoziierter, therapierefraktärer Epilepsie – ein systematischer Überblick. <i>Zeitschrift Für Epileptologie</i> , 2021 , 34, 168-174 ^{0.1}	3
175	Epidemiology, healthcare resource use, and mortality in patients with probable Lennox-Gastaut syndrome: A population-based study on German health insurance data. <i>Epilepsy and Behavior</i> , 2021 , 115, 107647	3.2 9
174	Everolimus in adult tuberous sclerosis complex patients with epilepsy: Too late for success? A retrospective study. <i>Epilepsia</i> , 2021 , 62, 785-794	6.4 6
173	Impfung zur Vorbeugung der COVID-19-Erkrankung sowie Impfpriorisierung bei Epilepsie. <i>Zeitschrift Für Epileptologie</i> , 2021 , 34, 209-212	0.1 1
172	Comparison of minimally invasive and traditional surgical approaches for refractory mesial temporal lobe epilepsy: A systematic review and meta-analysis of outcomes. <i>Epilepsia</i> , 2021 , 62, 831-845 ^{6.4}	11
171	Efficacy, tolerability, and retention of fenfluramine for the treatment of seizures in patients with Dravet syndrome: Compassionate use program in Germany. <i>Epilepsia</i> , 2021 , 62, 2518-2527	6.4 6
170	Transcutaneous auricular vagus nerve stimulation influences gastric motility: A randomized, double-blind trial in healthy individuals. <i>Brain Stimulation</i> , 2021 , 14, 1126-1132	5.1 3
169	Satisfaction with and reliability of in-hospital video-EEG monitoring systems in epilepsy diagnosis - A German multicenter experience. <i>Clinical Neurophysiology</i> , 2021 , 132, 2317-2322	4.3 1
168	Epidemiology, healthcare resource use, and mortality in patients with tuberous sclerosis complex: A population-based study on German health insurance data. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 91, 287-295	3.2 3
167	Informed DEcision for cerebrospinal fluid analysis after epileptic seizures- the IDEAL-score: A development and validation study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021 , 91, 228-232 ^{3.2}	1
166	EEG patterns and their correlations with short- and long-term mortality in patients with hypoxic encephalopathy. <i>Clinical Neurophysiology</i> , 2021 , 132, 2851-2860	4.3 0
165	Early and Late Postoperative Seizures in Meningioma Patients and Prediction by a Recent Scoring System. <i>Cancers</i> , 2021 , 13,	6.6 3
164	Review of the treatment options for epilepsy in tuberous sclerosis complex: towards precision medicine. <i>Therapeutic Advances in Neurological Disorders</i> , 2021 , 14, 17562864211031100	6.6 3
163	Expanding the Treatment Landscape for Lennox-Gastaut Syndrome: Current and Future Strategies. <i>CNS Drugs</i> , 2021 , 35, 61-83	6.7 10
162	Enhancing Safety in Epilepsy Surgery (EASINESS): Study Protocol for a Retrospective, Multicenter, Open Registry.. <i>Frontiers in Neurology</i> , 2021 , 12, 782666	4.1

161	Increased occurrence of status epilepticus in patients with brain metastases and checkpoint inhibition. <i>Oncolmmunology</i> , 2020 , 9, 1851517	7.2	7
160	The Phenotypic Spectrum of PRRT2-Associated Paroxysmal Neurologic Disorders in Childhood. <i>Biomedicines</i> , 2020 , 8,	4.8	12
159	Could the 2017 ILAE and the four-dimensional epilepsy classifications be merged to a new "Integrated Epilepsy Classification"?. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 78, 31-37	3.2	11
158	Is there a role for microRNAs in epilepsy diagnostics?. <i>Expert Review of Molecular Diagnostics</i> , 2020 , 20, 693-701	3.8	4
157	National Institutes of Health Stroke Scale (NIHSS) on admission predicts acute symptomatic seizure risk in ischemic stroke: a population-based study involving 135,117 cases. <i>Scientific Reports</i> , 2020 , 10, 3779	4.9	9
156	100 Jahre Dieter Janz. <i>Zeitschrift Fur Epileptologie</i> , 2020 , 33, 101-106	0.1	0
155	Predicting outcome of epilepsy surgery in clinical practice: Prediction models vs. clinical acumen. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 79-83	3.2	1
154	From theory to practice: Critical points in the 2017 ILAE classification of epileptic seizures and epilepsies. <i>Epilepsia</i> , 2020 , 61, 350-353	6.4	4
153	Prone, lateral, or supine positioning at seizure onset determines the postictal body position: A multicenter video-EEG monitoring cohort study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 173-178	3.2	6
152	Acute symptomatic seizures in intracerebral and subarachnoid hemorrhage: A population study of 19,331 patients. <i>Epilepsy Research</i> , 2020 , 161, 106286	3	7
151	A systematic review on the burden of illness in individuals with tuberous sclerosis complex (TSC). <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 23	4.2	35
150	Efficacy, Tolerability, and Safety of Concentrated Intranasal Midazolam Spray as Emergency Medication in Epilepsy Patients During Video-EEG Monitoring. <i>CNS Drugs</i> , 2020 , 34, 545-553	6.7	11
149	Gesundheitsökonomie 2020 , 37-43		1
148	Video-EEG-Monitoring 2020 , 285-305		
147	Neurologische Differenzialdiagnose des paroxysmalen Erbrechens: Gastrointestinale Ursache bei familiärer Kavernomatose. <i>Zeitschrift Fur Epileptologie</i> , 2020 , 33, 70-73	0.1	
146	Factorial validity of a neuropsychological test battery and its ability to discern temporal lobe epilepsy from frontal lobe epilepsy - A retrospective study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 74, 81-88	3.2	6
145	Can commercially available wearable EEG devices be used for diagnostic purposes? An explorative pilot study. <i>Epilepsy and Behavior</i> , 2020 , 103, 106507	3.2	11
144	Temporale Enzephalozelen –eine neue Ursache von Temporallappenepilepsien?. <i>Zeitschrift Fur Epileptologie</i> , 2020 , 33, 15-21	0.1	0

143	Treatment of status epilepticus with zonisamide: A multicenter cohort study of 34 patients and review of literature. <i>Epilepsy and Behavior</i> , 2020 , 109, 107139	3.2	3
142	Advantages of methohexital over amobarbital in determining hemispheric language and memory lateralization in the Wada test - A retrospective study. <i>Epilepsy and Behavior</i> , 2020 , 113, 107551	3.2	2
141	Assessing Cognitive Change and Quality of Life 12 Months After Epilepsy Surgery-Development and Application of Reliable Change Indices and Standardized Regression-Based Change Norms for a Neuropsychological Test Battery in the German Language. <i>Frontiers in Psychology</i> , 2020 , 11, 582836	3.4	1
140	Intravenous thrombolysis or mechanical thrombectomy do not increase risk of acute symptomatic seizures in patients with ischemic stroke. <i>Scientific Reports</i> , 2020 , 10, 21083	4.9	4
139	SARS-CoV-2-related rapid reorganization of an epilepsy outpatient clinic from personal appointments to telemedicine services: A German single-center experience. <i>Epilepsy and Behavior</i> , 2020 , 112, 107483	3.2	12
138	Tick-borne encephalitis virus (TBEV) infection in pregnancy: Absence of virus transmission to the fetuses despite severe maternal disease - A case study. <i>Ticks and Tick-borne Diseases</i> , 2020 , 11, 101491	3.6	2
137	Therapeutic Options for Patients with Refractory Status Epilepticus in Palliative Settings or with a Limitation of Life-Sustaining Therapies: A Systematic Review. <i>CNS Drugs</i> , 2020 , 34, 801-826	6.7	3
136	Risk incidence of fractures and injuries: a multicenter video-EEG study of 626 generalized convulsive seizures. <i>Journal of Neurology</i> , 2020 , 267, 3632-3642	5.5	6
135	Acute-on-chronic subdural hematoma: a new entity for prophylactic anti-epileptic treatment?. <i>European Journal of Trauma and Emergency Surgery</i> , 2020 , 1	2.3	3
134	Therapeutic advances in Dravet syndrome: a targeted literature review. <i>Expert Review of Neurotherapeutics</i> , 2020 , 20, 1065-1079	4.3	21
133	Cenobamate for the treatment of focal epilepsies. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 2215-2223		7
132	Diagnostic Subdural EEG electrodes And Subdural hEmatoma (DISEASE): a study protocol for a prospective nonrandomized controlled trial. <i>Neurological Research and Practice</i> , 2020 , 2, 50	3.2	
131	International Consensus Based Review and Recommendations for Minimum Reporting Standards in Research on Transcutaneous Vagus Nerve Stimulation (Version 2020). <i>Frontiers in Human Neuroscience</i> , 2020 , 14, 568051	3.3	46
130	Reduced Rate of Inpatient Hospital Admissions in 18 German University Hospitals During the COVID-19 Lockdown. <i>Frontiers in Public Health</i> , 2020 , 8, 594117	6	24
129	Risk and risk factors for epilepsy in shunt-treated children with hydrocephalus. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 819-826	3.8	8
128	Factors predicting cessation of status epilepticus in clinical practice: Data from a prospective observational registry (SENSE). <i>Annals of Neurology</i> , 2019 , 85, 421-432	9.4	35
127	Rapid discontinuation of sodium channel-blocking antiseizure drugs evokes focal edema in the splenium corporis callosi: A matched case-control study. <i>Epilepsia</i> , 2019 , 60, 1353-1364	6.4	1
126	Characteristics of bilateral versus unilateral temporal encephalocele-associated epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 71, 13-19	3.2	7

125	General Trends in Prices and Prescription Patterns of Anticonvulsants in Germany between 2000 and 2017: Analysis of National and Cohort-Based Data. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 707-722	3.4	16
124	Seizure and status epilepticus in chronic subdural hematoma. <i>Acta Neurologica Scandinavica</i> , 2019 , 140, 194-203	3.8	14
123	Burden-of-illness and cost-driving factors in Dravet syndrome patients and carers: A prospective, multicenter study from Germany. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 392-403	3.8	27
122	Improving post-hypoxic myoclonus using cannabidiol. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 67, 38-39	3.2	1
121	Clinical Relevance of Seizure in Pediatric Patients with Isolated Acute Subdural Hematoma without Parenchymal Brain Injury. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2019 , 80, 233-239	1.1	1
120	Burden and epidemiology of status epilepticus in infants, children, and adolescents: A population-based study on German health insurance data. <i>Epilepsia</i> , 2019 , 60, 911-920	6.4	34
119	Quality of life and correlating factors in children, adolescents with epilepsy, and their caregivers: A cross-sectional multicenter study from Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019 , 69, 92-98	3.2	31
118	Invasive EEG-electrodes in presurgical evaluation of epilepsies: Systematic analysis of implantation-, video-EEG-monitoring- and explantation-related complications, and review of literature. <i>Epilepsy and Behavior</i> , 2019 , 91, 30-37	3.2	14
117	Noncompliance of patients with driving restrictions due to uncontrolled epilepsy. <i>Epilepsy and Behavior</i> , 2019 , 91, 86-89	3.2	14
116	The role of mTOR inhibitors in preventing epileptogenesis in patients with TSC: Current evidence and future perspectives. <i>Epilepsy and Behavior</i> , 2019 , 91, 94-98	3.2	24
115	Seizure management and prescription patterns of anticonvulsants in Dravet syndrome: A multicenter cohort study from Germany and review of literature. <i>Epilepsy and Behavior</i> , 2019 , 98, 88-95	3.2	17
114	A multicenter, matched case-control analysis comparing burden-of-illness in Dravet syndrome to refractory epilepsy and seizure remission in patients and caregivers in Germany. <i>Epilepsia</i> , 2019 , 60, 1697-1710	6.4	26
113	Recent advances in the pharmacotherapy of epilepsy: brivaracetam and perampanel as broad-spectrum antiseizure drugs for the treatment of epilepsies and status epilepticus. <i>Expert Opinion on Pharmacotherapy</i> , 2019 , 20, 1755-1765	4	16
112	Klinische Charakteristika, Ressourcenverbrauch, Lebensqualität und Versorgungssituation beim Dravet-Syndrom in Deutschland. <i>Zeitschrift Fur Epileptologie</i> , 2019 , 32, 326-338	0.1	3
111	Susceptibility-weighted imaging (SWI) or T2* contrasts should remain standard in the neuroimaging of epilepsy. <i>Epilepsia</i> , 2019 , 60, 2141-2142	6.4	1
110	Sustained Effort Network for treatment of Status Epilepticus (SENSE) - A multicenter prospective observational registry. <i>Epilepsy and Behavior</i> , 2019 , 101, 106553	3.2	2
109	Treatment of refractory and superrefractory status epilepticus with topiramate: A cohort study of 106 patients and a review of the literature. <i>Epilepsia</i> , 2019 , 60, 2448-2458	6.4	13
108	Intranasal midazolam as first-line in-hospital treatment for status epilepticus: a pharmaco-EEG cohort study. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 2413-2425	5.3	12

107 Epilepsien **2019**, 99-116

106	First clinical postmarketing experiences in the treatment of epilepsies with brivaracetam: a retrospective observational multicentre study. <i>BMJ Open</i> , 2019 , 9, e030746	3	7
105	Medikamentöse Therapie von epileptischen Anfällen und Epilepsien. <i>Nervenheilkunde</i> , 2019 , 38, 887-901	0.3	
104	Hemispheric language lateralization in presurgical patients with temporal lobe epilepsy: Improving the retest reliability of functional transcranial Doppler sonography. <i>Epilepsy and Behavior</i> , 2019 , 91, 48-52	3.2	2
103	Counseling and social work for people with epilepsy in Germany: A cross-sectional multicenter study on demand, frequent content, patient satisfaction, and burden-of-disease. <i>Epilepsy and Behavior</i> , 2019 , 92, 114-120	3.2	3
102	Perampanel for treatment of status epilepticus in Austria, Finland, Germany, and Spain. <i>Acta Neurologica Scandinavica</i> , 2019 , 139, 369-376	3.8	24
101	Therapie des akuten konvulsiven Anfalls und Status epilepticus im Kindesalter. <i>Zeitschrift Fur Epileptologie</i> , 2019 , 32, 116-125	0.1	3
100	Electrode placement accuracy in robot-assisted epilepsy surgery: A comparison of different referencing techniques including frame-based CT versus facial laser scan based on CT or MRI. <i>Epilepsy and Behavior</i> , 2019 , 91, 38-47	3.2	20
99	Prevalence, risk factors and therapeutic aspects of injuries and accidents in women with epilepsy. <i>European Journal of Trauma and Emergency Surgery</i> , 2019 , 45, 375-381	2.3	5
98	Ondine's curse and temporal lobe seizures: anti-Hu- and Zic4-associated paraneoplastic brainstem and limbic encephalitis. <i>European Journal of Neurology</i> , 2018 , 25, e59-e60	6	4
97	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany from 2003 to 2013 - A ten-year overview. <i>Epilepsy and Behavior</i> , 2018 , 83, 28-35	3.2	40
96	Intravenous lacosamide for treatment of absence status epilepticus in genetic generalized epilepsy: A case report and review of literature. <i>Acta Neurologica Scandinavica</i> , 2018 , 138, 259-262	3.8	5
95	Aufgaben und Struktur moderner Epilepsiezentren in Deutschland. <i>Aktuelle Neurologie</i> , 2018 , 45, 513-533		3
94	Eslicarbazepine acetate in epilepsies with focal and secondary generalised seizures: systematic review of current evidence. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 309-324	3.8	13
93	Robot-guided stereoelectroencephalography without a computed tomography scan for referencing: Analysis of accuracy. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2018 , 14, e1888	2.9	20
92	Zerebrale Sinus-/Venenthrombose durch zervikale Lymphadenopathie mit Jugularvenenkompression bei akuter EBV-Infektion. <i>Aktuelle Neurologie</i> , 2018 , 45, 135-141		
91	Perampanel in routine clinical use across Europe: Pooled, multicenter, observational data. <i>Epilepsia</i> , 2018 , 59, 1727-1739	6.4	41
90	Limitations of a Short Demographic Questionnaire for Bedside Estimation of Patients' Global Cognitive Functioning in Epilepsy Patients. <i>Frontiers in Neurology</i> , 2018 , 9, 85	4.1	

89	Incidence, Risk Factors and Consequences of Epilepsy-Related Injuries and Accidents: A Retrospective, Single Center Study. <i>Frontiers in Neurology</i> , 2018 , 9, 414	4.1	35
88	Use of Emergency Medication in Adult Patients with Epilepsy: A Multicentre Cohort Study from Germany. <i>CNS Drugs</i> , 2018 , 32, 771-781	6.7	19
87	Efficacy, Retention, and Tolerability of Brivaracetam in Patients With Epileptic Encephalopathies: A Multicenter Cohort Study From Germany. <i>Frontiers in Neurology</i> , 2018 , 9, 569	4.1	25
86	EEG bei Epilepsien im Kindesalter. <i>Neurophysiologie-Labor</i> , 2018 , 40, 231-246	0.1	
85	Tele-EEG: Aktuelle Anwendungen, Hindernisse und technische Lösungen. <i>Klinische Neurophysiologie</i> , 2018 , 49, 208-215	0.2	6
84	Initiale Therapie des Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 245-249	0.1	2
83	Krankheitskosten und Outcome: Versorgungsrealität des Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 267-271	0.1	0
82	Topiramat, Perampanel und Brivaracetam im Status epilepticus. <i>Zeitschrift Fur Epileptologie</i> , 2018 , 31, 256-261	0.1	2
81	Focused review on seizures caused by meningiomas. <i>Epilepsy and Behavior</i> , 2018 , 88, 146-151	3.2	10
80	Postmarketing experience with brivaracetam in the treatment of focal epilepsy in children and adolescents. <i>Epilepsy and Behavior</i> , 2018 , 89, 89-93	3.2	25
79	Stufenadaptierte Therapie des Status epilepticus. <i>Neurologie Up2date</i> , 2018 , 1, 67-79	0.1	
78	Use of brivaracetam in genetic generalized epilepsies and for acute, intravenous treatment of absence status epilepticus. <i>Epilepsia</i> , 2018 , 59, 1549-1556	6.4	45
77	Epileptic Seizures in Patients Following Surgical Treatment of Acute Subdural Hematoma-Incidence, Risk Factors, Patient Outcome, and Development of New Scoring System for Prophylactic Antiepileptic Treatment (GATE-24 score). <i>World Neurosurgery</i> , 2017 , 101, 416-424	2.1	14
76	Treatment of refractory and super-refractory status epilepticus with brivaracetam: A cohort study from two German university hospitals. <i>Epilepsy and Behavior</i> , 2017 , 70, 177-181	3.2	60
75	Postmarketing experience with brivaracetam in the treatment of epilepsies: A multicenter cohort study from Germany. <i>Epilepsia</i> , 2017 , 58, 1208-1216	6.4	69
74	A systematic review of epileptic seizures in adults with subdural haematomas. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 45, 28-35	3.2	41
73	Differenzialdiagnose paroxysmaler Bewusstseinsstörungen. <i>Zeitschrift Fur Epileptologie</i> , 2017 , 30, 45-48	0.1	0
72	Visuelle Auren im Grenzgebiet zwischen Epilepsie und Migräne. <i>Zeitschrift Fur Epileptologie</i> , 2017 , 30, 21-27	0.1	2

71	Lacosamide in status epilepticus: Systematic review of current evidence. <i>Epilepsia</i> , 2017 , 58, 933-950	6.4	64
70	Eslicarbazepine acetate as a therapeutic option in a patient with carbamazepine-induced rash and HLA-A*31:01. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 47, 81-82	3.2	8
69	Concepts for Prehospital and Initial In-hospital Therapy of Status Epilepticus. <i>Neurology International Open</i> , 2017 , 01, E217-E223		3
68	Personalized translational epilepsy research - Novel approaches and future perspectives: Part II: Experimental and translational approaches. <i>Epilepsy and Behavior</i> , 2017 , 76, 7-12	3.2	11
67	Personalized translational epilepsy research - Novel approaches and future perspectives: Part I: Clinical and network analysis approaches. <i>Epilepsy and Behavior</i> , 2017 , 76, 13-18	3.2	18
66	Costs, length of stay, and mortality of super-refractory status epilepticus: A population-based study from Germany. <i>Epilepsia</i> , 2017 , 58, 1533-1541	6.4	97
65	Ictal conduction aphasia and ictal angular gyrus syndrome as rare manifestations of epilepsy: The importance of ictal testing during video-EEG monitoring. <i>Epilepsy & Behavior Case Reports</i> , 2017 , 8, 55-62 ^{1,2}		4
64	Sure, or unsure? Measuring students' confidence and the potential impact on patient safety in multiple-choice questions. <i>Medical Teacher</i> , 2017 , 39, 1189-1194	3	10
63	Konzepte zur prähospitalen und initialen intrahospitalen Therapie des Status epilepticus. <i>Aktuelle Neurologie</i> , 2017 , 44, 637-644		0
62	Periodic EEG patterns in sporadic Creutzfeld-Jakob-Disease can be benzodiazepine-responsive and be difficult to distinguish from non-convulsive status epilepticus. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017 , 53, 47-50	3.2	7
61	Significant increase in acute subdural hematoma in octo- and nonagenarians: surgical treatment, functional outcome, and predictors in this patient cohort. <i>Neurosurgical Focus</i> , 2017 , 43, E10	4.2	31
60	Paroxysmale sympathische Hyperaktivität als Syndrom im Grenzgebiet der Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2017 , 30, 49-52	0.1	0
59	The efficacy of lacosamide as monotherapy and adjunctive therapy in focal epilepsy and its use in status epilepticus: clinical trial evidence and experience. <i>Therapeutic Advances in Neurological Disorders</i> , 2017 , 10, 103-126	6.6	16
58	Socioeconomic Outcome and Quality of Life in Adults after Status Epilepticus: A Multicenter, Longitudinal, Matched Case-Control Analysis from Germany. <i>Frontiers in Neurology</i> , 2017 , 8, 507	4.1	23
57	The Burden of Severely Drug-Refractory Epilepsy: A Comparative Longitudinal Evaluation of Mortality, Morbidity, Resource Use, and Cost Using German Health Insurance Data. <i>Frontiers in Neurology</i> , 2017 , 8, 712	4.1	57
56	Guideline conform initial monotherapy increases in patients with focal epilepsy: A population-based study on German health insurance data. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 41, 9-15	3.2	29
55	Revised version of quality guidelines for presurgical epilepsy evaluation and surgical epilepsy therapy issued by the Austrian, German, and Swiss working group on presurgical epilepsy diagnosis and operative epilepsy treatment. <i>Epilepsia</i> , 2016 , 57, 1215-20	6.4	71
54	Neurologist adherence to clinical practice guidelines and costs in patients with newly diagnosed and chronic epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2016 , 64, 75-82	3.2	19

53	Costs and cost-driving factors for acute treatment of adults with status epilepticus: A multicenter cohort study from Germany. <i>Epilepsia</i> , 2016 , 57, 2056-2066	6.4	52
52	Predictors of New Cerebral Microbleeds in Patients with Antiplatelet Drug Therapy. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 1671-1677	2.8	3
51	Predictors of and attitudes toward counseling about SUDEP and other epilepsy risk factors among Austrian, German, and Swiss neurologists and neuropediatricians. <i>Epilepsia</i> , 2016 , 57, 612-20	6.4	40
50	Erfolgreiche Epilepsiechirurgie bei seit über 20 Jahren therapierefraktärer Temporallappenepilepsie und multiplen Voreingriffen. <i>Zeitschrift Fur Epileptologie</i> , 2016 , 29, 156-160	0.1	1
49	Brivaracetam in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. <i>Expert Review of Clinical Pharmacology</i> , 2016 , 9, 637-45	3.8	38
48	Adjunctive retigabine in refractory focal epilepsy: Postmarketing experience at four tertiary epilepsy care centers in Germany. <i>Epilepsy and Behavior</i> , 2016 , 56, 54-8	3.2	9
47	The history of invasive EEG evaluation in epilepsy patients. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2016 , 41, 191-5	3.2	50
46	Estimating the Quantitative Demand of NOAC Antidote Doses on Stroke Units. <i>Cerebrovascular Diseases</i> , 2016 , 42, 415-420	3.2	12
45	Leitlinienumsetzung und Kosten bei neudiagnostizierter Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2015 , 28, 304-310	0.1	5
44	Gesundheitsökonomie und Lebensqualität bei Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2015 , 28, 153-160	0.1	1
43	Perampanel in the treatment of focal and idiopathic generalized epilepsies and of status epilepticus. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 733-40	3.8	23
42	Cost of status epilepticus: A systematic review. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 24, 17-20	3.2	40
41	Stiripentol for the treatment of super-refractory status epilepticus. <i>Acta Neurologica Scandinavica</i> , 2015 , 132, 435-9	3.8	26
40	Intranasal midazolam during presurgical epilepsy monitoring is well tolerated, delays seizure recurrence, and protects from generalized tonic-clonic seizures. <i>Epilepsia</i> , 2015 , 56, 1408-14	6.4	21
39	Costs of epilepsy and cost-driving factors in children, adolescents, and their caregivers in Germany. <i>Epilepsia</i> , 2015 , 56, 1388-97	6.4	78
38	Evaluation of costs of epilepsy using an electronic practice management software in Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 26, 49-55	3.2	14
37	Advancing our knowledge about the social management of epilepsy: Epilepsy & behavior's 15th anniversary. <i>Epilepsy and Behavior</i> , 2014 , 40, 110	3.2	
36	Evaluation of health-care utilization in patients with Dravet syndrome and on adjunctive treatment with stiripentol and clobazam. <i>Epilepsy and Behavior</i> , 2014 , 34, 86-91	3.2	42

35	Epilepsiebedingte Verletzungen und Unfälle. <i>Nervenheilkunde</i> , 2014 , 33, 331-334	0.3	3
34	Mesial temporal lobe epilepsy in a patient with spinocerebellar ataxia type 13 (SCA13). <i>International Journal of Neuroscience</i> , 2013 , 123, 278-82	2	6
33	Costs of epilepsy and their predictors: Cross-sectional study in Germany and review of literature. <i>Epileptology</i> , 2013 , 1, 55-60		11
32	Sustained seizure remission on perampanel in progressive myoclonic epilepsy (Lafora disease). <i>Epilepsy & Behavior Case Reports</i> , 2013 , 1, 118-21	1.2	42
31	Trends in resource utilization and prescription of anticonvulsants for patients with active epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2013 , 27, 433-8	3.2	40
30	Intravenous initiation and maintenance of ketogenic diet: proof of concept in super-refractory status epilepticus. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 581-3	3.2	46
29	Inpatient treatment costs of status epilepticus in adults in Germany. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 882-5	3.2	54
28	Counseling and social work for persons with epilepsy: observational study on demand and issues in Hessen, Germany. <i>Epilepsy and Behavior</i> , 2013 , 28, 358-62	3.2	10
27	Early detection of bone metabolism changes under different antiepileptic drugs (ED-BoM-AED)--a prospective multicenter study. <i>Epilepsy Research</i> , 2013 , 106, 417-22	3	15
26	Im Grenzgebiet zwischen Bewegungsstörungen und Epilepsien. <i>Der Neurologe Und Psychiater</i> , 2013 , 14, 62-68	0	
25	Prevalence, utilization, and costs of antiepileptic drugs for epilepsy in Germany--a nationwide population-based study in children and adults. <i>Journal of Neurology</i> , 2012 , 259, 2376-84	5.5	93
24	Minocycline as potent anticonvulsant in a patient with astrocytoma and drug resistant epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012 , 21, 227-8	3.2	32
23	Evaluation of health-care utilization among adult patients with epilepsy in Germany. <i>Epilepsy and Behavior</i> , 2012 , 23, 451-7	3.2	62
22	A female adult with Sandifer syndrome and hiatal hernia misdiagnosed as epilepsy with focal seizures. <i>Epilepsy and Behavior</i> , 2012 , 24, 141-2	3.2	4
21	The LaLiMo Trial: lamotrigine compared with levetiracetam in the initial 26 weeks of monotherapy for focal and generalised epilepsy--an open-label, prospective, randomised controlled multicenter study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 1093-8	5.5	42
20	Treatment of paroxysmal dyskinesias. <i>Expert Opinion on Pharmacotherapy</i> , 2011 , 12, 63-72	4	20
19	Postictal generalized electroencephalographic suppression is associated with generalized seizures. <i>Epilepsy and Behavior</i> , 2011 , 21, 271-4	3.2	127
18	Management and long-term outcome in patients presenting with ictal asystole or bradycardia. <i>Epilepsia</i> , 2011 , 52, 1160-7	6.4	60

17	Postictal increase in T-wave alternans after generalized tonic-clonic seizures. <i>Epilepsia</i> , 2011 , 52, 2112-7	6.4	36
16	Benign paroxysmal positional vertigo following diagnostic transcranial magnetic stimulation. <i>Neurological Sciences</i> , 2011 , 32, 503-5	3.5	2
15	Direkte und indirekte Kosten der Epilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2011 , 24, 172-177	0.1	1
14	Teaching NeuroImages: spontaneous asymptomatic occlusion of a cerebral arteriovenous malformation. <i>Neurology</i> , 2010 , 74, e105	6.5	3
13	Quality of life and employment status are correlated with antiepileptic monotherapy versus polytherapy and not with use of "newer" versus "classic" drugs: results of the "Compliant 2006" survey in 907 patients. <i>Epilepsy and Behavior</i> , 2010 , 19, 618-22	3.2	31
12	Localizing and lateralizing value of ictal flatulence. <i>Epilepsy and Behavior</i> , 2010 , 17, 278-82	3.2	5
11	Prospective evaluation of a post-stroke epilepsy risk scale. <i>Journal of Neurology</i> , 2010 , 257, 1322-6	5.5	49
10	Filtersetting beim invasiven Video-EEG-Monitoring. <i>Zeitschrift Fur Epileptologie</i> , 2010 , 23, 122-127	0.1	
9	KCNC3: phenotype, mutations, channel biophysics-a study of 260 familial ataxia patients. <i>Human Mutation</i> , 2010 , 31, 191-6	4.7	70
8	Six months of postmarketing experience with adjunctive lacosamide in patients with pharmacoresistant focal epilepsy at a tertiary epilepsy center in Germany. <i>Epilepsy and Behavior</i> , 2009 , 16, 423-5	3.2	39
7	Continuous phenobarbital treatment leads to recurrent plantar fibromatosis. <i>Epilepsia</i> , 2008 , 49, 1965-86	6.4	15
6	Cost of epilepsy: a systematic review. <i>Pharmacoeconomics</i> , 2008 , 26, 463-76	4.4	175
5	Ictal asystole in temporal lobe epilepsy before and after pacemaker implantation. <i>Epileptic Disorders</i> , 2008 , 10, 39-44	1.9	29
4	Seizures induced by the sight of moving water. <i>Epileptic Disorders</i> , 2008 , 10, 49-52	1.9	1
3	Direct and indirect costs of refractory epilepsy in a tertiary epilepsy center in Germany. <i>Epilepsia</i> , 2006 , 47, 2165-72	6.4	81
2	Klinische Charakteristika und Lebensqualität beim Dravet-Syndrom: Ergebnisse der deutschen Kohorte des Dravet syndrome caregiver survey (DISCUSS). <i>Monatsschrift Fur Kinderheilkunde</i> , 1	0.2	
1	Klinische Charakteristika und Lebensqualität beim Dravet-Syndrom: Ergebnisse der deutschen Kohorte des Dravet syndrome caregiver survey (DISCUSS). <i>Zeitschrift Fur Epileptologie</i> , 1	0.1	