

Zong-Jun Du

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6169536/zong-jun-du-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

949
citations

12
h-index

26
g-index

176
ext. papers

2,066
ext. citations

2.5
avg, IF

4.72
L-index

#	Paper	IF	Citations
151	<i>Draconibacterium orientale</i> gen. nov., sp. nov., isolated from two distinct marine environments, and proposal of <i>Draconibacteriaceae</i> fam. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1690-1696	2.2	114
150	<i>Saccharicrinis carchari</i> sp. nov., isolated from a shark, and emended descriptions of the genus <i>Saccharicrinis</i> and <i>Saccharicrinis fermentans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2204-2209	2.2	108
149	Metatranscriptomic and comparative genomic insights into resuscitation mechanisms during enrichment culturing. <i>Microbiome</i> , 2018 , 6, 230	16.6	76
148	<i>Tangfeifania diversioriginum</i> gen. nov., sp. nov., a representative of the family <i>Draconibacteriaceae</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3473-3477	2.2	44
147	<i>Woeseia oceani</i> gen. nov., sp. nov., a chemoheterotrophic member of the order <i>Chromatiales</i> , and proposal of <i>Woeseiaceae</i> fam. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 107-112	2.2	43
146	<i>Seonamhaecola marinus</i> sp. nov., isolated from marine algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4857-4861	2.2	28
145	Description of <i>Ancylomarina subtilis</i> gen. nov., sp. nov., isolated from coastal sediment, proposal of <i>Marinilabiales</i> ord. nov. and transfer of <i>Marinilabiales</i> , <i>Prolixibacteraceae</i> and <i>Marinifilaceae</i> to the order <i>Marinilabiales</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4243-4249	2.2	22
144	<i>Salegentibacter echinorum</i> sp. nov., isolated from the sea urchin <i>Hemicentrotus pulcherrimus</i> . <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 315-20	2.1	20
143	<i>Bradymonas sediminis</i> gen. nov., sp. nov., isolated from coastal sediment, and description of <i>Bradymonadaceae</i> fam. nov. and <i>Bradymonadales</i> ord. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1542-1549	2.2	16
142	<i>Aquimarina agarivorans</i> sp. nov., a genome-sequenced member of the class <i>Flavobacteriia</i> isolated from <i>Gelidium amansii</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2684-2688	2.2	14
141	<i>Algoriphagus marinus</i> sp. nov., isolated from marine sediment and emended description of the genus <i>Algoriphagus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2412-2417	2.2	12
140	Physiological and transcriptomic analyses reveal mechanistic insight into the adaption of marine <i>Bacillus subtilis</i> C01 to alumina nanoparticles. <i>Scientific Reports</i> , 2016 , 6, 29953	4.9	12
139	Strategies for culturing active/dormant marine microbes. <i>Marine Life Science and Technology</i> , 2021 , 3, 121-131	4.5	12
138	<i>Catenovulum maritimus</i> sp. nov., a novel agarolytic gammaproteobacterium isolated from the marine alga <i>Porphyra yezoensis</i> Ueda (AST58-103), and emended description of the genus <i>Catenovulum</i> . <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 427-34	2.1	11
137	<i>Roseovarius salinarum</i> sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1986-1991	2.2	11
136	sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3830-3836	2.2	11
135	<i>Bradymonabacteria</i> , a novel bacterial predator group with versatile survival strategies in saline environments. <i>Microbiome</i> , 2020 , 8, 126	16.6	11

134	Rhodohalobacter halophilus gen. nov., sp. nov., a moderately halophilic member of the family Balneolaceae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1281-1287	2.2	10
133	Motiliproteus sediminis gen. nov., sp. nov., isolated from coastal sediment. <i>Antonie Van Leeuwenhoek</i> , 2014 , 106, 615-21	2.1	9
132	Psychroflexus saliphilus sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5124-5128	2.2	9
131	Algoriphagus resistens sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1275-1280	2.2	9
130	Colwellia agarivorans sp. nov., an agar-digesting marine bacterium isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1969-1974	2.2	9
129	Seonamhaeicola algicola sp. nov., a complex-polysaccharide-degrading bacterium isolated from Gracilaria blodgettii, and emended description of the genus Seonamhaeicola. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2064-2068	2.2	8
128	Wenzhouxiangella sediminis sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4575-4579	2.2	8
127	Salinimicrobium flavum sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4083-4088	2.2	8
126	Colwellia arctica sp. nov., isolated from Arctic marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 723-9	2.1	7
125	Mangrovibacterium marinum sp. nov., isolated from a coastal sediment. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 1583-9	2.1	7
124	Pistricoccus aurantiacus gen. nov., sp. nov., a moderately halophilic bacterium isolated from a shark. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 1593-1603	2.1	7
123	Thalassotalea sediminis sp. nov., isolated from coastal sediment. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 371-8	2.1	7
122	Mesonina sediminis sp. nov., isolated from a sea cucumber culture pond. <i>Antonie Van Leeuwenhoek</i> , 2015 , 108, 1205-12	2.1	7
121	Roseimarinus sediminis gen. nov., sp. nov., a facultatively anaerobic bacterium isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2260-2264	2.2	7
120	Alkalimarinus sediminis gen. nov., sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3511-3516	2.2	7
119	Tenacibaculum agarivorans sp. nov., an agar-degrading bacterium isolated from marine alga Porphyra yezoensis Ueda. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 5139-5143	2.2	7
118	Aquimarina celericrescens sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1683-1688	2.2	7
117	Marinicella sediminis sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2335-2339	2.2	7

116	Pedobacter chinensis sp. nov., a cellulose-decomposing bacterium from Arctic tundra soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1926-1933	2.2	7
115	Nocardioides gilvus sp. nov., isolated from Namtso Lake. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 1367-74	2.1	7
114	Halioglobus lutimaris sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 876-880	2.2	6
113	sp. nov., an agar-degrading marine bacterium isolated from red algae. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 100-104	2.2	6
112	sp. nov., isolated from activated sludge. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 618-623	2.2	6
111	Alteromonas flava sp. nov. and Alteromonas facilis sp. nov., two novel copper tolerating bacteria isolated from a sea cucumber culture pond in China. <i>Systematic and Applied Microbiology</i> , 2019 , 42, 217-222	2.2	6
110	Winogradskyella aurantia sp. nov., isolated from a marine solar saltern. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 1445-1452	2.1	5
109	Salegentibacter sediminis sp. nov., a marine bacterium of the family Flavobacteriaceae isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2375-2380	2.2	5
108	Jannaschia formosa sp. nov., isolated from marine saltern sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2037-2042	2.2	5
107	Maribellus luteus gen. nov., sp. nov., a marine bacterium in the family Prolixibacteraceae isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2388-2394	2.2	5
106	sp. nov., isolated from Antarctic soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3885-3890	2.2	5
105	Bacillus mesophilus sp. nov., an alginate-degrading bacterium isolated from a soil sample collected from an abandoned marine solar saltern. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 937-43	2.1	5
104	Complete genome sequence of Bradymonas sediminis FA350T, the first representative of the order Bradymonadales. <i>Marine Genomics</i> , 2019 , 46, 62-65	1.9	5
103	Asciaceibacter salegens gen. nov., sp. nov., isolated from an ascidian. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 1687-1695	2.1	4
102	Algoriphagus formosus sp. nov., isolated from coastal sediment. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 913-920	2.1	4
101	Aquimarina sediminis sp. nov., isolated from coastal sediment. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 2257-2265	2.1	4
100	Brumimicrobium aurantiacum sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3256-3260	2.2	4
99	Catenovulum sediminis sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3894-3898	2.2	4

98	Primorskyibacter marinus sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 3169-3174	2.2	4
97	Coraliomargarita sinensis sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 701-707	2.2	4
96	Halioglobus sediminis sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1601-1605	2.2	4
95	Kineobactrum sediminis gen. nov., sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2395-2400	2.2	4
94	sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 902-908	2.2	4
93	sp. nov., isolated from lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1895-1902	2.2	4
92	Polaribacter aquimarinus sp. nov., isolated from the surface of a marine red alga. <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 407-415	2.1	4
91	Psychroflexus maritimus sp. nov., isolated from coastal sediment. <i>Archives of Microbiology</i> , 2020 , 202, 2127-2133	3	3
90	Robiginitalea sediminis sp. nov., isolated from a sea cucumber culture pond. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 905-911	2.1	3
89	Kordiimonas sediminis sp. nov., isolated from a sea cucumber culture pond. <i>Antonie Van Leeuwenhoek</i> , 2016 , 109, 705-11	2.1	3
88	Complete genome sequence of a deeply branched marine Bacteroidia bacterium Draconibacterium orientale type strain FH5(T). <i>Marine Genomics</i> , 2016 , 26, 13-6	1.9	3
87	Pedobacter changchengzhani sp. nov., isolated from soil of Antarctica. <i>Antonie Van Leeuwenhoek</i> , 2019 , 112, 1747-1754	2.1	3
86	Identification of a marine agarolytic bacterium Agarivorans albus QM38 and cloning and sequencing its beta-agarase genes. <i>Acta Oceanologica Sinica</i> , 2011 , 30, 118-124	1	3
85	sp. nov., isolated from Arctic tundra soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3745-3750	2.2	3
84	Hyunsoonleella rubra sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 386-390	2.2	3
83	Oceanibium sediminis gen. nov., sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 249-254	2.2	3
82	Pararhodobacter oceanensis sp. nov., isolated from marine intertidal sediment and emended description of the genus Pararhodobacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 866-870	2.2	3
81	Aquiflexum aquatile sp. nov., isolated from lake water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1947-1952	2.2	3

80	gen. nov., sp. nov. and sp. nov., two new representatives in the order. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2767-2774	2.2	3
79	sp. nov., isolated from rhizosphere soil of the Arctic tundra. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3437-3442	2.2	3
78	sp. nov., isolated from a saline lake in Inner Mongolia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3786-3791	2.2	3
77	sp. nov., a moderately halophilic bacterium isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 450-456	2.2	3
76	sp. nov., isolated from the Red Maple Lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 2359-2365	2.2	3
75	gen. nov., sp. nov., a novel representative of the phylum and proposal of fam. nov., ord. nov. and class. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 5001-5011	2.2	3
74	<i>Pelagivirga dicentrarchi</i> sp. nov., a member of the family Rhodobacteraceae isolated from the gut microflora of sea bass (<i>Dicentrarchus labrax</i> L.). <i>Antonie Van Leeuwenhoek</i> , 2020 , 113, 293-301	2.1	3
73	gen. nov. sp. nov., a member of the family with alginate-degradation activity, isolated from marine alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 71,	2.2	2
72	<i>Winogradskyella tangerina</i> sp. nov., a member of the Flavobacteriaceae isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2832-2837	2.2	2
71	<i>Aliidiomarina celeris</i> sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 171-176	2.2	2
70	<i>Vibrio albus</i> sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1919-1925	2.2	2
69	<i>Paracnuella aquatica</i> gen. nov., sp. nov., a member of the family Chitinophagaceae isolated from a hot spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2360-2366	2.2	2
68	sp. nov., isolated from the gut microflora of sea bass (L.) and emended description of the genus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2892-2898	2.2	2
67	sp. nov., isolated from a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 193-198	2.2	2
66	sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 240-245	2.2	2
65	sp. nov., a novel helical bacterium isolated from a sea cucumber culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 576-581	2.2	2
64	sp. nov., a rhodopsin-containing bacterium from an Antarctic environment and emended description of the genus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1555-1561	2.2	2
63	sp. nov., isolated from the surface of a marine red alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 5048-5053	2.2	2

62	Motilimonas eburnea gen. nov., sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 306-310	2.2	2
61	Tamlana haliotis sp. nov., isolated from the gut of the abalone Haliotis rubra. <i>Archives of Microbiology</i> , 2021 , 203, 2357-2364	3	2
60	Pseudohalioglobus sediminis sp. nov., isolated from coastal sediment.. <i>Archives of Microbiology</i> , 2022 , 204, 207	3	2
59	gen. nov., sp. nov., the Representative of a Novel Wide-Ranging Predatory Taxon in. <i>Frontiers in Microbiology</i> , 2020 , 11, 698	5.7	1
58	Draft Genome Sequence of Algoriphagus sp. Strain NH1, a Multidrug-Resistant Bacterium Isolated from Coastal Sediments of the Northern Yellow Sea in China. <i>Genome Announcements</i> , 2016 , 4,		1
57	Two new Polyangium species, P. aurulentum sp. nov. and P. jinanense sp. nov., isolated from a soil sample. <i>Systematic and Applied Microbiology</i> , 2021 , 44, 126274	4.2	1
56	Motilimonas pumila sp. nov., isolated from the gut of sea cucumber Apostichopus japonicus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 811-815	2.2	1
55	Corallincola holothuriorum sp. nov., a facultative anaerobe isolated from sea cucumber intestine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2258-2262	2.2	1
54	sp. nov., isolated from Arctic surface sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3154-3161	2.2	1
53	sp. nov., a new member of the family isolated from the red alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3679-3685	2.2	1
52	Marinilabilia rubra sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 914-919	2.2	1
51	Alteromonas sediminis sp. nov., isolated from sediment in a sea cucumber culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1579-1584	2.2	1
50	Marinicauda salina sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2233-2238	2.2	1
49	sp. nov., isolated from a marine solar saltern, and emended description of the genus. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3305-3309	2.2	1
48	sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3528-3533	2.2	1
47	sp. nov., isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 4610-4615	2.2	1
46	sp. nov., isolated from lake sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 5473-5478	2.2	1
45	gen. nov., sp. nov., isolated from marine sediment within the Family. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 5654-5664	2.2	1

44	sp. nov., isolated from coastal surface water, and reclassification of as comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6348-6354	2.2	1
43	Effects of Antibiotics on the Bacterial Community, Metabolic Functions and Antibiotic Resistance Genes in Mariculture Sediments during Enrichment Culturing. <i>Journal of Marine Science and Engineering</i> , 2020 , 8, 604	2.4	1
42	<i>Marinobacter orientalis</i> sp. nov., a thiosulfate-oxidizing bacterium isolated from a marine solar saltern. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 765-775	2.1	1
41	<i>Thalassotalea algicola</i> sp. nov., an alginate-utilizing bacterium isolated from a red alga. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 835-844	2.1	1
40	<i>Paracoccus binzhouensis</i> sp. nov., isolated from activated sludge. <i>Archives of Microbiology</i> , 2021 , 203, 3007-3013	3	1
39	<i>Sulfitobacter algicola</i> sp. nov., isolated from green algae. <i>Archives of Microbiology</i> , 2021 , 203, 2351-2356		1
38	<i>Rhodohalobacter mucosus</i> sp. nov., isolated from a marine solar saltern. <i>Archives of Microbiology</i> , 2021 , 203, 2419-2424	3	1
37	<i>Ruegeria haliotis</i> sp. nov., Isolated from the Gut of the Abalone <i>Haliotis rubra</i> . <i>Current Microbiology</i> , 2021 , 78, 2151-2159	2.4	1
36	<i>Salegentibacter maritimus</i> sp. nov., isolated from marine coastal sediment. <i>Systematic and Applied Microbiology</i> , 2021 , 44, 126209	4.2	1
35	sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021 , 71,	2.2	1
34	<i>Methylobrevis albus</i> sp. nov., isolated from freshwater lake sediment. <i>Archives of Microbiology</i> , 2021 , 203, 4549-4556	3	1
33	<i>Gelidibacter maritimus</i> sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021 , 203, 5117-5122		1
32	<i>Pistricoccus</i> 2019 , 1-6		1
31	<i>Propylenella binzhouense</i> gen. nov., sp. nov. isolated from activated sludge, and proposal of <i>Propylenellaceae</i> fam. nov. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 225-233	2.1	1
30	<i>Tenacibaculum pelagium</i> sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021 , 203, 2229-2236	3	1
29	<i>Gelidibacter pelagius</i> sp. nov., Isolated from Coastal Sediment. <i>Current Microbiology</i> , 2021 , 78, 3342-3348	4.4	1
28	Description of <i>Lujinxingia vulgaris</i> sp. nov., isolated from coastal sediment via prey-traps. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 1805-1818	2.1	1
27	sp. nov. and sp. nov., two marine bacteria isolated from offshore areas near Weihai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2021 , 71,	2.2	1

26	Robertkochia sediminum sp. nov., isolated from coastal sediment. <i>Archives of Microbiology</i> , 2021 , 204, 13	3	1
25	Psychroserpens luteolus sp. nov., isolated from Gelidium, reclassification of Ichthyenterobacterium magnum as Psychroserpens magnus comb. nov., Flavihalobacter algicola as Psychroserpens algicola comb. nov., Arcticiflavibacter luteus as Psychroserpens luteus comb. nov.. <i>Archives of Microbiology</i> , 2022 , 204, 279	3	1
24	Seonamhaeicola sediminis sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2020 , 202, 1295-1300	3	0
23	sp. nov., isolated from sediment of sea cucumber culture pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1398-1403	2.2	0
22	sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 982-988	2.2	0
21	gen. nov., sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1079-1085	2.2	0
20	sp. nov., a flavobacterium isolated from surface seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1617-1622	2.2	0
19	sp. nov., a gamma ray- and ultraviolet-resistant bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 4993-5000	2.2	0
18	gen. nov., sp. nov., isolated from a haloalkaline lake sediment sample. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 5373-5381	2.2	0
17	Reichenbachiella versicolor sp. nov., isolated from red alga. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 3523-3527	2.2	0
16	Hanstruepera crassostreae sp. nov., a novel marine bacterium of the family Flavobacteriaceae isolated from an oyster. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 3647-3651	2.2	0
15	gen. nov., sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3056-3061	2.2	0
14	sp. nov., isolated from rhizosphere soil of. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3609-3615	2.2	0
13	gen. nov., sp. nov., isolated from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3588-3596	2.2	0
12	gen. nov., sp. nov., isolated from coastal seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3740-3748	2.2	0
11	Inducible expression of agar-degrading genes in a marine bacterium Catenovulum maritimus Q1 and characterization of a β agarase. <i>Applied Microbiology and Biotechnology</i> , 2020 , 104, 10541-10553	5.7	0
10	What do we mean by viability in terms of Viable but non-culturable cells?. <i>Environmental Microbiology Reports</i> , 2021 , 13, 248-252	3.7	0
9	Moheibacter lacus sp. nov., Isolated from Freshwater Lake Sediment. <i>Current Microbiology</i> , 2021 , 78, 2160-2164	2.4	0

8	Pontibaca salina sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021 , 203, 4493-4498	3	0
7	Aquimarina algicola sp. nov., isolated from the surface of a marine red alga. <i>Archives of Microbiology</i> , 2021 , 203, 5397-5403	3	0
6	Winogradskyella marina sp. nov., isolated from marine sediment. <i>Archives of Microbiology</i> , 2021 , 203, 5381-5386	3	0
5	Oceaniferula marina gen.nov., sp.nov., an anti-fluoroquinolone bacterium isolated from marine sediment. <i>Antonie Van Leeuwenhoek</i> , 2021 , 114, 1855-1865	2.1	0
4	Mesorhizobium xinjiangense sp. nov., isolated from rhizosphere soil of Alhagi sparsifolia.. <i>Archives of Microbiology</i> , 2021 , 204, 29	3	0
3	Maribellus maritimus sp. nov., isolated from marine sediment.. <i>Archives of Microbiology</i> , 2021 , 204, 40	3	0
2	Sulfuroseicoccus oceanibius gen. nov., sp. nov., a representative of the phylum Verrucomicrobia with a special cytoplasmic membrane.. <i>Antonie Van Leeuwenhoek</i> , 2022 , 115, 337	2.1	
1	Paracoccus shandongensis sp. nov., Isolated from Activated Sludge.. <i>Current Microbiology</i> , 2021 , 79, 8	2.4	