

Young Su Joo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6171239/young-su-joo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

203
citations

9
h-index

12
g-index

56
ext. papers

390
ext. citations

5.1
avg, IF

3.01
L-index

#	Paper	IF	Citations
42	Changes in obese metabolic phenotypes over time and risk of incident chronic kidney disease. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2778-2791	6.7	19
41	Framingham risk score and risk of incident chronic kidney disease: A community-based prospective cohort study. <i>Kidney Research and Clinical Practice</i> , 2019 , 38, 49-59	3.6	16
40	Smoking, Smoking Cessation, and Progression of Chronic Kidney Disease: Results From KNOW-CKD Study. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 92-98	4.9	16
39	Secondhand Smoke and CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019 , 14, 515-522	6.9	15
38	Association Between Serum High-Density Lipoprotein Cholesterol Levels and Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Journal of the American Heart Association</i> , 2019 , 8, e011162	6	14
37	The effect of specialized continuous renal replacement therapy team in acute kidney injury patients treatment. <i>Yonsei Medical Journal</i> , 2015 , 56, 658-65	3	14
36	Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. <i>Clinical Immunology</i> , 2020 , 211, 108331	9	13
35	High muscle-to-fat ratio is associated with lower risk of chronic kidney disease development. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 726-734	10.3	9
34	Alcohol Consumption and Progression of Chronic Kidney Disease: Results From the Korean Cohort Study for Outcome in Patients with Chronic Kidney Disease. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 293-305	6.4	9
33	Creatinine-Cystatin C Ratio and Mortality in Patients Receiving Intensive Care and Continuous Kidney Replacement Therapy: A Retrospective Cohort Study. <i>American Journal of Kidney Diseases</i> , 2021 , 77, 509-516.e1	7.4	8
32	Insulin resistance is associated with new-onset cardiovascular events in nondiabetic patients undergoing peritoneal dialysis. <i>Kidney Research and Clinical Practice</i> , 2014 , 33, 192-8	3.6	7
31	Low High-Sensitivity C-Reactive Protein Level in Korean Patients With Chronic Kidney Disease and Its Predictive Significance for Cardiovascular Events, Mortality, and Adverse Kidney Outcomes: Results From KNOW-CKD. <i>Journal of the American Heart Association</i> , 2020 , 9, e017980	6	7
30	Dietary zinc intake and incident chronic kidney disease. <i>Clinical Nutrition</i> , 2021 , 40, 1039-1045	5.9	7
29	Association of Blood Pressure With the Progression of CKD: Findings From KNOW-CKD Study. <i>American Journal of Kidney Diseases</i> , 2021 , 78, 236-245	7.4	6
28	Carbohydrate-Rich Diet Is Associated with Increased Risk of Incident Chronic Kidney Disease in Non-Diabetic Subjects. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
27	Association of Longitudinal Trajectories of Systolic BP with Risk of Incident CKD: Results from the Korean Genome and Epidemiology Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2133-2144	12.7	4
26	Association of smoking with incident CKD risk in the general population: A community-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0238111	3.7	4

25	Intensity of statin therapy and renal outcome in chronic kidney disease: Results from the Korean Cohort Study for Outcome in Patients With Chronic Kidney Disease. <i>Kidney Research and Clinical Practice</i> , 2020 , 39, 93-102	3.6	3
24	Snoring and incident chronic kidney disease: a community-based prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e030671	3	3
23	Urinary chloride concentration and progression of chronic kidney disease: results from the Korean cohort study for Outcomes in patients With Chronic Kidney Disease. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 673-680	4.3	3
22	Physical performance and chronic kidney disease development in elderly adults: results from a nationwide cohort study. <i>Aging</i> , 2020 , 12, 17393-17417	5.6	2
21	Incidence of Acute Kidney Injury after Adrenalectomy in Patients with Primary Aldosteronism. <i>Electrolyte and Blood Pressure</i> , 2019 , 17, 45-53	1.1	2
20	Association of Reproductive Lifespan Duration and Chronic Kidney Disease in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 2621-2632	6.4	2
19	Sex disparities and adverse cardiovascular and kidney outcomes in patients with chronic kidney disease: results from the KNOW-CKD. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1116-1127	6.1	2
18	Systolic blood pressure and chronic kidney disease progression in patients with primary glomerular disease. <i>Journal of Nephrology</i> , 2021 , 34, 1057-1067	4.8	2
17	Association Between Longitudinal Blood Pressure Trajectory and the Progression of Chronic Kidney Disease: Results From the KNOW-CKD. <i>Hypertension</i> , 2021 , 78, 1355-1364	8.5	2
16	Erythropoiesis stimulating agent recommendation model using recurrent neural networks for patient with kidney failure with replacement therapy. <i>Computers in Biology and Medicine</i> , 2021 , 137, 104718	7.18	2
15	Dialysis Adequacy and Risk of Dementia in Elderly Hemodialysis Patients.. <i>Frontiers in Medicine</i> , 2021 , 8, 769490	4.9	1
14	Low-density lipoprotein cholesterol levels and adverse clinical outcomes in chronic kidney disease: Results from the KNOW-CKD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 ,	4.5	1
13	Increased Risk of Chronic Kidney Disease Associated With Weight Gain in Healthy Adults: Insight From Metabolic Profiles and Body Composition. <i>Frontiers in Medicine</i> , 2021 , 8, 705881	4.9	1
12	Effect of Psychosocial Distress on the Rate of Kidney Function Decline. <i>Journal of General Internal Medicine</i> , 2021 , 36, 2966-2974	4	1
11	Metabolic Dysfunction-Associated Fatty Liver Disease and Risk of Incident Chronic Kidney Disease: A Nationwide Cohort Study.. <i>Diabetes and Metabolism</i> , 2022 , 101344	5.4	1
10	Smoking Cessation and Coronary Artery Calcification in CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021 , 16, 870-879	6.9	0
9	Synergic association of diabetes mellitus and chronic kidney disease with muscle loss and cachexia: results of a 16-year longitudinal follow-up of a community-based prospective cohort study. <i>Aging</i> , 2021 , 13, 21941-21961	5.6	0
8	Septicemia, necrotizing fasciitis, and peritonitis due to <i>Vibrio vulnificus</i> treated with early use of polymyxin B hemoperfusion in a patient undergoing CAPD: a case report. <i>BMC Nephrology</i> , 2020 , 21, 127	2.7	

7	Syndrome of Inappropriate Secretion of Antidiuretic Hormone after Lung Transplantation. <i>The Ewha Medical Journal</i> , 2014 , 37, S41	0.1
6	Etiologies and Underlying Diseases of Leg Edema in Elderly Patients. <i>Journal of the Korean Geriatrics Society</i> , 2014 , 18, 78-84	
5	Association between the transtubular potassium gradient and progression of chronic kidney disease: results from KNOW-CKD. <i>Journal of Nephrology</i> , 2021 , 34, 2063-2072	4.8
4	FP040PATIENTS WITH POLYCYSTIC KIDNEY DISEASE ARE MORE RESISTANT TO HYPERKALEMIA THAN THOSE WITH OTHER CAUSES OF KIDNEY DISEASES: THE ROLE OF INTRARENAL RENIN-ANGIOTENSIN ACTIVITY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i61-i61	4.3
3	FP326PHYSICAL ACTIVITY IS ASSOCIATED WITH CKD DEVELOPMENT RISK IN SUBJECTS WITH NORMAL RENAL FUNCTION: COMMUNITY BASED PROSPECTIVE COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i140-i140	4.3
2	SP304CHANGES IN BODY MASS INDEX AND INCIDENT CHRONIC KIDNEY DISEASE GENERAL POPULATION: A COMMUNITY-BASED COHORT STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i446-i447	4.3
1	SP332CIRCULATING FIBROBLAST GROWTH FACTOR-23 LEVELS ARE ASSOCIATED WITH AN INCREASED RISK OF ANEMIA DEVELOPMENT IN PATIENTS WITH NON-DIALYSIS CHRONIC KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i456-i456	4.3